

## DAFTAR PUSTAKA

- [1] P. Crist, "Electric Vehicles Revisited—Costs, Subsidies and Prospects," Paris, pp. 1–40, 2012.
- [2] N. Winton, "Electric Car Prospects Stall, Awaiting Promised Battery Improvements," 2015. [Online]. Available: <http://www.forbes.com/sites/neilwinton/2015/07/24/electric-car-prospects-stall-awaiting-promised-battery-improvements/#49594d34756b>. [Accessed: 27-Mar-2016].
- [3] Q. Xu and T. S. Zhao, "Fundamental models for flow batteries," *Prog. Energy Combust. Sci.*, vol. 49, no. 0, pp. 40–58, Aug. 2015.
- [4] Y. Xing, E. W. M. Ma, K. L. Tsui, and M. Pecht, "Battery Management Systems in Electric and Hybrid Vehicles," *Energies*, vol. 4, no. 12, pp. 1840–1857, Oct. 2011.
- [5] M.-H. Chang, H.-P. Huang, and S.-W. Chang, "A New State of Charge Estimation Method for LiFePO<sub>4</sub> Battery Packs Used in Robots," *Energies*, vol. 6, no. 4, pp. 2007–2030, Apr. 2013.
- [6] C. Y. Chun, J. Baek, G.-S. Seo, B. H. Cho, J. Kim, I. K. Chang, and S. Lee, "Current sensor-less state-of-charge estimation algorithm for lithium-ion batteries utilizing filtered terminal voltage," *J. Power Sources*, vol. 273, no. 0, pp. 255–263, Jan. 2015.
- [7] L. Lu, X. Han, J. Li, J. Hua, and M. Ouyang, "A review on the key issues for lithium-ion battery management in electric vehicles," *J. Power Sources*, vol. 226, no. 0, pp. 272–288, Mar. 2013.
- [8] S. Yuan, H. Wu, and C. Yin, "State of Charge Estimation Using the Extended Kalman Filter for Battery Management Systems Based on the ARX Battery Model," *Energies*, vol. 6, no. 1, p. 444, 2013.
- [9] Y. Xing, W. He, M. Pecht, and K. L. Tsui, "State of charge estimation of lithium-ion batteries using the open-circuit voltage at various ambient temperatures," *Appl. Energy*, vol. 113, no. 0, pp. 106–115, Jan. 2014.
- [10] H. Wu, S. Yuan, X. Zhang, C. Yin, and X. Ma, "Model parameter estimation approach based on incremental analysis for lithium-ion batteries without using open circuit voltage," *J. Power Sources*, vol. 287, no. 0, pp. 108–118, Aug. 2015.
- [11] M. U. Cuma and T. Koroglu, "A comprehensive review on estimation strategies used in hybrid and battery electric vehicles," *Renew. Sustain. Energy Rev.*, vol. 42, no. 0, pp. 517–531, Feb. 2015.
- [12] S.-L. Wu, H.-C. Chen, and S.-R. Chou, "Fast Estimation of State of Charge for Lithium-Ion Batteries," *Energies*, vol. 7, no. 5, pp. 3438–3452, May 2014.
- [13] M. Berecibar, I. Gandiaga, I. Villarreal, N. Omar, J. Van Mierlo, and P. Van den Bossche, "Critical review of state of health estimation methods of Li-ion batteries for real applications," *Renew. Sustain. Energy Rev.*, vol. 56, pp. 572–587, Apr. 2016.

- [14] H.-G. Schweiger, O. Obeidi, O. Komesker, A. Raschke, M. Schiemann, C. Zehner, M. Gehnen, M. Keller, and P. Birke, "Comparison of Several Methods for Determining the Internal Resistance of Lithium Ion Cells," *Sensors (Basel)*, vol. 10, no. 6, pp. 5604–5625, Jun. 2010.
- [15] G. Pilatowicz, A. Marongiu, J. Drillkens, P. Sinhuber, and D. U. Sauer, "A critical overview of definitions and determination techniques of the internal resistance using lithium-ion, lead-acid, nickel metal-hydride batteries and electrochemical double-layer capacitors as examples," *J. Power Sources*, vol. 296, pp. 365–376, Nov. 2015.
- [16] K.-H. Tseng, J.-W. Liang, W. Chang, and S.-C. Huang, "Regression Models Using Fully Discharged Voltage and Internal Resistance for State of Health Estimation of Lithium-Ion Batteries," *Energies*, vol. 8, no. 4, pp. 2889–2907, Apr. 2015.
- [17] Y.-H. Chiang, W.-Y. Sean, and J.-C. Ke, "Online estimation of internal resistance and open-circuit voltage of lithium-ion batteries in electric vehicles," *J. Power Sources*, vol. 196, no. 8, pp. 3921–3932, Apr. 2011.
- [18] E. Prada, D. Di Domenico, Y. Creff, J. Bernard, V. Sauvant-Moynot, and F. Huet, "A Simplified Electrochemical and Thermal Aging Model of LiFePO<sub>4</sub>-Graphite Li-ion Batteries: Power and Capacity Fade Simulations," *J. Electrochem. Soc.*, vol. 160, no. 4, pp. A616–A628, Jan. 2013.
- [19] S. Sepasi, R. Ghorbani, and B. Y. Liaw, "Inline state of health estimation of lithium-ion batteries using state of charge calculation," *J. Power Sources*, vol. 299, pp. 246–254, Dec. 2015.
- [20] H. Xiaosong, S. Fengchun, Z. Yuan, and P. Huei, "Online estimation of an electric vehicle Lithium-Ion battery using recursive least squares with forgetting," *American Control Conference (ACC)*, 2011. pp. 935–940, 2011.
- [21] C. Truchot, M. Dubarry, and B. Y. Liaw, "State-of-charge estimation and uncertainty for lithium-ion battery strings," *Appl. Energy*, vol. 119, no. 0, pp. 218–227, Apr. 2014.
- [22] J. Zhang and Y. W. H. Qi, "State of Charge Estimation of LiFePO<sub>4</sub> Batteries Based on Online Parameter Identification," *Appl. Math. Model.*, 2016.
- [23] D. Sun and X. Chen, "Adaptive parameter identification method and state of charge estimation of Lithium Ion battery," *Electrical Machines and Systems (ICEMS)*, 2014 17th International Conference on. pp. 855–860, 2014.
- [24] J. Yan, G. Xu, H. Qian, and Y. Xu, "Robust State of Charge Estimation for Hybrid Electric Vehicles: Framework and Algorithms," *Energies*, vol. 3, no. 10, pp. 1654–1672, Sep. 2010.
- [25] T. Kim, Y. Wang, Z. Sahinoglu, T. Wada, S. Hara, and W. Qiao, "State of charge estimation based on a realtime battery model and iterative smooth variable structure filter," *Innovative Smart Grid Technologies - Asia (ISGT Asia)*, 2014 IEEE. pp. 132–137, 2014.
- [26] Y. Hua, M. Xu, M. Li, C. Ma, and C. Zhao, "Estimation of State of Charge

- for Two Types of Lithium-Ion Batteries by Nonlinear Predictive Filter for Electric Vehicles," *Energies*, vol. 8, no. 5, pp. 3556–3577, Apr. 2015.
- [27] V.-H. Duong, H. A. Bastawrous, K. Lim, K. W. See, P. Zhang, and S. X. Dou, "Online state of charge and model parameters estimation of the LiFePO<sub>4</sub> battery in electric vehicles using multiple adaptive forgetting factors recursive least-squares," *J. Power Sources*, vol. 296, pp. 215–224, Nov. 2015.
- [28] C. Fleischer, W. Waag, H.-M. Heyn, and D. U. Sauer, "On-line adaptive battery impedance parameter and state estimation considering physical principles in reduced order equivalent circuit battery models part 2. Parameter and state estimation," *J. Power Sources*, vol. 262, no. 0, pp. 457–482, Sep. 2014.
- [29] R. Xiong, H. He, F. Sun, X. Liu, and Z. Liu, "Model-based state of charge and peak power capability joint estimation of lithium-ion battery in plug-in hybrid electric vehicles," *J. Power Sources*, vol. 229, no. 0, pp. 159–169, May 2013.
- [30] Y. Zou, X. Hu, H. Ma, and S. E. Li, "Combined State of Charge and State of Health estimation over lithium-ion battery cell cycle lifespan for electric vehicles," *J. Power Sources*, vol. 273, no. 0, pp. 793–803, Jan. 2015.
- [31] C. Zhang, K. Li, L. Pei, and C. Zhu, "An integrated approach for real-time model-based state-of-charge estimation of lithium-ion batteries," *J. Power Sources*, vol. 283, no. 0, pp. 24–36, Jun. 2015.
- [32] Z. Zou, J. Xu, C. Mi, B. Cao, and Z. Chen, "Evaluation of Model Based State of Charge Estimation Methods for Lithium-Ion Batteries," *Energies*, vol. 7, no. 8, pp. 5065–5082, Aug. 2014.
- [33] C. Unterrieder, C. Zhang, M. Lunglmayr, R. Priewasser, S. Marsili, and M. Huemer, "Battery state-of-charge estimation using approximate least squares," *J. Power Sources*, vol. 278, no. 0, pp. 274–286, Mar. 2015.
- [34] B. Xia, H. Wang, Y. Tian, M. Wang, W. Sun, and Z. Xu, "State of Charge Estimation of Lithium-Ion Batteries Using an Adaptive Cubature Kalman Filter," *Energies*, vol. 8, no. 6, 2015.
- [35] C. Fleischer, W. Waag, H.-M. Heyn, and D. U. Sauer, "On-line adaptive battery impedance parameter and state estimation considering physical principles in reduced order equivalent circuit battery models: Part 1. Requirements, critical review of methods and modeling," *J. Power Sources*, vol. 260, no. 0, pp. 276–291, Aug. 2014.
- [36] H. Rahimi-Eichi, F. Baronti, and M.-Y. Chow, "Online Adaptive Parameter Identification and State-of-Charge Coestimation for Lithium-Polymer Battery Cells," *Industrial Electronics, IEEE Transactions on*, vol. 61, no. 4, pp. 2053–2061, 2014.
- [37] C. Weng, J. Sun, and H. Peng, "A unified open-circuit-voltage model of lithium-ion batteries for state-of-charge estimation and state-of-health monitoring," *J. Power Sources*, vol. 258, pp. 228–237, Jul. 2014.
- [38] T. Feng, L. Yang, X. Zhao, H. Zhang, and J. Qiang, "Online identification of lithium-ion battery parameters based on an improved equivalent-circuit model and its implementation on battery state-of-power prediction," *J.*



- Power Sources*, vol. 281, no. 0, pp. 192–203, May 2015.
- [39] T. Huria, G. Ludovici, and G. Lutzemberger, “State of charge estimation of high power lithium iron phosphate cells,” *J. Power Sources*, vol. 249, pp. 92–102, Mar. 2014.
  - [40] Z. Yu, R. Huai, and L. Xiao, “State-of-Charge Estimation for Lithium-Ion Batteries Using a Kalman Filter Based on Local Linearization,” *Energies*, vol. 8, no. 8, p. 7854, 2015.
  - [41] F. Feng, R. Lu, G. Wei, and C. Zhu, “Online Estimation of Model Parameters and State of Charge of LiFePO<sub>4</sub> Batteries Using a Novel Open-Circuit Voltage at Various Ambient Temperatures,” *Energies*, vol. 8, no. 4, p. 2950, 2015.
  - [42] T. Hu, B. Zanchi, and J. Zhao, “Simple Analytical Method for Determining Parameters of Discharging Batteries,” *Energy Conversion, IEEE Transactions on*, vol. 26, no. 3, pp. 787–798, 2011.
  - [43] Y. Li, L. Wang, C. Liao, L. Wang, and D. Xu, “Recursive modeling and online identification of lithium-ion batteries for electric vehicle applications,” *Sci. China Technol. Sci.*, vol. 57, no. 2, pp. 403–413, Jan. 2014.
  - [44] A. Rahmoun, M. Loske, and A. Rosin, “Determination of the Impedance of Lithium-ion Batteries Using Methods of Digital Signal Processing,” *Energy Procedia*, vol. 46, pp. 204–213, 2014.
  - [45] T. Hu and H. Jung, “Simple algorithms for determining parameters of circuit models for charging/discharging batteries,” *J. Power Sources*, vol. 233, no. 0, pp. 14–22, Jul. 2013.
  - [46] H. He, R. Xiong, and J. Fan, “Evaluation of Lithium-Ion Battery Equivalent Circuit Models for State of Charge Estimation by an Experimental Approach,” *Energies*, vol. 4, no. 4, p. 582, 2011.
  - [47] L. C. Stevanatto, V. J. Brusamarello, and S. Tairov, “Parameter Identification and Analysis of Uncertainties in Measurements of Lead&#x2013;Acid Batteries,” *Instrumentation and Measurement, IEEE Transactions on*, vol. 63, no. 4, pp. 761–768, 2014.
  - [48] C. R. Gould, C. M. Bingham, D. A. Stone, and P. Bentley, “Novel battery model of an all-electric personal rapid transit vehicle to determine state-of-health through subspace parameter estimation and a Kalman Estimator,” *Power Electronics, Electrical Drives, Automation and Motion, 2008. SPEEDAM 2008. International Symposium on*, pp. 1217–1222, 2008.
  - [49] B. Fridholm, T. Wik, and M. Nilsson, “Kalman filter for adaptive learning of look-up tables with application to automotive battery resistance estimation,” *Control Eng. Pract.*, vol. 48, pp. 78–86, Mar. 2016.
  - [50] K. D. Stetzel, L. L. Aldrich, M. S. Trimboli, and G. L. Plett, “Electrochemical state and internal variables estimation using a reduced-order physics-based model of a lithium-ion cell and an extended Kalman filter,” *J. Power Sources*, vol. 278, no. 0, pp. 490–505, Mar. 2015.
  - [51] B. Fridholm, T. Wik, and M. Nilsson, “Robust recursive impedance estimation for automotive lithium-ion batteries,” *J. Power Sources*, vol. 304, pp. 33–41, Feb. 2016.

- [52] C. R. Gould, C. M. Bingham, D. A. Stone, and P. Bentley, "New Battery Model and State-of-Health Determination Through Subspace Parameter Estimation and State-Observer Techniques," *Vehicular Technology, IEEE Transactions on*, vol. 58, no. 8, pp. 3905–3916, 2009.
- [53] S. Lee, J. Kim, and B. H. Cho, "Maximum pulse current estimation for high accuracy power capability prediction of a Li-Ion battery," *Microelectron. Reliab.*, vol. 55, no. 3–4, pp. 572–581, Feb. 2015.
- [54] A. Singh, A. Izadian, and S. Anwar, "Model based condition monitoring in lithium-ion batteries," *J. Power Sources*, vol. 268, no. 0, pp. 459–468, Dec. 2014.
- [55] A. H. Sayed, *Fundamentals of adaptive filtering*. John Wiley & Sons, 2003.
- [56] G. Welch and G. Bishop, "An Introduction to the Kalman Filter." Chapel Hill:University of North Carolina, pp. 1–16, 2006.
- [57] Y. Wang, C. Zhang, and Z. Chen, "An adaptive remaining energy prediction approach for lithium-ion batteries in electric vehicles," *J. Power Sources*, vol. 305, pp. 80–88, Feb. 2016.



UNIVERSITAS  
GADJAH MADA

**PERANCANGAN ALGORITME CURRENT SENSORLESS PADA BATTERY MANAGEMENT SYSTEM (BMS)**

WAHYU SUKESTYASTAMA, Dr.Eng. Adha Imam Cahyadi, S.T.,M.Eng. ; Ir. Oyas Wahyunggoro M.T., Ph.D.

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>