

DAFTAR PUSTAKA

- Aherne, S.A., & O'Brien, N.M., 2002, Dietary Flavonols: Chemistry, Food Content, and Metabolism, *J. Nutr.*, **18** (1), 75–81.
- Bank, G., & Lenoble, R., 2002, Oxygen Radical Absorbency Capacity, Standardizing the Way We Look at Antioxidants, *Nutraceutical World*, 42–45.
- Benzie, I.F.F. & Strain, J.J., 1996, The Ferric Reducing Ability of Plasma (FRAP) as a Measure of “Antioxidant Power”: FRAP Assay, *J. Anal. Biochem.*, **239** (1), 70–76.
- Boyle, S.P., Dobson, V.L., Duthie, S.J., Hinselwood, D.C., Kyle, J.A.M., & Collins, A.R., 2000, Bioavailability and Efficiency of Rutin As An Antioxidant: A Human Supplementation Study, *Eur. J. Clin. Nutr.*, **54**, 774–782.
- Caballero, B., 2006, *Antioxidants Nurients*, The Johns Hopkins University, Baltimore, Maryland, United States.
- Calderon-Montano, J.M., Burgos-Moron, E., Perez-Guerrero, C., & Lopez-Lazaro, M., 2011, A Review on the Dietary Flavonoid Kaempferol, *J. Med. Chem.*, **11** (4), 298–327.
- Cano, A., Hernández-Ruíz, J., García-Cánovas, F., Acosta, M., & Arnao, M. B., 1998, An End-Point Method for Estimation of The Total Antioxidant Activity in Plant Material, *J. Phytochem. Anal.*, **9** (4), 196–202.
- Cao, G., Sofic, E., & Prior, R.L, 1997, Antioxidant and Prooxidant Behavior of Flavonoids: Structure–Activity Relationships, *J. Free Radic. Biol. Med.*, **22**, 749–760.
- Chang, C., Yang, M., Wen, H., & Chern, J., 2002, Estimation of Total Flavonoid Content in Propolis by Two Complementary Colorimetric Methods, *J. Food Drug Anal.*, **10** (3), 178–182.
- Clark, J., 2006, *A Double Beam UV-Visible Absorption Spectrometer*, <http://chemguide.co.uk/analysis/uvvisible/spectrometer.html>, 1 April 2016.
- Corwin & Elizabeth J., 2009, *Buku Saku Patofisiologi*, Ed. 3, Penerbit Buku Kedokteran EGC, Jakarta.
- Dalimartha, S., & Soedibyo, M., 1999, *Awet Muda dengan Tumbuhan Obat dan Diet Suplemen*, Trubus Agriwidya, Jakarta.
- Depkes RI, 1986, *Sediaan Galenika*, Departemen Kesehatan Republik Indonesia, Jakarta.
- Depkes RI, 2000, Parameter Standar Umum Ekstrak Tumbuhan Obat, Direktorat Jenderal Pengawasan Obat dan Makanan, Direktorat Pengawasan Obat Tradisional, Jakarta.
- Depkes RI, 2013, *Farmakope Herbal Indonesia*, Suplemen III, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dirjen POM, 1985, Cara Pembuatan Simplisia, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dirjen POM, 1989, *Pemanfaatan Tanaman Obat*, Edisi III, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dirjen POM, 2011, *Taksonomi Koleksi Tanaman Obat Kebun Tanaman Obat Citeureup*, Badan Pengawas Obat dan Makanan Republik Indonesia, Jakarta.
- Extrasynthese, 2008, Rhamnetin, <http://www.extrasynthese.com>, 9 April 2016.

- Fabjan, N., Rode, J., Kosir, I.J., Wang, Z.H., Zhang, Z., & Kreft, A.I., 2003, Tartary Buckwheat (*Fagopyrum tataricum* Gaertn.) as A Source of Dietary Rutin and Quercitrin, *J. Agric. Food Chem.*, **51**, 6452–6455.
- Fang, Y. Z., Yang, S., & Wu, G., 2002, Free Radicals, Antioxidants, and Nutrition, *J. Nutr.*, **18**, 872-879.
- FAO (Food and Agriculture Organization of the United Nations), 2004, Database at <http://fao.org>.
- Gandjar, I.G., & Rohman, A., 2007, Kimia Farmasi Analisis, Pustaka Pelajar, Yogyakarta.
- Geissman, T.A., 1962, *The Chemistry of Flavonoid Compounds*, The Mac Millan Company, p.1-2, 43-51.
- Gitawati, R., 1995, Radikal Bebas: Sifat dan Perannya dalam Menimbulkan Kerusakan atau Kematian Sel, *Cermin Dunia Kedokteran*, **102**, 33-35.
- Halliwel, B., & Gutteridge, J.M.C., 1999, *J. Free Radic. Biol. Med.*, 3rd Ed., 617-783, Oxford University press, New York, USA.
- Hämäläinen, M., Nieminen, R., Vuorela, P., Heinonen M., & Moilanen, E., 2007, Anti-inflammatory Effects of Flavonoids: Genistein, Kaempferol, Quercetin and Daidzein Inhibit STAT-1 and NF-kB Activation whereas Flavone, Isorhamnetin, Naringenin and Pelargonidin Inhibit Only NF-kB Activation Along with Their Inhibitory Effect on iNOS Expression and NO Production in Activated Macrophages, *J. Mediators Inflamm.*, **2007**.
- Handa, S.S., Khanuja, S.P.S., Longo, G., & Rakesh, D.D., 2008, *Extraction Technologies for Medicinal and Aromatic Plants*, ICS-UNIDO, Trieste, Italy.
- Harborne, J.B., Mabry, H., & Mabry, T.J., 1975, *The Flavonoids*, Chapman and Hall, London.
- Harborne, J.B., 1984, *Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis*, 2nd Ed., 55-76, Chapman and Hall, New York.
- Harborne, J.B., 1987, Metode Fitokimia, *Penuntun Cara Modern Menganalisis Tumbuhan*, diterjemahkan oleh Kosasih Padmawinata dan Iwang Soediro, 2nd Ed., 9, 47-99, Penerbit ITB, Bandung.
- Hayne, K., 1987, *Tumbuhan Berguna Indonesia*, Jilid III, Badan Litbang Kehutanan, Jakarta.
- Helrich, K., 1990, *AOCS Official Methods of Analysis*, 1th Ed., 956, AOAC, Arlington USA.
- Hong, J-T., Yen, J-H., Wang, L., Lo, Y-H., Chen, Z-T., & Wu, M-J., 2009, Regulation of Heme Oxygenase-1 Expression and MAPK Pathways in Response to Kaempferol and Rhamnocitrin in PC12 Cell, *J. Toxicol. Appl. Pharm.*, **273** (1), 59-68.
- Hou DX, 2003, Potential Mechanisms of Cancer Chemoprevention by Anthocyanins, *J. Curr. Mol. Med.*, **3**, 59-149.
- Huang, D., Lin, C., Chen, H., & Lin, Y., 2004, Antioxidant and Antiproliferative Activities of Sweet Potato (*Ipomoea batatas* [L.] Lam ‘Tainong 57’) Constituents, *J. Bot. Bull. Acad. Sinica*, **45**, 179-186.
- Huaman, Z., 1991, *Descriptors for Sweet Potato*, International Board for Plant Genetic Resources, Rome, Italy.

- Hue, S-M., Boyce, A.N., & Somasundram, C., 2012, Antioxidant Activity, Phenolic and Flavonoid Contents In The Leaves of Different Varieties of Sweet Potato (*Ipomoea batatas*), *Aust. J. Crop Sci.*, **6** (3), 375-380.
- Hutapea, J.R., 1991, *Inventaris Tanaman Obat Indonesia*, Jilid I, 308-309, Departemen Kesehatan dan Kesejahteraan Sosial Republik Indonesia, Jakarta.
- Islam, M.S., Yoshimoto, M., Terahara, N., & Yamakawa, O., 2002, Anthocyanin Compositions in Sweet Potato (*Ipomoea batatas* L.) Leaves, *J. Biosci. Biotechnol. Biochem.*, **66** (11), 2483-2486.
- Islam, M.S., Yoshimoto, M., Ishiguro, K., & Yamakawa, O., 2003, Bioactive and Functional Properties of *Ipomoea batatas* L. Leaves, *J. Acta Hort.*, **9**, 628-693.
- Islam, S., 2006, Sweetpotato (*Ipomoea batatas* L.) Leaf: Its Potential Effect on Human Health and Nutrition, *J. Food Sci.*, **71** (2), R13-R121.
- Islam, 2007, *Nutritional and Medicinal Qualities of Sweetpotato Tops and Leaves*, University of Arkansas, USA.
- Jiang, H., Zhan, W.Q., Liu, X., & Jiang, S.X., 2008, Antioxidant Activities of Extracts and Flavonoid Compounds from *Oxytropis falcate* Bunge, *J. Nat. Prod. Res.*, **22**, 1650-6.
- Jimenez-Aliaga, K., Bermejo-Bescos, P., Benedi, J., & Martin-Aragon, 2011, Quercetin and Rutin Exhibit Anti-amyloidogenic and Fibril-Disaggregating Effects in Vitro and Potent Antioxidant Activity in APP^{swe} Cells, *J. Life Sci.*, **89**, 993-945.
- Jnawali, H.N., Lee, E., Jeong, K-W., Shin, A., Heo, Y-S., Kim, Y., 2014, Anti-inflammatory Activity of Rhamnetin and A Model of Its Binding to c-Jun NH2-Terminal Kinase 1 and p38 MAPK, *J. Nat. Prod.*, **77**, 258-63.
- Karna, P., Gundala, S.R., Gupta, M.V., Shamsi, S.A., Pace, R.D., & Yates, C., 2011, Polyphenol-Rich Sweet Potato Greens Extract Inhibits Proliferation and Induces Apoptosis in Prostate Cancer Cells in Vitro and In Vivo, *J. Carcinogenesis*, **32**, 1872-1880.
- Katno, 2008, *Penanganan Pasca Panen Tanaman Obat*, Balai Besar Penelitian dan Pengembangan Tanaman Obat dan Obat Tradisional, Departemen Kesehatan Republik Indonesia, Tawangmangu.
- Khopkar, S.M., 1990, *Konsep Dasar Kimia Analitik*, UI Press, Jakarta.
- Kim, Y.J., 2013, Rhamnetin Attenuates Melanogenesis by Suppressing Oxidative Stress and Pro-Inflammatory Mediators, *J. Biol. Pharm. Bull.*, **36**, 1341-7.
- Kurata, R., Adachi, M., Yamakawa, O., & Yoshimoto, M., 2007, Growth Suppression of Human Cancer Cells by Polyphenolics from Sweet Potato (*Ipomoea batatas* L.) Leaves, *J. Agric. Food Chem.*, **55**, 185-190.
- Li, F., Wang, W., Cao, Y., Liang, D., Zhang, W., Zhang, Z., Jiang, H., Guo, M., & Zhang, N., 2014, Inhibitory Effects of Astragaloside on Lipopolysaccharide-Induced Inflammatory Response in Mouse Mammary Epithelial Cells, *J. Surg. Res.*, **192**, 573-581.
- Litwinienko, G., & Ingold, K.U., 2003, Abnormal Solvent Effects on Hydrogen Atom Abstraction, The Reactions of Phenols with 2,2-diphenyl-1-picrylhydrazyl (DPPH[•]) in Alcohols, *J. Org. Chem.*, **68**, 3433-3438.

- Luo, J., & Kong, L., 2005, Study on Flavonoids From Leaf of *Ipomoea batatas*, *J. Chinese Materia Medica*, **30** (7), 516–518.
- Mabry, T.J., Markham, K.R., & Thomas, M.B., 1970, *The Systematic Identification of Flavonoid*, 50, 52, Springe-Verlag, New York.
- Mahmood, N., Moore, P.S., De-Tommasi, N., De-Simone, F., Colman, S., Hay, A.J., & Pizza, C., 1993, Inhibition of HIV Infection by Caffeoylquinic Acid Derivatives, *Antiviral Chem. Chemother*, **4**, 40-235.
- Mardiswojo, S. & Rajakmangunsudarso, H., 1987, *Cabe Puyang Warisan Nenek Moyang*, Edisi 2, Balai Pustaka, Jakarta.
- Markham, K.R., 1988, *Cara Mengidentifikasi Flavonoid*, diterjemahkan oleh Kosasih Padmawinata, Penerbit ITB, Bandung.
- Matsuda, H., Ninomiya, K., Shimoda, H., & Yoshikawa, M., 2002, Hepatoprotective Principles from The Flowers of *Tilia argentea* (linden): Structure Requirements of Tiliroside and Mechanisms of Action, *J. Bioorg. Med. Chem.*, **10**, 707–12.
- Medham, J., Jeffery, G.H., Denney, R.C., & Bassett, J., 1994, *Buku Ajar Vogel: Kimia Analisis Kuantitatif Anorganik*, 15, diterjemahkan oleh A. Hadyana Putjaatmaka, L. Setiono, Penerbit Buku Kedokteran EGC, Jakarta.
- Michael, H.N., Shafik, R.E., & Rasmy, G.E., 2011, Studies on The Chemical Constituents of Fresh Leaf of *Eruca sativa* Extract and Its Biological Activity as Anticancer Agent In Vitro, *J. Med. Plants Res.*, **5** (7), 1184-1191.
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicryl-Hydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakar J. Sci. Technol.*, **26**, 211–219.
- Mun'im, A., & Azizahwati, T., 2008, Aktivitas Antioksidan Cendawan Suku Pleurotaceae dari Hutan UI, *JIF*, **5** (1), 36-41.
- Ninomiya, K., Matsuda, H., Kubo, M., Morikawa, T., Nishida, N., & Yoshikawa, M., 2007, Potent Anti-Obese Principle from *Rosa canina*: Structural Requirements and Mode of Action of Trans-Tiliroside, *J. Bioorg. Med. Chem. Lett.*, **17**, 3059–64.
- Omololu, P.A., Rocha, J.B.T., & Kade, I.J., 2011, Attachment of Rhamnosyl Glucoside on Quercetin Confers Potent Iron-Chelating Ability on Its Antioxidant Properties, *J. Exp. Toxicol. Pathol.*, **63** (3), 249–55.
- Pannala, A.S., Chan, T.S., O'Brien, P.J., & Rice-Evans, C.A., 2001, Flavonoid B-Ring Chemistry and Antioxidant Activity: Fast Reaction Kinetics, *J. Biochem Biophys. Res Commun.*, **282**, 1161–1168.
- Peluso, G., Feo, V.D., Simone, F.D., Bresciano, E., & Vuotto, M.L., 1995, Studies on The Inhibitory Effects of Caffeoylquinic Acids on Monocyte Migration and Superoxide Anion Production, *J. Nat. Prod.*, **58**, 46-639.
- Pham-Huy, L.A., He, H., & Pham-Huy, C., 2008, Free Radical, Antioxidants in Disease and Health, *Int. J. Biomed. Sci.*, **4** (2), 89-96.
- Pinheiro, P. F., & Justino, G. C., 2012, *Structural Analysis of Flavonoids and Related Compounds – A Review of Spectroscopic Applications*, Instituto Superior Técnico, Technical University of Lisbon, Portugal.
- Pisoschi, A.M., Pop, & Aneta, 2015, The Role of Antioxidants in the Chemistry of Oxidative Stress : A Review, *Eur. J. Med. Chem.*, **97**, 55-74.

- Pochapski, M.T., Fosquiera, E.C., Esmerino, L.A., dos-Santos, E.B., Farago, P.V., Santos, F.A., & Groppo, F.C., 2011, Phytochemical Screening, Antioxidant, and Antimicrobial Activities of The Crude Leaves' Extract from *Ipomoea batatas* (L.) Lam, *Pharmacogn. Mag.*, **7** (26), 165–170.
- Pokorny, J., Yanishlieva, N., & Gordon, M., 2001, *Antioxidant in Food, Practical Applications*, 1-123, Wood Publishing Limited, Cambridge, England.
- Prakash, A., 2001, "Antioxidant Activity" Medallion Laboratories: *Analithical Progress*, **19** (2), 1-4.
- Pramono, S., 2015, Kuliah Galenika di Fakultas Farmasi Universitas Gadjah Mada, 27 Februari 2015.
- Prieto, M.A., Rodriguez-Amado, I., Vazquez, J.A., & Murado, M.A., 2012, β -Carotene Assay Revisited. Application to Characterize and Quantify Antioxidant and Prooxidant Activities in a Microplate, *J. Agric. Food Chem.*, **6**, 8983-8993.
- Prior, R.L., Wu, X., & Scaich, K., 2005, Standardized Methodes for The determination of Antioxidants and Prooxidants Capacity and Phenolics in Foods and Dietary Supplements, *J. Agric. Food Chem.*, **55**, 2698.
- Prior, R.L., 2015, Oxygen Radical Absorbance Capacity (ORAC): New Horizons in Relating Dietary Antioxidants/Bioactives and Health Benefits, *J. Funct. Foods*, **18**, 797–810.
- Rao, Y.K., Geethangili, M., Fang, S.H., & Tzeng, Y.M., 2007, Antioxidant and Cytotoxic Activities of Naturally Occurring Phenolic and Related Compounds: A Comparative Study, *J. Food Chem. Toxicol.*, **45**, 1770–6.
- Re, R., Pellegrini, N., Proteggente, A., Panal, A., Yang, M., & Rice-Evans, C., 1999, Antioxidant Activity Applying an Improved ABTS Radical Cation Decolorization Assay, *J. Free Radical Biol. Med.*, **26**, 1231-1237.
- Rice, C.A. & Packer, E.L., 1997, *Flavonoids in Health and Disease*, University of California.
- Robinson, T., 1995, *Kandungan Organik Tumbuhan Tinggi*, diterjemahkan oleh Padmawinata, K., ITB Press, Bandung.
- Roth, H.J., & Blaschke, G., 1998, *Analisis Farmasi*, 372-374, Airlangga University Press, Surabaya.
- Sala, A., Recio, M.C., Schinella, G.R., Máñez, S., Giner, R.M., & Cerdá-Nicolás, M., 2003, Assessment of The Anti-Inflammatory Activity and Free Radical Scavenger Activity of Tiliroside. *Eur. J. Pharmacol.*, **461**, 53–61.
- Sastrohamidjojo, H., 2005, *Spektroskopi*, Edisi II, Liberty, Yogyakarta.
- Sherma, J.M., 1996, Basic Techniques, Material, and Apparatus Cites in Sherma, J. & Fried, B., 1996, *Handbook of Thin Layer Chromatography*, Marcel Dekker Inc., New York, USA.
- Shimozono H., Kobori M., Shinmoto H., & Tsushida T., 1996, Suppression of The Melanogenesis of Mouse Melanoma B 16 Cells by Sweet Potato Extract, *J. Jpn. Soc. Food Sci.*, **7**, 43-313.
- Sintayehu, B., Asres, K., & Raghavendra, 2012, Radical Scavenging Activities of The Leaf Extracts and A Flavonoid Glycoside Isolated from *Cineraria abyssinica* Sch. Bip. Exa. Rich, *J. Appl. Pharm. Sci.*, **2** (04), 44-49.

- Sousa, A., Ferreira, I.C.F.R., Barros, L., Bento, A., & Pereira, J.A., 2008, Effect of Solvent and Extraction Temperatures on The Antioxidant Potential of Traditional Stone Table Olives “*alcaparras*”, *LWT*, **41**, 739-745.
- Stahl, E., 1985, *Analisis Obat Secara Kromatografi dan Mikroskopi*, 1-18, ITB Press, Bandung.
- Sternberg, Z., Chadha, K., Lieberman, A., Hojnacki, D., Drake, & A., Zamboni, P., 2008, Quercetin and Interferon-Beta Modulate Immune Response(s) in Peripheral Blood Mononuclear Cells Isolated from Multiple Sclerosis Patients, *J. Neuroimmune Pharmacol.*, **205**, 142–7.
- Suda, I., Yamakawa, O., Matsugano, K., Sugita, K., Takeguma, Y., Irasa, K., & Tokumaru, F., 1998, Changes of Serum γ -GTP, GOT and GPT Levels in Hepatic Function-Weakling Subjects by Ingestion of High Anthocyanin Sweetpotato Juice, *J. Jpn. Soc. Food Sci.*, **7**, 45-611.
- Suharman & Mulja H.M., 1995, *Analisis Instrumental*, Airlangga University Press, Surabaya.
- Sun, H.N., Mu, T.H., Xi, L.S., Zhang, M., & Chen, J.W., 2014, Sweet Potato (*Ipomoea batatas* L.) Leaves as Nutritional and Functional Foods. *J. Food Chem.*, **156**, 380–389.
- Syahbana, D., & Bahalwan, R.R., 2002, *Seri Referensi Herbal: Pesona Tradisional dan ilmiah Buah Mengkudu (Morinda citrifolia L.)*, 5-20, Salemba Medika, Jakarta.
- Tapas, A.R., Sakarkar, D.M., & Kakde, R.B., 2008, Flavonoids as Nutraceuticals: A Review, *J. Pharm. Res.*, **7** (3), 1089-1099.
- Tavasalkar, S.U., Mishra, H.N., & Madhavan, S., 2012, Evaluation of Antioxidant Efficacy of Natural Plant Extracts against Synthetic Antioxidants in Sunflower Oil, *Open Access Scientific Reports*, **1**, 504.
- Terry, L.A., Vicente, A., & Cools, K., 2011, Methodologies for Extraction, Isolation, Characterization, and Quantification of Bioactive Compounds, *Health-Promoting Properties of Fruits and Vegetables*, CAB International, 375-376.
- Tomczyk, M., Drozdowska, D., Bielawska, A., Bielawski, K., & Gudej, J., 2008, Human DNA Topoisomerase Inhibitors from *Potentilla argentea* and Their Cytotoxic Effect Against MCF-7, *J. Pharmazie*, **63**, 389–93.
- Tsukamoto, S., Tomise, K., Aburatani, M., Onuki, H., Hirorta, H., & Ishiharajima, E., 2004, Isolation of Cytochrome P450 Inhibitors from Strawberry Fruit, *Fragaria ananassa*, *J. Nat. Prod.*, **67**, 1839–41.
- Tsushida, T., Suzuki, M., & Kurogi, M., 1994, Evaluation of Antioxidant Activity of Vegetable Extracts and Determination of Some Sctive Compounds, *J. Jpn. Soc. Food Sci.*, **8**, 41-611.
- Voight, R., 1994, *Buku Pelajaran Teknologi Farmasi*, Diterjemahkan oleh S. Noerono, Gadjah Mada University Press, Yogyakarta.
- Waksmundzka-Hajnos, M., Sherma, J., & Kowalska, T., 2008, *Thin Layer Chromatography in Phytochemistry*, CRC Press, New York.
- Wang, J., Yue, Y.D., Tang, F., & Sun, J., 2012, TLC Screening for Antioxidant Activity of Extracts from Fifteen Bamboo Species and Identification of

- Antioxidant Flavone Glycosides from Leaves of *Bambusa textilis* McClure, *J. Molecules*, **17**, 12297-12311.
- Weinreb, O., Mandel, S., Amit, T., & Youdim, M.B.H., 2004, Neurological Mechanisms of Green Tea Polyphenols in Alzheimer's and Parkinson's Diseases, *J. Nutr. Biochem.*, **15** (9), 506–16.
- Wettasinghe, M., & Shahidi, F., 2000, Scavenging of Reactive-Oxygen Species and DPPH Free Radicals by Extracts of Borage and Evening Primrose Meals, *J. Food Chem.*, **70**, 17–26.
- Winarsi, H., 2007, *Antioksidan Alami dan Radikal Bebas, Potensi dan Aplikasinya dalam Kesehatan*, Kansus, Jakarta.
- Windono, T., Budiono, R., Ivone, Sherly, V., & Saputro, Y., 2004, Studi Hubungan Struktur-Aktivitas Kapasitas Peredaman Radikal Bebas Senyawa Flavonoid terhadap 1,1 difenil 2 pikrilhidrazil (DPPH), *Artocarpus*, **4** (1), 42-52.
- Xu, W., Liu, L., Hu, B., Sun, Y., Ye, H., & Ma, D., 2010, TPC in The Leaves of 116 Sweet Potato (*Ipomoea batatas* L.) Varieties and Pushu 53 Leaf Extracts, *J. Food Compos. Anal.*, **23**, 599–604.
- Yoshimoto, M., Okuno, S., Yamaguchi, M., & Yamakawa, O., 2001, Antimutagenicity of Deacylated Anthocyanins in Purple-fleshed Sweetpotato, *J. Biosci. Biotechnol. Biochem.*, **5**, 65-1652.
- Yoshimoto, M., Okuno, S., Islam, M.S., Kurata, R., & Yamakawa, O., 2003, Polyphenol Content and Antimutagenicity of Sweetpotato Leaves in Relation to Commercial Vegetables, *J. Acta Hort.*, **85**, 628:677.
- Youngson, R., 2005, *Antioksidan: Manfaat Vitamin C dan Vitamin E bagi Kesehatan*, 18, diterjemahkan oleh Susi Purwoko, Penerbit Arcan, Jakarta.
- Zhao, R., Li, Q., Long, L., Li, J., Yang, R., & Gao, D., 2007, Antidiabetic Activity of Flavone from *Ipomoea batatas* Leaf in Non-Insulin Dependent Diabetic Rats, *Int. J. Food Sci. Technol.*, **42**, 80–85.
- Zou, Y., Lu, Y., & Wei, D., 2004, Antioxidant Activity of Flavonoid-Rich Extract of *Hypericum perforatum* L. in vitro, *J. Agric. Food Chem.*, **52**, 5032-5039.