

DAFTAR PUSTAKA

- [1] World Health Organization, "Cumulative number of confirmed human cases for avian influenza A(H5N1) reported to WHO, 2003-2015," 2016. [Online]. Available: http://www.who.int/influenza/human_animal_interface/2016_01_20_table_H5N1.pdf?ua=1. [Accessed: 12-Feb-2016].
- [2] M. Gilbert, X. Xiao, D. U. Pfeiffer, M. Epprecht, S. Boles, C. Czarnecki, P. Chaitaweesub, W. Kalpravidh, P. Q. Minh, M. J. Otte, V. Martin, and J. Slingenbergh, "Mapping H5N1 Highly Pathogenic Avian Influenza Risk in Southeast Asia," *Proc. Natl. Acad. Sci. U. S. A.*, vol. 105, no. 12, pp. 4769–4774, 2008.
- [3] J. Zhang, J. Lu, and G. Zhang, "A Seasonal Auto-Regressive Model Based Support Vector Regression Prediction Method for H5N1 Avian Influenza Animal Events," *Int. J. Comput. Intell. Appl.*, vol. 10, no. 02, pp. 199–230, 2011.
- [4] M. J. Kane, N. Price, M. Scotch, and P. Rabinowitz, "Comparison of ARIMA and Random Forest Time Series Models for Prediction of Avian Influenza H5N1 Outbreaks," *BMC Bioinformatics*, vol. 15, no. 1, p. 276, Jan. 2014.
- [5] A. E. Permanasari, I. K. Utami, I. Hidayah, and S. S. Kusumawardani, "Forecasting Avian Influenza Incidence in Java and Madura Area," in *International Conference on Control, Electronics, Renewable Energy and Communications*, 2015, pp. 212–216.
- [6] I. K. Utami, "Peramalan Kasus Avian Influenza pada Hewan menggunakan Metode Autoregressive Integrated Moving Average dan Back Propagation Neural Network," Universitas Gadjah Mada, 2015.
- [7] G. H. T. Ribeiro, P. S. G. de M Neto, G. D. C. Cavalcanti, and T. Ing Ren, "Lag selection for time series forecasting using Particle Swarm Optimization," in *International Joint Conference on Neural Networks*, 2011, pp. 2437–2444.
- [8] H. Abolfazli, S. Nazari-Shirkouhi, S. M. Asadzadeh, S. M. Asadzadeh, and K. Rezaie, "Forecasting Rail Transport Petroleum Consumption Using an Integrated Model of Autocorrelation Functions-Artificial Neural Network," *Acta Polytech. Hungarica*, vol. 11, no. 2, pp. 203–214, 2014.
- [9] G. P. Zhang, "Time series forecasting using a hybrid ARIMA and neural network model," *Neurocomputing*, vol. 50, pp. 159–175, Jan. 2003.

- [10] G. Zhang, B. E. Patuwo, and M. Y. Hu, “Forecasting with artificial neural networks : The state of the art,” vol. 14, pp. 35–62, 1998.
- [11] R. May, G. Dandy, and H. Maier, “Review of Input Variable Selection Methods for Artificial Neural Networks,” in *Methodological Advances and Biomedical Applications*, K. Suzuki, Ed. InTech, 2011, pp. 19–44.
- [12] B. Xue, M. Zhang, and W. N. Browne, “Particle swarm optimisation for feature selection in classification: Novel initialisation and updating mechanisms,” *Appl. Soft Comput.*, vol. 18, pp. 261–276, 2014.
- [13] T. T. Zhai and Z. F. He, “Instance selection for time series classification based on immune binary particle swarm optimization,” *Knowledge-Based Syst.*, vol. 49, no. 106–115, 2013.
- [14] H. T. Yin, P. Fu, and Z. Sun, “Face feature selection and recognition using separability criterion and binary particle swarm optimization algorithm,” *Chinese J. Electron.*, vol. 23, no. 2, pp. 361–365, 2014.
- [15] A. Unler and A. Murat, “A discrete particle swarm optimization method for feature selection in binary Classification problems,” *Eur. J. Oper. Res.*, vol. 206, pp. 528–539, 2010.
- [16] A. Unler, A. Murat, and R. B. Chinnam, “mr2PSO: A maximum relevance minimum redundancy feature selection method based on swarm intelligence for support vector machine classification,” *Inf. Sci. (Ny)*, vol. 181, pp. 4625–4641, 2011.
- [17] Y. Zhang, D. Gong, Y. Hu, and W. Zhang, “Feature selection algorithm based on bare bones particle swarm optimization,” *Neurocomputing*, vol. 148, pp. 150–157, 2015.
- [18] P. Ghamisi and J. A. Benediktsson, “Feature selection based on hybridization of genetic algorithm and particle swarm optimization,” *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 2, pp. 309–313, 2015.
- [19] M. Mandal and A. Mukhopadhyay, “A graph-theoretic approach for identifying non-redundant and relevant gene markers from microarray data using multiobjective binary PSO,” *PLoS One*, vol. 9, no. 3, 2014.
- [20] J. F. L. de Oliveira and T. B. Ludermit, “A Hybrid Evolutionary System for Parameter Optimization and Lag Selection in Time Series Forecasting,” in *Brazilian Conference on Intelligent Systems*, 2014, pp. 73–78.
- [21] Y. Zhang, S. Wang, P. Phillips, and G. Ji, “Binary PSO with mutation operator for feature selection using decision tree applied to spam detection,” *Knowledge-Based Syst.*, vol. 64, pp. 22–31, 2014.

- [22] P.-C. Chang, J.-J. Lin, and C.-H. Liu, “An attribute weight assignment and particle swarm Optimization algorithm for medical database classifications,” *Comput. Methods Programs Biomed.*, vol. 107, pp. 382–392, 2012.
- [23] L.-Y. Chuang, H.-W. Chang, and C.-J. Tu, “Improved binary PSO for feature selection using gene expression data,” *Comput. Biol. Chem.*, vol. 32, pp. 29–38, 2008.
- [24] H. H. Inbarani, A. T. Azar, and G. Jothi, “Supervised hybrid feature selection based on PSO and rough sets for medical diagnosis,” *Comput. Methods Programs Biomed.*, vol. 113, pp. 175–185, 2014.
- [25] A. Selakov, D. Cvijetinović, L. Milović, S. Mellon, and D. Bekut, “Hybrid PSO-SVM method for short-term load forecasting during periods with significant temperature variations in city of Burbank,” *Appl. Soft Comput. J.*, vol. 16, pp. 80–88, 2014.
- [26] P. Mandal, H. Zareipour, and W. D. Rosehart, “Forecasting aggregated wind power production of multiple wind farms using hybrid wavelet-PSO-NNs,” *Int. J. Energy Res.*, vol. 38, no. 13, pp. 1654–1666, 2014.
- [27] P.-C. Chang, J.-J. Lin, and C.-H. Liu, ““An attribute weight assignment and particle swarm optimization algorithm for medical database classifications,” *Comput. Methods Programs Biomed.*, vol. 107, no. 3, pp. 382–392, 2014AD.
- [28] G. Bontempi, S. Ben Taieb, Y.-A. Le Borgne, and L. Borgne, “Machine Learning Strategies for Time Series Forecasting,” in *Business Intelligence, Second European Summer School, eBISS 2012, Brussels, Belgium, July 15-21, 2012, Tutorial Lectures*, Springer Berlin Heidelberg, 2013, pp. 62–77.
- [29] P. Quénel and W. Dab, “Influenza A and B Epidemic Criteria based on Time-Series Analysis of Health Services Surveillance Data,” *Eur. J. Epidemiol.*, vol. 14, pp. 275–285, 1998.
- [30] A. E. Permanasari, I. Hidayah, and I. A. Bustoni, “SARIMA (Seasonal ARIMA) Implementation on Time Series to Forecast The Number of Malaria Incidence,” *IEEE*, no. 2, pp. 2–6, 2013.
- [31] F. Li and P. Luan, “ARMA Model for Predicting the Number of New Outbreaks of Newcastle Disease during the Month,” *IEEE*, 2011.
- [32] J. Li, C. Hu, D. Xu, J. Xiao, and H. Wang, “Application of Time-Series Autoregressive Integrated Moving Average Model in Predicting the Epidemic Situation of Newcastle Disease,” in *World Automation Congress (WAC)*, 2010, pp. 141–144.

- [33] J. G. De Gooijer and R. J. Hyndman, “25 Years of Time Series Forecasting,” *Int. J. Forecast.*, vol. 22, no. 3, pp. 443–473, 2006.
- [34] G. K. Jha and K. Sinha, “Time-delay neural networks for time series prediction: an application to the monthly wholesale price of oilseeds in India,” *Neural Comput. Appl.*, vol. 24, no. 3–4, pp. 563–571, 2014.
- [35] J. Tikka, “Input Variable Selection Methods for Construction of Interpretable Regression,” Helsinki University of Technology, Espoo, 2008.
- [36] R. Kohavi and G. H. John, “Wrappers for feature subset selection,” *Artif. Intell.*, vol. 97, no. 1–2, pp. 273–324, 1997.
- [37] J. Kennedy and W. M. Spears, “Matching Algorithms to Problems: An Experimental Test of the Particle Swarm and Some Genetic Algorithms on the Multimodal Problem Generator,” in *Proceedings of the International Conference on Evolutionary Computation*, 1998, pp. 78–83.
- [38] A. Kalos, “Automated Neural Network Structure Determination via Discrete Particle Swarm Optimization (for Non-Linear Time Series Models),” in *SMO’05 Proceedings of the 5th WSEAS international conference on Simulation, modelling and optimization*, 2005, no. 1, pp. 325–331.
- [39] M. M. Shrivasa, A. Saxena, and L. K. Gavel, “A Review of Particle Swarm Optimization: Feature Selection, Classification and Hybridizations,” *Int. J. Recent Innov. Trends Comput. Commun.*, vol. 3, no. 4, pp. 1816–1820, 1820.
- [40] J. Kennedy and R. C. Eberhart, “A discrete binary version of the particle swarm algorithm,” *1997 IEEE Int. Conf. Syst. Man, Cybern. Comput. Cybern. Simul.*, vol. 5, pp. 4–8, 1997.
- [41] M. A. Khanesar, M. Teshnehlab, and M. A. Shoorehdeli, “A novel binary particle swarm optimization,” *2007 Mediterr. Conf. Control Autom.*, vol. 1, no. 1, pp. 1–6, 2007.
- [42] M. F. Quadratullah, *Analisis Regresi Terapan (Teori, Contoh Kasus, dan Aplikasi dengan SPSS)*. Yogyakarta: Penerbit Andi, 2013.
- [43] D. C. Howell, “Measures of Central Tendency,” in *Fundamental Statistics for the Behavioral Sciences*, 8th ed., T. Matray, Ed. Belmont: Jon-David Hague, 2013, pp. 62–77.
- [44] B. L. Bowerman and R. T. O’Connell, *Forecasting and Time Series, an Applied Approach*, 3rd ed. Ohio: Duxbury, 1993.
- [45] S. F. Crone and N. Kourentzes, “Feature selection for time series prediction

- A combined filter and wrapper approach for neural networks,” *Neurocomputing*, vol. 73, no. 10–12, pp. 1923–1936, 2010.
- [46] Suyanto, *Artificial Intelligence, Searching - Reasoning - Planning - Learning*. Bandung: Informatika Bandung, 2014.
- [47] J.-S. R. Jang, C.-T. Sun, and E. Mizutani, *Neuro-Fuzzy and Soft Computing*. London: Prentice-Hall, 1997.
- [48] S. Kusumadewi and S. Hartati, *Neuro-Fuzzy (Integration of Fuzzy System and Neural Network)*, 2nd ed. Yogyakarta: Graha Ilmu, 2010.
- [49] T. Sutojo, E. Mulyanto, and V. Suhartono, *Kecerdasan Buatan*, 1st ed. Yogyakarta: Andi Offset, 2011.
- [50] K. Suzuki, *Artificial Neural Networks – Methodological Advances and Biomedical Applications*. Rijeka: InTech, 2011.
- [51] L. Fausett, *Fundamental of Neural Networks (Architecture, Algorithms, and Applications)*. New Jersey: Prentice-Hall, 1994.
- [52] H. Gavin, “The Levenberg-Marquardt method for nonlinear least squares curve-fitting problems,” *Dep. Civ. Environ. Eng. Duke Univ.*, pp. 1–15, 2011.
- [53] D. Priyatno, *Analisis Korelasi, Regresi, dan Multivariate dengan SPSS*. Penerbit Gava Media, 2013.
- [54] A. Katchova, “Time Series ARIMA Models,” 2013. [Online]. Available: <https://sites.google.com/site/econometricsacademy/econometrics-models/time-series-arima-models>. [Accessed: 01-Mar-2015].
- [55] H. D. Purnomo, “Optimisasi,” in *Cara Mudah Belajar Metode Optimisasi Metaheuristik menggunakan Matlab*, 1st ed., Yogyakarta: Gava Media, 2014, pp. 1–32.
- [56] C. Blum and A. Roli, “Metaheuristics in combinatorial optimization: overview and conceptual comparison,” *ACM Comput. Surv.*, vol. 35, no. 3, pp. 189–213, 2003.
- [57] H. D. Purnomo, “Metaheuristik,” in *Cara Mudah Belajar Metode Optimisasi Metaheuristik menggunakan Matlab*, 1st ed., Yogyakarta: Gava Media, 2014, pp. 33–66.
- [58] Q. Bai, “Analysis of Particle Swarm Optimization Algorithm,” *Comput. Inf. Sci.*, vol. 3, no. 1, pp. 180–184, 2010.
- [59] H. D. Purnomo, “Particle Swarm Optimization,” in *Cara Mudah Belajar*

Metode Optimisasi Metaheuristik menggunakan Matlab, 1st ed., Yogyakarta: Gava Media, 2014, pp. 215–236.

- [60] F. van den Bergh, “An Analysis of Particle Swarm Optimizers,” University of Pretoria, 2001.
- [61] R. C. Eberhart and Y. Shi, “Particle Swarm Optimization: Developments Applications and Resources,” in *Proceeding of the IEEE International Conference on Evolutionary Computation*, 2001, pp. 81–86.
- [62] J. Kennedy and R. Eberhart, “Particle swarm optimization,” in *IEEE International Conference on Neural Networks*, 1995, pp. 1942–1948.
- [63] Y. Shi and R. Eberhart, “A modified particle swarm optimizer,” in *IEEE World Congress on Computational Intelligence, The 1998 IEEE International Conference on Evolutionary Computation*, 1998, pp. 69–73.
- [64] E. Ozcan and C. K. Mohan, “Particle swarm optimization: surfing the waves,” in *the 1999 Congress on Evolutionary Computation*, 1999, pp. 1939–1944.
- [65] Y. Si, P. Debba, A. Skidmore, A. Toxopeus, and L. Li, “Spatial and temporal patterns of global H5N1 outbreaks,” in *International Society for Photogrammetry and Remote Sensing*, 2008, no. 1, pp. 1–6.
- [66] D. U. Pfeiffer, P. Q. Minh, V. Martin, M. Epprecht, and M. J. Otte, “An analysis of the spatial and temporal patterns of highly pathogenic avian influenza occurrence in Vietnam using national surveillance data,” *Vet. J.*, vol. 174, no. 2, pp. 302–309, 2007.
- [67] Z. Tang and P. A. Fishwick, “Feedforward Neural Nets as Models for Time Series Forecasting,” *ORSA J. Comput.*, vol. 5, no. 4, pp. 374–385, 1993.
- [68] S. Y. Kang, “An investigation of the use of feedforward neural networks for forecasting,” Kent State University.
- [69] J. Ke, X. Liu, and G. Wang, “Theoretical and Empirical Analysis of the Learning Rate and Momentum Factor in Neural Network Modeling for Stock Prediction,” *Adv. Comput. Intell. SE - 76*, vol. 5370, pp. 697–706, 2008.
- [70] D. C. Howell, “One-Way Analysis of Variance,” in *Fundamental Statistics for the Behavioral Sciences*, 8th ed., T. Matray, Ed. Belmont: Jon-David Hague, 2013, pp. 396–439.
- [71] D. C. Howell, “Nonparametric and Distribution-Free Statistical Tests,” in *Fundamental Statistics for the Behavioral Sciences*, 8th ed., T. Matray, Ed. Belmont: Jon-David Hague, 2013, pp. 520–546.

- [72] StatSoft Inc., “Conceptual Overviews - 2D Box (and Means with Error) Plots,” 2015. [Online]. Available: <http://documentation.statsoft.com/STATISTICAHelp.aspx?path=Graphs/Graph/UnderstandingGraphs/Concepts/ConceptualOverviews2DBoxandMeanswithErrorPlots>. [Accessed: 02-Feb-2016].