

DAFTAR PUSTAKA

- Abdalla D.S. Coronary heart disease: Antioxidant status. Dalam: Caballero B, ed. Encyclopedia of Food Sciences and Nutrition. New York: Academic Press. 2003.1654-63.
- Agudo A, Cabrera L, Amiano P, et al. Fruit and vegetable intakes, dietary antioxidant nutrients, and total mortality in Spanish adults: findings from the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). *Am J Clin Nutr.*2007;85:1634-42.
- Ambrose J.A., Barua R.S. The Pathophysiology of Cigarette Smoking and Cardiovascular Disease: An Update. *J Am Coll Cardiol.*2004;43:1731-7.
- Asplund K. Smokeless tobacco and cardiovascular disease. *Prog Cardiovasc Dis.*2003;45:383-94.
- Bazzano L.A., He J, Ogden L.G., Loria C.M., Vupputuri S, Myers L, Whelton P.K. Fruit and vegetable intake and risk of cardiovascular disease in US adults: the first National Health and Nutrition Examination survey Epidemiologic Follow-up Study1-3. *Am J Clin Nutr.*2002;76:93-9.
- Benowitz N.L. Cigarette smoking and cardiovascular disease: pathophysiology and implications for treatment. *Prog Cardiovasc Dis.* 2003;46:91-111.
- Bermudez E.A., Rifai N, Buring J.E., et al. Relation between markers of systemic vascular inflammation and smoking in women. *Am J Cardiol.* 2002;89:1117-19.
- Boffetta P, Straif K. Use of smokeless tobacco and risk of myocardial infarction and stroke: systematic review with meta-analysis. *BMJ.* 2009;339:3060.
- Burke A.P., Farb A, Malcom G.T., Liang Y.H., Smialek J, Virmani R. Effect of risk factors on the mechanism of acute thrombosis and sudden coronary death in women. *Circulation.*1998;97:2110-6.
- Burns D.M. Epidemiology of smoking-induced cardiovascular disease. *Prog Cardiovasc Dis.*2003;46:11-29.

Chow C.K., Jolly S, Rao-Melacini P, et al. Association of diet, exercise, and smoking modification with risk of early cardiovascular events after acute coronary syndromes. *Circulation*.2010;121:750–58.

Costa S.F., Beltrami L.M., Alves S.C., et al. Clustering of risk factors for cardiovascular disease among women in Southern Brazil: a population-based study (*Agregação de fatores de risco para doenças cardiovasculares em mulheres no Sul do Brasil: um estudo de base populacional*). *Cad. Saúde Pública*.2008;24 Sup 2:285-293.

Dauchet L, Amouyel P, Hercberg S, Dallongeville J. Fruit and vegetable consumption and risk of coronary heart disease: a meta-analysis of cohort studies. *J Nutr*.2006;136:2588-93.

Delima, Mihardja L, Siswoyo H. Prevalensi dan faktor determinan penyakit jantung di Indonesia. *Bul. Penelit. Kesehat*. 2009;37(3):142-159.

Di Francescomarino S, Sciartilli A, Di Valerio V, et al. The effect of physical exercise on endothelial function. *Sports Med*.2009;39:797–812.

Diez-Roux A.V., Nieto F.J., Comstock G.W., et al. The relationship of active and passive smoking to carotid atherosclerosis 12 to 14 years later. *Prev Med*. 1995;24:48–55.

Doll R, Gray R, Hafner B, Peto R. Mortality in relation to smoking: 22 years' observations on female British doctors. *BMJ*.1980;280:967–71.

Doll R, Peto R, Wheatley K, Gray R, Sutherland I. Mortality in relation to smoking: 40 years observations on male British doctors. *Br Med J*. 1994;309:901-11.

Edwards R. The problem of tobacco smoking. *BMJ*.2004;328:217–19.

Eliasson B, Hjalmarson A, Kruse E, Landfeldt B, Westin A. Effect of smoking reduction and cessation on cardiovascular risk factors. *Nicotine Tob Res*.2001;3:249-55.

Elwood PC. Coronary heart disease: Intervention studies. Dalam: Caballero B, ed. *Encyclopedia of Food Sciences and Nutrition*. New York: Academic Press. 2003.1663-69.

Fernandes J, et al. Age, Dietary Fiber, Breath Methane, and Fecal Short Chain Fatty Acids Are Interrelated in Archaea-Positive Humans. *J Nutr*. 2013;143:1269-75.

Gardener H, Wright C.B., Gu Y, et al. Mediterranean-style diet and risk of ischemic stroke, myocardial infarction, and vascular death: the Northern Manhattan

- Glantz S.A., Parmley W.W. Passive smoking and heart disease: epidemiology, physiology, and biochemistry. *Circulation.*1991;83:1-12.
- Grundy S.M. Nutrition in the management of disorders of serum lipids and lipoproteins. Dalam: Shils M.E., Shike M, Ross A.C., et al., ed. Modern nutrition in health and disease: tenth edition. Baltimore. Lippincott William and Wilkins. 2006.
- He F.J., Nowson C.A., MacGregor G.A. Fruit and vegetable consumption and stroke: meta-analysis of cohort studies. *Lancet.*2006;367:320-6.
- Holmberg S, Thelin A, Stiernström E.L. Food Choices and Coronary Heart Disease: A Population Based Cohort Study of Rural Swedish Men with 12 Years of Follow-up. *Int. J. Environ. Res. Public Health.* 2009;6:2626-38.
- Howard G, Burke G.L., Szklo M, et al. Active and passive smoking are associated with increased carotid wall thickness: the Atherosclerosis Risk in Communities study. *Arch Intern Med.*1994;154:1277-82.
- Huffman F.G., Koutoubi S, Nath S. Coronary heart disease: Etiology and risk factor. Dalam: Caballero B, ed. Encyclopedia of Food Sciences and Nutrition. New York: Academic Press. 2003.1647-54.
- Huffman F.G., Nath S. Coronary heart disease: Prevention. Dalam: Caballero B, ed. Encyclopedia of food sciences and nutrition. New York: Academic Press. 2003;1669-75.
- Hunter K.A., Garlick P.J., Broom I, et al. Effects of smoking and abstention from smoking on fibrinogen synthesis in humans. *Clin Sci (Colch).* 2001;100:459-65.
- John J, Ziebland S, Yudkin P, Roe L, Neil H. Effects of fruit and vegetable consumption on plasma antioxidant concentrations and blood pressure: a randomised controlled trial. *Lancet.*2002;359:1969-74.
- Johnson I.T. Dietary fiber: Physiological Effects. Dalam: Caballero B, ed. Encyclopedia of Food Sciences and Nutrition. New York: Academic Press; 2003.1833-38.
- Joseph A.M., Fu S.S. Safety issues in pharmacotherapy for smoking in patients with cardiovascular disease. *Prog Cardiovasc Dis.*2003;45:429-41.
- Joshipura K.J., Hu F.B., Manson J.E., et al. The Effect of Fruit and Vegetable Intake on Risk for Coronary Heart Disease. *Ann Intern Med.*2001;134:1106-14.

A.N. Exercise preconditioning of the myocardium. *Sports Med.*

2009;39:923–35.

Kelley K, Kemple A, Rush C, Sarliker SE. Coronary Heart Disease. Washington: Washington State Department of Health, 2013.

Kementerian Kesehatan RI. Direktorat Jenderal Bina Gizi dan Kesehatan Ibu dan Anak. Strategi nasional penerapan pola konsumsi makanan dan aktivitas fisik untuk mencegah penyakit tidak menular. Jakarta. Kementerian Kesehatan RI. 2011.

Kementerian Kesehatan RI. Badan Penelitian dan Pengembangan Kesehatan. Riset Kesehatan Dasar 2013. Jakarta. Kementerian Kesehatan RI. 2013.

Kenfield S, Stampfer M, Rosner B, Colditz G. Smoking and smoking cessation in relation to mortality in women. *JAMA.*2008;299:2037-47.

Kodama S, Saito K, Tanaka S, et al. Cardiorespiratory fitness as a quantitative predictor of all-cause mortality and cardiovascular events in healthy men and women: a meta-analysis. *JAMA.*2009;301:2024–35.

Kojda G, Harrison D. Interactions between NO and reactive oxygen species: pathophysiological importance in atherosclerosis, hypertension, diabetes and heart failure. *Cardiovasc Res.*1999;43:562–71.

Krummel D.A. Medical Nutrition Therapy in Cardiovascular Disease. Dalam: Mahan LK, Escott-stump S. Krause’s Food, Nutrition, and Diet Therapy 12th Edition. Philadelphia: WB Saunders Company; 2008.860-99.

Lanas F, Avezum A, Bautista L.E., Diaz R, Luna M, Islam S, et al. Risk factors for acute myocardial infarction in Latin America: the INTERHEART Latin American study. *Circulation.*2007;115(9):1067–74.

Lichtenstein A.H. Atherosclerosis. Dalam: Caballero B, ed. Encyclopedia of Food Sciences and Nutrition. New York: Academic Press; 2003.338-47.

Lippi G, Maffulli N. Biological influence of physical exercise on hemostasis. *Semin Thromb Hemost.*2009;35:269–76.

Liu S, Lee I.M., Ajani U, Cole S.R., Buring J.E., Manson J.E. Intake of vegetables rich in carotenoids and risk of coronary heart disease in men: The Physicians' Health Study. *Int. J. Epidemiol.*2001; 30:130-35.

Liu S, Manson J.E., Lee I.M., et al. Fruit and vegetable intake and risk of cardiovascular disease: the Women’s Health Study. *Am J Clin Nutr.*

- Mann J. Penyakit kardiovaskuler. Dalam: Gibney MJ, Margetts BM, Kearney JM, et al., ed. *Gizi kesehatan masyarakat*. Alih bahasa oleh Andry Hartono. Jakarta. EGC.2009.391-406.
- Margetts B.M., Rogers E, Widhal K, et al. Relationship between attitudes to health, body weight and physical activity and level of physical activity in a nationally representative sample in the European Union. *Public Health Nutr.*1999;2:97–103.
- Medina L.J., Morey O.L., Zea D.H., Bolaños J.F., Corrales M.F., Cuba B.C., et al. Prevalence of lifestyle-related cardiovascular risk factors in Peru: the PREVENCIÓN study. *Rev Panam Salud Publica.*2008;24(3):169–79.
- Mente A, de Koning L, Shannon H.S., Anand S.S. A systematic review of the evidence supporting a causal link between dietary factors and coronary heart disease. *Arch. Intern. Med.*2009;169:659-69.
- Mucha L, Stephenson J, Morandi N, et al. Meta-analysis of disease risk associated with smoking, by gender and intensity of smoking. *Gen Med.* 2006;3:279–91.
- Nakamura K, Nagata C, Oba S, et al. Fruit and vegetable intake and mortality from cardiovascular disease are inversely associated in Japanese women but not in men. *J Nutr.*2008;138:1129–34.
- National Heart Foundation of Australia. Tobacco and cardiovascular disease: Policy paper 2007-2010. Melbourne: National Heart Foundation of Australia, 2007.
- Newby D.E., McLeod A.L., Uren N.G., et al. Impaired coronary tissue plasminogen activator release is associated with coronary atherosclerosis and cigarette smoking: direct link between endothelial dysfunction and atherothrombosis. *Circulation.*2001;103:1936–41.
- Nicklas T.A., O’Neil C.E., Fulgoni VL. Diet Quality Is Inversely Related to Cardiovascular Risk Factors in Adults. *J Nutr.*2012;142:2112–18
- Nickle E.J., Semba R.D., Xue Q.L., et al. Fruit and Vegetable Intake, Physical Activity, and Mortality in Older Community-Dwelling Women. *J Am Geriatr Soc.*2012;60:862–68.
- Nikolic M, Nikic D, Petrovic B. Fruit and vegetable intake and the risk for developing coronary heart disease. *Cent Eur J Public Health.*2008;16(1):17–20.
- Nocon M, Hiemann T, Muller-Riemenschneider F, et al. Association of physical

activity with all-cause and cardiovascular mortality: a systematic review and meta-analysis. *Eur J Cardiovasc Prev Rehabil.*2008;15:239–246.

O'Brien K. Living dangerously: Australians with multiple risk factors for cardiovascular disease. Canberra. Australian Institute of Health and Welfare. 2005.

Oren S, Isakov I, Goltzman B, et al. The influence of smoking cessation on hemodynamics and arterial compliance. *Angiology.*2006;57:564-68.

Perk J, Backer G.D., Gohlke H, et al. European Guidelines on cardiovascular disease prevention in clinical practice. *European Heart Journal.* 2012;33:1635–1701.

Prescott E, Hippe M, Schnohr P, et al. Smoking and risk of myocardial infarction in women and men: longitudinal population study. *BMJ.* 1998;316:1043–47.

Prescott E, Scharling H, Osler M, et al. Importance of light smoking and inhalation habits on risk of myocardial infarction and all cause mortality. A 22 year follow up of 12.149 men and women in The Copenhagen City Heart Study. *J Epidemiol Community Health.*2002;56:702–6.

Price J.F., Mowbray P.I., Lee A.J., et al. Relationship between smoking and cardiovascular risk factors in the development of peripheral arterial disease and coronary artery disease: Edinburgh Artery study. *Eur Heart J.* 1999;20:344–53.

Pyrgakis V.N. Smoking and Cardiovascular Disease. *Hellenic J Cardiol.*2009;50:231-34.

Raupach T, Schafer K, Konstantinides S, Andreas S. Secondhand smoke as an acute threat for the cardiovascular system: a change in paradigm. *Eur Heart J.*2006;27:386–92.

Richardson C.R., Kriska A.M., Lantz P.M., et al. Physical activity and mortality across cardiovascular disease risk groups. *Med Sci Sports Exerc.* 2004;36:1923–29.

Schnohr P, Scharling H, Jensen J.S. Intensity versus duration of walking, impact on mortality: the Copenhagen City Heart Study. *Eur J Cardiovasc Prev Rehabil.*2007;14:72–8.

Scottish Intercollegiate Guidelines Network (SIGN). Risk estimation and the prevention of cardiovascular disease: A national clinical guideline. Edinburgh: SIGN; 2007.

Sesso H.D., Paffenbarger R.S., Lee I.M. Physical Activity and Coronary Heart

Disease in Men. The Harvard Alumni Health Study. *Circulation*.

2000;102:975-80.

Shireman R.M. Cholesterol: Role of Cholesterol in Heart Disease. Dalam: Caballero B, ed. *Encyclopedia of Food Sciences and Nutrition*. New York: Academic Press. 2003;1243-50.

Simopoulos A.P. The Mediterranean diets: What is so special about the diet of Greece? *J. Nutr.*2001;131:3065S-73S.

Takachi R, Inoue M, Ishihara J, et al. Fruit and vegetable intake and risk of total cancer and cardiovascular disease: Japan Public Health Center-Based Prospective Study. *Am J Epidemiol.*2008;167:59–70.

Terres W, Becker P, Rosenberg A. Changes in cardiovascular risk profile during the cessation of smoking. *Am J Med.*1994;97:242-49.

Tsani RF. Hubungan antara faktor lingkungan dan perilaku dengan kejadian penyakit jantung koroner (Studi Kasus di RS X Kota Semarang). *Unnes Journal of Public Health.*2013;2(3):1-9.

Wang X, Ouyang Y, Liu J, Zhu M, Zhao G, Bao W, Hu FB. Fruit and vegetable consumption and mortality from all causes, cardiovascular disease, and cancer: systematic review and dose-response meta-analysis of prospective cohort studies. *BMJ.*2014;349:4490.

Waters D, Lesperance J, Gladstone P, et al. Effects of cigarette smoking on the angiographic evolution of coronary atherosclerosis: a Canadian Coronary Atherosclerosis Intervention trial (CCAIT) substudy: CCAIT Study Group. *Circulation.*1996;94:614–21.

Whincup P.H., Gilg J.A., Emberson J.R., et al. Passive smoking and risk of coronary heart disease and stroke: prospective study with cotinine measurement. *BMJ.*2004;10:1136-42.

Wong ND. Epidemiological Studies of CHD and the Evolution of Preventive Cardiology. *Nat. Rev. Cardiol.*2014;11:276-89.

Yamaguchi Y, Haginaka J, Morimoto S, et al. Facilitated nitration and oxidation of LDL in cigarette smokers. *Eur J Clin Invest.*2005;35:186–93.

Yang Q, Liu T, Kuklina E.V., et al. Sodium and potassium intake and mortality among US adults: prospective data from the Third National Health and Nutrition Examination survei. *Arch Intern Med.*2011;171:1183-91.



UNIVERSITAS
GADJAH MADA

MEROKOK, KONSUMSI SAYURAN DAN BUAH, AKTIVITAS FISIK, DAN HUBUNGANNYA DENGAN PENYAKIT JANTUNG KORONER DI INDONESIA

DIYAN YUNANTO S., Dra. Yai Suryo Prabandari, M.Si, Ph.D dan Dr. Ir. I Made Alit Gunawan, MSi

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yu D, Zhang X, Gao YT, et al. Fruit and Vegetable Intake and Risk of Coronary

Heart Disease: Results from Prospective Cohort Studies of Chinese Adults in Shanghai. *Br J Nutr.*2014;111(2):353–62

Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, et al. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. *Lancet.*2004;364:937–52

Zhang W, Iso H, Ohira T, Date C, Tamakoshi A. Associations of dietary magnesium intake with mortality from cardiovascular disease: the JACC study. *Atherosclerosis.*2012;221:587-95.