



DAFTAR PUSTAKA

- Adam, M., Hatta, 2008, "Analisis Sifat Mekanik Dan Konduktivitas Komposit Polipropilena/Etilena-Propilena-Diena Terpolimer/Karbon (PP/EPDM/C) Untuk Aplikasi Pelat Bipolar Pada Polymer Electrolyte Membrane (PEM) Fuel Cell, Skripsi: Universitas Indonesia
- Anonim, "Standard Test Method for Determination of Iodine Number of Activated Carbon", ASTM Designation: D 4607-94.
- Antolini, E., 2009, "Carbon supports for low-temperature fuel cell catalysts", *Applied Catalyst.*, B, Vol. **88**, pp. 1–24.
- Arifin, N. M., 2012, "MODifikasi dan Karakterisasi Karbon Nanotube Terorientasi Tegak Melalui Metode Filtrasi Untuk Aplikasi Proton Exchange Membrane Fuel Cell (PEMFC), Skripsi: Universitas Indonesia.
- Ariyanto, T., 2010, "Pembuatan Material Karbon Berpori Dari Pirolisis Phenolic Resin Sebagai Material Elektroda Superkapasitor", Tesis: Universitas Gadjah Mada.
- Arrohmah, 2007, "Studi Karakteristik Klorofil Pada Daun Sebagai Material atau Detektor Organik", Skripsi: Universitas Sebelas Maret.
- Baizeng Fang, Nitin K. Chaudhari, Min-Sik Kim, Jung Ho Kim, and Jong-Sung Yu, 2009, "Homogeneous Deposition of Platinum Nanoparticles on Carbon Black for Proton Exchange Membrane Fuel Cell", *J. AM. CHEM. SOC.*, Vol. **131**, pp. 15330–15338.
- Balgis, R. B., Anilkumar, G. M., Sago, S., Ogi, T., Okuyama, K., "Fuel Cells", 2012 , Vol. **12**, pp. 665–669.
- Balgis, R. B., Anilkumar, G. M., Sago, S., Ogi, T., Okuyama, K. J., 2012, "Power Sources", Vol. **203** , pp. 26–33.
- Barsema, J. N., 2004, "Carbon Membrane Precursor Preparation and Functionalization", Partners Ipskamp, Enschede.Bazzera, C., Zhang, L., Lee, K., Liu, H., Marques, A., Marques, A., Wang, H., Zhang, J., 2008, *Acta*, Vol. **53**, pp. 4937.
- Bing Joe Hwang, Monalisa, Sakkarapalayam Murugesan Senthil Kumar, Ming-Yao Cheng, Din-Goa Liu, and Jyh-Fu Lee, 2007, "An Investigation of Structure-Catalytic Activity Relationship for Pt-Co/C Bimetallic Nanoparticles toward the Oxygen Reduction Reaction", *J. Phys. Chem. C*, Vol. **111**, pp. 15267-15276.
- Bock, C., Paquet, C., Couillard, M., Botton, G. A., Mac Dougall, B. R., 2004, "Surface Segregation of Fe in Pt–Fe Alloy Nanoparticles: Its Precedence and



Effect on the Ordered-Phase Evolution during Thermal Annealing”, *J. Am. Chem. Soc.*, Vol. **126**, pp. 8028–8029.

Borchardt-Ott, W., 2011, “Chrystallography an Introduction”, 3rd edition, Springer Heidelberg Dordrecht London, New York.

Bregoli, L., 1978, “Particle Size and Structural Effects In Platinum Electrocatalysis”, *J. Electrochim. Acta*, Vol. **23**, pp. 489.

Br'echignac, C., Houdy, P., Lahmani, M., 2007, “Nanomaterials and Nanochemistry”, Springer Berlin Heidelberg, New York.

Brunauer S., Emmet, P., and Tellerr, S., 1938, “The Brunauer Emmet Teller Method”, *J. Am. Chem. Soc.*, Vol. **60**, pp. 309.

Cai,Q., Huang, Z. H., Kang F., and Yang J. B., 2004, “Preparation of Activated Carbon Microspheres from Phenolic-Resin by Supercritical Water Activation”, *Carbon*, Vol. **42**, pp.775–783.

Catherine Bréchignac, Philippe Houdy, and Marcel Lahmani, 2007, “Nanomaterials and Nanochemsity”, Springer-Verlag Berlin Heidelberg.

Caturla, F., Sabio, M., and Reinoso, F. R., “Preparation of Activated Carbon by Chemical Activation with ZnCl”, *Carbon*, Vol. **29**, No. 7, pp. 993-1007.

Chan, K. Y., Ding, J., Ren, J., Cheng, S., Tsang, K. Y., 2004, ”Supported Mixed Metal Nanoparticles As Electrocatalysts In Low Temperature Fuel Cells”, *J. Mater. Chem.* 14, 505-516.

Chang, H., Joo, S. H., Pak, 2007, “Nafion Membranes With Ordered Mesoporous Structure And High Water Retention Properties For Fuel Cell Applications”, *C. J. Mater. Chem.*, Vol. **17**, pp. 3078-3088.

Chorkendorff and Niemantsverdriet, 2003, “Concept ts of Modern Catalysis and Kinetics”, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim ISBN: 3-527-30574-2.

Do, D. D., 1998, “Adsorption Analysis: Equilibria and Kinetic, Series on Chemical Engineering”, *Imperial College*, Vol. **2**, pp. 13-16.

Dunlap, M. and Adaskaveg, J. E., 1997, "Introduction to the Scanning Electron Microscope", Facility For Advanced Instrumentation, U. C. Davis.

Eniya Listiani Dewi dan Rochmadi, 2007, “Modifikasi Nafion Dan Pengaruhnya Terhadap Difusi CH₃OH Sebagai Elektrolit Padat Direct Methanol Fuel Cell”, *Indonesian Journal of Materials Science*, Vol. **8**, No. 3, J, hal: 198-204 ISSN: 1411-1098.



- Fang, B., Chaudhari, N. K., Kim, M. S., Kim, J. H., Yu, J. S., 2009, "Homogeneous Deposition of Platinum Nanoparticles on Carbon Black for Proton Exchange Membrane Fuel Cell", *J. Am. Chem. Soc.*, Vol. **131**, pp. 15330 –15338.
- Geus dan Van Dillen, 1997, "Handbook of heterogen Katalisis", Vol. **1**, p. 240 (Ed. G. Ertl, H. Knzinger dan J. Weitkamp), VCH, Weinheim.
- Greeley, L., Mavrikakis, 2004, "Alloy Catalysts Designed from First Principles", *M. Nat. Mater.*, Vol. **3**, pp. 810-815.
- Guan, G., Kusakabe, K., Ozono, H., Taneda, M., Uehara, M., Maeda, H., 2007, "Preparation Of Carbon Microparticle Assemblies From Phenolic Resin Using An Inverse Opal Templating Method", *J. Mater. Sci.* **42**, 10196-10202.
- Guvenatama, B., Ficicular, B., Bayrakc ekenb, A., Erog lu, 2012, *I. Int. J. Hydrogen Energy*, **37**, 1865-1874.
- Handoko, D. S. P., Triyono, Narsito, dan Tutik Dwi Wahyuningsih, 2009, Pengaruh Temperatur Terhadap Kinerja Katalis Ni/Zeolit Pada Reaksi Hidrogenasi Katalitik 1-Oktadekana, *Jurnal Reaktor*, Vol. **12** No. 4, pp. 218-225
- Haolin Tang, and San Ping Jiang, 2008, "Self-Assembled Pt/Mesoporous Silica - Carbon Electrocatalysts for Elevated-Temperature Polymer Electrolyte Membrane Fuel Cells", *J. Phys. Chem. C*, Vol. **112**, pp. 19748-19755.
- Haolin Tang, dan San Ping Jiang, 2008, "Self-Assembled Pt/Mesoporous Silica - Carbon Electrocatalysts for Elevated-Temperature Polymer Electrolyte Membrane Fuel Cells", *J. Phys. Chem. C*, Vol. **112**, pp. 19748-19755.
- Hirunpraditkoon, S., Tunthong, N., Ruangchai, A. dan Nuithitkul, K., 2011, "Adsorption Capacities of Activated Carbons Prepared from Bamboo by KOH Activation", *World Academy of Science, Engineering and Technology*, Vol. **5**, pp. 647-651.
- Hu, B., Wang, K., Wu, L., Yu, S. H., Antonietti, M., Titirici, M. M., 2010, "Engineering Carbon Materials From The Hydrothermal Carbonization Process Of Biomass", *Adv. Mater*, Vol. **22**, pp. 813 –828.
- Hulicova, D., Kodama, M., Yamashita J., Soneda, Y., Hatori, H., 2004, "Electrochemical Properties of Melamine-Based Carbon", *Energy Storage Material Research Group*, AIST West, Japan.
- Inagaki, M., Orikasab, H., Morishita, T., 2011, "Morphology and Pore Control In Carbon Materials Via Templating", *RSC Adv.*, Vol. **1**, pp. 1620-1640.
- Indriyati, Pujiastuti, S., Lazuardi, Isya, N., 2011, "Studi Desain Alur Gas pada Anoda Plat Bipolar dan Pengaruhnya terhadap Performa PEMFC Berdasarkan Hasil Eksperimen", *Jurnal Teknologi Indonesia*, Vol. **34**, pp. 77-83.



- Jarrid A. Wittkopf, Jie Zheng, and Yushan Yan, 2014, "High-Performance Dealloyed PtCu/CuNW Oxygen Reduction Reaction Catalyst for Proton Exchange Membrane Fuel Cells", *ACS Catal.*, Vol. 4, pp. 3145-3151.
- Joo, S. H., Choi, S. J., Oh, I., Kwak, J., Liu, Z., Terasaki, O., Ryoo, 2001, "Ordered Nanoporous Arrays Of Carbon Supporting High Dispersions Of Platinum Nanoparticles", *R. Nature*, Vol. 412, pp. 169-172.
- K.Strasser, 1991, "In 26th Intersociety Energy Conversion Engineering Conference Proceedings", Volume 3, *Conversion Technologies/Electrochemical Conversion, Boston, Massachusetts, August 4-9*, published by Society of Automotive Engineers, Inc., Warrendale, PA.
- Kakinuma, K., Wakasugi, Y., Uchida, M., Kamino, T., Uchida, H., Deki, S., Watanabe, M., 2012, "Oxygen Reduction Reaction Activity and Durability of Pt Catalysts Supported on Titanium Carbide", *Electrochim. Acta*, Vol. 77, pp. 279-284.
- Khalili, N. R., Campbell, M., Sandi, G., and Golas, J., 2000, "Production of Micro- and Mesoporous Activated Carbon from Paper Mill Sludge, Effect of Zinc Chloride Activation", *Carbon*, Vol. 38, pp. 1905-1915.
- Kinoshita, K., 1990, "Particle Size Effects for Oxygen Reduction on Highly Dispersed Platinum in Acid Electrolytes, *J. Electrochem. Soc.*, 137, 845.
- Kirk, R. E., and Othmer, D., F., 1981, "Enciclopedia of Chemical Technology", 3th ed, John Willey and Sons, Inc, Vol. 4, pp.561-570,
- Koenigsmann, C., Santulli, A. C., Gong, K., Vukmirovic, M. B., Zhou, W. P., Sutter, E., Wong, S. S., Adzic, R. R., 2011, "Enhanced Electrocatalytic Performance Of Processed, Ultrathin, Supported Pd-Pt Core-Shell Nanowire Catalysts For The Oxygen Reduction Reaction", *J. Am. Chem. Soc.* 133, 9783-9795.
- Kou R., Y. Shao, D. Mei, Z. Mie, D. Wang, C. Wang, V.V. Viswanathan, S. Park, I.A. Aksay, Y. Lin, Y. Wang, J. Liu, 2011, "Stabilization Of Electrocatalysts At Metal-Metal Oxide-Graphene Triple Junction Points: An Experimental And Theoretical Study", *J. Am. Chem. Soc.*, 133(8), pp. 2541-2547
- Ladd, M. F. C., Palmer, R. A., 1995, "Structure Determination by X-ray Crystallography", Plenum Press, New York.
- Legowo E.H, 2007, "Pengembangan Bioenergi di Indonesia, dalam Hambali E, Mujdalipah S, Tambunan A.H, Pattiwiri A.W dan Hendroko R", Teknologi Bioenergi, Cetakan III Penerbit Agromedia Pustaka Jakarta.
- Lenghaus, K., Qiao, G. G., Solomon, D. H., Gomez, C., Reinoso, F. R., and Escribano, A. S., 2001, "Controlling Carbon Microporosity: The Structure of Carbons Obtained from Different Phenolic Resin Precursors", *Polymer Science Group*, pp. 743-749.



Liang, C., Dai, S., 2006, "Synthesis of Mesoporous Carbon Materials via Enhanced Hydrogen-Bonding Interaction", *J. Am. Chem. Soc.*, Vol. **128**, pp. 5316-5317.

Litsster & Lean, 2004, "Promotion of PEM Self-Humidifying Effect by Nanometer-Sized Sulfated Zirconia-Supported Pt Catalyst Hybrid with Sulfonated Poly(Ether Ether Ketone)", *J. Phys. Chem. B*, Vol. 111, pp. 6391-6399.

Litster, S. and McLean, G., 2003, "PEM fuel cell electrodes", *Journal of Power Sources*, 130 (2004) 61-76.

Liu, H., et al., 2006, "Electrochemical Impedance Study of PEM Fuel Cells. Experimental Diagnostics and Modeling of Air Cathodes", *J. Phys. Chem. B*, Vol. **105**, pp. 3531-3539.

Londar, E., Fanzuri, H., Widiastuti, N., 2009, "Pengaruh Karbon Terhadap Pembentukan Zeolit dari Abu Dasar dengan Metode Hidrotermal Langsung", artikel, Laboratorium Kimia Anorganik, FMIPA, Institut Teknologi Sepuluh Nopember, Kampus ITS Keputih, Surabaya.

Macia, J. A., Moore, B. C., Cazorla, D., and Linares A., 2004, "Activation of Coal Tar Pitch Carbon Fibres: Physical Activation vs. Chemical Activation", *Carbon*, Vol. **42**, pp. 1367-1370.

Mantell, C. L., 1951, "Chemical Engineering Series-Adsorption", 2nd Ed, pp. 1-8, McGraw Hill Book Company, Inc., New York.

Markun dan Sulistiyan A, 2008, "CFC Cool and Fun With Chemistry Cara Jitu Jadi Kimiawan Muslim", Penerbit Yayasan Nuansa Cendekia Bandung.

Matthews, F. L and Rawlings, R. D, 1994, "Composite Material", *Engineering & Science London*, Chapman & Hall.

Meisner, G. P. and Hu, Q., 2009, "High Surface Area Microporous Carbon Materials for Cryogenic Hydrogen Storage Synthesized Using New Template-Based and Activation-Based Approaches", *Materials and Processes Laboratory*, School of Mechanical Engineering, USA.

Monshi, Ahmad., Mohammad, R. F., Mohammad, R. M., 2012, "Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD", *World Journal of Nano Science and Engineering*, Vol. **2**, pp. 154-160.

Nørskov, J. K., Bligaard, T., Rossmeisl, J., Christensen, C. H., 2009, "Towards the Computational Design of Solid Catalysts", *Nat. Chem.*, Vol. **1**, pp. 37-46.

Nuryati, Prasetyo, I., 2011, "Pembuatan Resin Phenol Formaldehyde Sebagai Prekursor Untuk Preparasi Karbon Berpori: Pengaruh Jenis Turunan Phenol Terhadap Karakteristik Resin dan Karbon", *Jurnal Rekayasa Proses*, Vol. **5**, No. 1.

T. Ogi, N. Tajima, R. Balgis, H. Setyawan, K. Okuyama, 2013, "Influence Of Formic Acid On The Electrochemical Properties Of High Porosity Pt/Tin Nanoparticles

Aggregate Synthesised Via Self-Assembly Assisted Spray Pyrolysis”, *AIChE Journal* (IF 2.581), 59, 2753-2760.

Okhovat, A., Ahmadpour, A., Ahmadpour, F. dan Yadegar, Z.K., 2012, “Pore Size Distribution Analysis of Coal-Based Activated Carbons: Investigating the Effects of Activating Agent and Chemical Ratio”, *International Scholarly Research Network*, Vol. 2012, pp. 1-10.

Park, J. H., and Park, O. O., 2002, “Hybrid Electrochemical Capacitors Based on Polyaniline and Activated Carbon Electrodes”, *Journal of Power Sources*, Vol. 111, pp. 185–190.

Prasetyo, I., Rochmadi, Wahyono, E., 2009, “Preparation of Carbon Molecular Sieve for CO₂/CH Separation by Pyrolysis of Phenol Formaldehyde Resin”, *Proceedings of 16th Regional Symposium On Chemical Engineering (RSCE), Philipina, 1-2 December*, pp. 193–196.

Ratna Balgis, Sumihito Sago, Gopinathan M. Anilkumar, Takashi Ogi, and Kikuo Okuyama, 2013, “Self-Organized Macroporous Carbon Structure Derived from Phenolic Resin via Spray Pyrolysis for High-Performance Electrocatalyst”, *ACS Appl. Mater. Interfaces*, Vol. 5, pp. 11944-11950.

Rike Yudianti, Holia Onggo dan Anung Syampurwadi, 2012, “Pengaruh Konstanta Dielektrik Dan Dispersitas Partikel Terhadap Hydrophobicity Elektrokatalis Berbasis Carbon Nanotube”, *Indonesian Journal of Materials Science*, Vol. 14, No. 1, pp. 24-28.

Riyanto, 2013, “Elektrokimia dan Aplikasinya”, Graha Ilmu, Yogyakarta.

Rohendi Dedi, Yuliar Adnan, 2010, Pembuatan Elektroda Fuel Cell Dengan Metode Elektrodepositio Menggunakan Katalis Pt-Cr/C Dan Pt/C dan Karakterisasinya, *Jurnal penelitian sains*. Vol 13 nomer 2(C) 13206

Rolison, D. R., 2003, “Catalytic Nanoarchitectures: The Importance Of Nothing And The Unimportance Of Periodicity”, *Science*, No. 299, pp. 1698-1701.

Ryu, J., Suh, Y.-W., Suh, D. J., Ahn, D. J., 2010, “Hydrothermal Preparation Of Carbon Microspheres From Mono-Saccharides And Phenolic Compounds”, *Carbon*, 48, 1990-1998.

Sarkar and A. Manthiram, 2010, “Synthesis of Pt/Cu Core-Shell Nanoparticles by Galvanic Displacement of Cu by Pt⁴⁺ Ions and Their Application as Electrocatalysts for Oxygen Reduction Reaction in Fuel Cells”, *J. Phys. Chem. C*, No. 114, pp. 4725–4732.

Shaun M. Alia, Kurt O. Jensen, Bryan S. Pivovar, and Yushan Yan, 2012, “Platinum-Coated Palladium Nanotubes as Oxygen Reduction Reaction Electrocatalysts”, *ACS Catal.*, Vol. 2, pp. 858-863.



- Sheikh, A.A., Badrunessa, Firdaws, J., Rahman, M.S., Pasha, N.A., and Bakshi, P.K., 2011, A Cyclic Voltammetric Study Of The Influence Of Supporting Electrolytes On The Redox Behavior Of Cu(II) In Aqueous Medium, *Journal of Bangladesh Chem.Soc.*, Vol. 24(2), pp. 158-164, DOI: 10.3329/jbcs.v24i2.9704.
- Sing, K.S.W., Everett, D.H., Haul, R.A.W., Moscoul, L., Pierotti, R.A., Rouquerol, J., Siemieniewska, T., 1985, "Reporting Physisorption Data for Gas/Solid Systems with Special Reference to the Determination of Source Area and Porosity", *Pure Appl. Chem.*, Vol. 57, pp. 603-619.
- Sri Pujiastuti, Epsy Rahimi dan Sunit Hendrana, 2007, "Pembuatan Fuel Cell Stack Berbasis Membran Fision", *Jurnal Sains Materi Indonesia Indonesian Journal of Materials Science*, Vol. 11, No. 1, Oktober 2009, pp. 1-5.
- Stamenkovic, V. R., Fowler, B., Mun, B. S., Wang, G. F., Ross, P. N., Lucas, C. A., Markovic, , 2007, "Catalyst Design: X-rays Cross-examine the Fuel Cell Volcano Plot", *N.M. Science*, No. 315 , pp. 493-497.
- Stamenkovic, V., Mun, B. S., Mayrhofer, K. J. J., Ross, P. N., Markovic, N. M., Rossmeisl, J., Greeley, J., Nørskov, J. K., 2006, "Changing the Activity of Electrocatalysts for Oxygen Reduction by Tuning the Surface Electronic Structure", *Angew. Chem.*, 118 , 2963-2967.
- Stephens, I. E. L., Bondarenko, A. S., Pérez-Alonso, F. J., Calle-Vallejo, F., Bech, L., Johansson, T. P., Jepsen, A. K., Frydendal, R., Knudsen, B. P., Rossmeisl, J. & Chorkendorff, I., 2011, "Tuning the Activity of Pt(111) for Oxygen Electroreduction by Subsurface Alloying", *J. Am. Chem. Soc.*, No. 133, pp. 5485-5491.
- Sudjito, Baedoewie, S., Sugeng, A., 2016, "Diktat Termodinamika Dasar", Universitas Brawijaya, Malang.
- Suhada A, 2001, "Fuel Cell sebagai Penghasil Energi Abad 21", *Jurnal Teknik Mesin*, Universitas Kristen Petra Surabaya.
- Suryamas, A. B., Anilkumar, G. M., Sago, S., Ogi, T., Okuyama, K., 2013, "Nanostructured Particulate and Fibrous Materials For Fuel Cell Electrode Application", *Catal. Commun.*, No. 33 , pp. 11-14.
- Tang juank, S., Insuk, N., Tontrakoon, J., and Udeye, V., 2009, "Adsorption of Lead(II) and Cadmium(II) Ions from Aqueous Solutions by Adsorption on Activated Carbon Prepared from Cashew Nut Shells", *World Academy of Science, Engineering and Technology*, Vol. 52, pp. 110-116.
- Tang, H., and Jiang, S.P., 2008, "Self-Assembled Mesoporous Silica-Carbon Electrocatalysts for Elevated-Temperature Polymer Electrolyte Membrane Fuel Cell", *Journal of Physical Chemistry C*. DOI: 1021/jp8066662.



Tian N, Zhou ZY, Sun SG, Ding Y, Wang ZL., 2007, "Synthesis of tetrahedral platinum nanocrystals with high-index facets and high electro-oxidation activity", *Science*, Vol. **316**, No. 732.

Treybal, R.E., 1981, "Mass Transfer Operation", 3th ed, pp. 565-571, Mc Graw Hill Book Company, Inc., New York.

U.S Department of Energy, 2000, "Fuel Cell Handbook", EG & G Services Persons, Inc.

Van der Vliet, D., Wang, C., Debe, M., Atanasoski, R., Markovic, N. M., Stamenkovic, V. R., 2011, "Electrochim", *Acta*, Vol. **56**, pp. 8695-8699.

Viswanathan, B., Indra Neel, P., and Varadarajan, T. K., 2009, "Methods of Activation and Specific Applications of Carbon Materials", *National Centre for Catalysis Research*, Indian Institute of Technology Madras, India.

Vohler, O., Nutsch, G., Collin, G., Sturm, F., Wage, E., Frohs, W., Henning, K., D., Koenle, H., Voll, M., Kleinschmid, P., Vostrowsky, O., and Hirsch, A., 2002, "Carbon: Ullmann's Encyclopedia of Industrial Chemistry", Wiley-VCH Verlag GmbH and Co. KgaA.

W.T. Grubb, 1959, "Proceedings of the 11th Annual Battery Research and Development Conference", PSC Publications Committee, Red Bank, NJ, p. 5, U.S. Patent No. 2, pp. 913-511.

Waldeza, R., 2012, "Pengaruh Suhu Terhadap Pembuatan Karbon Aktif dari Proses Pirolisis Polimer RPF dengan Aktivasi CO₂ Serta Pengaruhnya Terhadap Adsorpsi Butana", Tesis Jurusan Teknik Kimia, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta.

Wang, C., van der Vliet, D., More, K. L., Zaluzec, N. J., Peng, S., Sun, S. H., Daimon, H., Wang, G. F., Greeley, J., Pearson, J., Paulikas, A. P., Karapetrov, G., Strmcnik, D., Markovic, N. M., Stamenkovic, V. R., 2011, "Nanoporous surface alloys as highly active and durable oxygen reduction reaction electrocatalysts", *Nano Lett*, 919 – 926.

Wang, X., Li, D., Li, W., Peng, J., Xia, H., Zhang, L., Guo, S., dan Chen, G., 2013, "Optimization of Mesoporous Activated Carbon from Coconut Shell by Chemical Activation with Phosphoric Acid", *Bioresources*, Vol. **8(4)**, pp. 6184-6195.

Wang, Z., Li, F., Ergang, N. S., Stein, A., 2006, "Effects Of Hierarchical Architecture On Electronic And Mechanical Properties Of Nanocast Monolithic Porous Carbons And Carbon-Carbon Nanocomposites", *Chem. Mater.*, Vol. **18**, pp. 5543-5553.

Galang Wisnu Wardana dan Hosta Ardhyananta, 2012, "Pengaruh Penambahan Grafit terhadap Sifat Tarik dan Konduktivitas Listrik Komposit Vinil Ester/Grafit



sebagai Pelat Bipolar Membran Penukar Proton Sel Bahan Bakar (PEMFC)",
Jurnal Teknik POMITS Vol. 1, No. 1, (2012) ISSN :1-6

West, Anthony. R., 1989, "Solid State Chemistry and Its Application", New York:
John Wiley and Sons.

Wittkopf, J.A., Zheng, J., Yan, Y., 2014, "High-Performance Dealloyed PtCu/CuNW
Oxygen Reduction Reaction Catalyst for Proton Exchange Membrane Fuel
Cells", *ACS Catalyst*, Vol. 4, pp. 3145-3151.

Xu, S., Qiao, G., Wang, H., Li, D., Lu, T., 2008, "Preparation Of Mesoporous Carbon
Derived From Mixtures Of Phenol-Formaldehyde Resin And Ethylene Glycol",
Mater. Lett., Vol. 62 , pp. 3716– 3718.

Xue, X., Lu, T., Liu, C., Xing, W., 2005, "Porous Carbon Supports Prepared by
Ultrasonic Spray Pyrolysis for Direct Methanol Fuel Cell Electrodes", *Chem.
Commun.*, pp. 1601-1603.

Yang Wang, Junhong Jin, Shenglin Yang, Guang Li, Jinli Qiao, 2015, "Highly Active
And Stable Platinum Catalyst Supported On Porous Carbon Nano fibers For
Improved Performance of PEMFC", *J.Electacta.*, 01.134

Yoo, H., Moon, J. H., 2012, "Uniformly dispersed silicon nanoparticle/carbon
nanosphere composites as highly stable lithium-ion battery electrodes", *RSC
Adv.*, Vol. 2, pp. 8934-8936.

Yu, X., Ding, S., Meng, Z., Liu, J., Qu, X., Lu, Y., Yang, Z., 2008, "Amphiphilic
Mesoporous Silica Composite Nano sheets", *Colloid Polym. Sci.*, No. 286, pp.
1361-1368.

Yudianti, R., Onggo, H., Indriyati, Sudirman, 2012, "Role of Catalytic Synthesis on
Growth and Distribution of Platinum Nanoparticle on Carbon Nanotube
Surface", *Nanoscience and Nanotechnology*, Vol. 2 No. 6 pp. 171-177, doi:
10.5923/j.nn.20120206.04.

Yuyun Irmawati, Indriyati, Achiar Oemry, 2012, "Effect Of Hot Pressing
Temperature On The Performance Of Proton Exchange Membrane Fuel Cell
Based On Gas Diffusion Electrode Carbon Paper And Carbon Cloth",
Indonesian Journal of Materials Science, Vol. 14, No. 2, Januari 2013, pp. 85-
90 ISSN, pp. 1411-1098.

Wei,S. G., Chen,Y. Liu, C. X. Sun, Z. G. Shao, and P. K. Shen, 2007,
"Electrodepositing Pt by Modulated Pulse Current on a Nafion-Bonded Carbon
Substrate as an Electrode for PEMFC", *J. Phys. Chem. C*, Vol. 111, pp. 15456-
15463.

Zhang, F., M. H., Chen, J., Li, G. D., Zhang, Y., and Chen, J. S., 2008, "Preparation
and Gas Storage of High Surface Area Microporous Carbon Derived from
Biomass Source Cornstalks", *Bioresource Technology*, Vol. 99, pp. 4803–4808.



Zhang, J., Mo, Y., Vukmirovic, M. B., Klie, R., Sasaki, K., Adzic, R. R., 2004, "Platinum Monolayer Electrocatalysts for the Oxygen Reduction Reaction: Improvements Induced by Surface and Subsurface Modifications of Cores", *J. Phys. Chem. B*, Vol. **108**, pp. 10955 – 10964.

Zhang, S., Shao, Y., Yina, G., Lin, Y., 2013, "Recent Progress in Nanostructured Electrocatalysts for PEM Fuel Cells", *J. Mater. Chem. A*, Vol. **1**, pp. 4631–4641.

Zheng, Y., Jiao, Y., Chen, J., Liu, J., Du, A., Zhang, W., Zhu, Z., Smith, S. C., Jaroniec, M., Lu, G. Q., Qiao, S. Z., 2011, "Nanoporous Graphitic-C₃n₄@Carbon Metal-Free Electrocatalyst For Highly Efficient Oxygen Reduction", *J. Am. Chem. Soc.*, 133, 20116-20119.

Zhu, Z., Hu, H., Li, W., and Zhang, X., 2007, "Resorcinol Formaldehyde Based Porous Carbon as an Electrode Material for Supercapacitors", *Carbon*, Vol. **45**, pp. 160–165.