



## DAFTAR PUSTAKA

- Adesola, O., & Eniola, O. (2013). Sociodemographic data, physical activity and pain intensity in patients with knee osteoarthritis. *Sport Medicine Journal*, 33.
- Akukwe, T.I., & Ogbodo, C. (2015). Spatial Analysis of Vulnerability to Flooding in Port Harcourt Metropolis, Nigeria. *SAGE Open*, 1-19. DOI: 10.1177/2158244015575558.
- Aldrich, N., & Benson, W. F. (2008). Disaster preparedness and the chronic disease needs of vulnerable older adults. *Preventing Chronic Disease*, 5(1), A27. <http://doi.org/A27> [pii]
- Alsaleem, Y. Z. (2013). Risk factors in an association with the osteoarthritis of the knee in Mosul city. *Ann Coll Med Mosul*, 39(1), 84–88.
- Altman, R. D. (1991). Criteria for classification of clinical osteoarthritis. *Journal of Rheumatology*, 18(27):10-15.
- Ambardini, R. L. (2011). Peran Latihan Fisik dalam Manajemen Terpadu Osteoarthritis. Yogyakarta: Universitas Negeri Yogyakarta.
- Amin, S., Niu, J., Guermazi, a, Grigoryan, M., Hunter, D. J., Clancy, M., Felson, D. T. (2007). Cigarette smoking and the risk for cartilage loss and knee pain in men with knee osteoarthritis. *Annals of the Rheumatic Diseases*, 66, 18–22. <http://doi.org/10.1136/ard.2006.056697>
- Anggarini, R. (2013). Efektivitas Terapi Transcutaneous Electric Nerve Stimulation dalam Menurunkan Nyeri Kronik pada Penderita Osteoarthritis. Skripsi. Program Studi Ilmu Keperawatan. Yogyakarta.
- Anggraini, N. E., & Lucia, Y. H. (2014). Hubungan Obesitas dan Faktor-Faktor pada Individu dengan Kejadian Osteoarthritis Genu. *Jurnal Berkala Epidemiologi*, 2(1), 93-104.
- Any, J., Bronto, W., Ribut, L., & Hamidin. (2011). Kajian Kerusakan Bangunan Akibat Erupsi Gunungapi Merapi Tahun 2010 di Kabupaten Sleman. *Seminar Nasional: Pengembangan Kawasan Merapi: Aspek Kebencanaan Dan Pengembangan Masyarakat Pasca Bencana*, 81–88.
- Ayu & Warsito. (2012). Pemberian Intervensi Senam Lansia pada Lansia dengan Nyeri Lutut. *Jurnal Nursing Student*, 1.



- Badan Informasi Geospasial. (2015, Mei 13). Kerawanan Peta Rawan Bencana dan Kesiapan Menghadapi Bencana. diakses 13 Mei 2015 <http://www.bakosurtanal.go.id/artikel/show/kerawanan-peta-rawan-bencana-dan-kesiapan-menghadapi-bencana>.
- Badan Nasional Penanggulangan Bencana. (2007). Undang-Undang Republik Indonesia Nomor 24 Tahun 2007 tentang Penanggulangan Bencana.
- Badan Nasional Penanggulangan Bencana. (2012). Peraturan Kepala Badan Nasional Penanggulangan Bencana Nomor 2 Tahun 2012 tentang Pedoman Umum Pengkajian Risiko Bencana.
- Badan Nasional Penanggulangan Bencana. (2013). Indeks Risiko Bencana Indonesia.
- Badan Nasional Penanggulangan Bencana. (2015, Agustus 12). Peta Indeks Risiko Bencana Indonesia.
- Badan Penanggulangan Bencana Daerah Kabupaten Sleman. (2013). Jalur dan Ruang Evakuasi Bencana Erupsi.
- Badan Penelitian dan Pengembangan Pertanian. (2015). *Penataan Kawasan Merapi untuk Pertanian*. <http://www.litbang.pertanian.go.id>
- Balai Penyelidikan dan Pengembangan Teknologi Kegunungpian. (2014). *Informasi Merapi*. Badan Geologi. Diakses Februari 2015. [http://merapi.bgl.esdm.go.id/informasi\\_merapi.php?page=informasi-merapi&subpage=sekilas-merapi](http://merapi.bgl.esdm.go.id/informasi_merapi.php?page=informasi-merapi&subpage=sekilas-merapi).
- Basavanthappa, B.T. (2008). *Community Health Nursing*. New Delhi: Jaypee Brothers Medical Publishers (P) Ltd.
- Budi, S., Herry, S., & Wahyu, A. W. (2010). Sistem Informasi Geografis Penyebaran Penduduk Berdasarkan Tingkat Usia di Kabupaten Sleman Berbasis Web. *Prosiding Seminar Nasional Informatika (7)*. ISSN 1979-2328.
- Bupati Sleman. (2011). Peraturan Bupati Sleman Nomor 20 Tahun 2011 tentang Kawasan Rawan Bencana Gunungapi Merapi.
- Cao, Y., Tania, W., Kay, N., Jianhao, L., Graeme, J., & Changhai, D. (2013). Association between serum levels of 25-hidroxyvitamin D and osteoarthritis: a systematic review. *Rheumatology*. doi: 10.1093/rheumatology/ket132.



- Centers for Disease Control and Prevention.* (2011). Public Health Then and Now: Celebrating 50 Years of MMWR at CDC. Morbidity and Mortality Weekly Report. Vol. 60.
- Centers for Disease Control and Prevention.* (2015). Improvements to the Behavioral risk factor Surveillance System (BRFSS) Methodology, Design, and Implementation.
- Cleveland, R. J., Schwartz, T. A., & Callahan, L. F. (2013). Association of Educational Attainment, Occupation and Community Poverty with Hip Osteoarthritis. *Arthritis Care Res (Hoboken)*, 65(6), 954-961.
- Davies-Tuck, M.L., Anita, E.W., Andrew, F., Yuanyuan, W., Dallas, R.E., Graham, G.G., & Flavia, C. (2009). Smoking is associated with increased cartilage loss and persistence of bone marrow lesions over 2 years in community-based individuals. *Rheumatology*, 48, 1227-1231.
- Departemen Kesehatan Republik Indonesia. (2013, Juni 3). Pentingnya Peran Masyarakat dan Keluarga dalam meningkatkan Kualitas Hidup Lansia. <http://www.depkes.go.id/article/view/2313/pentingnya-peran-masyarakat-dan-keluarga-dalam-meningkatkan-kualitas-hidup-lansia.html>
- Departemen Kesehatan Republik Indonesia. Undang-Undang Kesehatan RI No. 13 Tahun 1998 tentang Usia Lanjut.
- Deu, R.P., Isye, M., Engeline, A. (2014). Gambaran Kejadian Nyeri Lutut dengan Kecurigaan Osteoartritis Lutut pada Perawat di Poliklinik Rawat Jalan Blu RSUP. Prof. Dr. R. D. Kandou Manado. *Jurnal E-Clinic*, 2(1).
- Efendi, F. & Makhfudli. (2009). Keperawatan Kesehatan Komunitas Teori dan Praktik dalam Keperawatan. Jakarta: Salemba Medika.
- Falianingrum, A., & Irawati, A. R. (2012). Perancangan WEB-GIS Penyebaran Wabah Penyakit Demam Berdarah Dengue ( DBD ) dan Malaria di Kota Bandar Lampung, 1(1), 23–30.
- Flanagan, B.E., Edward, W.G., Elaine, J.H., Janet, L.H., & Brian, L. (2011). A Social Vulnerability Index for Disaster Management. *Journal of Homeland Security and Emergency Management*, vol.8 :Iss. 1, Article 3. DOI: 10.2202/1547-7355.1792.
- Franklin, J., Martin, E., Torvaldur, I., & Stefan, L. (2010). The association between hip fracture and hip osteoarthritis: A case control study. *BMC Musculoskeletal Disorders*, 11: 274. DOI 10.1186/1471-2472-11-274.



- Ganvir, S. D., & Zambare, B. R. (2013). Prevalence and identification of risk factors for knee osteoarthritis among elderly men and women. *Scholars Journal of Applied Medical Sciences*, 1(6), 700-703.
- Green, J.A., Kimberley, L., Hirst-Jones, Rose, K.D., Orla, J., Yongping, B., Alexander, J.M., simon, T.D., Aedin, C., & Ian, M.C. (2014). The potential for dietary factors to prevent or treat osteoarthritis. *Proceedings of the Nutrition Society*, 73: 278-288.
- Gunawan. (2014). Kesiapsiagaan Masyarakat dalam Penanggulangan Bencana: Kasus di Kecamatan Cangkringan Kabupaten Sleman – DI. Yogyakarta. *INFORMASI*, 19(2).
- Guthold, R., Louazani, S. a., Riley, L. M., Cowan, M. J., Bovet, P., Damasceno, A., & Armstrong, T. P. (2011). Physical activity in 22 African countries: Results from the world health organization STEPwise approach to chronic disease risk factor surveillance. *American Journal of Preventive Medicine*, 41(1), 52–60. <http://doi.org/10.1016/j.amepre.2011.03.008>
- Hasanah, K. (2014). Pengaruh Terapi Transcutaneous Electrical Nerve Stimulation dan Kompres Panas dalam Menurunkan Nyeri pada Penderita Osteoarthritis Lutut. Skripsi. Program Studi Ilmu Keperawatan. Yogyakarta.
- Hasiibi, W.A. (2014). Prevalensi dan distribusi osteoarthritis lutut berdasarkan karakteristik sosio-demografi dan faktor risiko di wilayah kerja Puskesmas Susut I, Kecamatan Susut, Kabupaten Bangli.
- Helwi. (2008). Obesitas sebagai faktor risiko osteoarthritis lutut pada lanjut usia di poliklinik geriatri Rumah Sakit Umum Pusat Dr. Sardjito Yogyakarta.
- Hizbaron, D. R., Hadmoko, D. S., Samodra, G., Dalimunthe, S. A., & Sartohadi, J. (2010). Tinjauan Kerentanan, Risiko dan Zonasi Rawan Bahaya. *Tinjauan Kerentanan, Risiko Dan Zonasi Rawan Bahaya Rockfall Di Kulonprogo, Yogyakarta*, 24 (2)(Forum Geografi), 119–136.
- Hochberg, M. C., Altman, R. O. Y. D., April, K. T., Benkhalti, M., Guyatt, G., Gowan, J. M. C., & Lilly, E. (2012). American College of Rheumatology 2012 Recommendations for the Use of Nonpharmacologic and Pharmacologic Therapies in Osteoarthritis of the Hand, Hip, and Knee. 64(4), 465–474. <http://doi.org/10.1002/acr.21596>
- Holt, J. B., Mokdad, A. H., Ford, E. S., Simoes, E. J., Mensah, G. a, & Bartoli, W. P. (2008). Use of BRFSS data and GIS technology for rapid public health response during natural disasters. *Preventing Chronic Disease*, 5(3), A97.



- Holt, J. B., Mokdad, A. H., Ford, E. S., Simoes, E. J., Mensah, G. a, & Bartoli, W. P. (2008). Use of BRFSS data and GIS technology for rapid public health response during natural disasters. *Preventing Chronic Disease*, 5(3), A97.
- IPAQ. (2005). Guidelines for data processing and Analysis of the International Physical Activity Questionnaire (IPAQ).
- Ismaila, A. B., & Usul, N. (2013). A GIS-based Spatial Analysis of Health care Facilities in Yola, Nigeria. 46–53.
- Juhakoski, R., Heliövaara, M., Impivaara, O., Kröger, H., Knekt, P., Lauren, H., & Arokoski, J. P. (2009). Risk factors for the development of hip osteoarthritis: a population-based prospective study. *Rheumatology (Oxford, England)*, 48, 83–87. <http://doi.org/10.1093/rheumatology/ken427>
- Kaisar, M. C. (2014). Skenario Pengembangan Kota Pulau Berdasarkan Pertimbangan Risiko Bencana Banjir. *Jurnal Perencanaan Wilayah dan Kota A SAPPK*, 3(1).
- Kang, K., Joon-Shik, S., Jinho, L., Yoon, J. L., Me-riong, K., Ki, B. P., & In-Hyuk, H. (2016). Association between direct and indirect smoking and osteoarthritis prevalence in Koreans: a cross-sectional study. *BMJ Open*.
- Kasmadi & Nia Siti Sunariah. (2014). Panduan Modern Penelitian Kuantitatif Bacaan Wajib Bagi Peneliti, Guru, dan Mahasiswa Program S1, dan S2 di Lingkungan Pendidikan. Bandung: ALFABETA.
- Kemenkes RI. (2005). Monitoring and Evaluation of the Integrated Community-Based Intervention for the Prevention of NCD in Depok, West Java, Indonesia.
- Kementerian Kesehatan Republik Indonesia. (2011). Pedoman Teknis Penanggulangan Krisis Kesehatan Akibat Bencana.
- Kertia, N., Ahmad, H., Wasilah, R., & Marsetyawan. (2012). Comparison of the effect of curcuminoid from *Curcuma domestica* Val. Rhizome extract and diclofenac sodium on the liver function of patients with osteoarthritis. *Journal of Pharmacognosy and Phytotherapy*, 4(5): 62-65.
- Khairani, Y. (2013). Hubungan Umur, Jenis Kelamin, IMT,, dan Aktivitas Fisik dengan Kejadian Osteoarthritis Lutut. Artikel ilmiah. Fakultas Kedokteran dan Ilmu Kesehatan Universitas Jambi.
- Koentjoro, S.L. (2010). Hubungan antara indeks masa tubuh (IMT) dengan derajat osteoarthritis lutut menurut Kellgren dan Lawrence. Tesis. Universitas Diponegoro.



- Konstantinidis, G. a., Aletras, V. H., Kanakari, K. A., Natsis, K., Bellamy, N., & Niakas, D. (2014). Comparative validation of the WOMAC osteoarthritis and Lequesne algofunctional indices in Greek patients with hip or knee osteoarthritis. *Quality of Life Research*, 23, 539–548. <http://doi.org/10.1007/s11136-013-0490-x>
- Lahiri, M., Morgan, C., Symmons, D. P. M., & Bruce, I. N. (2012). Modifiable risk factors for RA: Prevention, better than cure?. *Rheumatology*, 51(November 2011), 499–512. <http://doi.org/10.1093/rheumatology/ker299>
- Lamb, K. V., O'Brien, C., Paula, J. F. (2008). Elders at risk during disaster. *Home Healthcare Nurse*, 26(1), 48–51. [http://doi.org/10.1016/S1360-8592\(98\)80013-2](http://doi.org/10.1016/S1360-8592(98)80013-2).
- Larkin, M. (2009). *Vulnerable Groups in Health and Social Care*. London: SAGE Publications Ltd.
- Lee, J. J., Patel, R., Biermann, J. S., & Dougherty, P. J. (2013). The musculoskeletal effects of cigarette smoking. *The Journal of Bone and Joint Surgery. American Volume*, 95, 850–9. <http://doi.org/10.2106/JBJS.L.00375>
- Leite, A. A., Costa, A. J. G., de Arruda Matheos de Lima, B., Padilha, A. V. L., de Albuquerque, E. C., & Marques, C. D. L. (2011). Comorbidities in patients with Osteoarthritis: Frequency and impact on pain and physical function. *Revista Brasileira de Reumatologia*, 51(2), 113–117.
- Luan, H., & Law, J. (2014). Web GIS-Based Public Health Surveillance Systems: A Systematic Review. *ISPRS International Journal of Geo-Information*, 3, 481–506. <http://doi.org/10.3390/ijgi3020481>
- Maharani. (2007). Faktor-Faktor Risiko Osteoarthritis Lutut (Studi Kasus di Rumah Sakit Dokter Kariadi Semarang). Tesis. Program Studi Magister Epidemiologi. Semarang.
- Mardiyah, S., & Sartika, R.A. (2014). Gangguan Kepadatan Tulang pada Orang Dewasa di Daerah Urban dan Rural. *Jurnal Kesehatan Masyarakat Nasional*, 8(6). DOI: <http://dx.doi.org/10.21109/kesmas.v0i0.380>.
- Maryam, R. S., Riasmini, N. M., & Suryati, E. S. (2012). Beban keluarga merawat lansia dapat memicu tindakan kekerasan dan penelantaran terhadap lansia. *Jurnal Keperawatan Indonesia*, 15(3), 143–150.
- Michael, J. W .P., Schlüter-Brust, K. U., & Eysel, P. (2010). The Epidemiology, Etiology, Diagnosis, and Treatment of Osteoarthritis of the Knee, 107(9), 152–162. <http://doi.org/10.3238/arztebl.2010.0152>



- Mujiyanto. (2012). *Pemodelan Spasial Avian Influenza Menggunakan Data Penginderaan Jauh dan Sistem Informasi Geografis Berbasis Mobile (Mobile-GIS)*. Tesis Universitas Gadjah Mada: tidak diterbitkan.
- Musumeci, G., Aiello, F., Szychlinska, M., Di Rosa, M., Castrogiovanni, P., & Mobasher, A. (2015). Osteoarthritis in the XXIst Century: Risk Factors and Behaviours that Influence Disease Onset and Progression. *International Journal of Molecular Sciences*, 16, 6093–6112. <http://doi.org/10.3390/ijms16036093>
- Neogi, T., & Yuqing, Z. (2013). Epidemiology of Osteoarthritis. *Rheumatic Diseases Clinicals of North America*, 39(1), 1-19.
- Ng, N., Hoang, V. M., Fikru, T., Ruth, B., Peter, B., & Hans, S. (2006). Combining risk factors and demographic surveillance: Potentials of WHO STEPS and INDEPTH methodologies for assessing epidemiological transition. *Scandinavian Journal of Public Health*, 34, pp. 199-208.
- Notoatmodjo, S. (2010). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Oktariyani. (2012). *Gambaran Status Gizi pada Lanjut Usia di Panti Sosial Tresna Werdha (PSTW) Budi Mulya 01 dan 03 Jakarta Timur*. Skripsi. Fakultas Ilmu Keperawatan Universitas Indonesia. Depok.
- Oktaviani, E. (2013). *Sistem informasi geografis dalam pelayanan emergensi*. Tesis Fakultas Kedokteran Universitas Gadjah Mada: tidak diterbitkan.
- Paramitha, Mertha, & Eka, S. (2014). Pengaruh Peregangan Statis dan Dinamis terhadap Perubahan Intensitas Nyeri Sendi Lutut pada Lansia dengan Osteoarthritis.
- Patil, P. S., Umesh, R. D., & Chidendra, M. S. (2012). Risk factors of Osteoarthritis Knee – A Cross-sectional study. *IOSR Journal of Dental and Medical Sciences*, 2(5), 8–10.
- Pemerintah Daerah Daerah Istimewa Yogyakarta. (2014). 301 Desa di DIY miliki Potensi Risiko Bencana. [www.jogjaprovo.go.id](http://www.jogjaprovo.go.id) diakses tanggal 25 Juni 2015.
- Perhimpunan Reumatologi Indonesia. (2014). *Diagnosa dan Penatalaksanaan Osteoarthritis*.
- Potter, P. A. & Anne, G. P. (2005). *Buku Ajar Fundamental Keperawatan: Konsep, proses, & Praktek*. Edisi 4. Vol 1. Jakarta: EGC.



- Prayoga, A. W. (2011). Hubungan metode koping terhadap derajat nyeri pada penderita osteoarthritis. Skripsi. Program Studi Pendidikan Dokter. Yogyakarta.
- Riset Kesehatan Dasar (RISKESDAS). (2013). Badan Penelitian dan Pengembangan Kesehatan. Jakarta. Kementerian Kesehatan Republik Indonesia.
- Sadisun, I. A. (2008). Pemahaman Karakteristik Bencana: Pemahaman Karakteristik Bencana: Aspek Fundamental Dalam Upaya Mitigasi Dan Penanganan Tanggap Darurat Bencana.
- Santos, W. T., Erika, C. R., & Miriam, R. M. M. (2014). Muscle performance, body fat, pain, and function in the elderly with arthritis. *Acta Ortopedica Brasileira*, 22(1), 54-58.
- Saryono & Mekar Dwi Anggraeni. (2013). Metodologi Penelitian Kualitatif dan Kuantitatif dalam Bidang Kesehatan. Yogyakarta: Nuha Medika.
- Scaini, C., Felpeto, A., Martí, J., & Carniel, R. (2014). A GIS-based methodology for the estimation of potential volcanic damage and its application to Tenerife Island, Spain. *Journal of Volcanology and Geothermal Research*, 278-279(212045), 40–58. <http://doi.org/10.1016/j.jvolgeores.2014.04.005>
- Scotch, M., Parmanto, B., Gadd, C. S., & Sharma, R. K. (2006). Exploring the role of GIS during community health assessment problem solving: experiences of public health professionals. *International Journal of Health Geographics*, 5, 39. <http://doi.org/10.1186/1476-072X-5-39>
- Sendow, T. K., & Longdong, J. (2012). Studi pemetaan peta kota. *Jurnal Ilmiah Media Engineering*, 2(1): 35-46. ISSN 2087-9334.
- Silverwood, V., Blagojevic-Bucknall, M., Jinks, C., Jordan, J. L., Protheroe, J., & Jordan, K. P. (2015). Current evidence on risk factors for knee osteoarthritis in older adults: a systematic review and meta-analysis. *Osteoarthritis and Cartilage*, 23, 507-515.
- Stough, L. M., & Mayhorn, C. B. (2013). Population Segments with Disabilities. *International Journal of Mass Emergencies and Disasters*, 31(3), 384–402.
- Sulsky, S.I., Laura, C., Frank, B., Rolf, E., Ulrich, G., Bernd, H., Dirk, P., D. Seidel, Yi, S. (2012). Epidemiological Evidence for Work Load as a Risk Factor for Osteoarthritis of the Hip: A Systematic Review. *Plos ONE*. [www.plosone.org](http://www.plosone.org).



- Suriani, S., & Lesmana, S. I. (2013). Latihan Theraband lebih baik Menurunkan Nyeri daripada Latihan Quadricep Bench pada Osteoartritis Genu. *Jurnal Fisioterapi*, 13(1).
- Susilo, A.N. & Rudiarto, I. (2014). Analisis tingkat resiko erupsi gunung merapi terhadap permukiman di Kecamatan Kemalang, Kabupaten Klaten, 3(1), 34–49.
- The Internasional Federation of Red Cross and Red Crescent Societies (IFRC). (2015). World Disaster Report.
- Triatmaja, N. T., Ali, K., & Mira, D. (2013). Asupan Kalsium, Status Gizi, Tekanan Darah dan Hubungannya dengan Keluhan Sendi Lansia di Panti Werdha Bandung. *Jurnal Gizi dan Pangan*, 8(1).
- Triton. (2005). Terapan Riset Parametik. Yogyakarta: ANDI Yogyakarta.
- Tuohy, R., Stephens, C., & Johnston, D. (2014). Older adults disaster preparedness in the context of the September 2010 – December 2012 Canterbury earthquake sequence. *International Journal of Disaster Risk Reduction*, 9, 194–203. <http://doi.org/10.1016/j.ijdr.2014.05.010>
- Vrezas, I., Gine, E., Ulrich, B., Nasreddin, A., & Andreas, S. (2009). Case-control study of knee osteoarthritis and lifestyle factors considering their interaction with physical workload. *Int Arch Occup Environ Health*. DOI 10.1007/s00420-009-0486-6.
- Wahyuningsih, N. A. S. (2009). Hubungan Obesitas dengan Osteoartritis Lutut pada Lansia di Kelurahan Puncangsawit Kecamatan Jebres Surakarta. Skripsi. Program Studi Pendidikan Dokter. Surakarta. diakses Juni 2015.
- Wang, P., Xiaotian, Y., Yonghong, Y., Lin, Y., Yujing, Z., Chuan, L., Jan, D.C., Chengqi, H. (2014). Effects of whole body vibration on pain, stiffness and physical functions in patients with knee osteoarthritis: A systematic review and meta-analysis. *Clinical Rehabilitation*, 29(10):939-951. <http://doi.org/10.1177/0269215514564895>
- Wood, A. M., Brock, T. M., Heil, K., Holmes, R., & Weusten, A. (2013). A Review on the Management of Hip and Knee Osteoarthritis. *International Journal of Chronic Diseases*, 2013, 1–10. <http://doi.org/10.1155/2013/845015>
- World Health Organization (WHO). (2007). Environmental Health in Emergencies: Vulnerable Groups diakses tanggal 20 Juni 2015.



- World Health Organization* (WHO). (2012). Health Topics: Ageing. <http://ww.who.int/topics/ageing/en/>
- World Health Organization*. (2013). Health and the Post-2015 Framework for Reducing Risk of Disasters. Humanitarian Health Action. <http://www.who.int/hac/events/2013/en/>
- World Health Organization. (2015). STEPwise approach to surveillance (STEPS). Chronic disease and health promotion. <http://www.who.int/chp/steps/en/>
- Yoshimura, N., Muraki, S., Oka, H., Tanaka, S., Kawaguchi, H., Nakamura, K., & Akune, T. (2012). Accumulation of metabolic risk factors such as overweight, hypertension, dyslipidaemia, and impaired glucose tolerance raises the risk of occurrence and progression of knee osteoarthritis: A 3-year follow-up of the ROAD study. *Osteoarthritis and Cartilage*, 20(11), 1217–1226. <http://doi.org/10.1016/j.joca.2012.06.006>
- Yuningsih, D. (2012). Pengaruh peragaan langsung, leaflet, dan video terhadap penguasaan keterampilan latihan pasien osteoarthritis lutut. Tesis. Program Studi Magister Kedokteran Keluarga. Surakarta.
- Zhang, Y., & Jordan, J. M. (2010). Epidemiology of Osteoarthritis. *Clin Geriatr Med.*, 26(3), 355–369. <http://doi.org/10.1016/j.cger.2010.03.001>.
- \_\_\_\_\_.(2016). ArcGIS Desktop 9.3 Help. [http://webhelp.esri.com/arcgisdesktop/9.3/index.cfm?TopicName=Average\\_Nearest\\_Neighbor\\_\(Spatial\\_Statistics\)](http://webhelp.esri.com/arcgisdesktop/9.3/index.cfm?TopicName=Average_Nearest_Neighbor_(Spatial_Statistics)). Diakses 4 Mei 2016.