

## DAFTAR PUSTAKA

- Ahmed, O.A., Badr-Eldin, S.M., Tawfik, M.K., Ahmed, T.A., El-Say, K.M., dan Badr, J.M., 2014. Design and Optimization of Self-Nanoemulsifying Delivery System to Enhance Quercetin Hepatoprotective Activity in Paracetamol-Induced Hepatotoxicity. *Journal of pharmaceutical sciences*, **103**: 602–612.
- Akbar, S., 2011. *Andrographis paniculata*: a review of pharmacological activities and clinical effects. *Alternative Medicine Review: A Journal of Clinical Therapeutic*, **16**: 66–77.
- American Diabetes Association, 2004. Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. *Clinical Practice Recommendations*, **27**: 5–10.
- Balakrishnan, P., Lee, B.-J., Oh, D.H., Kim, J.O., Hong, M.J., Jee, J.-P., dkk., 2009. Enhanced oral bioavailability of dexibuprofen by a novel solid self-emulsifying drug delivery system (SEDDS). *European Journal of Pharmaceutics and Biopharmaceutics: Official Journal of Arbeitsgemeinschaft Für Pharmazeutische Verfahrenstechnik e.V.*, **72**: 539–545.
- Balakumar, K., Raghavan, C.V., selvan, N.T., prasad, R.H., dan Abdu, S., 2013. Self nanoemulsifying drug delivery system (SNEDDS) of Rosuvastatin calcium: Design, formulation, bioavailability and pharmacokinetic evaluation. *Colloids and Surfaces B: Biointerfaces*, **112**: 337–343.
- Bandyopadhyay, S., Katare, O.P., dan Singh, B., 2012. Optimized self nano-emulsifying systems of ezetimibe with enhanced bioavailability potential using long chain and medium chain triglycerides. *Colloids and Surfaces B: Biointerfaces*, **100**: 50–61.
- Bothiraja, C., Shinde, M.B., Rajalakshmi, S., dan Pawar, A.P., 2009. Evaluation of molecular pharmaceutical and in-vivo properties of spray-dried isolated andrographolide-PVP. *The Journal of Pharmacy and Pharmacology*, **61**: 1465–1472.
- BPOM RI, 2010. *Monografi Ekstrak Tanaman Obat Indonesia*. Badan Pengawasan Obat dan Makanan Republik Indonesia, Jakarta.
- Braun, L. dan Cohen, M., 2004. *Herbs and Natural Supplements: An Evidence-Based Guide*, 2nd edition. ed. Churchill Livingstone, Sydney; New York.
- Chao, W.-W. dan Lin, B.-F., 2010. Isolation and identification of bioactive compounds in *Andrographis paniculata* (Chuanxinlian). *Chinese Medicine*, **5**: 17–32.
- Chehade, J.M., Gladysz, M., dan Mooradian, A.D., 2013. Dyslipidemia in Type 2 Diabetes: Prevalence, Pathophysiology, and Management. *Drugs*, **73**: 327–339.
- Chi, T.C., Liu, I.M., dan Cheng, J.T., 2000. Less of insulin desensitization in sympathetic nerve terminals from wistar rats with insulin resistance. *Journal of the Autonomic Nervous System*, **80**: 80–84.
- Corwin, E., 2000. *Handbook of Pathophysiology*, 2nd ed. Lippincott, New York.

- D'Angelo, G., Elmarakby, A.A., Pollock, D.M., dan Stepp, D.W., 2005. Fructose feeding increases insulin resistance but not blood pressure in Sprague-Dawley rats. *Hypertension*, **46**: 806–811.
- Dash, R.N., Mohammed, H., Humaira, T., dan Ramesh, D., 2015. Design, optimization and evaluation of glipizide solid self-nanoemulsifying drug delivery for enhanced solubility and dissolution. *Saudi Pharmaceutical Journal*, **23**: 528–540.
- Depkes RI, 1977. *Materia Medika Indonesia*, I. ed. Departemen Kesehatan RI, Jakarta.
- Depkes RI, 1986. *Sediaan Galenik*. Departemen Kesehatan RI, Jakarta.
- Depkes RI, 2005. *Pharmaceutical Care Untuk Penyakit Diabetes*. Direktorat Bina Kefarmasian dan Alat Kesehatan Depkes RI, Jakarta.
- Depkes RI, 2008. *Farmakope Herbal Indonesia Edisi I*. Jakarta.
- Eid, A.M., El-Enshasy, H.A., Aziz, R., dan Elmarzugi, N.A., 2014. The preparation and evaluation of self-nanoemulsifying systems containing Swietenia oil and an examination of its anti-inflammatory effects. *International Journal of Nanomedicine*, **9**: 4685–4695.
- Giannarelli, R., Aragona, M., Coppelli, A., dan Del Prato, S., 2003. Reducing insulin resistance with metformin: the evidence today. *Diabetes & Metabolism*, **29**: 6S28-35.
- Grove, M., Müllertz, A., Nielsen, J.L., dan Pedersen, G.P., 2006. Bioavailability of seocalcitol II: development and characterisation of self-microemulsifying drug delivery systems (SMEDDS) for oral administration containing medium and long chain triglycerides. *European Journal of Pharmaceutical Sciences: Official Journal of the European Federation for Pharmaceutical Sciences*, **28**: 233–242.
- Hossain, M.S., Urbi, Z., Sule, A., dan Rahman, K.M.H., 2014. *Andrographis paniculata* (Burm. f.) Wall. ex Nees: A Review of Ethnobotany, Phytochemistry, and Pharmacology. *The Scientific World Journal*, **2014**: 1–28.
- IDF, 2014. 'Diabetes Atlas', *International Diabetes Federation*. URL: <http://www.idf.org/diabetesatlas> (diakses tanggal 12/9/2015).
- Iosio, T., Voinovich, D., Perissutti, B., Serdoz, F., Hasa, D., Grabnar, I., dkk., 2011. Oral bioavailability of silymarin phytocomplex formulated as self-emulsifying pellets. *Phytomedicine*, **18**: 505–512.
- Iqbal, M., Alam, P., dan Anwer, M.T., 2013. High Performance Liquid Chromatographic Method with Fluorescence Detection for the Estimation of Thymoquinone in *Nigella sativa* Extracts and Marketed Formulations. *Scientific Reports*, **2**: 3–6.
- Jaworska, M., Sikora, E., dan Ogonowski, J., 2014. The influence of glicerides oil phase on O/W nanoemulsion formation by pic method. *Periodica Polytechnica Chemical Engineering*, **58**: 43–48.
- Joshi, R.P., Negi, G., Kumar, A., Pawar, Y.B., Munjal, B., Bansal, A.K., dkk., 2013. SNEDDS curcumin formulation leads to enhanced protection from pain and functional deficits associated with diabetic neuropathy: an insight into its

- mechanism for neuroprotection. *Nanomedicine: Nanotechnology, Biology, and Medicine*, **9**: 776–785.
- Kahn, S.E., Hull, R.L., dan Utzschneider, K.M., 2006. Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*, **444**: 840–846.
- Kaukonen, A.M., Boyd, B.J., Porter, C.J.H., dan Charman, W.N., 2004. Drug solubilization behavior during in vitro digestion of simple triglyceride lipid solution formulations. *Pharmaceutical Research*, **21**: 245–253.
- Kemenkes RI, 2012. *Vademekum tanaman obat untuk saintifikasi jamu jilid 1 (edisi revisi)*. Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI, Jakarta.
- Kishore, P.H., Reddy, M.V.B., Reddy, M.K., Gunasekar, D., Caux, C., dan Bodo, B., 2003. Flavonoids from *Andrographis lineata*. *Phytochemistry*, **63**: 457–461.
- Kumar, R., Syamala, U., Revathi, P., Devaki, S., Raghuvier, P., dan Gowthamarajan, K., 2013. Self Nanoemulsifying Drug Delivery System of Olanzapine for Enhanced Oral Bioavailability. *J Bioequiv Availab*, **5**: 201–208.
- Lin, Y.-M., Wu, J.-Y., Chen, Y.-C., Su, Y.-D., Ke, W.-T., Ho, H.-O., dkk., 2011. In situ formation of nanocrystals from a self-microemulsifying drug delivery system to enhance oral bioavailability of fenofibrate. *International Journal of Nanomedicine*, **6**: 2445–2457.
- Maiti, K., Mukherjee, K., Murugan, V., Saha, B.P., dan Mukherjee, P.K., 2010. Enhancing bioavailability and hepatoprotective activity of andrographolide from *Andrographis paniculata*, a well-known medicinal food, through its herbosome. *Journal of the Science of Food and Agriculture*, **90**: 43–51.
- Makadia, M.H.A., Bhatt, M.A.Y., Parmar, M.R.B., Paun, M.J.S., dan Tank, D.H.M., 2013. Self-nano Emulsifying Drug Delivery System (SNEDDS): Future Aspects. *International Journal of Technology*, **3**: 21–27.
- Martien, R., Loretz, B., dan Schnürch, A.B., 2006. Oral Gene Delivery: Design of Polymeric Carrier Systems Shielding Toward Intestinal Enzymatic Attack. *Biopolymers*, **83**: 327–336.
- Mohanraj, V.J. dan Chen, Y., 2006. Nanoparticles - A review. *Tropical Journal of Pharmaceutical Research*, **5**: 561–573.
- Nugroho, A.E., Andrie, M., Warditiani, N.K., Siswanto, E., Pramono, S., dan Lukitaningsih, E., 2012. Antidiabetic and antihyperlipidemic effect of *Andrographis paniculata* (Burm. f.) Nees and andrographolide in high-fructose-fat-fed rats. *Indian Journal of Pharmacology*, **44**: 377–381.
- Nugroho, A.E., Kusumaramdani, G., Widyaninggar, A., Anggoro, D.P., Pramono, S., dan others, 2014. Antidiabetic effect of combinations of n-hexane insoluble fraction of ethanolic extract of *Andrographis paniculata* with other traditional medicines. *International Food Research Journal*, **21**: 785–789.
- Panossian, A., Hovhannisyanyan, A., Mamikonyan, G., Abrahamian, H., Hambarzumyan, E., Gabrielian, E., dkk., 2000. Pharmacokinetic and oral bioavailability of andrographolide from *Andrographis paniculata* fixed combination Kan Jang in rats and human. *Phytomedicine*, **7**: 351–364.

- Parmar, N., Singla, N., Amin, S., dan Kohli, K., 2011. Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded (SNEDDS) self nanoemulsifying drug delivery system. *Colloids and Surfaces B: Biointerfaces*, **86**: 327–338.
- Patel, H., Shah, G., dan Trivedi, V., 2011. Investigation of HMG-CoA Reductase Inhibitory Activity of Antihyperlipidemic Herbal Drugs Study In Vitro, **2**: 63–68.
- Patel, J., Kevin, G., Patel, A., Raval, M., dan Sheth, N., 2011. Design and development of a self-nanoemulsifying drug delivery system for telmisartan for oral drug delivery. *International Journal of Pharmaceutical Investigation*, **1**: 112–118.
- Patel, M.J. dan Patel, S.S., 2013. Optimization of Lovastatin Self-Nanoemulsifying Solid Dosage Form. *Ars Pharm*, **54**: 8–15.
- Rains, J.L. dan Jain, S.K., 2011. Oxidative Stress Insulin Signaling And Diabetes. *Free radical biology & medicine*, **50**: 567–575.
- Ranjan, A.P., Mukerjee, A., Helson, L., dan Vishwanatha, J.K., 2012. Scale up, optimization and stability analysis of Curcumin C3 complex-loaded nanoparticles for cancer therapy. *Journal of Nanobiotechnology*, **10**: 38–56.
- Rao, S.V.R. dan Shao, J., 2008. Self-nanoemulsifying drug delivery systems (SNEDDS) for oral delivery of protein drugs: I. Formulation development. *International Journal of Pharmaceutics*, **362**: 2–9.
- Reaven, G.M., 1988. Role of insulin resistance in human disease. *Diabetes*, **37**: 1595–1607.
- Reddy, M. dan Sowjanya, N., 2015. Formulation and in-vitro Characterization of Solid Self Nanoemulsifying Drug Delivery System (s-SNEDDS) Of Simvastatin. *Journal of Pharmaceutical Sciences and Research*, **7**: 40–48.
- Rowe, R.C., Sheskey, P.J., Quinn, M.E., Association, A.P., Press, P., dan others, 2009. *Handbook of Pharmaceutical Excipients*. Pharmaceutical press London.
- Sagar, K., Kendre, P., Pande, V., dan Chaudhari, V., 2014. Design, Development, and Characterization of Self Nanoemulsifying Drug Delivery System (SNEDDS) of Nateglinide. *World Journal of Pharmacy and Pharmaceutical Sciences*, **3**: 794–811.
- Sermkaew, N., Ketjinda, W., Boonme, P., Phadoongsombut, N., dan Wiwattanapatapee, R., 2013. Liquid and solid self-microemulsifying drug delivery systems for improving the oral bioavailability of andrographolide from a crude extract of *Andrographis paniculata*. *European Journal of Pharmaceutical Sciences*, **50**: 459–466.
- Soni, G., Prajapati, S., dan Chaudhri, N., 2014. Self Nanoemulsion: Advance Form Of Drug Delivery System. *World Journal of Pharmacy and Pharmaceutical Sciences*, **3**: 410–436.
- Suga, A., Hirano, T., Kageyama, H., Osaka, T., Namba, Y., Tsuji, M., dkk., 2000. Effects of fructose and glucose on plasma leptin, insulin, and insulin resistance in lean and VMH-lesioned obese rats. *American Journal of Physiology. Endocrinology and Metabolism*, **278**: E677-683.

- Sulistyoningrum, E., 2010. Tinjauan Molekular dan Aspek Klinis Resistensi Insulin. *Mandala of Health*, **4**: 131–138.
- Syamsul, E.S., Nugroho, A.E., dan Pramono, S., 2011. Aktivitas Antidiabetes Kombinasi Ekstrak Terpurifikasi Herba Sambiloto (*Andrographis paniculata* (Burn. F.) NESS.) dan Metformin pada Tikus DM Tipe 2 Resisten Insulin. *Majalah Obat Tradisional*, **16**: 124–131.
- Talbert, R., 2008. Hyperlipidemia, dalam: *Pharmacotherapy A Pathophysiologic Approach 7th (Seventh) Edition* by J. DiPiro, R. Talbert, G. Yee, G. Matzke, B. Wells, L. M. Posey. McGraw-Hill Medical, New York, hal. 385–407.
- Wadhwa, J., Nair, A., dan Kumria, R., 2011. Self-emulsifying therapeutic system: a potential approach for delivery of lipophilic drugs. *Brazilian Journal of Pharmaceutical Sciences*, **47**: 447–465.
- Wadhwa, J., Nair, A., dan Kumria, R., 2012. Emulsion forming drug delivery system for lipophilic drugs. *Acta Poloniae Pharmaceutica*, **69**: 179–191.
- Wang, S., Su, R., Nie, S., Sun, M., Zhang, J., Wu, D., dkk., 2014. Application of nanotechnology in improving bioavailability and bioactivity of diet-derived phytochemicals. *The Journal of Nutritional Biochemistry*, **25**: 363–376.
- WHO, 2015. 'Statistic Data', . URL: [http://www.who.int/topics/diabetes\\_mellitus/en/](http://www.who.int/topics/diabetes_mellitus/en/) (diakses tanggal 12/9/2015).
- Wolf, G., 2008. Role of fatty acids in the development of insulin resistance and type 2 diabetes mellitus. *Nutrition Reviews*, **66**: 597–600.
- Yadav, P.S., Yadav, E., Verma, A., dan Amin, S., 2014. Development, Characterization, and Pharmacodynamic Evaluation of Hydrochlorothiazide Loaded Self-Nanoemulsifying Drug Delivery Systems. *The Scientific World Journal*, 2014: 1–10.
- Ye, L., Wang, T., Tang, L., Liu, W., Yang, Z., Zhou, J., dkk., 2011. Poor oral bioavailability of a promising anticancer agent andrographolide is due to extensive metabolism and efflux by P-glycoprotein. *Journal of Pharmaceutical Sciences*, **100**: 5007–5017.
- Yu, B.C., Chang, C.K., Su, C.F., dan Cheng, J.T., 2008. Mediation of  $\beta$ -endorphin in andrographolide-induced plasma glucose-lowering action in type I diabetes-like animals. *Naunyn-Schmiedeberg's Archives of Pharmacology*, **377**: 529–540.
- Yu, B.-C., Hung, C.-R., Chen, W.-C., dan Cheng, J.-T., 2003. Antihyperglycemic effect of andrographolide in streptozotocin-induced diabetic rats. *Planta Medica*, **69**: 1075–1079.
- Zhang, Z., Jiang, J., Yu, P., Zeng, X., Larrick, J.W., dan Wang, Y., 2009. Hypoglycemic and beta cell protective effects of andrographolide analogue for diabetes treatment. *Journal of Translational Medicine*, **7**: 62.
- Zuraini, A., Aziah, M., Arifah, A., Sulaiman, M., dan Somchit, M., 2006. Aqueous extracts of *Andrographis paniculata* improve lipid profiles of rats fed with high cholesterol diet **2**: 45–49.