

## DAFTAR PUSTAKA

- Badeau, M., Adlercreutz, H., Kaihovaara, P., & Tikkanen, M. J. (2005). Estrogen A-ring structure and antioxidative effect on lipoproteins. *The Journal of steroid biochemistry and molecular biology*, 96(3), 271-278.
- Bakke, A.C., Kirkland, P.A., Kitridou, R.C., Quismorio, F.P., Rea, T., Ehresmann, G.R., dkk., 1983. T lymphocyte subsets in systemic lupus erythematosus. *Arthritis & Rheumatism*, 26: 745–750.
- Behl, C., Skutella, T., Frank, L. H., Post, A., Widmann, M., Newton, C. J., & Holsboer, F. (1997). Antioxidant by estrogens: structure-activity relationship. *Molecular pharmacology*, 51(4), 535-541.
- Bhavani, R., Nandhini, S., Rojalakshmi, B., Shobana, R., dan Rajeshkumar, S., 2014. Effect of noni (*Morinda citrifolia*) extract on treatment of ethylene glycol and ammonium chloride induced kidney disease. *International Journal of Pharma Sciences and Research (IJPSR)*, 5: 249–56.
- Birmingham, D.J., Rovin, B.H., Shidham, G., Bissell, M., Nagaraja, H.N., dan Hebert, L.A., 2008. Relationship between Albuminuria and Total Proteinuria in Systemic Lupus Erythematosus Nephritis: Diagnostic and Therapeutic Implications. *Clinical Journal of the American Society of Nephrology : CJASN*, 3: 1028–1033.
- Casareo, A., Ignacio, J., dan Lelis, M., 2009. SGPT Check and Risk Factor Evaluation For Early Liver Disease Detection (Screen Registry) A Multi-Center, Observational, Cross-Sectional Study. *Philippine Journal Internal Medicine*, 47: 175-178.
- Chan-Blanco, Y., Vaillant, F., Mercedes Perez, A., Reynes, M., Brillouet, J.-M., dan Brat, P., 2006. The noni fruit (*Morinda citrifolia* L.): A review of agricultural research, nutritional and therapeutic properties. *Journal of Food Composition and Analysis*, Biodiversity and nutrition: a common path Biodiversity and nutrition: a common path 19: 645–654.
- Chuluq, A.A. dan Abijoso, S.B., 2004. Pengembangan paket obat SOT (sediaan obat tunggal) untuk pengobatan tuberkulosa. *Buletin Penelitian Kesehatan*, 32: 127–134.
- Dalimartha, S., 2005. *Ramuan Tradisional Untuk Pengobatan Hepatitis*. Penebar Swadaya, Jakarta.
- Damaskha, A.R., 2016. 'Evaluasi Profil Histopatologi Ginjal Terhadap Ekstrak Etanol Buah Mengkudu (*Morinda citrifolia* L.) Pada Tikus Betina Yang Diinduksi Isoniazid', , *Skripsi*, . Universitas Gadjah Mada, Yogyakarta.

- Davey, P., 2005. *At a Glance Medicine*. Erlangga, Jakarta.
- Davidson, A., Diamond, B., Wofsy, D., dan Daikh, D., 2005. Block and tackle: CTLA4Ig takes on lupus. *Lupus*, **14**: 197–203.
- Deepti, K., Parimi, U., dan Gutta, V., 2011. Evaluation of in vitro free radical scavenging efficacy of aerial parts of medicinally important *Morinda pubescens* JE Smith (*Morinda tinctoria* Roxb.). *Drug Invention Today*, **72–74**.
- Depkes, 1979. *Farmakope Indonesia, Edisi III, XXX, 7, Departemen Kesehatan Republik Indonesia, Jakarta*.
- Depkes, 1995. *Farmakope Indonesia, Edisi IV, 7, Departemen Kesehatan Republik Indonesia, Jakarta*.
- Desai, V.A. dan Agarwal, S., 2004. Isoniazid Toxicity. *Journal Indian Academy of Clinical Medicine*, **5**:(1) .
- Dufour, D.R., Lott, J.A., Nolte, F.S., Gretch, D.R., Koff, R.S., dan Seeff, L.B., 2000. Diagnosis and monitoring of hepatic injury. I. Performance characteristics of laboratory tests. *Clinical Chemistry*, **46**: 2027–2049.
- Dussossoy, E., Brat, P., Bony, E., Boudard, F., Poucheret, P., Mertz, C., dkk., 2011. Characterization, anti-oxidative and anti-inflammatory effects of Costa Rican noni juice (*Morinda citrifolia* L.). *Journal of Ethnopharmacology*, **133**: 108–115.
- Ediati, S., Hertiani, T., Renggani, T.N., dan Laksana, B.J., 2010. Polysaccharide-Rich Fraction of Noni Fruit (*Morinda citrifolia* L.) as Doxorubicin Co-Chemotherapy: Evaluation of Catalase, Macrophages, and TCD8+ Lymphocytes. *Scientia Pharmaceutica*, **83**, **479-488**.
- Ediati, S., Yuniarti, N., dan Soegihardjo, C.J., 2008. *Mekanisme Imunomodulator Ekstrak Buah Mengkudu (Morinda Citrifolia L.) Pada Mencit Balb/c Yang Diinduksi Vaksin Hepatitis B*. Majalah Obat Tradisional.
- Fukino, K., Sasaki, Y., Hirai, S., Nakamura, T., Hashimoto, M., Yamagishi, F., dkk., 2008. Effects of N-acetyltransferase 2 (NAT2), CYP2E1 and Glutathione-S-transferase (GST) genotypes on the serum concentrations of isoniazid and metabolites in tuberculosis patients. *The Journal of Toxicological Sciences*, **33**: 187–195.
- Gordon, C., 2002. Long-term complications of systemic lupus erythematosus. *Rheumatology*, **41**: 1095–1100.

- Gowda, S., Desai, P.B., Kulkarni, S.S., Hull, V.V., Math, A.A.K., dan Vernekar, S.N., 2010. Markers of renal function tests. *North American Journal of Medical Sciences*, **2**: 170–173.
- Gülaçtı Topçu, A.E., 2007. Antioxidant activity tests on novel triterpenoids from *Salvia macrochlamys*. *Arkivoc (vii)*, **7**: 195–208.
- Gurumurthy, P., Raghupati Sarma, G., Jayasankar, K., Thyagarajan, K., Prabhakar, R., Muthusethupathi, M.A., dkk., 1992. Single-dose pharmacokinetics of isoniazid and rifampicin in patients with chronic renal failure. *Indian Journal Tuberculosis*, **39**: 221–228.
- Harborne, J., 1996. *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*, kedua. ed. Penerbit ITB, Bandung.
- Hashmi, N., Muhammad, F., Javed, I., Khan, J.A., Khan, M.Z., Khaliq, T., dkk., 2013. Nephroprotective effects of *Ficus religiosa* linn (peepal plant) stem bark against isoniazid and rifampicin induced nephrotoxicity in albino rabbits. *Pakistan Veterinary Journal*, **33**: 330–334.
- Herraiz, T. dan Galisteo, J., 2003. Tetrahydro- $\beta$ -carboline alkaloids occur in fruits and fruit juices. Activity as antioxidants and radical scavengers. *Journal of agricultural and food chemistry*, **51**: 7156–7161.
- Himawan, R., 2008. 'Pengaruh pemberian ekstrak daun teh hijau (*Camellia sinensis*) terhadap kadar SGPT tikus putih (*Rattus novergicus*) yang diinduksi isoniazid'. Universitas Sebelas Maret Surakarta.
- Hofstra, A.H., Li-Muller, S.M., dan Uetrecht, J.P., 1992. Metabolism of isoniazid by activated leukocytes. Possible role in drug-induced lupus. *Drug Metabolism and Disposition: The Biological Fate of Chemicals*, **20**: 205–210.
- Horwitz, D.A., Stohl, W., dan Gray, J.D., 1997. T lymphocytes, natural killer cells, cytokines, and immune regulation. *Dubois' Lupus Erythematosus*, **155**: .
- Huang, Y.-S., Chern, H.-D., Su, W.-J., Wu, J.-C., Lai, S.-L., Yang, S.-Y., dkk., 2002. Polymorphism of the N-acetyltransferase 2 gene as a susceptibility risk factor for antituberculosis drug-induced hepatitis. *Hepatology*, **35**: 883–889.
- Hussein, O., Germoush, M. o, dan Mahmoud, A., 2016. 'Ruta graveolens Protects Against Isoniazid/Rifampicin-Induced Nephrotoxicity through Modulation of Oxidative Stress and Inflammation. *Global Journal Biotechnology Biomater Science* 1(1): 017-022', .

- Jawetz, E., Melnick, J., dan Adelberg, E., 1998. *Mikrobiologi Kedokteran*. In : Nugroho A, Maulana RF. EGC, Jakarta.
- Jayaraman, S.K., Manoharan, M.S., dan Illanchezian, S., 2008. Antibacterial, antifungal and tumor cell suppression potential of *Morinda citrifolia* fruit extracts. *International journal of integrative biology*, **3**: 44–49.
- Juliani, 2016. 'Pengaruh Kombinasi Ekstrak Etanol Buah Mengkudu (*Morinda citrifolia* L.) Dan Isoniazid Terhadap Histopatologi Hati Tikus Betina', , *Skripsi*, . Universitas Gadjah Mada, Yogyakarta.
- Kaaber, K., 2000. Tahitian Noni® Juice: active systemic anaphylaxis test in the Guinea pig. *Scantox Biologisk Laboratorium A/S, D K*, 426.
- Kammer, G.M., Perl, A., Richardson, B.C., dan Tsokos, G.C., 2002. Abnormal T cell signal transduction in systemic lupus erythematosus. *Arthritis & Rheumatism*, **46**: 1139–1154.
- Karamcheti, S.A., Satyavati, D., Subramanian, N.S., Pradeep, H.A., Kumar, C.P., dan Prashanthi, G.D.S., 2014. Chemoprotective effect of ethanolic extract of *Morinda citrifolia* against Cisplatin induced nephrotoxicity. *The Pharma Innovation*, **3**: .
- Khattari, S., Kushawaha, A., Dahal, K., Lee, M., dan Mobarakai, N., 2011. Isoniazid (INH)-induced eosinophilic exudative pleural effusion and lupus erythematosus. *Bulletin of the NYU hospital for joint diseases*, **69**: 181–4.
- Kumar, D.J. dan Santhi, R.J., 2012. Antioxidant and cytotoxic effects of hexane extract of *Morinda pubescens* leaves in human liver cancer cell line. *Asian Pacific Journal of Tropical Medicine*, **5**: 362–366.
- Kumar, S.K., Suresh, M., Kumar, S.A., dan Kalaiselvi, P., 2014. Bioactive compounds, radical scavenging, antioxidant properties and FTIR spectroscopy study of *Morinda citrifolia* fruit extracts. *International Journal of Current Microbiology Applied. Sciences*, **3**: 28–42.
- Kusumoto, M., Kamobayashi, H., Sato, D., Komori, M., Yoshimura, M., Hamada, A., dkk., 2011. Alleviation of cisplatin-induced acute kidney injury using phytochemical polyphenols is accompanied by reduced accumulation of indoxyl sulfate in rats. *Clinical and experimental nephrology*, **15**: 820–830.
- Lam, G.K.W. dan Petri, M., 2005. Assessment of systemic lupus erythematosus. *Clinical and experimental rheumatology*, **23**: S120.
- Lee, S.W., Chung, L., Huang, H.H., Chuang, T.Y., Liou, Y.H., dan Wu, L., 2010. NAT2 and CYP2E1 polymorphisms and susceptibility to first-line anti-

tuberculosis drug-induced hepatitis. *The International Journal of Tuberculosis and Lung Disease*, **14**: 622–626.

Lin, Y.-L., Chang, Y.-Y., Yang, D.-J., Tzang, B.-S., dan Chen, Y.-C., 2013. Beneficial effects of noni (*Morinda citrifolia* L.) juice on livers of high-fat dietary hamsters. *Food Chemistry*, **140**: 31–38.

Linker-Israeli, M., Quismorio, F.P., dan Horwitz, D.A., 1990. CD8+ lymphocytes from patients with systemic lupus erythematosus sustain, rather than suppress, spontaneous polyclonal IgG production and synergize with CD4+ cells to support autoantibody synthesis. *Arthritis and Rheumatism*, **33**: 1216–1225.

Liu, C., Xue, Y., Ye, Y., Yuan, F., Liu, J., dan Shuang, J., 2007. Extraction and Characterization of Antioxidant Compositions From Fermented Fruit Juice of *Morinda citrifolia* (Noni). *Agricultural Sciences in China*, **6**: 1494–1501.

Lohr, J.W., Willsky, G.R., dan Acara, M.A., 1998. Renal Drug Metabolism. *Pharmacological Reviews*, **50**: 107–142.

Maeda, N., Sekigawa, I., Iida, N., Matsumoto, M., Hashimoto, H., dan Hirose, S., 1999. Relationship between CD4+/CD8+ T cell ratio and T cell activation in systemic lupus erythematosus. *Scandinavian Journal of Rheumatology*, **28**: 166–170.

Mahmoud, A.M., 2015. 'Prunus armeniaca Leave Extract Protects against Isoniazid and Rifampicin Induced Nephrotoxicity through Modulation of Oxidative stress and Inflammation, *International Journal Food Science* 2(4):1-6', .

Maryam, S., Shahzad, A.W., Ahmad, S., Bhatti, A.S.A., dan Aziz, K., 2010. Combination Therapy of Isoniazid and Hepamerz (L-ornithine, L-aspartate) -Effects on Liver and Kidney Functions of Rabbits. *Annals of King Edward Medical University*. 16(1. SI).

Matsushita, M., Hayashi, T., Ando, S., Sekigawa, I., Iida, N., Hashimoto, H., dkk., 2000. Changes of CD4/CD8 ratio and interleukin-16 in systemic lupus erythematosus. *Clinical rheumatology*, **19**: 270–274.

McInerney, M.F., Clough, J.D., Senitzer, D., dan Cathcart, M.K., 1988. Two distinct subsets of patients with systemic lupus erythematosus. *Clinical immunology and immunopathology*, **49**: 116–132.

McKoy, M.G., Thomas, E.A., dan Simon, O.R., 2002. 'Preliminary investigation of the anti-inflammatory properties of an aqueous extract from *Morinda*

*citrifolia* (Noni)', , dalam: *Proceedings of the Western Pharmacology Society*. Seattle, Wash.: The Society, hal. 76–78.

Metushi, I.G., Nakagawa, T., dan Uetrecht, J., 2012a. Direct Oxidation and Covalent Binding of Isoniazid to Rodent Liver and Human Hepatic Microsomes: Humans Are More Like Mice than Rats. *Chemical Research in Toxicology*, **25**: 2567–2576.

Metushi, I.G., Nakagawa, T., dan Uetrecht, J., 2012b. Direct oxidation and covalent binding of isoniazid to rodent liver and human hepatic microsomes: humans are more like mice than rats. *Chemical research in toxicology*, **25**: 2567–2576.

Miroslav, V., 1971. *Detection and Identification of Organic Compound*. Planum Publishing Corporation and SNTC Publisher of Technical Literatur, New York.

Moffat, A.C., Osselton, M.D., dan Widdop, B., 2011. *Clarke's Analysis of Drug and Poisons*. Pharmaceutical Press, London, hal. 1529.

Mok, C.C. dan Lau, C.S., 2003. Pathogenesis of Systemic Lupus Erythematosus. *Journal of Clinical Pathology*, **56**: 481–490.

Muhammad, F., Zafar, M.S., Khaliq, T., Javed, I., dan Saleemi, M.K., 2014. Nephroprotective effects of *Morus alba* linn against isoniazid-induced toxicity in albino rabbits. *Pak Vet J*, **34**: 499–503.

Nagalingam, S., Sasikumar, C.S., dan Cherian, K.M., 2012. Extraction and preliminary phytochemical screening of active compounds in *Morinda citrifolia* fruit. *Asian J Pharm Clin Res*, **5**: 179–181.

Nath, M.C., Chakravorty, M.K., dan Chowdury, S.R., 1946. Liebermann-Burchard Reaction for Steroid. *Nature Publishing Group*, .

Nayak, B.S., Marshall, J.R., Isitor, G., Adogwa, A., Nayak, B.S., Marshall, J.R., dkk., 2010. Hypoglycemic and Hepatoprotective Activity of Fermented Fruit Juice of *Morinda citrifolia* (Noni) in Diabetic Rats, Hypoglycemic and Hepatoprotective Activity of Fermented Fruit Juice of *Morinda citrifolia* (Noni) in Diabetic Rats. *Evidence-Based Complementary and Alternative Medicine, Evidence-Based Complementary and Alternative Medicine*, **2011**, **2011**: e875293.

Nayak, S. dan Mengi, S., 2009. Immunostimulant activity of the extracts and bioactives of the fruits of *Morinda citrifolia*. *Pharmaceutical Biology*, **47**: 248–254.

Nayak, S. dan Mengi, S., 2010. Immunostimulant activity of noni (*Morinda citrifolia*) on T and B lymphocytes. *Pharmaceutical biology*, **48**: 724–731.

- Osawa, T., 1994. Novel natural antioxidants for utilization in food and biological systems, in Postharvest Biochemistry of Plant Food-Materials in the Tropics, I. Uritani, V. V. Garcia, and E. M. Mendoza, Eds. *Journal of Chemistry*. 241–251.
- Pai, P.G., \* A.S., \* G.P., dan \* S.T., 2013. Evaluation of Renoprotective Effects of Ethanolic Extract of *Morinda citrifolia* L. in a Murine Model of Gentamicin-induced Nephrotoxicity. *International Journal of Pharmacology and Pharmaceutical Technology*, **1**: 23–28.
- Palu, A.K., Kim, A.H., West, B.J., Deng, S., Jensen, J., dan White, L., 2008. The effects of *Morinda citrifolia* L.(noni) on the immune system: its molecular mechanisms of action. *Journal of ethnopharmacology*, **115**: 502–506.
- Pejin, B., Savic, A., Sokovic, M., Glamoclija, J., Ciric, A., Nikolic, M. & Mojovic, M. (2014). Further in vitro evaluation of antiradical and antimicrobial activities of phytol. *Natural product research*, 28(6), 372-376.
- Perl, A., 2013. Oxidative stress in the pathology and treatment of systemic lupus erythematosus. *Nature reviews. Rheumatology*, **9**: 674–686.
- Podolsky dan Isselbacher, 2002. *Tes Diagnostik Pada Penyakit Hati Dalam: Harisson Prinsip-Prinsip Ilmu Penyakit Dalam*, 13th ed. Penerbit Buku Kedokteran EGC, Jakarta.
- Pozzi, C., Ferrario, F., Visciano, B., Del Vecchio, L., Pozzi, C., Ferrario, F., dkk., 2012. Corticosteroids in Patients with IgA Nephropathy and Severe Chronic Renal Damage, Corticosteroids in Patients with IgA Nephropathy and Severe Chronic Renal Damage. *Case Reports in Nephrology, Case Reports in Nephrology*, **2012**, **2012**: e180691.
- Riwidikdo, H., 2012. *Statistik Kesehatan (Belajar Mudah Teknik Analisis Dta Dalam Penelitian Kesehatan Plus SPSS)*, 4. Yogyakarta.
- Russmann, S., Kullak-Ublick, G.A., dan Grattagliano, I., 2009. Current concepts of mechanisms in drug-induced hepatotoxicity. *Current Medicinal Chemistry*, **16**: 3041–3053.
- Saludes, J.P., Garson, M.J., Franzblau, S.G., dan Aguinaldo, A.M., 2002. Antitubercular constituents from the hexane fraction of *Morinda citrifolia* Linn.(Rubiaceae). *Phytotherapy Research*, **16**: 683–685.
- Santos, C. C. D. M. P., Salvadori, M. S., Mota, V. G., Costa, L. M., de Almeida, A. A. C., de Oliveira, G. A. L. & de Almeida, R. N. (2013). Antinociceptive and antioxidant activities of phytol in vivo and in vitro models. *Neuroscience journal*

- Sarich, T.C., Adams, S.P., Petricca, G., dan Wright, J.M., 1999. Inhibition of isoniazid-induced hepatotoxicity in rabbits by pretreatment with an amidase inhibitor. *The Journal of Pharmacology and Experimental Therapeutics*, **289**: 695–702.
- Sarich, T.C., Youssefi, M., Zhou, T., Adams, S.P., Wall, R.A., dan Wright, J.M., 1996. Role of hydrazine in the mechanism of isoniazid hepatotoxicity in rabbits. *Archives of Toxicology*, **70**: 835–840.
- Saukkonen, J.J., Cohn, D.L., Jasmer, R.M., Schenker, S., Jereb, J.A., Nolan, C.M., dkk., 2006. An official ATS statement: hepatotoxicity of antituberculosis therapy. *American journal of respiratory and critical care medicine*, **174**: 935–952.
- Seeff, L.B. dan Fontana, R.J., 2011. Drug-Induced Liver Injury, dalam: FRCP, J.S.D.M., FRCP, A.S.F.L.M., MD, FMedSci, A.K.B.F., dan FRCP(C), E.J.H.M.B., MD, FRCP (Editor), *Sherlock's Diseases of the Liver and Biliary System*. Wiley-Blackwell, hal. 478–506.
- Shah, D., Kiran, R., Wanchu, A., dan Bhatnagar, A., 2009. Relationship between T lymphocyte subsets and cortisol in systemic lupus erythematosus. *Kathmandu University medical journal (KUMJ)*, **7**: 213–219.
- Shimizu, Y., Dobashi, K., Mita, Y., Endou, K., Moriya, S., Osano, K., dkk., 2006. DNA microarray genotyping of N-acetyltransferase 2 polymorphism using carbodiimide as the linker for assessment of isoniazid hepatotoxicity. *Tuberculosis*, **86**: 374–381.
- Sidiropoulos, P.I. dan Boumpas, D.T., 2004. Lessons learned from anti-CD40L treatment in systemic lupus erythematosus patients. *Lupus Journal*, **13**: 391–397.
- Singh, M., Sasi, P., Rai, G., Gupta, V.H., Amarapurkar, D., dan Wangikar, P.P., 2011. Studies on toxicity of antitubercular drugs namely isoniazid, rifampicin, and pyrazinamide in an in vitro model of HepG2 cell line. *Medicinal Chemistry Research*, **20**: 1611–1615.
- Smith, E.R., Hadidian, Z., dan Mason, M.M., 1967. The Single- and Repeated-Dose Toxicity of Dimethyl Sulfoxide. *Ann. New York Acad. Science.*, 141,96.
- Srinivasahan, V. dan Durairaj, B., 2014. Antioxidant and free radical scavenging effect of *Morinda citrifolia* fruit extract. *International Journal of Pharmacy and Pharmaceutical Sciences*, **6**: 55–59.

- Stahl, E., 1985. *Analisis Obat Secara Kromatografi Dan Mikroskopi*, Diterjemahkan Oleh Padmwinata, K. Dan Sudiro. Institut Teknologi Bandung, Bandung.
- Steenis, V., C.G.G., 1975. *Flora Untuk Sekolah Di Indonesia*. PT. Pradnya Paramita, Jakarta.
- Subramaniam, V., Adenan, M.I., Ahmad, A.R., dan Sahdan, R., 2003. Natural antioxidants: piper sarmentosum (Kadok) and morinda elliptica (Mengkudu). *Malaysia Journal Nutrition*, **9**: 41–51.
- Sumardi, Hertiani, T., dan Ediati, S., 2013. Ant Plant (*Myrmecodia tuberosa*) Hypocotyl Extract Modulates TCD4+ and TCD8+ Cell Profile of Doxorubicin-Induced Immune-Suppressed Sprague Dawley Rats In Vivo. *Scientia Pharmaceutica*, **81**: 1057–1069.
- Svehla, G., 1990. *Vogel Buku Teks Ana Lisa Kuantitatif Anorganik*, Kelima. ed. Kalman Media Pustaka, Jakarta.
- Syarifuddin, A., 2014. *Senyawa Alam Metabolit Sekunder: Teori, Konsep, dan Teknik Pemurnian*. Deepublish, Yogyakarta.
- Timbrell, J.A., 2004. Principles of biochemical toxicology. third edition. *Journal of Applied Toxicology*, **3**
- Tostmann, A., Boeree, M.J., Aarnoutse, R.E., De Lange, W.C.M., Van Der Ven, A.J.A.M., dan Dekhuijzen, R., 2008. Antituberculosis drug-induced hepatotoxicity: Concise up-to-date review. *Journal of Gastroenterology and Hepatology*, **23**: 192–202.
- Vasoo, S., 2006. Drug-induced lupus: an update. *Lupus*, **15**: 757–761.
- Vedove, C.D., Del Giglio, M., Schena, D., dan Girolomoni, G., 2009. Drug-induced lupus erythematosus. *Archives of Dermatological Research*, **301**: 99–105.
- Wagner, H., Blatt, S., dan E. M., Z., 1984. *Plant Drug Analysis: A Thin Layer Chromatography Atlas*. Library of Congress Cataloging, Jerman.
- Waha, M.G. dan Wijayanti, L., 2000. *Sehat dengan mengkudu*. MSF Group.
- Waksmundzka-Hajnos, M., Sherma, J., dan Kowalska, T., 2008. *Thin Layer Chromatography in Phytochemistry*. CRC Press.
- Wang, M., Su, C., Nowicki, D., Jensen, J., dan Anderson, G., 2002. Protective Effect of *Morinda Citrifolia* on Plasma Superoxides (SAR) and Lipid Peroxides (LPO) in Current Smokers .*The Proceeding of 11th Biennial*

*Meeting of the Society For Free Radicals Research Internationals*. Ren'e Descartes University., Paris, France.

Wang, M.-Y., West, B.J., Jensen, C.J., Nowicki, D., Su, C., Palu, A.K., dkk., 2002. *Morinda citrifolia* (Noni): a literature review and recent advances in Noni research. *Acta Pharmacologica Sinica*, **23**: 1127–1141.

Weisiger, R., 2007. Isoniazid Hepatotoxicity. <http://www.emedicine.com/med/topic1193.htm>.

Wells, R.E., Phillips, R.S., Schachter, S.C., dan McCarthy, E.P., 2010. Complementary and alternative medicine use among US adults with common neurological conditions. *Journal of Neurology*, **257**: 1822–1831.

Wen, X., Wang, J.-S., Neuvonen, P.J., dan Backman, J.T., 2002. Isoniazid is a mechanism-based inhibitor of cytochrome P 450 1A2, 2A6, 2C19 and 3A4 isoforms in human liver microsomes. *European journal of clinical pharmacology*, **57**: 799–804.

Widmann, F., 1995. *Tinjauan Klinis Hasil Pemeriksaan Laboratorium*, 9th ed. Penerbit Buku Kedokteran EGC, Jakarta.

Wieslaw, O., Ireneuz, K., dan Anna, S., 2007. *Thin Layer Chromatography in Phytochemistry, Chapter: TLC of Triterpenes (Including Saponins)*, Editors: Waksmundzka-Hajnos M., Sherma J., Kowalska T., CRC Press, Taylor & Francis Group, LLC, New York.

Yap, D.Y.H. dan Lai, K.N., 2015. Pathogenesis of Renal Disease in Systemic Lupus Erythematosus—The Role of Autoantibodies and Lymphocytes Subset Abnormalities. *International Journal of Molecular Sciences*, **16**: 7917–7931.

Zin, Z.M., Hamid, A.A., Osman, A., Saari, N., dan Misran, A., 2007. Isolation and Identification of Antioxidative Compound from Fruit of Mengkudu (*Morinda citrifolia* L.). *International Journal of Food Properties*, **10**: 363–373.

Zubaidi, Y., 2003. *Tuberkulostatik Dan Leprostatik. Dalam : Farmakologi UI*, 4th ed. Gaya Baru, Jakarta.