



DAFTAR PUSTAKA

- Astuti, W.D. 2015. *Fabrikasi Komposit Nanofiber Selulosa/PVA (Polyvinyl Alcohol) Menggunakan Metode Electrospinning*. Jurusan Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Berglund, L., 2005. *Cellulose-Based Nanocomposites*. In: A.K.M. Mohanty, M.; Drzal, L.(Editor), Natural fibers, biopolymers, and biocomposites. Taylor & Francis, pp. 807-832.
- BioEnergy Science Center. 2011. dalam bioenergy.ccrc.uga.edu/Background/background.htm
- Callister, W., 2001. *Fundamentals of Material Science and Engineering*. Fifth Edition. John Wiley & Son, Inc. United States.
- Casey, James P., 1960. Pulp and Paper. *Chemistry and Chemical Technology*. Vol. I. *Pulping and Bleaching*. Second Edition. New York Interscience Publisher Inc.
- Chakraborty, A., Sain, M., & Kortschot, M. (2005). *Cellulose microfibrils: A novel method of preparation using high shear refining and cryocrushing*. Holzforschung, 59, 102–107.
- Chauhan, V. S., & Chakrabarti, S. K. (2012). *Use of nanotechnology for high performance cellulosic and papermaking products*. Cellulose Chemistry and Technology, 46(5–6), 389–400.
- Cheng, Q., Wang, S., & Rials, T. G. (2009). *Poly(vinyl alcohol) nanocomposites reinforced with cellulose fibrils isolated by high intensity ultrasonication*. Composites: Part A, 40, 218–224.
- Chen, P., Yu, H., Liu, Y., Chen, W., Wang, X., & Ouyang, M. (2013). *Concentration effects on the isolation and dynamic rheological behavior of cellulose nanofibers via ultrasonic processing*. Cellulose, 20, 149–157.
- Chen, W., Yu, H., Liu, Y. (2011). *Preparation of millimeter-long cellulose I nanofibers with diameters of 30-80 nm from bamboo fibers*. Carbohydrate Polymers, 86(2011), 453-461.
- Chen Youdi et all., 1985. *The chemicals composition of ten bamboo species*, dalam Rao, A.N., G. Dhanarajan and C.B. Sastry. October, 1985. Recent



Research on Bamboos. Proceedings of the International Bamboo Workshop, The Chinese Academy of Forestry, People's Republic of China. I.D.R.C., Canada.

Dufresne, A., Dupeyre, D., & Vignon, M. R. (2000). *Cellulose microfibrils from potato tuber cells: Processing and characterization of starch-cellulose microfibril composites*. Journal of Applied Polymer Science, 76, 2080–2092.

Espiloy, Z.B., 1985. *Physico-mechanical Properties and Anatomical Relationships of Some Phillipine Bamboo* dalam Rao, A.N., G. Dhanarajan and C.B. Sastry. October, 1985. Recent Research on Bamboos. Proceedings of the International Bamboo Workshop, The Chinese Academy of Forestry, People's Republic of China. I.D.R.C., Canada.

Ferrer, A., Filpponen, I., Rodriguez, A., Laine, J., & Rojas, O. J. (2012). *Valorization of residual Empty Palm Fruit Bunch Fibers (EPFBF) by microfluidization: Production of nanofibrillated cellulose and EPFBF nanopaper*. Bioresource Technology, 125, 249–255.

Frone, A. N., Panaitescu, D. M., & Donescu, D. (2011). *Some aspects concerning the isolation of cellulose micro- and nano-fibers*. U.P.B. Science Bulletin, Series B, 73(2), 133–152.

George, J., Sreekala, M.S. and Thomas, S., 2001. A review on interface modification and characterization of natural fibre reinforced plastic composites. *Polymer Engineering and Science*, 41(9): 1471-1485.

Gibson, F.R., 1994, “*Principles of Composite material Mechanis*”, *International Edition*”, McGraw-Hill Inc, New York.

Han, Y.H., Han, S.O., Cho, D., dan Kim, H.I., 2008, *Dynamic Mechanical Properties of Natural Fiber / Polymer Biocomposites: The Effect of Fiber Treatment with Electron Beam*, Macromolecular Research, 3, 16, 253-260.

Haygreen, J.G. and Bowyer, J.M., 1982. *Forest Product and Wood Science, an Introduction*. The Iowa State University Press. America.

Janssen, J. J. A., 1981, *Bamboo in Building Structures*, Eindhoven University of Technology, Netherlands.

Jonoobi, M., Harun, J., Shakeri, A., Misra, M., Oksman, K., 2009, *Chemical Composition, Crystallinity, and Thermal Degradation of Bleached and Unbleached Kenaf Bast (*Hibiscus cannabinus*) Pulp and Nanofibers*, BioResources, 4, 2, 626-639.



Lekmarli, Miko, 2007, Studi Sifat Fisis Dan Mekanis Komposit Matrik Resin Polyester Yang Diperkuat Dengan Serabut Kelapa Yang Disusun Secara Acak, Fakultas Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.

Lima, M. M. S., & Borsali, R. (2004). *Rodlike cellulose microcrystals: Structure, properties, and applications*. Macromolecular Rapid Communications, 25, 771-787.

Liese, W., 1980. *Anatomy of Bamboo*, dalam Rao, A.N., G. Dhanarajan and C.B. Sastry. October, 1985. Recent Research on Bamboos. Proceedings of the International Bamboo Workshop, The Chinese Academy of Forestry, People's Republic of China. I.D.R.C., Canada.

Marsoem, S. N., 1996, Sifat-Sifat Kayu Untuk Bahan Baku Industri, Diklat Manajemen Industri Kayu antara Fakultas Kehutanan Universitas Gadjah Mada dengan PT. Focus Jakarta.

Morisco, 1999, Rekayasa Bambu, Nafiri, Yogyakarta.

Munawar, S. S., 2001, Preferensi Makan Rayap Kayu Kering Pada Empat Jenis Bambu, Tesis, Fakultas Kehutanan, Jurusan Ilmu-Ilmu Pertanian, Universitas Gadjah Mada, Yogyakarta.

Nakagaito, A. N., & Yano, H. (2004). *The effect of morphological changes from pulp fiber towards nano-scale fibrillated cellulose on the mechanical properties of high-strength plant fiber based composites*. Applied Physics A – Material Science Process, 78, 547–552.

Panshin, A.J. dan Carl de Zeeuw, 1970, *Textbook of Wood Technology* , McGraw-Hill Book Company. New York.

Panthapulakkal, S., & Sain, M. (2012). *Preparation and characterization of cellulose nanofibril films from wood fibre and their thermoplastic polycarbonate composites*. International Journal of Polymer Science, 1–6.

Prasanth R., Shubha N., Hoon Hng H. , Srinivasan M. 2013. *Effect of nano-clay on ionic conductivity and electrochemical properties of poly(vinylidene fluoride) based nanocomposite porous polymer membranes and their application as polymer electrolyte in lithium ion batteries*. Nanyang Technological University. Singapore.

Rivero R.E., Molina M.A., Rivarola C.R., Barbero C.A. 2014. *Pressure and microwave sensors/actuators based on smart hydrogel/conductive polymer nanocomposite*. Univercidad Nacional de Rio Cuarto. Argentina.



Rusmiyatno, F. 2007. "Pengaruh Fraksi Volume Serat Terhadap Kekuatan Tarik Dan Kekuatan Bending Komposit Nylon/Epoxy Resin Serat Pendek Random". Universitas Negeri Semarang. Semarang.

Schwartz. 1984. dalam <https://fitransyah.wordpress.com/2013/07/25/faktor-yang-mempengaruhi-performa-komposit/>

Setiawan, R. B., 2003, Variasi Aksial, Sifat Fisika, Dan Mekanika Bambu Wulung Yang Tumbuh Pada Tiga Jenis Tanah Di Kabupaten Bantul, Jurusan Teknologi Hasil Hutan, Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.

Siro, I., & Plackett, D. (2010). *Microfibrillated cellulose and new nanocomposite materials: A review*. Cellulose, 17, 459–494.

Skoog, et.all. 1998. dalam <http://anekakimia.blogspot.co.id/2011/06/instrumen-ftir-dan-membaca-spektra-ftir.html>

Soenardi. 1976. *Sifat-sifat Kimia Kayu*. Yayasan Pembina Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.

Soenardi dan Sulthoni, A., 1988, *Properties of Bamboo. Bamboo Preservation Project Phase II (Indonesia)*, Center File No 3-P-84-0048. Faculty of Forestry, Gadjah Mada University, Yogyakarta, Indonesia.

Sosiati, H., Harsojo, Soekrisno, Widyorini, R., Wijayanti, D.A., Triyana, K., 2012, *Change in Microstructure of Kenaf Fiber due to Chemical and Steam Treatments*, International Conference of Phisics Proceedings, 3, 57-60.

Sosiati, H., Harsojo, Soekrisno, Supatmi, Triyana, K., 2012, *Characterization of Natural Cellulose from Kenaf Fiber*, ICOPIA, Yogyakarta.

Sulthoni, 1983, *Bamboo Handling in Rural Area of Yogyakarta (Indonesia) With Special Reference To Its Traditional Preservation. Bamboo Reservation Project (Indonesia)*, Center File No. 3-P-80-0017, Faculty of Forestry. Gadjah Mada University. Yogyakarta. Indonesia.

Surdia. 1995. dalam <http://repository.usu.ac.id/bitstream/123456789/33674/4/Chapter%20II.pdf>

Sutapa, J., 1986, Pengujian Beberapa Sifat Anatomi, Fisik dan Mekanik Bambu Apus, Legi dan Petung, Fakultas Kehutanan Universitas Gadjah Mada, Yogyakarta.



UNIVERSITAS
GADJAH MADA

PENGARUH SUHU DAN KONSENTRASI KOH PADA PEMBUATAN NANOFIBER SERAT BAMBU APUS
(GIGANTOCHLOA APUS)

MENGGUNAKAN METODE PERLAKUAN KIMIA

FADEL OKTAVIANO R., Dr. Ir. Heru Santoso Budi Rachardjo, M.Eng

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Tripathi B.P, Shahi V.K .2011. *Organic-inorganic nanocomposite polymer electrolyte membranes for fuel cell applications.* Central Salt and Marine Chemicals Research Institute, Gujarat. India.

Wirawan A. W., 2008, Studi Sifat Fisis dan Mekanis Komposit Matriks Resin Polyester Yang Diperkuat Dengan Serabut Kelapa Yang Dipilin Untuk Aplikasi Bumper Mobil, Fakultas Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.

<https://id.wikipedia.org/wiki/Hemiselulosa>