

## DAFTAR PUSTAKA

- Ahmad, J., Mir, S.R., Kohli, K., dan Amin, S., 2014. Effect of oil and co-surfactant on the formation of Solutol HS 15 based colloidal drug carrier by Box–Behnken statistical design. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **453**: 68–77.
- Ahmed, O.A.A., Badr-Eldin, S.M., Tawfik, M.K., Ahmed, T.A., El-Say, K.M., dan Badr, J.M., 2014. Design and Optimization of Self-Nanoemulsifying Delivery System to Enhance Quercetin Hepatoprotective Activity in Paracetamol-Induced Hepatotoxicity. *Journal of Pharmaceutical Sciences*, **103**: 602–612.
- Ako, H., Kong, N., dan Brown, A., 2005. Fatty acid profiles of kukui nut oils over time and from different sources. *Industrial Crops and Products*, **22**: 169–174.
- Angelo, T., Pires, F.Q., Gelfuso, G.M., da Silva, J.K.R., Gratieri, T., dan Cunha-Filho, M.S.S., 2016. Development and validation of a selective HPLC-UV method for thymol determination in skin permeation experiments. *Journal of Chromatography B*, **1022**: 81–86.
- Avachat, A.M. dan Patel, V.G., 2014. Self nanoemulsifying drug delivery system of stabilized ellagic acid–phospholipid complex with improved dissolution and permeability. *Saudi Pharmaceutical Journal*, .
- Bahloul, B., Lassoued, M.A., Seguin, J., Lai-Kuen, R., Dhotel, H., Sfar, S., dkk., 2015. Self-emulsifying drug delivery system developed by the HLB-RSM approach: Characterization by transmission electron microscopy and pharmacokinetic study. *International Journal of Pharmaceutics*, **487**: 56–63.
- Bajaj, H., 2011. Bioavailability Enhancement: A Review Himani Bajaj\*, Seema Bisht<sup>2</sup>, Mayank Yadav<sup>1</sup> And Vinod Singh<sup>3</sup>.
- Balakumar, K., Raghavan, C.V., selvan, N.T., prasad, R.H., dan Abdu, S., 2013. Self nanoemulsifying drug delivery system (SNEDDS) of Rosuvastatin calcium: Design, formulation, bioavailability and pharmacokinetic evaluation. *Colloids and Surfaces B: Biointerfaces*, **112**: 337–343.
- Bandyopadhyay, S., Katare, O.P., dan Singh, B., 2012. Optimized self nano-emulsifying systems of ezetimibe with enhanced bioavailability potential using long chain and medium chain triglycerides. *Colloids and Surfaces B: Biointerfaces*, **100**: 50–61.
- Basalious, E.B., Shawky, N., dan Badr-Eldin, S.M., 2010. SNEDDS containing bioenhancers for improvement of dissolution and oral absorption of lacidipine. I: Development and optimization. *International Journal of Pharmaceutics*, **391**: 203–211.
- Beg, S., Jena, S.S., Patra, C.N., Rizwan, M., Swain, S., Sruti, J., dkk., 2013. Development of solid self-nanoemulsifying granules (SSNEGs) of ondansetron hydrochloride with enhanced bioavailability potential. *Colloids and Surfaces B: Biointerfaces*, **101**: 414–423.

- Bertha, P.D., 2012. Effect of Purwoceng (*Pimpinella alpina* Molk.) Extract Mixed in The Feed on Spermatogenesis in The Male Catfish (*Clarias* sp.).
- Bolton, S. dan Bon, C., 1997. *Pharmaceutical Statistics: Practical and Clinical Applications*. Dekker Media.
- Cepeda, G.N., Santoso, B.B., Lisangan, M.M., dan Silamba, I., 2011. Komposisi Kimia Minyak Atsiri Daun akway. *Makara Sains*, **15**: 63–66.
- Chen, H., An, Y., Yan, X., McClements, D.J., Li, B., dan Li, Y., 2016. Designing self-nanoemulsifying delivery systems to enhance bioaccessibility of hydrophobic bioactives (nobiletin): Influence of hydroxypropyl methylcellulose and thermal processing. *Food Hydrocolloids*, .
- Cuiné, J.F., McEvoy, C.L., Charman, W.N., Pouton, C.W., Edwards, G.A., Benameur, H., dkk., 2008. Evaluation of the Impact of Surfactant Digestion on the Bioavailability of Danazol after Oral Administration of Lipidic Self-Emulsifying Formulations to Dogs. *Journal of Pharmaceutical Sciences*, **97**: 995–1012.
- Danov, K.D., 2001. On the Viscosity of Dilute Emulsions. *Journal of Colloid and Interface Science*, **235**: 144–149.
- Dash, R.N., Mohammed, H., Humaira, T., dan Ramesh, D., 2015. Design, optimization and evaluation of glipizide solid self-nanoemulsifying drug delivery for enhanced solubility and dissolution. *Saudi Pharmaceutical Journal*, **23**: 528–540.
- Date, A.A., Desai, N., Dixit, R., dan Nagarsenker, M., 2010. Self-nanoemulsifying drug delivery systems: formulation insights, applications and advances. *Nanomedicine*, **5**: 1595–1616.
- Date, A.A. dan Nagarsenker, M.S., 2007. Design and evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) for cefpodoxime proxetil. *International Journal of Pharmaceutics*, **329**: 166–172.
- Depkes RI, 2009. *Materia Medika Indonesia*, I. ed. Depkes RI, Jakarta.
- EID, A.M.M., BAIE, S.H., dan ARAFAT, O.M., 2012. THE EFFECT OF SURFACTANT BLENDS ON THE PRODUCTION OF A NOVEL SWIETENIA MACROPHYLLA OIL SELF-NANOEMULSIFYING SYSTEM. *International Journal of Pharmacy & Pharmaceutical Sciences*, **4**: .
- Engelen, A., Sugiyono, dan Budijanto, S., 2015. OPTIMASI PROSES DAN FORMULA PADA PENGOLAHAN MI SAGU KERING (*Metroxylon sagu*) (Process and Formula Optimizations on Dried Sago Noodle Processing). *Jurnal Agritech*, **35**: .
- Fathirnadiva, J., 2015. FORMULASI EKSTRAK AKAR PURWOCENG (*Pimpinella pruatjan* Molk.) DAN ASAM OLEAT DENGAN METODE SNEDDS (Self-Nano Emulsifying Drug Delivery System).
- Figueiras, A., Hombach, J., Veiga, F., dan Bernkop-Schnürch, A., 2009. In vitro evaluation of natural and methylated cyclodextrins as buccal permeation enhancing system for omeprazole delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, **71**: 339–345.

- Gabay, O., Sanchez, C., Salvat, C., Chevy, F., Breton, M., Nourissat, G., dkk., 2010. Stigmasterol: a phytosterol with potential anti-osteoarthritic properties. *Osteoarthritis and Cartilage*, **18**: 106–116.
- Górnaś, P., Siger, A., dan Segliņa, D., 2013. Physicochemical characteristics of the cold-pressed Japanese quince seed oil: New promising unconventional bio-oil from by-products for the pharmaceutical and cosmetic industry. *Industrial Crops and Products*, **48**: 178–182.
- Gurunath, S., Nanjwade, B.K., dan Patila, P.A., 2014. Enhanced solubility and intestinal absorption of candesartan cilexetil solid dispersions using everted rat intestinal sacs. *Saudi Pharmaceutical Journal*, **22**: 246–257.
- Hauss, D.J., 2007. Oral lipid-based formulations. *Advanced Drug Delivery Reviews*, , Drug Solubility: How to Measure it, How to Improve it **59**: 667–676.
- Heshmati, N., Cheng, X., Eisenbrand, G., dan Fricker, G., 2013. Enhancement of Oral Bioavailability of E804 by Self-Nanoemulsifying Drug Delivery System (SNEDDS) in Rats. *Journal of Pharmaceutical Sciences*, **102**: 3792–3799.
- Ihsan, F., Setyawan, I., Satrio, S., Jayanti, A.D., Tito, S., dan Herningtyas, E.H., 2013. Ekstrak purwaceng (*Pimpinella alpina*) sebagai agen kemopreventif dan kemoterapi kanker paru (kajian antiproliferatif serta uji apoptosis melalui jalur P53,BCL-2,RB dan Caspase- 9). *Program Kreativitas Mahasiswa - Penelitian*, **0**: .
- Jannah, H., Sudarma, I.M., dan Andayani, Y., 2013. Analisis senyawa fitosterol dalam ekstrak buah buncis (*Phaseolus vulgaris* L.). *CHEMISTRY PROGRESS*, **6**: .
- Joshi, R.P., Negi, G., Kumar, A., Pawar, Y.B., Munjal, B., Bansal, A.K., dkk., 2013. SNEDDS curcumin formulation leads to enhanced protection from pain and functional deficits associated with diabetic neuropathy: An insight into its mechanism for neuroprotection. *Nanomedicine: Nanotechnology, Biology and Medicine*, **9**: 776–785.
- Juniarto, A.Z., 2004. 'Perbedaan pengaruh pemberian ekstrak *Eurycoma longifolia* dan *Pimpinella alpina* pada spermatogenesis tikus Sprague Dawly', , *masters*, . Program Pendidikan Pasca sarjana Universitas Diponegoro.
- Kalepu, S., Manthina, M., dan Padavala, V., 2013. Oral lipid-based drug delivery systems – an overview. *Acta Pharmaceutica Sinica B*, **3**: 361–372.
- Kassem, A.A., Mohsen, A.M., Ahmed, R.S., dan Essam, T.M., 2016. Self-nanoemulsifying drug delivery system (SNEDDS) with enhanced solubilization of nystatin for treatment of oral candidiasis: Design, optimization, in vitro and in vivo evaluation. *Journal of Molecular Liquids*, **218**: 219–232.
- Khademi, E. dan Timmermans, H., 2012. Application of Mixture-Amount Choice Experiment for Accumulated Transport Charges. *Procedia - Social and Behavioral Sciences*, , Proceedings of EWGT2012 - 15th Meeting of the EURO Working Group on Transportation, September 2012, Paris **54**: 483–492.

- Kollipara, S. dan Gandhi, R.K., 2014. Pharmacokinetic aspects and in vitro–in vivo correlation potential for lipid-based formulations. *Acta Pharmaceutica Sinica B*, **4**: 333–349.
- Kuentz, M., 2011. Oral self-emulsifying drug delivery systems, from biopharmaceutical to technical formulation aspects. *Journal of Drug Delivery Science and Technology*, **21**: 17–26.
- Kumar, A., Jaiswal, M., dan others, 2014. Enhanced Intestinal Permeability of *Tinospora cordifolia* Extract Through Nanoemulsion Formulation: In-Vitro and Ex-Vivo Studies. *Journal of Nanopharmaceutics and Drug Delivery*, **2**: 209–218.
- Li, M., Si, L., Pan, H., Rabba, A.K., Yan, F., Qiu, J., dkk., 2011. Excipients enhance intestinal absorption of ganciclovir by P-gp inhibition: Assessed in vitro by everted gut sac and in situ by improved intestinal perfusion. *International Journal of Pharmaceutics*, **403**: 37–45.
- Li, W., Yi, S., Wang, Z., Chen, S., Xin, S., Xie, J., dkk., 2011. Self-nanoemulsifying drug delivery system of persimmon leaf extract: Optimization and bioavailability studies. *International Journal of Pharmaceutics*, **420**: 161–171.
- Lopez-Huertas, E., 2010. Health effects of oleic acid and long chain omega-3 fatty acids (EPA and DHA) enriched milks. A review of intervention studies. *Pharmacological Research*, , Nutraceuticals and Functional Foods **61**: 200–207.
- Lynch, N. dan Berry, D., 2007. Differences in perceived risks and benefits of herbal, over-the-counter conventional, and prescribed conventional, medicines, and the implications of this for the safe and effective use of herbal products. *Complementary Therapies in Medicine*, **15**: 84–91.
- Mah, P.T., Peltonen, L., Novakovic, D., Rades, T., Strachan, C.J., dan Laaksonen, T., 2016. The effect of surfactants on the dissolution behavior of amorphous formulations. *European Journal of Pharmaceutics and Biopharmaceutics*, **103**: 13–22.
- Makadia, H.A., Bhatt, A.Y., Parmar, R.B., Paun, J.S., dan Tank, H.M., 2013. Self-nano emulsifying drug delivery system (SNEDDS): Future aspects. *Asian Journal of Pharmaceutical Research*, **3**: 21–27.
- Malviya, N., Jain, S., Gupta, V.B., dan Vyas, S., 2011. Recent Studies On Aphrodisiac Herbs For The Management of Male Sexual Dysfunction -A Review. *Acta Poloniae Pharmaceutica-Drug Research*, **68**: 3–8.
- Martien, R., Loretz, B., dan Schnürch, A.B., 2006. Oral gene delivery: Design of polymeric carrier systems shielding toward intestinal enzymatic attack. *Biopolymers*, **83**: 327–336.
- Melnyk, J.P. dan Marccone, M.F., 2011. Aphrodisiacs from plant and animal sources—A review of current scientific literature. *Food Research International*, **44**: 840–850.
- Nachimuthu, K. dan Palaniswamy, C., 2013. Physiochemical analysis and HPLC-PDA method for quantification of stigmasterol in *Dipteracanthus patulus* (Jacq.) Nees. *Journal of Pharmacy Research*, **7**: 741–746.

- Nair, V.D.P., Kanfer, I., dan Hoogmartens, J., 2006. Determination of stigmasterol,  $\beta$ -sitosterol and stigmastanol in oral dosage forms using high performance liquid chromatography with evaporative light scattering detection. *Journal of Pharmaceutical and Biomedical Analysis*, **41**: 731–737.
- Nurhasnawati, H., 2002. 'Isolasi dan karakterisasi stigmasterol dalam tanaman purwoceng (*Pimpinella alpina* Molk)', . FMIPA UNDIP.
- Osman, H. dan Chin, Y.K., 2006. Comparative Sensitivities Of Cholesterol Analysis Using GC, HPLC and Spectrophotometric Methods. *The Malaysian Journal of Analytical Sciences*, **10**: 205–210.
- Parmar, N., Singla, N., Amin, S., dan Kohli, K., 2011. Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded (SNEDDS) self nanoemulsifying drug delivery system. *Colloids and Surfaces B: Biointerfaces*, **86**: 327–338.
- Patel, D.M., Patel, N.M., Pandya, N.N., dan Jogani, P.D., 2007. Gastroretentive drug delivery system of carbamazepine: Formulation optimization using simplex lattice design: A technical note. *AAPS PharmSciTech*, **8**: E82–E86.
- Patel, J., Kevin, G., Patel, A., Raval, M., dan Sheth, N., 2011. Design and development of a self-nanoemulsifying drug delivery system for telmisartan for oral drug delivery. *International journal of pharmaceutical investigation*, **1**: 112.
- Pharmacopeia, U., 2008. *United States Pharmacopeia and National Formulary (USP 37–NF 32)*. The United States Pharmacopeial Convention.
- Pouton, C.W. dan Porter, C.J.H., 2008. Formulation of lipid-based delivery systems for oral administration: Materials, methods and strategies. *Advanced Drug Delivery Reviews*, **60**: 625–637.
- Pubchem, 2016a. 'STIGMASTEROL | C29H48O - PubChem', . URL: <https://pubchem.ncbi.nlm.nih.gov/compound/Stigmasterin> (diakses tanggal 1/6/2016).
- Pubchem, 2016b. 'oleic acid | C18H34O2 - PubChem', . URL: [https://pubchem.ncbi.nlm.nih.gov/compound/oleic\\_acid#section=Chemical-and-Physical-Properties](https://pubchem.ncbi.nlm.nih.gov/compound/oleic_acid#section=Chemical-and-Physical-Properties) (diakses tanggal 1/6/2016).
- Pubchem, 2016c. 'lauric acid | C12H24O2 - PubChem', . URL: [https://pubchem.ncbi.nlm.nih.gov/compound/lauric\\_acid](https://pubchem.ncbi.nlm.nih.gov/compound/lauric_acid) (diakses tanggal 1/6/2016).
- Qi, X., Wang, L., Zhu, J., Hu, Z., dan Zhang, J., 2011. Self-double-emulsifying drug delivery system (SDED DS): a new way for oral delivery of drugs with high solubility and low permeability. *International Journal of Pharmaceutics*, **409**: 245–251.
- Quan, D., Xu, G., dan Wu, X., 2007. Studies on preparation and absolute bioavailability of a self-emulsifying system containing puerarin. *Chemical & Pharmaceutical Bulletin*, **55**: 800–803.
- Rao, S.V.R., Agarwal, P., dan Shao, J., 2008a. Self-nanoemulsifying drug delivery systems (SNEDDS) for oral delivery of protein drugs. *International Journal of Pharmaceutics*, **362**: 10–15.



- Rao, S.V.R., Yajurvedi, K., dan Shao, J., 2008b. Self-nanoemulsifying drug delivery system (SNEDDS) for oral delivery of protein drugs: III. In vivo oral absorption study. *International Journal of Pharmaceutics*, **362**: 16–19.
- Ratnawati, Y.D., 2004. 'Skrining Kandungan Kimia dan Isolasi Triterpenoid Dari Akar Tanaman Purwaceng (*Pimpinella alpina* K.D.S.)', . *Undergraduate thesis*, . URL: <http://digilib.ubaya.ac.id/pustaka.php/150262> (diakses tanggal 28/4/2015).
- Reddy, M.S. dan N. Sowjanya, 2015. Formulation and in-vitro Characterization of Solid Self Nanoemulsifying Drug Delivery System (s-SNEDDS) of Simvastatin. *Journal of Pharmaceutical Sciences and Research*, **7**: 40–48.
- Rowe, R.C., Sheskey, P.J., dan Quinn, M.E., 2009. *Handbook Of Pharmaceutical Excipients*, 6th ed. Pharmaceutical Press and American Pharmacists Association, London, UK.
- Sahumena, handoyo, muhamad, 2014. Pengembangan nanopartikel ketoprofen dengan teknik self-nanoemulsifying drug delivery system (SNEDDS) dan uji aktivitas antiinflamasi.
- Sakloetsakun, D., Dünnhaupt, S., Barthelmes, J., Perera, G., dan Bernkop-Schnürch, A., 2013. Combining two technologies: Multifunctional polymers and self-nanoemulsifying drug delivery system (SNEDDS) for oral insulin administration. *International Journal of Biological Macromolecules*, **61**: 363–372.
- Sancho-Chust, V., Fabra-Campos, S., Gómez-Meseguer, V., Bengochea, M., dan Martín-Villodre, A., 1995. Experimental studies on the influence of surfactants on intestinal absorption of drugs. Cefadroxil as model drug and sodium lauryl sulfate as model surfactant: studies in rat colon. *Arzneimittel-Forschung*, **45**: 595–601.
- Sangsen, Y., Wiwattanawongsa, K., Likhitwitayawuid, K., Sritularak, B., Graidist, P., dan Wiwattanapatapee, R., 2016. Influence of surfactants in self-microemulsifying formulations on enhancing oral bioavailability of oxyresveratrol: Studies in Caco-2 cells and in vivo. *International Journal of Pharmaceutics*, **498**: 294–303.
- Senapati, P.C., Sahoo, S.K., dan Sahu, A.N., 2016. Mixed surfactant based (SNEDDS) self-nanoemulsifying drug delivery system presenting efavirenz for enhancement of oral bioavailability. *Biomedicine & Pharmacotherapy*, **80**: 42–51.
- Shah, I., 2011. 'Development and Characterization of Oil-in-Water Nanoemulsions from Self-Microemulsifying Mixtures', . University of Toledo.
- Shahnaz, G., Hartl, M., Barthelmes, J., Leithner, K., Sarti, F., Hintzen, F., dkk., 2011. Uptake of phenothiazines by the harvested chylomicrons ex vivo model: Influence of self-nanoemulsifying formulation design. *European Journal of Pharmaceutics and Biopharmaceutics*, . New facets of nanopharmaceutics **79**: 171–180.
- Strickley, R.G., 2004. Solubilizing excipients in oral and injectable formulations. *Pharmaceutical Research*, **21**: 201–230.

- SUZERY, M., CAHYONO, B., dan TAUFIIQURAHMAN, T., 2004. 'PRODUKSI SENYAWA AFRODISIAK DARI PURWOCENG (*Pimpinella alpina* Molke): PENGEMBANGAN POTENSI "NATURAL RESOURCES" KHAS JAWA TENGAH', , *Monograph*, . URL: <http://eprints.undip.ac.id/23294/> (diakses tanggal 28/4/2015).
- Taufiqurrachman, T., 1999. 'Pengaruh ekstrak *Pimpinella alpin a* Molke. (purwoceng) dan akar *Eurycoma longifolia* Jack. (pasak bumi) terhadap peningkatan kadar testosteron, LH dan FSH serta perbedaan peningkatannya pada tikus jantan Sprague Dawley', , *masters*, . Program Pendidikan Pasca sarjana Universitas Diponegoro.
- Tran, T., Xi, X., Rades, T., dan Müllertz, A., 2016. Formulation and characterization of self-nanoemulsifying drug delivery systems containing monoacyl phosphatidylcholine. *International Journal of Pharmaceutics*, **502**: 151–160.
- Upton, R.R., 2015. Chapter 3 - Traditional Herbal Medicine, Pharmacognosy, and Pharmacopoeial Standards: A Discussion at the Crossroads, dalam: Mukherjee, P.K. (Editor), *Evidence-Based Validation of Herbal Medicine*. Elsevier, Boston, hal. 45–85.
- Wang, L., Dong, J., Chen, J., Eastoe, J., dan Li, X., 2009. Design and optimization of a new self-nanoemulsifying drug delivery system. *Journal of Colloid and Interface Science*, **330**: 443–448.
- Wang, S., Su, R., Nie, S., Sun, M., Zhang, J., Wu, D., dkk., 2014. Application of nanotechnology in improving bioavailability and bioactivity of diet-derived phytochemicals. *The Journal of Nutritional Biochemistry*, **25**: 363–376.
- Welling, S.H., Clemmensen, L.K.H., Buckley, S.T., Hovgaard, L., Brockhoff, P.B., dan Refsgaard, H.H.F., 2015. In silico modelling of permeation enhancement potency in Caco-2 monolayers based on molecular descriptors and random forest. *European Journal of Pharmaceutics and Biopharmaceutics*, **94**: 152–159.
- Yang, J., IP, S.P., J. Yeung, H., dan Che, C., 2011. HPLC-MS analysis of Schisandra lignans and their metabolites in Caco-2 cell monolayer and rat everted gut sac models and in rat plasma. *Acta Pharmaceutica Sinica B*, **1**: 46–55.
- Zhang, P., Liu, Y., Feng, N., dan Xu, J., 2008. Preparation and evaluation of self-microemulsifying drug delivery system of oridonin. *International Journal of Pharmaceutics*, **355**: 269–276.
- Zhao, S., Minh, L.V., Li, N., Garamus, V.M., Handge, U.A., Liu, J., dkk., 2016. Doxorubicin Hydrochloride-Oleic Acid Conjugate Loaded Nanostructured Lipid Carriers for Tumor Specific Drug Release. *Colloids and Surfaces B: Biointerfaces*, .
- Zhao, Y., Wang, C., Chow, A.H.L., Ren, K., Gong, T., Zhang, Z., dkk., 2010. Self-nanoemulsifying drug delivery system (SNEDDS) for oral delivery of Zedoary essential oil: Formulation and bioavailability studies. *International Journal of Pharmaceutics*, **383**: 170–177.