

REFERENCES

- Abbas, A. K., Murphy, K. M., & Sher, A. (1996). Functional diversity of helper T lymphocytes. *Nature*, 383(6603), 787-793. doi:10.1038/383787a0
- Altare, F., Durandy, A., Lammas, D., Emile, J. F., Lamhamedi, S., Le Deist, F., . . . Casanova, J. L. (1998). Impairment of mycobacterial immunity in human interleukin-12 receptor deficiency. *Science*, 280(5368), 1432-1435. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9603732>
- Amin, Z. A., Bilgen, M., Alshawsh, M. A., Ali, H. M., Hadi, A. H., & Abdulla, M. A. (2012). Protective Role of *Phyllanthus niruri* Extract against Thioacetamide-Induced Liver Cirrhosis in Rat Model. *Evid Based Complement Alternat Med*, 2012, 241583. doi:10.1155/2012/241583
- Amin, Z.A., Abdulla, M.A., Hapipah, M.A., Alshawsh, M.A., Qadir, S.W., 2012. Assessment of *In vitro* antioxidant, antibacterial and immune activation potentials of aqueous and ethanol extracts of *Phyllanthus niruri*. *J Sci Food Agric* doi: 10.1002/jsfa.5554
- Amin Z, Rumende M, Pitoyo CW, Jamal. 2001. The effect of phyllanti extract as an additional treatment in tuberculosis patients with minimal and moderately advanced radiological lesion.
- Andersen, P., Munk, M. E., Pollock, J. M., & Doherty, T. M. (2000). Specific immune-based diagnosis of tuberculosis. *Lancet*, 356(9235), 1099-1104. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11009160>
- Andrews, T., & Sullivan, K. E. (2003). Infections in patients with inherited defects in phagocytic function. *Clin Microbiol Rev*, 16(4), 597-621. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/14557288>
- Asano, K. (1995). [Nitric oxide synthase in lung epithelial cells in culture]. *Nihon Kyobu Shikkan Gakkai Zasshi*, 33 Suppl, 179-183. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8752503>
- Badan POM RI, 2008, Taksonomi Koleksi Tanaman Obat Kebun Tanaman Obat Citeureup Edisi I, Badan POM RI, Jakarta
- Barbuddhe, S. B., Malik, S. V., & Gupta, L. K. (1998). Effect of in vitro monocyte activation by *Listeria monocytogenes* antigens on phagocytosis and production of reactive oxygen and nitrogen radicals in bovines. *Vet Immunol Immunopathol*, 64(2), 149-159. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9661264>
- Barnes, P. F., Chatterjee, D., Abrams, J. S., Lu, S., Wang, E., Yamamura, M., . . . Modlin, R. L. (1992). Cytokine production induced by *Mycobacterium tuberculosis* lipoarabinomannan. Relationship to chemical structure. *J Immunol*, 149(2), 541-547. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1624801>
- Barnes, P. F., & Wizel, B. (2000). Type 1 cytokines and the pathogenesis of tuberculosis. *Am J Respir Crit Care Med*, 161(6), 1773-1774. doi:10.1164/ajrccm.161.6.16167
- Barros, M. E., Lima, R., Mercuri, L. P., Matos, J. R., Schor, N., & Boim, M. A. (2006). Effect of extract of *Phyllanthus niruri* on crystal deposition in experimental urolithiasis. *Urol Res*, 34(6), 351-357. doi:10.1007/s00240-006-0065-1



- Beckman, J. S. (1996). Oxidative damage and tyrosine nitration from peroxy nitrite. *Chem Res Toxicol*, 9(5), 836-844. doi:10.1021/tx950144
- Behar, S. M., Dascher, C. C., Grusby, M. J., Wang, C. R., & Brenner, M. B. (1999). Susceptibility of mice deficient in CD1D or TAP1 to infection with *Mycobacterium tuberculosis*. *J Exp Med*, 189(12), 1973-1980. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10377193>
- Behr, M. A., Wilson, M. A., Gill, W. P., Salamon, H., Schoolnik, G. K., Rane, S., & Small, P. M. (1999). Comparative genomics of BCG vaccines by whole-genome DNA microarray. *Science*, 284(5419), 1520-1523. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10348738>
- Bentwich, Z., Kalinkovich, A., Weisman, Z., Borkow, G., Beyers, N., & Beyers, A. D. (1999). Can eradication of helminthic infections change the face of AIDS and tuberculosis? *Immunol Today*, 20(11), 485-487. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10529774>
- Bhattacharjee, R., & Sil, P. C. (2007). Protein isolate from the herb, *Phyllanthus niruri* L. (Euphorbiaceae), plays hepatoprotective role against carbon tetrachloride induced liver damage via its antioxidant properties. *Food Chem Toxicol*, 45(5), 817-826. doi:10.1016/j.fct.2006.10.029
- Boim, M. A., Heilberg, I. P., & Schor, N. (2010). *Phyllanthus niruri* as a promising alternative treatment for nephrolithiasis. *Int Braz J Urol*, 36(6), 657-664; discussion 664. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/21176271>
- Bose, M., Farnia, P., Sharma, S., Chattopadhyaya, D., & Saha, K. (1999). Nitric oxide dependent killing of *mycobacterium tuberculosis* by human mononuclear phagocytes from patients with active tuberculosis. *Int J Immunopathol Pharmacol*, 12(2), 69-79. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12783649>
- Bloom, B. R., Modlin, R. L., & Salgame, P. (1992). Stigma variations: observations on suppressor T cells and leprosy. *Annu Rev Immunol*, 10, 453-488. doi:10.1146/annurev.iy.10.040192.002321
- Brennan, P. J. (2003). Structure, function, and biogenesis of the cell wall of *Mycobacterium tuberculosis*. *Tuberculosis (Edinb)*, 83(1-3), 91-97. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12758196>
- Chatterjee, M., & Sil, P. C. (2006). Hepatoprotective effect of aqueous extract of *Phyllanthus niruri* on nimesulide-induced oxidative stress in vivo. *Indian J Biochem Biophys*, 43(5), 299-305. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/17133737>
- Clemens, D. L., Lee, B. Y., & Horwitz, M. A. (2000). Deviant expression of Rab5 on phagosomes containing the intracellular pathogens *Mycobacterium tuberculosis* and *Legionella pneumophila* is associated with altered phagosomal fate. *Infect Immun*, 68(5), 2671-2684. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10768959>
- Colpo, E., Vilanova, C. D., Pereira, R. P., Reetz, L. G., Oliveira, L., Farias, I. L., . . . Rocha, J. B. (2014). Antioxidant effects of *Phyllanthus niruri* tea on healthy subjects. *Asian Pac J Trop Med*, 7(2), 113-118. doi:10.1016/S1995-7645(14)60005-5
- Cooper, A. M. (2009). Cell-mediated immune responses in tuberculosis. *Annu Rev Immunol*, 27, 393-422. doi:10.1146/annurev.immunol.021908.132703



- Cooper, A. M., Dalton, D. K., Stewart, T. A., Griffin, J. P., Russell, D. G., & Orme, I. M. (1993). Disseminated tuberculosis in interferon gamma gene-disrupted mice. *J Exp Med*, 178(6), 2243-2247. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8245795>
- Cooper, A. M., Magram, J., Ferrante, J., & Orme, I. M. (1997). Interleukin 12 (IL-12) is crucial to the development of protective immunity in mice intravenously infected with mycobacterium tuberculosis. *J Exp Med*, 186(1), 39-45. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9206995>
- Cooper, A. M., Pearl, J. E., Brooks, J. V., Ehlers, S., & Orme, I. M. (2000). Expression of the nitric oxide synthase 2 gene is not essential for early control of Mycobacterium tuberculosis in the murine lung. *Infect Immun*, 68(12), 6879-6882. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11083808>
- Cooper, A. M., Solache, A., & Khader, S. A. (2007). Interleukin-12 and tuberculosis: an old story revisited. *Curr Opin Immunol*, 19(4), 441-447. doi:10.1016/j.coi.2007.07.004
- Corper, H. J., & Cohn, M. L. (1951). The viability and virulence of old cultures of tubercle bacilli; studies on 30-year-old broth cultures maintained at 37 degrees C. *Tubercle*, 32(11), 232-237. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/14893467>
- de Jong, R., Altare, F., Haagen, I. A., Elferink, D. G., Boer, T., van Breda Vriesman, P. J., . . . Ottenhoff, T. H. (1998). Severe mycobacterial and Salmonella infections in interleukin-12 receptor-deficient patients. *Science*, 280(5368), 1435-1438. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9603733>
- Delespesse, G., Demeure, C.E., Yang, L.P., Oshima, Y., Byun, D.G. and Shu U., 1997. In-vitro maturation of naive human CD 4+ T lymphocytes into Th1 and Th2 effectors. *Int. Arch. Allergy Immunol.* 113(1-3): 157-159
- Denis, M. (1991). Involvement of cytokines in determining resistance and acquired immunity in murine tuberculosis. *J Leukoc Biol*, 50(5), 495-501. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1748843>
- Dirjomuljono, M., Tjandrawinata, R.R., 2011. Chapter 19: Clinical trials involving *Phyllanthus* species. *CRC Press* p 289-314
- El Kasmi, K. C., Qualls, J. E., Pesce, J. T., Smith, A. M., Thompson, R. W., Henao-Tamayo, M., . . . Murray, P. J. (2008). Toll-like receptor-induced arginase 1 in macrophages thwarts effective immunity against intracellular pathogens. *Nat Immunol*, 9(12), 1399-1406. doi:10.1038/ni.1671
- Ellner, J. J. (1997). Review: the immune response in human tuberculosis--implications for tuberculosis control. *J Infect Dis*, 176(5), 1351-1359. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9359738>
- Fenton, M. J., & Vermeulen, M. W. (1996). Immunopathology of tuberculosis: roles of macrophages and monocytes. *Infect Immun*, 64(3), 683-690. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8641767>
- Flynn, J. L., & Chan, J. (2001). Immunology of tuberculosis. *Annu Rev Immunol*, 19, 93-129. doi:10.1146/annurev.immunol.19.1.93
- Frucht, D. M., & Holland, S. M. (1996). Defective monocyte costimulation for IFN-gamma production in familial disseminated Mycobacterium avium complex infection:

- abnormal IL-12 regulation. *J Immunol*, 157(1), 411-416. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8683146>
- Gehring, A. J., Rojas, R. E., Canaday, D. H., Lakey, D. L., Harding, C. V., & Boom, W. H. (2003). The Mycobacterium tuberculosis 19-kilodalton lipoprotein inhibits gamma interferon-regulated HLA-DR and Fc gamma R1 on human macrophages through Toll-like receptor 2. *Infect Immun*, 71(8), 4487-4497. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12874328>
- Giribabu, N., Rao, P. V., Kumar, K. P., Muniandy, S., Swapna Rekha, S., & Salleh, N. (2014). Aqueous Extract of Phyllanthus niruri Leaves Displays In Vitro Antioxidant Activity and Prevents the Elevation of Oxidative Stress in the Kidney of Streptozotocin-Induced Diabetic Male Rats. *Evid Based Complement Alternat Med*, 2014, 834815. doi:10.1155/2014/834815
- Gobin, J., Moore, C. H., Reeve, J. R., Jr., Wong, D. K., Gibson, B. W., & Horwitz, M. A. (1995). Iron acquisition by Mycobacterium tuberculosis: isolation and characterization of a family of iron-binding exochelins. *Proc Natl Acad Sci U S A*, 92(11), 5189-5193. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7761471>
- Gong, J. H., Zhang, M., Modlin, R. L., Linsley, P. S., Iyer, D., Lin, Y., & Barnes, P. F. (1996). Interleukin-10 downregulates Mycobacterium tuberculosis-induced Th1 responses and CTLA-4 expression. *Infect Immun*, 64(3), 913-918. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8641800>
- Green, L. C., Wagner, D. A., Glogowski, J., Skipper, P. L., Wishnok, J. S., & Tannenbaum, S. R. (1982). Analysis of nitrate, nitrite, and [15N]nitrate in biological fluids. *Anal Biochem*, 126(1), 131-138. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7181105>
- Griffin, J. P., Harshan, K. V., Born, W. K., & Orme, I. M. (1991). Kinetics of accumulation of gamma delta receptor-bearing T lymphocytes in mice infected with live mycobacteria. *Infect Immun*, 59(11), 4263-4265. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1834574>
- Hamblin, A.S., 1993. In: Cytokines and cytokine receptors. 2nd edition. (Editor: D. Male) *IRL Press*, Oxford.
- Hill, A. V. (1998). The immunogenetics of human infectious diseases. *Annu Rev Immunol*, 16, 593-617. doi:10.1146/annurev.immunol.16.1.593
- Hirsch, C. S., Johnson, J. L., Okwera, A., Kanost, R. A., Wu, M., Peters, P., . . . Toossi, Z. (2005). Mechanisms of apoptosis of T-cells in human tuberculosis. *J Clin Immunol*, 25(4), 353-364. doi:10.1007/s10875-005-4841-4
- Hirsch, C. S., Toossi, Z., Othieno, C., Johnson, J. L., Schwander, S. K., Robertson, S., . . . Ellner, J. J. (1999). Depressed T-cell interferon-gamma responses in pulmonary tuberculosis: analysis of underlying mechanisms and modulation with therapy. *J Infect Dis*, 180(6), 2069-2073. doi:10.1086/315114
- Huang, S. T., Pang, J. H., & Yang, R. C. (2010). Anti-cancer effects of Phyllanthus urinaria and relevant mechanisms. *Chang Gung Med J*, 33(5), 477-487. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/20979698>



- Ibnul, 2012, Uji Komparasi Aktivitas Fagositosis Makrofag dan Produksi Nitrit Oksida pada Mencit Balb/c Akibat Perlakuan Ekstrak Meniran Hijau (*Phyllanthus niruri*) dan Meniran Merah (*Phyllanthus urinaria*) yang diinfeksi Bakteri *Salmonella thypi*, Tesis, Pascasarjana Biosains, Universitas Sebelas Maret, Surakarta.
- Ibrahim, D., Hong, L. S., & Kuppan, N. (2013). Antimicrobial activity of crude methanolic extract from *Phyllanthus niruri*. *Nat Prod Commun*, 8(4), 493-496. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/23738462>
- Idh, J., Westman, A., Elias, D., Moges, F., Getachew, A., Gelaw, A., . . . Schon, T. (2008). Nitric oxide production in the exhaled air of patients with pulmonary tuberculosis in relation to HIV co-infection. *BMC Infect Dis*, 8, 146. doi:10.1186/1471-2334-8-146
- Jagetia, G. C., & Baliga, M. S. (2004). The evaluation of nitric oxide scavenging activity of certain Indian medicinal plants in vitro: a preliminary study. *J Med Food*, 7(3), 343-348. doi:10.1089/jmf.2004.7.343
- Janeway, C.A., 1992. The immune system evolved to discriminate infectious nonself from noninfectious self. *Immunol. Today* 13: 11-16
- Johnson, B. J., Ress, S. R., Willcox, P., Pati, B. P., Lorgat, F., Stead, P., . . . et al. (1995). Clinical and immune responses of tuberculosis patients treated with low-dose IL-2 and multidrug therapy. *Cytokines Mol Ther*, 1(3), 185-196. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9384675>
- Jouanguy, E., Altare, F., Lamhamedi, S., Revy, P., Emile, J. F., Newport, M., . . . Casanova, J. L. (1996). Interferon-gamma-receptor deficiency in an infant with fatal bacille Calmette-Guerin infection. *N Engl J Med*, 335(26), 1956-1961. doi:10.1056/NEJM199612263352604
- Kaplan, G., Britton, W. J., Hancock, G. E., Theuvenet, W. J., Smith, K. A., Job, C. K., . . . et al. (1991). The systemic influence of recombinant interleukin 2 on the manifestations of lepromatous leprosy. *J Exp Med*, 173(4), 993-1006. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/2007862>
- Kaufmann, S. H. (1996). gamma/delta and other unconventional T lymphocytes: what do they see and what do they do? *Proc Natl Acad Sci U S A*, 93(6), 2272-2279. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8637862>
- Kindler, V., Sappino, A. P., Grau, G. E., Piguet, P. F., & Vassalli, P. (1989). The inducing role of tumor necrosis factor in the development of bactericidal granulomas during BCG infection. *Cell*, 56(5), 731-740. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/2647299>
- Kramnik, I., Dietrich, W. F., Demant, P., & Bloom, B. R. (2000). Genetic control of resistance to experimental infection with virulent *Mycobacterium tuberculosis*. *Proc Natl Acad Sci U S A*, 97(15), 8560-8565. doi:10.1073/pnas.150227197
- Lammas, D. A., Stober, C., Harvey, C. J., Kendrick, N., Panchalingam, S., & Kumararatne, D. S. (1997). ATP-induced killing of mycobacteria by human macrophages is mediated by purinergic P2Z(P2X7) receptors. *Immunity*, 7(3), 433-444. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9324363>



- Law, K. F., Jagirdar, J., Weiden, M. D., Bodkin, M., & Rom, W. N. (1996). Tuberculosis in HIV-positive patients: cellular response and immune activation in the lung. *Am J Respir Crit Care Med*, 153(4 Pt 1), 1377-1384. doi:10.1164/ajrccm.153.4.8616569
- Le Cabec, V., Cols, C., & Maridonneau-Parini, I. (2000). Nonopsonic phagocytosis of zymosan and *Mycobacterium kansasii* by CR3 (CD11b/CD18) involves distinct molecular determinants and is or is not coupled with NADPH oxidase activation. *Infect Immun*, 68(8), 4736-4745. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10899880>
- Liu, Q., Wang, Y. F., Chen, R. J., Zhang, M. Y., Wang, Y. F., Yang, C. R., & Zhang, Y. J. (2009). Anti-coxsackie virus B3 norsesquiterpenoids from the roots of *Phyllanthus emblica*. *J Nat Prod*, 72(5), 969-972. doi:10.1021/np800792d
- Liu, S., Wei, W., Li, Y., Lin, X., Shi, K., Cao, X., & Zhou, M. (2014). In vitro and in vivo anti-hepatitis B virus activities of the lignan nirtetralin B isolated from *Phyllanthus niruri* L. *J Ethnopharmacol*, 157, 62-68. doi:10.1016/j.jep.2014.09.019
- Maat., S, 1996, *Phyllanthus niruri* Linn sebagai Imunostimulator pada Mencit, Rangkuman Disertasi, Program Pasca Sarjana Universitas Airlangga
- MacMicking, J. D., North, R. J., LaCourse, R., Mudgett, J. S., Shah, S. K., & Nathan, C. F. (1997). Identification of nitric oxide synthase as a protective locus against tuberculosis. *Proc Natl Acad Sci U S A*, 94(10), 5243-5248. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9144222>
- Mahata, S., Pandey, A., Shukla, S., Tyagi, A., Husain, S. A., Das, B. C., & Bharti, A. C. (2013). Anticancer activity of *Phyllanthus emblica* Linn. (Indian gooseberry): inhibition of transcription factor AP-1 and HPV gene expression in cervical cancer cells. *Nutr Cancer*, 65 Suppl 1, 88-97. doi:10.1080/01635581.2013.785008
- Mangunwardoyo, W.E. & Cahyaningsih, T., 2009, Ekstraksi dan Identifikasi Senyawa Antimikroba Herba Meniran (*Phyllanthus niruri* L), *Jurnal Ilmu Kefarmasian Indonesia*, 7 (2) : 57-63
- Mantovani, A., Sica, A., Sozzani, S., Allavena, P., Vecchi, A., & Locati, M. (2004). The chemokine system in diverse forms of macrophage activation and polarization. *Trends Immunol*, 25(12), 677-686. doi:10.1016/j.it.2004.09.015
- Martinez, F. O., & Gordon, S. (2014). The M1 and M2 paradigm of macrophage activation: time for reassessment. *F1000Prime Rep*, 6, 13. doi:10.12703/P6-13
- Mellinger, C. G., Carbonero, E. R., Noletto, G. R., Cipriani, T. R., Oliveira, M. B., Gorin, P. A., & Iacomini, M. (2005). Chemical and biological properties of an arabinogalactan from *Phyllanthusniruri*. *J Nat Prod*, 68(10), 1479-1483. doi:10.1021/np050129s
- Mellinger, C. G., Cipriani, T. R., Noletto, G. R., Carbonero, E. R., Oliveira, M. B., Gorin, P. A., & Iacomini, M. (2008). Chemical and immunological modifications of an arabinogalactan present in tea preparations of *Phyllanthus niruri* after treatment with gastric fluid. *Int J Biol Macromol*, 43(2), 115-120. doi:10.1016/j.ijbiomac.2008.04.001
- Modlin, R. L. (1995). Cytokine responses in leprosy lesions. *Nihon Rai Gakkai Zasshi*, 64(2), 85-88. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7592165>
- Moreira, A. L., Tsenova-Berkova, L., Wang, J., Laochumroonvorapong, P., Freeman, S., Freedman, V. H., & Kaplan, G. (1997). Effect of cytokine modulation by thalidomide

- on the granulomatous response in murine tuberculosis. *Tuber Lung Dis*, 78(1), 47-55. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9666962>
- Nagai, S., Wiker, H. G., Harboe, M., & Kinomoto, M. (1991). Isolation and partial characterization of major protein antigens in the culture fluid of *Mycobacterium tuberculosis*. *Infect Immun*, 59(1), 372-382. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1898899>
- Nandi B, Behar SM., 2011. Regulation of neutrophils by interferon-gamma limits lung inflammation during tuberculosis infection. *J Exp Med* 208:2251–62
- Nathan, C. (2002). Inducible nitric oxide synthase in the tuberculous human lung. *Am J Respir Crit Care Med*, 166(2), 130-131. doi:10.1164/rccm.2205016
- Newport, M. J., Huxley, C. M., Huston, S., Hawrylowicz, C. M., Oostra, B. A., Williamson, R., & Levin, M. (1996). A mutation in the interferon-gamma-receptor gene and susceptibility to mycobacterial infection. *N Engl J Med*, 335(26), 1941-1949. doi:10.1056/NEJM199612263352602
- North, R. J. (1998). Mice incapable of making IL-4 or IL-10 display normal resistance to infection with *Mycobacterium tuberculosis*. *Clin Exp Immunol*, 113(1), 55-58. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9697983>
- Novo, E., & Parola, M. (2008). Redox mechanisms in hepatic chronic wound healing and fibrogenesis. *Fibrogenesis Tissue Repair*, 1(1), 5. doi:10.1186/1755-1536-1-5
- Nworu, C. S., Akah, P. A., Okoye, F. B., Proksch, P., & Esimone, C. O. (2010). The effects of *Phyllanthus niruri* aqueous extract on the activation of murine lymphocytes and bone marrow-derived macrophages. *Immunol Invest*, 39(3), 245-267. doi:10.3109/08820131003599585
- Orme, I. M., & Cooper, A. M. (1999). Cytokine/chemokine cascades in immunity to tuberculosis. *Immunol Today*, 20(7), 307-312. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10379048>
- Othieno, C., Hirsch, C. S., Hamilton, B. D., Wilkinson, K., Ellner, J. J., & Toossi, Z. (1999). Interaction of *Mycobacterium tuberculosis*-induced transforming growth factor beta1 and interleukin-10. *Infect Immun*, 67(11), 5730-5735. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10531222>
- Pacher, P., Beckman, J. S., & Liaudet, L. (2007). Nitric oxide and peroxynitrite in health and disease. *Physiol Rev*, 87(1), 315-424. doi:10.1152/physrev.00029.2006
- Paithankar, V. V., Raut, K. S., Charde, R. M. & Vyas, J. V., 2011, Review Article, *Phyllanthus niruri* : A Magic Herb, *Research in Pharmacy* 1 (4) : 1- 9.
- Paur, I., Carlsen, M. H., Halvorsen, B. L., & Blomhoff, R. (2011). Antioxidants in Herbs and Spices: Roles in Oxidative Stress and Redox Signaling. In I. F. F. Benzie & S. Wachtel-Galor (Eds.), *Herbal Medicine: Biomolecular and Clinical Aspects* (2nd ed.). Boca Raton (FL).
- Pottumarthy, S., Morris, A. J., Harrison, A. C., & Wells, V. C. (1999). Evaluation of the tuberculin gamma interferon assay: potential to replace the Mantoux skin test. *J Clin Microbiol*, 37(10), 3229-3232. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10488182>



- Ranilla, L. G., Apostolidis, E., & Shetty, K. (2012). Antimicrobial activity of an Amazon medicinal plant (Chancapiedra) (*Phyllanthus niruri* L.) against *Helicobacter pylori* and lactic acid bacteria. *Phytother Res*, 26(6), 791-799. doi:10.1002/ptr.3646
- Riss, T. L., Moravec, R. A., Niles, A. L., Benink, H. A., Worzella, T. J., & Minor, L. (2004). Cell Viability Assays. In G. S. Sittampalam, N. P. Coussens, H. Nelson, M. Arkin, D. Auld, C. Austin, B. Bejcek, M. Glicksman, J. Inglese, P. W. Iversen, Z. Li, J. McGee, O. McManus, L. Minor, A. Napper, J. M. Peltier, T. Riss, O. J. Trask, Jr., & J. Weidner (Eds.), *Assay Guidance Manual*. Bethesda (MD).
- Robbins, R. A., Barnes, P. J., Springall, D. R., Warren, J. B., Kwon, O. J., Buttery, L. D., . . . Polak, J. M. (1994). Expression of inducible nitric oxide in human lung epithelial cells. *Biochem Biophys Res Commun*, 203(1), 209-218. doi:10.1006/bbrc.1994.2169
- Romagnani, S. (1999). Th1/Th2 cells. *Inflamm Bowel Dis*, 5(4), 285-294. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10579123>
- Romagnani, S. (2000). T-cell subsets (Th1 versus Th2). *Ann Allergy Asthma Immunol*, 85(1), 9-18; quiz 18, 21. doi:10.1016/S1081-1206(10)62426-X
- Russell, D. G., Dant, J., & Sturgill-Koszycki, S. (1996). Mycobacterium avium- and Mycobacterium tuberculosis-containing vacuoles are dynamic, fusion-competent vesicles that are accessible to glycosphingolipids from the host cell plasmalemma. *J Immunol*, 156(12), 4764-4773. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8648123>
- Sarkar, M. K., & Sil, P. C. (2007). Hepatocytes are protected by herb *Phyllanthus niruri* protein isolate against thioacetamide toxicity. *Pathophysiology*, 14(2), 113-120. doi:10.1016/j.pathophys.2007.08.001
- Scanga, C. A., Mohan, V. P., Yu, K., Joseph, H., Tanaka, K., Chan, J., & Flynn, J. L. (2000). Depletion of CD4(+) T cells causes reactivation of murine persistent tuberculosis despite continued expression of interferon gamma and nitric oxide synthase 2. *J Exp Med*, 192(3), 347-358. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10934223>
- Schluger, N. W., & Rom, W. N. (1998). The host immune response to tuberculosis. *Am J Respir Crit Care Med*, 157(3 Pt 1), 679-691. doi:10.1164/ajrccm.157.3.9708002
- Schwander, S. K., Torres, M., Carranza, C. C., Escobedo, D., Tary-Lehmann, M., Anderson, P., . . . Sada, E. (2000). Pulmonary mononuclear cell responses to antigens of *Mycobacterium tuberculosis* in healthy household contacts of patients with active tuberculosis and healthy controls from the community. *J Immunol*, 165(3), 1479-1485. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10903753>
- Seah, G. T., Scott, G. M., & Rook, G. A. (2000). Type 2 cytokine gene activation and its relationship to extent of disease in patients with tuberculosis. *J Infect Dis*, 181(1), 385-389. doi:10.1086/315200
- Sharma, S., Sharma, M., Roy, S., Kumar, P., & Bose, M. (2004). *Mycobacterium tuberculosis* induces high production of nitric oxide in coordination with production of tumour necrosis factor-alpha in patients with fresh active tuberculosis but not in MDR tuberculosis. *Immunol Cell Biol*, 82(4), 377-382. doi:10.1111/j.0818-9641.2004.01245.x



- Sharma, P., Parmar, J., Verma, P., & Goyal, P. K. (2011). Modulatory influence of *Phyllanthus niruri* on oxidative stress, antioxidant defense and chemically induced skin tumors. *J Environ Pathol Toxicol Oncol*, 30(1), 43-53. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/21609315>
- Sharma, P., Parmar, J., Verma, P., Sharma, P., & Goyal, P. K. (2009). Anti-tumor activity of *Phyllanthus niruri* (a medicinal plant) on chemical-induced skin carcinogenesis in mice. *Asian Pac J Cancer Prev*, 10(6), 1089-1094. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/20192590>
- Shearer, J. D., Richards, J. R., Mills, C. D., & Caldwell, M. D. (1997). Differential regulation of macrophage arginine metabolism: a proposed role in wound healing. *Am J Physiol*, 272(2 Pt 1), E181-190. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9124321>
- Sonkin, L. S. (1951). The role of particle size in experimental air-borne infection. *Am J Hyg*, 53(3), 337-354. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/14829446>
- Stenger, S., Mazzaccaro, R. J., Uyemura, K., Cho, S., Barnes, P. F., Rosat, J. P., . . . Modlin, R. L. (1997). Differential effects of cytolytic T cell subsets on intracellular infection. *Science*, 276(5319), 1684-1687. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9180075>
- Sturgill-Koszycki, S., Schlesinger, P. H., Chakraborty, P., Haddix, P. L., Collins, H. L., Fok, A. K., . . . Russell, D. G. (1994). Lack of acidification in Mycobacterium phagosomes produced by exclusion of the vesicular proton-ATPase. *Science*, 263(5147), 678-681. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8303277>
- Sun, L., Wu, J., Du, F., Chen, X., & Chen, Z. J. (2013). Cyclic GMP-AMP synthase is a cytosolic DNA sensor that activates the type I interferon pathway. *Science*, 339(6121), 786-791. doi:10.1126/science.1232458
- Swaminithan, S., Gong, J., Zhang, M., Samten, B., Hanna, L.E., Narayanan, P.R. and Barnes, P.F., 1999. Cytokine production in children with tuberculosis infection and disease. *Clin. Inf. Dis.* 28: 1290-1293
- Syamsuhidayat, S.S. & Hutapea, J.R., 1991, Inventaris Tanaman Obat Indonesia, Departemen Kesehatan RI, Jakarta
- Tjandrawinata, R.R., S. Maat & D. Noviarny, 2005, Effect of Standardized *Phyllanthus niruri* Extract on Changes in Immunologic Parameters: Correlation Between Pre-clinical and Clinical Studies. *Medika XXXI* (6) : 367-371.
- Toossi, Z., Gogate, P., Shiratsuchi, H., Young, T., & Ellner, J. J. (1995). Enhanced production of TGF-beta by blood monocytes from patients with active tuberculosis and presence of TGF-beta in tuberculous granulomatous lung lesions. *J Immunol*, 154(1), 465-473. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7995958>
- Torres, M., Herrera, T., Villareal, H., Rich, E. A., & Sada, E. (1998). Cytokine profiles for peripheral blood lymphocytes from patients with active pulmonary tuberculosis and healthy household contacts in response to the 30-kilodalton antigen of Mycobacterium tuberculosis. *Infect Immun*, 66(1), 176-180. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9423855>



- Turner, J., Corrah, T., Sabbally, S., Whittle, H., & Dockrell, H. M. (2000). A longitudinal study of in vitro IFN γ production and cytotoxic T cell responses of tuberculosis patients in the gambia. *Tuber Lung Dis*, 80(3), 161-169. doi:10.1054/tuld.2000.0241
- Unander DW, Venkateswaran PS, Millman I, Bryan HH, Blumberg BS. Phyllanthus species: sources of new antiviral compounds. From: <http://www.hort.purdue.edu/newcorp/proceedings1990/v1-518.html>
- Verbon, A., Juffermans, N., Van Deventer, S. J., Speelman, P., Van Deutekom, H., & Van Der Poll, T. (1999). Serum concentrations of cytokines in patients with active tuberculosis (TB) and after treatment. *Clin Exp Immunol*, 115(1), 110-113. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9933428>
- Watson, R. O., Manzanillo, P. S., & Cox, J. S. (2012). Extracellular M. tuberculosis DNA targets bacteria for autophagy by activating the host DNA-sensing pathway. *Cell*, 150(4), 803-815. doi:10.1016/j.cell.2012.06.040
- Weiss, G., & Schaible, U. E. (2015). Macrophage defense mechanisms against intracellular bacteria. *Immunol Rev*, 264(1), 182-203. doi:10.1111/imr.12266
- World Health Organization (WHO). 2013. Global tuberculosis report; Geneva.
- World Health Organization (WHO). 2015. Global tuberculosis report; Geneva
- Wu, Y., Lu, Y., Li, S. Y., Song, Y. H., Hao, Y., & Wang, Q. (2015). Extract from Phyllanthus urinaria L. inhibits hepatitis B virus replication and expression in hepatitis B virus transfection model in vitro. *Chin J Integr Med*, 21(12), 938-943. doi:10.1007/s11655-015-2076-7
- Xia, Y., Luo, H., Liu, J. P., & Gluud, C. (2013). Phyllanthus species versus antiviral drugs for chronic hepatitis B virus infection. *Cochrane Database Syst Rev*, 4, CD009004. doi:10.1002/14651858.CD009004.pub2
- Xie, Q. W., Whisnant, R., & Nathan, C. (1993). Promoter of the mouse gene encoding calcium-independent nitric oxide synthase confers inducibility by interferon gamma and bacterial lipopolysaccharide. *J Exp Med*, 177(6), 1779-1784. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7684434>
- Zhang, M., Gately, M. K., Wang, E., Gong, J., Wolf, S. F., Lu, S., . . . Barnes, P. F. (1994). Interleukin 12 at the site of disease in tuberculosis. *J Clin Invest*, 93(4), 1733-1739. doi:10.1172/JCI117157