UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Carboxy Methyl Cellulose (CMC) Dari Biji Salak (Salacca edulis Reinw) Pondoh Super
AGUS SETIYOKO, Prof.Dr.Sri Anggrahini,MS; Prof.Dr.Ir.Djagal Wiseso Marseno,M.Agr
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adinugraha, M. P., Marseno D. W., dan Haryadi, 2005. Synthesis and Characterization of sodium Carboxymethylcellulose from Cavendish Banana Pseudo steam (*Musa cavendishii* LAMBERT). *Carbohydrate Polymers*, 62:164-169.

Adiseno,B.,2008. Sintesis dan Karakterisasi Sodium Karboksimetilselulosa dari Tandan Kosong Kelapa Sawit serta Aplikasinya sebagai Penstabil Emulsi Santan Kelapa. Tesis. Program Studi Teknologi Hasil Perkebunan. Program Pasca Sarjana Universitas Gadjah Mada. Yogyakarta.

Aji, B.K. dan Kurniawan. F. 2012. Pemanfaatan Serbuk Biji Salak (*Salacca zalacca*) sebagai Adsorben Cr (VI) dengan Metode Batch dan Kolom. *Jurnal Sains* POMITS, 1(1): 1-6.

Anonim. 1989. Sodium Carboxymethyl Cellulose. Prepared at the 28th JECFA (1984), Published in FNP 31/2 (1984) and in FNP 52 (1992).

Anonim 1994. Standart Test methods for Sodium CMC. ASTM : D 1439-94. ASTM Committee on Standards. Philadelpia, 291-298.

Anonim. 1995. Natrium Karboksi Metil Selulosa Teknis. Standar Nasional Indonesia. SNl 06-3736-1995.

Anonim. 2011. Sodium Carboxymethyl Cellulose. Combined Compendium of Food Additive Specificationd, FAO JECFA Monographs 11.

Anonim.2014. Draft Import Risk Analysis Report for Fresh Salacca (snake fruit) from Indonesia, Department of Agriculture, Canberra. Auatralia

Anonim.2015. *Basis Data Statistik Pertanian*. Kementrian Pertanian RI . Diambil dari http://aplikasi.pertanian.go.id/bdsp/index.asp, [10 Maret 2016].

Arya, J. Meenakshidan, L.J. dan Rao. M .2007. An Impression of Coffee Carbohydrates. Critical Reviews in *Food Science and Nutrition*. 47(5) :1-67.

Astuti, L. 2013. *Kopi Nikmat Khas Tapanuli, Terbuat dari Biji Salak.* diambil dari http://life.viva.co.id/news/read/459165-kopi-nikmat-khas-tapanuli--terbuat-dari-biji-salak [11 Januari 2016].

Aziz, A.A., Husin .M dan Mokhtar. A. 2002. Preparation of Cellulose From Oil Palm Empty Fruit Bunches via Ethanol Digestion: Effect of Acid and Alkali Catalysts. *Journal of Oil Palm Research*. 14 (1) : 9-14.

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Carboxy Methyl Cellulose (CMC) Dari Biji Salak (Salacca edulis Reinw) Pondoh Super
AGUS SETIYOKO, Prof.Dr.Sri Anggrahini,MS; Prof.Dr.Ir.Djagal Wiseso Marseno,M.Agr
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Barai, B.K.,Singhal,R.S.,dan Kulkarni,P.R,1997. Optimiztion of a Process for Preparing CMC from Water Hyacinth (*Eichorma crassipies*). *Carbohydrate Polymers*,32:229-231.

Beatriz, A.P. Ciaocco, G.T. dan Frollini. E. 2006. Mercerized Linters Cellulose: Characterization and Acetylation in N,N-dimethylacetamide/lithium Chloride. *Carbohydrate Polymers*. 63:19-29.

Bewley, J.D., Bradford, K.J. Hilhorst, H.W.M. dan Nonogaki. H. 2013. *Seeds: Physiology of Development, Germination and Dormancy, 3rd Edition*. New York: Springer.

Browning, B.L.1967. Methodes of Wood Chemistry. Vol II. Interscience Publishera A Division of John Wiley and Sons. New Yor, USA.

Ceng, H.N. dan Biswas, A. 2011. Chemical Modification of Cotton Based Natural Materials; Products from Carboxymethyl Cellulose. *Carbohydrate Polymers.* 84:1004-1010.

Chesson, A. 1981. Effects of Sodium Hydroxide on Cereal Straws in Relation to the Enhanced Degradation of Structural Polysaccarides by Rumen Microorganisms. *Journal Science of Food Agriculture*. 32:745-7458.

Cicilia,S.,2013. Isolasi Selulosa dan Sintesis Carboxymethyl Cellulose dari Tangkai Eceng Gondok *(Eichornia crassipies* Solm). Tesis. Program Studi Ilmu dan Teknologi Pangan. Program Pasca Sarjana Universitas Gadjah Mada. Yogyakarta.

Dimyati, Irfanto, H., Padil, dan Yemilda. 2008. Proses Bleaching Pelepah Sawit Hasil Hidrolisis Sebagai Bahan Baku Nitroselulosa dengan Variasi Suhu dan Waktu Reaksi. Laporan Penelitian Hibah Penelitian Stranas Batch II, Universitas Riau.

Djerbi, S. 2005. Cellulose Synthases in Populus-Identification, Expression Analyses in Vitro Synthesis. School of Biotechnology, Albanova University Center, Royal Institute of Technology, Stockholm, Sweden.

Durgin , A.G.1957. The Alkaline Process. Modern Pulp Paper Marking. 3ed. Reinhold Publishing Corp. New York, USA.

Elwin, Lutfi, M., dan Hendrawan, Y. 2013. Analisis Pengaruh Waktu Pretreatmet dan Konsentrasi NaOH terhadap Kandungan Selulosa, Lignin, dan Hemiselulosa Eceng Gondok Pada Proses Pretreatment Pembuatan Bioetanol. *Jurnal Pangan dan Agroindustri*, 2 (2): 104-110.

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Carboxy Methyl Cellulose (CMC) Dari Biji Salak (Salacca edulis Reinw) Pondoh Super
AGUS SETIYOKO, Prof.Dr.Sri Anggrahini,MS; Prof.Dr.Ir.Djagal Wiseso Marseno,M.Agr
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Endo, T., Zhang, F. Kitagwa. R, Horotsu. T, dan Hosokawa, J. 2000. Formation of Hydrogen-Bonds between Particles of Fine Cellulose to Yield a Transparent Cellulose Plate. *Polymer Journal*. 32(2) : 182-185.

Fan. T. J., Medioni, G., dan Nevatia, R.1982. Recognizing 3D Objects Using Surface Descriptions". IEEE Transactions on Pattern Analysis and Machine Intelligence, *Polymer Journal* ,11(11):1140-1157.

Fathoni, F. 2014. Studi Potensi Biji Salak (*Salacca Edulis* Reinw) Sebagai Sumber Alternatif Monosakarida Dengan Cara Hidrolisis Menggunakan Asam Klorida. Skripsi. Program Studi Teknologi Pangan Dan Hasil Pertanian. Fakultas Teknologi Pertanian Universitas Gadjah Mada Yogyakarta.

Fengel, D dan Wegener, G. 1995. Kayu: Kimia Ultrastruktur, Rekasi-Reaksi. Icd, Gadjah Mada University Press. Yogyakarta.

Fennema, O.R. 1996. Food Chemistry. Third Ed. University of Wisconsin-Madison, Marcel Dekker Inc. New York, USA.

Ferdiansyah, M.K. 2013. Isolasi Selulosa dan Sintesis Karboksi Metil Selulosa (CMC) Dari Pelepah Kelapa Sawit. Tesis. Program Studi Ilmu dan Teknologi Pangan. Program Pasca Sarjana Universitas Gadjah Mada. Yogyakarta.

Fessenden,R.J. dan Fessenden. R.S .1999. Organic Chemistry. 6ed. Delta State University. Cleveland.

Gilligan,J.J.,1974.The Organic Chemicals Industries. Dalam J.L.Pyle.Chemistry and Technological Backlash.Prentice-Hall,Inc.,New York Jersey.

Glicksman, M. 2000. Food Hydrocoloids Volume 1. CRC Press, Inc., Boca Raton, Florida,199-200.

Hapsari, W. A. 2015. Pengaruh Lama Penyangraian dan Penambahan Gula Kelapa Pada Pembuatan Bubuk Biji Salak Dengan Derajat Penyangraian Ringan Terhadap Karakteristik dan Aktivitas Antioksidan. Skripsi. Program Studi Teknologi Pangan Dan Hasil Pertanian. Fakultas Teknologi Pertanian Universitas Gadjah Mada Yogyakarta.

Heinze,T.,dan Pfeiffer,K.,1999. Studies on The Sinthesis and Characterization of CMC. Die Angewandte Makromolekuler Chemie. 206:37-45.

Heinze, T.,.Erler. U., Nehls, I dan Klemm. D. 1994. Determination of The substituent Pattern of Heterogenously Cellulose by Using High-Performance

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Carboxy Methyl Cellulose (CMC) Dari Biji Salak (Salacca edulis Reinw) Pondoh Super
AGUS SETIYOKO, Prof.Dr.Sri Anggrahini,MS; Prof.Dr.Ir.Djagal Wiseso Marseno,M.Agr
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

:Liquid Chromatography. Die Angenwandte Makromolekulare Chemie .215:99-106.

Hidayati, 1999. Pemutihan Pulp Ampas Tebu Untuk Dasar Pembuatan CMC. Thesis. Program Studi Teknologi Hasil Perkebunan. Fakultas Teknologi Pertanian Universitas Gadjah Mada .Yogyakarta.

Hutomo,G.S.,Marseno, D.W.,Anggrahini,S.,dan Supriyanto.,2012. Synthesis and Characterization of Sodium Carboxymethylcellulose from Pod Husk of Cacao (*Theobroma cacao* L). *African Journal of Food Science*, 6 (6):180-185.

Imeson. A.1999. Thickening abd Gelling Agents for food. Seccond edition An Aspen Publication, Maryland.

Indriati, M. 2015. Pengaruh Lama Penyangraian dan Penambahan Gula Kelapa PAda Pembuatan Bubuk Biji Salak Dengan Derajat Penyangraian Berat Terhadap Karakteristik dan Aktivitas Antioksidan. Skripsi. Program Studi Teknologi Pangan Dan Hasil Pertanian. Fakultas Teknologi Pertanian Universitas Gadjah Mada Yogyakarta.

Intani,U.N. 2007. Pemanfaatan Batang Salak Tua dari Kecamatan Cineam, Kabupaten Tasikmalaya Jawa Barat Sebagai Salah Satu Bahan Baku Tekstil. Penebar Swadaya . Jakarta.

Jiang, Guoxiang, L., Wen, F., Chen, F., Wu, S., Lin, B., Yang, dan Jiang. Y. 2013. Structural Characteristics and Antioxidant Activities of polysaccharides from longan seed. *Carbohydrate Polymers*. 92: 758-764.

Keshk, S.M.A.,S.2008. Homogenous Reaction of Cellulose from Different Natural Sources. *Carbohydrate Polymers*. 74: 942-945.

Lehninger. 1993. Principles of Biochemistry, 2nd ed. Departments Chemistry. Biocemistry, and Pharmaceutical Chemistry University of Kansas Lawrence.

Levenspiel.O.1972. Chemical Reaction Engineerig. 2ed. John Wiley & Sons, Singapore. 21-26.

Li,K.,Henrikson.G dan Gellerstedt. G. 2007. Lignin Depolymerization and repolymerization and Its Critical Role for Delignification of Aspen Wood by Steam Explosion. *Bioresource Technology*. 98 : 3061-3068.

Lim, T.K. 2012. *Edible Medicinal and Non-Medicinal Plants: Volume 1, Fruits*. New York: Springer.

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Carboxy Methyl Cellulose (CMC) Dari Biji Salak (Salacca edulis Reinw) Pondoh Super
AGUS SETIYOKO, Prof.Dr.Sri Anggrahini,MS; Prof.Dr.Ir.Djagal Wiseso Marseno,M.Agr
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Madruga, M.S., Albuquerque, F.S., Silva, I.R., Amaral, D.S. Magnani, M. dan Neto. V.Q. 2014. Chemical, Morphological and Functional Properties of Brazilian Jackfruit (*Artocarpusheterophyllus* L.) Seeds Starch. *Food Chemistry*. 143: 440-445.

Mann. G., Kunze. J, Loth. F dan Fink. H.P.1998. Cellulose Ethers with A Block-Like Distributin of The Substituents by Structure-selective Derivatization of Cellulose. *Carbohydrate Polymers*. 39 (14):3155-3165.

Meier, H. 1958. One the Structure of Cell Walls and Cell Wall Mannans from Ivory Nuts and from Dates. *BiochimicaEtBiophysica ACTA.* 28: 21-22.

Mosier, N., Wyman, C., Dale, B., Elander, R., Lee, Y., dan Holtzapple, M. 2005. Features of Promising Technologies for Pretreatment of Lignocellulosic Biomass. *Bioresource Technology*. 96(6):673-686.

Mulyani, S., dan Sofyana. 2007. Pemanfaatan Pelepah Daun Sawit Sebagai Bahan Baku Pulp Dengan Proses Etanol. Indonesian Science and Technology Digital Library.

Mussatto, Solange I., Carneiro, L.M.. Silva, J.P.A., Roberto, I.C., dan Teixeira. J.A. 2011. A study on Chemical Constituents and Sugars Extraction from Spent Coffee Grounds. *Elsevier, Carbohydrate Polymers*, 83: 368-374.

Nazarudin dan Kristiawati. R, 1992. 18 Varietas Salak. Penebar Swadaya. Jakarta.

Nisa , D. dan Putri, W.D.R. 2014. Cellulose Utilization in Cacao Pod Husk (*Theobroma cacao* L.) as Raw Material for CMC (Carboxymethyl Cellulose) Synthesis. *Jurnal Pangan dan Agroindustri*, 2(3):34-42.

.

Olaru,N.,Stolereu, A.,dan Timpu,D.,1997. Carboxymethyl Cellulose Synthesis in Organic Media Contining Ethanol and Acetone. *Journal of Applied Polymer Science*, 67:481-486.

Othmer, K.,1964. Encyclopedia of Chemical Technology. Volume 5. Meiye Publication, Inc. Taipeh,.407-413

Oudhoff, K.A.,2004. Determination of Degree of Substitution and Its Distribution of Carboxymethylcellulose by Capilary Zone Electrophoresis. *Carbohydrate Research*, 339:1917-1924

Palonen,H,2004.Role of Lignin in the Enzymatic Hydrolisis of Lignocellulose VTT Biotechnology.

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Carboxy Methyl Cellulose (CMC) Dari Biji Salak (Salacca edulis Reinw) Pondoh Super
AGUS SETIYOKO, Prof.Dr.Sri Anggrahini,MS; Prof.Dr.Ir.Djagal Wiseso Marseno,M.Agr
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Parsons, J.L.1957. Pulp Bleaching In: Calkin, J.B dan Witham .G.S Sr (editor). Modern Pulp and Paper Making.3ed.Reinhold Publishing Corp. New York. U.S.A.,225-265.

Parsons, J. L. 2005. *Pulp Bleaching* In: Calkin, J. B. and G. S. Witham, Sr (editor). Modern Pulp and Paper Making. 3ed. Reinhold Publishing Corp. New York. U. S. A. 225-265.

Pecsok, R.L., Shields. L.D., Cairns.T., dan McWilliam.I.G.1976. Modern Methode of Chemical Analysis. 2ed. John Wiley & Sons, USA. 165-225.

Pomeranz, Y., dan Meloan, C.E. 1987. Food Analysis: Theory and Practic. Second Edition. An Avi Published by Van Nostrand Reinhold Company. New York.

Pushpamalar, V., Langford, S.J., Ahmad,M., dan Lin,Y.Y.,2006. Optmization of Reaction Conditions of Preparing CMC from Sago Waste. *Carbohydrate Polymers*,64:312-318.

Rachtanapun, P., Luangkamin, S., Tanspert, K. dan Suriyatem, R., 2009. Carboxymethyl Cellulose Film from Durian Rind. *Food Science and Technology* ,48:52-58.

Ramos, L. A., Frollini , E., dan Heinze. T. 2005. Carboxymethylation of Cellulose in the New Solvent Dimethyl sulfoxide/tetrabutylammonium Flouride. *Carbohydrate Polymers*. 60:259-267.

Rosell. C.M.E, Santos dan Collar.2009. Physico-chemical Properties of Commercial Fibres from Different Sources : A Comparative Approach. *Food Research International*, 42:176-184.

Rukmana, R. 1999. *Salak Prospek Agribisnis dan Teknik Usaha Tani*. Penerbit Kanisius: Yogyakarta.

Sahputra, F.M.2008. Potensi Ekstrak Kulit dan Daging Buah Salak Sebagai Antidiabetes. Skripsi. Program Studi Biokimia. Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor.

Sandhu, K. Singh dan Seung-Taik Lim. 2008. Structural Characteristics and in Vitro Digestibility of Mango Kernel Starches (*Mangiferaindica* L.). *Food Chemistry*. 107: 92-97.

Saputra, A. H., Qadhayana, L. dan Pitaloka. A. B.2014. Synthesis and Characterization of Carboxymethylcellulose (CMC) from Water Hyacinth Using Ethanol-Isobutyl Alcohol Mixture as the Solvents. International *Journal of Chemical Enginerring and Aplications*. 5(1):36-40.

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Carboxy Methyl Cellulose (CMC) Dari Biji Salak (Salacca edulis Reinw) Pondoh Super
AGUS SETIYOKO, Prof.Dr.Sri Anggrahini,MS; Prof.Dr.Ir.Djagal Wiseso Marseno,M.Agr
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Sastrohamidjojo, H. 1996. Alkaloid dalam Sintesis Bahan Alam, Cetakan Pertama. Gadjah Mada University Press, 208. Yogyakarta

Sjőstrőm ,E.,1998. Kimia Kayu. Dasar-dasar dan Penggunaan. Yogyakarta. Gadjah Mada University Press. Yogyakarta.

Stephenson, J. B. 1951. Pulp and Paper Manufacture. Mc Graww-Hill Book Company Inc.,Toronto. 2: 44-91

Sukumaran, R.K., Singhania, R.R., Mathew, G.M., dan Pandey, A., 2005. Cellulase Production Using Biomass Feed Stock and Its Application in Lignocelluloses Saccharification for Bio-Ethanol Production. *Renew Energy* ,34 (12): 421–424.

Sun, Y., dan Cheng., J. 2002. Hydrolysis of Lignocellulosic Materials for Ethanol Production. *Bioresource Technology Journal* , 1 (1): 1-11.

Supapvanich, S., R. Meiga, dan Ding. P. 2011. Salak (*Salacca zalacca* (Gaertner) Voss). Dalam: *Postharvest Biology and Technology of Tropical and Subtropical Fruits, Volume 4: Mangosteen to White Sapote*. Yahia, E.M. *ed*. Cambridge: Woodhead Publishing Limited. 334-350.

Supriyadi, Suhardi, M. Suzuki, K. Yoshida, T. Muto, A. Fujita, dan Watanabe. N. 2002. Changes in the Volatile Compounds and in the Chemical and Physical Properties of Snake Fruit (*Salacca edulis* Reinw) Cv. Pondoh during Maturation. *Journal of Agriculture and Food Chemistry*. 50 (26): 7627-7633.

Susana.2009. Sintesis dan Karakterisasi Sodium Karboksimetilselulosa dari Mahkota Nanas. Tesis. Program Studi Teknologi Hail Perkebunan. Program Pasca sarjana Universitas Gadjah Mada Yogyakarta.

Tezuka, Y, Tsuchiya.Y, dan Shiomi.T. 1996. ^{13}C-NMR Dtermination of Substituent Distribution in Carboxymethylcellulose by Use of Its Peresterified Derivates. *Carbohydrate Research*. 29: 99-108.

Togrul, H. dan Arslan,.N.,2004. Carboxymethyl Cellulose from Sugar Beet Pulp Cellulose as a Hydrophylic Polymer in Coating of Mandarin. *Food Enginering*, 62:271-279.

Varshney, V.K., Gupta, P.K., Naitahani, S., Ritu, K.,Amit, B.,dan Soni, P.L.,2006. Carboxymethylation of α-Cellulose Isolated From Lantana camara with Respect to Degree of Substitution and Rheological Behavior. *Carbohydrate Polymers*, 63:40-45.

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Carboxy Methyl Cellulose (CMC) Dari Biji Salak (Salacca edulis Reinw) Pondoh Super
AGUS SETIYOKO, Prof.Dr.Sri Anggrahini,MS; Prof.Dr.Ir.Djagal Wiseso Marseno,M.Agr
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Wertz, J.L, Bedue. O. dan Mecier, J.P. 2010. Cellulose Science and Technology. Fundamental Sciences. EPFL Press. Swiss Academic Publisher distributed by CRC Press.

Wijayani, A.,Ummah,K., dan Tjahjani,S.,2005. Characterization of Carboxy Methyl Cellulose from *Eichornia crassipies* (Mart) Solms. *Indonesian Journal Chemix,* 5(3):228-231.

Xu,Y.X.,Miladoniv,V.,dan Hanna,M.A.,2004. Synthesis and Characterization of Starch Acetates with High Substitution. *Cereal Chemistry*,81 (6):735-740.

Yasar,F.,Togrul,H.,dan Arslan,N.,2007. Flow Properties of Cellulose and Carboxy Methylcellulose from Orange Pell. 2007. *Journal Food and Engneering*,81:87-199.

Yuanisa, A. Ulum, K. dan Wardani, A.K. 2015. Pretreatment Lignoselulosa Batang Kelapa Sawit Sebagai Langkah Awal Pembuatan Bioetanol Generasi Kedua: Kajian Pustaka. *Jurnal Pangan dan Agroindustri*, 3 (4): 1620-1626.

Zou ,J. dan Zang, L. 2000. Solubility of Cellulose in NaOH/Urea Aqueous Solution. *Polymer*. 10:866-870.