

## DAFTAR PUSTAKA

- Adams, P., De-Leij F. A., and Lynch J. M. 2007. *Trichoderma harzianum* Rifai 1295-22 Mediates Growth Promotion of Crack Willow (*Salix Fragilis*) Saplings Inboth Clean and Metal-Contaminated Soil. *Microb Ecol* 54: 306–313.
- Agrios, G. N. 2005. *Plant Pathology 5<sup>th</sup> Edition*. Elsevier Academic Press. London. pp: 208-246.
- Ajith, P. S. and Lakshmidēvi, N. 2010. Effect of Volatile and Non-volatile compounds from *Trichoderma* spp. against *Colletotrichum capsici* incitant of Anthracnose on Bell peppers. *Nature and Science* 8(9): 265-269.
- Alexopoulos, C. J., M. Blackwell, and C. W. Mims. 1996. *Introductory Mycology*. 4<sup>th</sup> Ed. John Wiley and Sons, Inc., New York.
- Askolin, S. 2006. *Characterization of the Trichoderma reesei hydrophbins HFBI dan HFBI*. Dissertation. Helsinki University of Technology.
- Baker, K. F. and R. J. Cook. 1974. *Biological Control of Plant Pathogens*. W. H. Freeman and Co., San Francisco. pp: 433.
- Baker, R. and Scher F. M. 1987. Enhancing the activity of biological control agents, In *Innovative Approaches to Plant Disease Control*. Chet. JhonWiley dan Sons. New York 1: 1-17.
- Basuki, dan Wisma, S., 1995. Pengenalan dan Pengendalian Penyakit Akar Putih Pada tanaman Karet. dalam: *Kumpulan Lokakarya Pengendalian Penyakit Penting Tanaman Karet*. Pusat Penelitian Karet, Sungei Putih. hal: 1-5.
- Beaulieu, Robert., Rubén López-Mondéjar, Fabio Tittarelli, Margarita Ros, and José Antonio Pascual. 2010. qRT-PCR quantification of the biological control agent *Trichoderma harzianum* in peat and compost-based growing media. *Bioresource Technology*. 102(3): 2793–2798.
- Benhamou, N and I. Chet. 1993. Hyphal Interactions Between *Trichoderma harzianum* and *Rizoctonia solani*: Ultrastructure and Gold Cytochemistry of the Mycoparasitic process. *Phytopathology* 83: 1062-1071
- Bissett, J. 1983. A revision of the genus *Trichoderma* I. Section *Longibrachiantum* sect. nov. *Can J Bot*. 69: 924-931.
- Bruce, A. and Highley, L.T. 1991. Control of growth of wood decay Basidiomycetes by *Trichoderma* spp. and other potentially antagonistic fungi. *Journal of Forest Products* 41(2): 63-67.

- Butt, T.M., Harris, J.G. and Powell, K.A. 1999. *Microial biopesticides: the European scene*. In: *Methods in Biotechnology* Vol. 5: Biopesticides Use and Delivery (eds. Frinklin R. Hall and Julius J. Menn). Humana press inc, Totowa: 23-44.
- Carpenter M. A., Ridgway H. J., Stringger A. M., and Hay A. J., 2008. Charaterisation of *Trichoderma hamatum* monoeygenase gene involved in antagonistic activity against fungal plant pathogens. *Curr Genet* 53: 193-205.
- Chang, Y. C., R. Baker, O. Kleifeld and I. Chet. 1986. Increased Growth of Plants in Presence of The Biological Control Agent *Trichoderma harzianum*. *Plant Dis.* 70:145-148.
- Chaverri, P. and Samuels, G. J., 2004. *Hypocrea/Trichoderma* (Ascomycota, Hypocreales, Hypocreaceae): species with green ascospores. *Studies in Mycology* 48: 1-36.
- Chaverri, P., Castlebury, L. A, Samuels, G. J, Geiser, D. 2003. Multilocus phylogenetic structure within the *Trichoderma harzianum/Hypocrea lixii* complex. *Mol. Phylogenet. Evol* 27:302–313.
- Cook, R.J. and Snyder, W.C. 1965. Influence of host exudates on growth and survival of germlings of *Fusarium solani* f. *phaseoli* in soil. *Phytopathology* 55:1021-1025.
- Damanik, Sabarman. 2012. Pengembangan Karet (*Havea brasiliensis*) Berkelanjutan di Indonesia. *Perspektif* 11(1): 91 – 102.
- de La Cruz, J., Pintor-Toro, J. A., Benítez, T., and Llobell, A. 1995. Purification and characterization of an endo-beta-1,6-glucanase from *Trichoderma harzianum* that is related to its mycoparasitism. *Journal of Bacteriology* 177(7): 1864–1871.
- Degenkolb, T., von Dohren, H., Nielsen, K. F., Samuels, G. J., Bruckner, H. 2008. Recent advances and future prospects in peptaibiotics, hydrophobin, and mycotoxin research, and their importance for chemotaxonomy of *Trichoderma* and *Hypocrea*. *Chem. Biodiversity* 5: 671–680
- Dennis, C., and Webster, J. 1971a. Antagonistic properties of species groups of *Trichoderma* II, production of volatile antibiotics. *Trans Br Mycol Soc* 57: 41–48.
- \_\_\_\_\_. 1971b. Antagonistic Properties of Marga Groups of *Trichoderma* I. Production of Non-Volatile Antibiotics. *Trans. Brit. Mycol. Soc.* 57 (1): 25 – 39.

- Doyle, J. J. dan J. L. Doyle. 1990. A rapid total DNA preparation for fresh plant tissue . *Focus* 12:13-15.
- Druzhinina I. S, Kubicek C. P. 2005. Species concept and biodiversity in *Trichoderma* and *Hypocrea*: from aggregate species to species clusters? *Journal Zhejiang University Science* 6 (2): 100-112.
- Elad Y, Chet I, Boyle P, Henis Y. 1983. Parasitism of *Trichoderma* spp. on *Rhizoctonia solani* and *Sclerotium rolfisii*. Scanning electron microscopy and fluorescence microscopy. *Phytopathol* 73:85-88
- Erwanti, Mardius Y, Habazar T dan Bachtiar A. 2003. Studi kemampuan isolat-isolat jamur *Trichoderma* spp. yang beredar di Sumatra Barat untuk mengendalikan jamur patogen *Sclerotium rolfisii* pada bibit cabai. *Prosiding Kongres Nasional XVI dan Seminar Ilmiah PFI*, 22-24.
- Fravel, R.D. 2005. Commercialization and implementation of biocontrol. *Annual Review Phytopathology* 43: 337-359.
- Gams, W. and Bissett, J., 2002. Morphology and identification of *Trichoderma*. In: Kubicek, C. P. and Harman, G. E. (eds.). *Trichoderma and Gliocladium: Basic biology, taxonomy and genetics*. Taylor and Francis Ltd. : 3-31.
- Goldfarb, B., E. E. Nelson and E. M. Hansen, 1989. *Trichoderma* spp.: Growth Rates and Antagonism to *Phellinus weirii* in Vitro. *Mycologia* 8(13): 375-381.
- Gusnawaty, HS., Muhammad Taufik, Leni Triana, dan Asniah. 2014. Karakterisasi Morfologis *Trichoderma* spp. Indigenus Sulawesi Tenggara. *Jurnal Agroteknos* 4 (2):87-93.
- Hadar, Y., Chet I, and Henis Y.1979. Biological control of *Rhizoctonia solani* damping off with wheat bran culture of *Trichoderma harzianum*. *Phytopathology* 69:64-68.
- Harman, G. E. 2006. Overview of Mechanisms and Uses of *Trichoderma* spp. *Phytopathology* 96: 190-194
- Hermosa, M. R., I. Grondona, E. A. Iturriaga, J. M. Diaz-Minguez, C. Castro, E. Monte, and I. Garcia-Acha. 2000. Molecular Characterization and Identification of Biocontrol Isolates of *Trichoderma* spp. *Applied And Environmental Microbiology* 66(5):1890-1898
- Highley, L. T. 1997. Control of wood decay by *Trichoderma* (*Gliocladium*) *virens* I. Antagonistic properties. *Material and organism* 31(2): 79-89.

- Hjeljord, L., and A. Tronsmo. 1998. *Trichoderma* and *Gliocladium* in Biological control: an overview dalam G.E. Harman and C.p. Kubicek (Eds.) *Trichoderma and Gliocladium Vol. 2*. Taylor and Francis, London.
- James, S., and Stratford M. 2003. Spoilage yeasts with emphasis on the genus *Zygosaccharomyces*. In: *Yeasts in Food* (eds. T Boekhout, V Robert). *Berh's Verlag, Hamburg*.: 171-187.
- Jayasuriya, K. E. and Thennakoon, B.I. 2007. Biological control of *Rigidoporus microporus*, the cause of white root disease in rubber. *Ceyon Journal of Science (Biology and Science)* 36(1): 9-16.
- Jumar. 2000. *Entomologi Pertanian*. Rineka Cipta. Jakarta
- Kementrian Pertanian. 2015. *Produksi, Luas Panen dan Produktivitas Perkebunan di Indonesia*.
- Khairul, U. 2001. *Pemanfaatan Bioteknologi Untuk Meningkatkan Produksi Pertanian*. Dalam makalah falsafah sains (PPS 702) Program Pasca sarjana/S3. Institut Pertanian Bogor.
- Khalil, E., Sadravi, M., Naeimi, S., & Khosravi, V. 2012. Biological control of rice brown with native isolates of three *Trichodema* species. *Brazilian Journal of Micrbiology*, 297–30.
- Kim, D. J., J. M. Baek, P. Uribe, C. M. Kenerly, and D. R. Cook. 2000. Cloning and characterization of multiple glycosyl hydrolase genes from *Trichoderma virens*. *Curr. Genet.* 40 :374-384.
- Kimura, M. 1980. A Simple Method for Estimating Evolutionary Rate of Base Substitutions Through Comparative Studies of Nucleotide Sequences. *Journal of Molecular Evolution* 16:111-120.
- Kindermann J, El-Ayouti Y, Samuels GJ, Kubicek CP. 1998. Phylogeny of the genus *Trichoderma* based on sequence analysis of the internal transcribed spacer region 1 of the rDNA clade. *Fungal Genetic Biology* 24: 298-309.
- Klein, D., and E. Eveleigh. 1998. Ecology of *Trichoderma*. In: *Trichoderma and Gliocladium Volume 1 Basic Biology, Taxonomy and Genetics*. Harman, G. E dan C. P. Kubicek (Eds.) Taylor and Francis Ltd. London.
- Kubicek C. P, Penttilä M. E. 1998. Regulation of Production of Plant Polysaccharide Degrading Enzymes by *Trichoderma* . In: Harman GE, Kubicek CP, editors. *Trichoderma and Gliocladium*. Vol. 2. Enzymes, Biological Control and Commercial Applications. London: Taylor and Francis Ltd. 49–71.

- Kumar, P., Misra, A.K., Modi, D.R., & Gupta, V.K. 2012. Biocontrol potential of *Trichoderma* species against mango malformation pathogens. *Archives of Phytopathology and Plant Protection*, 45(10): 1237–1245.
- Larkin, M. A, Blackshields G., Brown N. P., Chenna R., McGettigan P.A., McWilliam H., Valentin F., Wallace I. M., Wilm A., Lopez R., Thompson J. D., and Gibson T. J., Higgins D. G. 2007. ClustalW and ClustalX version 2.0. *Bioinformatics*. 23: 2947-2948.
- Lieckfeldt, E., Kuhls, K. and Muthumeenakshi, S., 2002. Molecular taxonomy of *Trichoderma* and *Gliocladium* and their teleomorphs. In: Kubicek, C. P. and Harman, G. E. (eds.). *Trichoderma and Gliocladium: basic biology, taxonomy and genetics*. Taylor and Francis Ltd. : 35-53.
- Lin, X. and Heitman, J., 2005. Chlamydospore formation during hyphal growth in *Cryptococcus neoformans*. *Eukaryotic Cell* 4: 1746-1754.
- Liyana, A.S., 1976. Control of White Rott Disease Caused by *Rigidoporus* (Fomes) *lignosus*. *Bull. Rubb. Res. Inst. Srilangka* 5(1): 24-29.
- Lynd, L. R., P. J. weimer, W. H. van Zyl, and I. S. Pretorius. 2002. Microbial cellulose utilization: Fundamental and biotechnology. *Microbiology. Microbiology and Molecular Biology Reviews*. 66(3): 5006-577.
- Mandels, M., and Reese, E. T. 1960. Induction of Cellulase in Fungi by Cellobiose. *Journal of Bacteriology*. 79(6): 816–826.
- Mumpuni, A., Sharma, H. S. S. and Brown, A. E. 1998. Effect of metabolites produced by *Trichoderma harzianum* biotypes and *Agaricus bisporus* on their respective growth radii on culture. *Appl. Environ. Microbiol* 64:5053-5056.
- Nisa, N. K. 2010. Isolasi *Trichoderma* spp. Asal tanah dan aktivitas penghambatannya terhadap pertumbuhan *Phytophthora capsici* penyebab penyakit busuk pangkal batang lada. Institut Pertanian Bogor, Bogor.
- Purwantisari, S. and R. B. Hastuti. 2009. Antagonism test of pathogenic fungus *phytophthora infestans* potato root and leaverot using local isolate of *Trichoderma* sp., *Bioma* 11: 24-32.
- Rahayu, Serafina, Sujatno, dan Soekirman Pawirosoemadjo. 2006. Manajemen Pengendalian Penyakit Jamur Akar Putih Pada Tanaman Karet. *Prosiding loc. Nas. Budidaya Tanaman Karet*. Balai Penelitian Sungei Putih. hal: 258 – 276.
- Reece, J., Urry, L.A., Cain, M.L, Wasserman, S.A, and Minorsky, P.V. and Jackson, R.B. 2011. *Cambell Biology*, Global Edition, Pearson, Boston, USA.

- Republik Indonesia, 2014., Undang-Undang Nomor 39 Tahun 2014 tentang Perkebunan. Jakarta: Sekretariat Negara.
- Retnosari E. 2011. Identifikasi penyebab busuk pangkal batang jeruk (*Citrus* spp) serta uji antagonisme *in vitro* dengan *Trichoderma harzianum* dan *Gliocladium virens*. Skripsi. Institut Pertanian Bogor.
- Rex, J. H., Pfaller, M. A., Walsh, T. J., Chaturvedi, V., Espinel- Ingroff, A., and Ghannoum, M. A.. 2001. Antifungal susceptibility testing: practical aspects and current challenges. *Clinical Microbiology Reviews*. 14:643–58.
- Rifai, M A. 1969. A revision of the genus *Trichoderma*. *Mycol Papers*. 116: 1–56.
- Samsons , R. A. and S. H. Ellen. 1995. *Introduction to Food-Borne Fungi*. Centraalbureau Voor Schimmelcultures; Netherlands.
- Samuels, G. J. Dodd S.L., Gams W., Castlebury L.A., Petrini O. 2002. *Trichoderma* species associated with the green mold epidemic of commercially grown *Agaricus bisporus*. *Mycologia*. 94: 146-170.
- Samuels, G. J., 2006. *Trichoderma*: Systematics, the Sexual State, and Ecology. *Phytopathology*. 96: 195-206.
- Scherm, Barbara, Monika Schmoll, Virgilio Balmas, Christian P., Kubicek · Quirico, and Migheli. 2009. Identification of potential Marker genes for *Trichoderma harzianum* strains with high antagonistic potential against *Rhizoctonia solani* by a rapid subtraction hybridization approach. *Curr Genet*. 55: 81–91.
- Schoch, C. L., 2012. Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for fungi. *Proceedings of the National Academy of Sciences*. 109:6241-6246.
- Schubert, T. S, Rizvi S. A, Sun X, Gottwald T. R., Graham J. H., Dixon W. N. 2001. Meeting the challenge of eradicating citrus canker in Florida again. *Plant Dis*. 85:340-356.
- Schuhmacher, R., Stoppacher, N., & Zeilinger, S. 2007. Peptaibols of *Trichoderma atroviride*: Screening, identification, and structure elucidation by liquid chromatography-tandem mass spectrometry. In Méndez Vilas, A. (Ed.), *Communicating current research and educational topics and trends in applied microbiology* : 609–617.
- Schuster, André and Monika Schmoll. 2010. Biology and biotechnology of *Trichoderma*. *Applied Microbiology Biotechnology*. 87: 787-799.
- Selitrennikoff, C. P. 2001. Antifungal proteins. *Applied and Environmental Microbiology* 67: 2883–2894.

- Semangun, H. 2000. Ilmu penyakit tumbuhan. Gadjah Mada University Press, Yogyakarta.
- Setiawati, Novi. 1999. *Identifikasi Penyakit Layu dan Antagonisme Trichoderma sp. pada Tanaman Anthurium andreantum*. Skripsi. Jurusan Hama dan Penyakit Tumbuhan Fakultas Pertanian. Institut Pertanian Bogor.
- Singh, P. K. and Vijay K. 2011. Biological Control of *Fusarium wilt* of *Chrysanthemum* with *Trichoderma* and Botanicals. *Journal of Agricultural Technology* Vol. 7(6): 1603-1613.
- Sinulingga, W., 1989. *Pengendalian Biologi Penyakit Cendawan Akar Putih Pada Tanaman Karet*. Pusat Penelitian Karet, Sungei Putih, hal: 8-15.
- Sitomurang, A. 2004. Status dan manajemen pengendalian penyakit akar putih di perkebunan karet. dalam: Sitomurang, A., A. Budiman, H. Suryaningtyas, Thomas, M. Lasminingsih, and A. Gunawan, eds. *Prosiding Pertemuan Teknis Strategi Pengelolaan Penyakit Tanaman Karet untuk Mempertahankan Potensi Produksi Mendukung Industri Perkaretan Indonesia Tahun 2020*. hal:66-86.
- Soytong, K., Kanokmedhakul, S., Kulongviyapa, V. and Isobe, M. 2001. Application of *Chaetomium* species (Ketomium®) as a new broad spectrum biological fungicide for plant disease control: A review article. *Fungal Diversity* 7: 1-15.
- Sudantha, I. M dan Abdul L. A. 2011. Uji Efektivitas Beberapa Jenis Jamur Endofit *Trichoderma* spp. Isolat Lokal NTB Terhadap Jamur *Fusarium oxysporum f. sp. vanillae* Penyebab Penyakit Busuk Batang Pada Bibit Vanili. *Crop Agro* Vol. 4 (2): 64-73.
- Surzycki, S. 2000. *Basic Techniques in Molecular Biology*. Springer-Verlag, Berlin, Heidelberg, New York.
- Tamura, K., Peterson D., Peterson N., Stecher G., Nei M., and Kumar S. 2011. MEGA5: Molecular Evolutionary Genetics Analysis using Maximum Likelihood, Evolutionary Distance, and Maximum Parsimony Methods. *Molecular Biology and Evolution*. 28: 2731-2739.
- Taufik M. 2008. *Efektivitas agens antagonis Trichoderma sp. pada berbagai media tumbuh terhadap penyakit layu tanaman tomat*. Prosiding Seminar Ilmiah dan Pertemuan Tahunan PEI PFI XIX Komisariat Sulawesi Selatan. Makassar.
- Vinale, F., Ghisalberti, E.L., Sivasithamparam, K., Marra, R., Ritieni, A., Ferracane, R. Lorito, M. 2009. Factors affecting the production of

*Trichoderma harzianum* secondary metabolites during the interaction with different plant pathogens. *Lett. Appl. Microbiol.*, 48: 705–711.

Watanabe, Tsuneo. 2002. *Pictorial Atlas of Soil and Seed Fungi: Morphologies of Cultured Fungi and Key to Species*, Second Edition. Florida. CRC Press.

White, T. J., Tom D Bruns, S. B. Lee, John W Taylor. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. *PCR Protocols: A Guide to Methods and Applications*. 18: 15-322.

Widyastuti SM, Sumardi, Irfa dan Harjono, 2006. Aktivitas penghambatan *Trichoderma* spp. terformulasi terhadap jamur patogen tular tanah secara *in-vitro*. *Jurnal Perlindungan Tanaman Indonesia* 8: 27-39

Widyastuti, S. M., dan M. Hariani. 2006. Peran *Trichoderma reesei* E. G. Simmons pada pengendalian *Damping-off* Semai Cendana (*Santalum album* LINN). *Jurnal perlindungan Tanaman Indonesia* 12: 62-73

Widyastuti, S.M. Sumardi, P. Sumantoro. 2001. Efektivitas *Trichoderma* spp. Sebagai Agen Pengendali Hayati terhadap Tiga Patogen Tular Tanah pada Beberapa Jenis Tanaman Kehutanan. *J. Perlin. Tan., Ind.* 7(2): 98-107.

Widyastuti, S.M., Sumardi., A. Sulthoni dan Harjono. 1998. Pengendalian Hayati Penyakit Akar Merah pada Akasia dengan *Trichoderma* (*Biological Control of red-root rot disease of acacia using Trichoderma*). *Jurnal Pelindungan Tanaman Indonesia*. 4: 65-72.

Yedidia, I., A. K. Srivastva, Y. Kapulnik and I. Chet. 2000. Effect of *Trichoderma harzianum* on Microelement Concentrations and Increased Growth of Cucumber Plants. *Plant Soil*, 235: 235-242

Yuniati. 2005. Pengaruh pemberian beberapa spesies *Trichoderma* sp. dan pupuk kandang kambing terhadap penyakit layu *Fusarium oxysporum f. sp lycopersici* pada tanaman tomat (*Lycopersicum esculentum* Mill). Skripsi. Jurusan Budidaya Pertanian, Fakultas Pertanian, Universitas Muhammadiyah. Malang.

Zeilinger, S., & Omann, M. 2007. *Trichoderma* biocontrol: Signal transduction pathways involved in host sensing and mycoparasitism. *Gene Regul. Syst. Biol.*, 1: 227–234.

Živković, S.; Stojanović, S.; Popović, T.; Oro, V.; Ivanović, Ž.; Trkulja, N. 2012. Antagonistic potential of *Trichoderma harzianum* against postharvest fungal pathogens. *Proceedings of the International Symposium on Current Trends in Plant Protection*, Belgrade, Serbia.