

DAFTAR PUSTAKA

- Boekoesoe,L.,2013. Kajian Faktor Lingkungan terhadap Kasus Demam Berdarah *Dengue* (DBD) di Kota Gorontalo Provinsi Gorontalo.*Disertasi*.Universitas Negeri Gorontalo.
- Boewono,D.T., Ristiyanto.,Widiarti.,Widyastuti,U.,2012. Distribusi Spasial kasus Demam Berdarah *Dengue* (DBD),Analisis Indeks Jarak dan Alternatife Pengendalian Vektor di Kota Samarinda,Provinsi Kalimantan Timur. *Media Litbang Kesehatan* Volume 22 Nomor 3.
- Bafdal,N., Amaru,K.,Pareira,B.M.,2011. Sistem Informasi Geografis. Jurusan TMIP. FTIP. Universitas Padjadjaran.Bandung.
- Barkey,R.A.,Achmad,A.,Rijal,A.,Soma,A.S.,Talebe,A.B.,2009. Sistem Informasi Geografis. Fakultas Kehutanan Universitas Hasanudin.
- Boesri,H.,2011. Biologi dan Peranan *Aedes albopictus* (Skuse) 1894 sebagai Penular Penyakit. *Aspirator* .Vol. 3 No. 2 : 117-125.
- Cutwa, M.M and O'Meara, G.F., 2007. Photographic Guide to the common mosquitoes of Florida. <http://fmeal.ifas.ufl.edu/key/pdf/atlas.pdf>. diakses pada tanggal 24-8-2015.
- Chadee,D.D.,Doon,R.,Severson,D.W., 2007.Surveillance of dengue fever cases using a novel *Aedes aegypti* population sampling method in Trinidad, West Indies: the cardinal points approach. *Acta Tropica* .104. 1–7.
- Devi,N.P.,Jauhari,R.K.,Mondal,R.,2013. Ovitrap Surveillance of *Aedes* Mosquitoes (Diptera: Culicidae) in Selected Areas of Dehradun District, Uttarakhand, India. *Global Journal of Medical researchDiseases*. Volume 13 : 5 Version 1.0.
- Damayanti,S.,2013 . Status Entomologis Vektor *Dengue* di Kelurahan Sorosutan sebagai Daerah Endemis Demam Berdarah *Dengue* di Kota Yogyakarta, *Thesis*. Universitas Gajah Mada,Yogyakarta.
- Doma, N.C., Ahmad,A.H., Ishaka,A.R.,Ismail.R.,2013. Assessing the Risk of Dengue Fever Based On the Epidemiological, Environmental and Entomological Variables. *Procedia - Social and Behavioral Sciences* 105 :183 – 194.
- Das,B.P.,Sharma,S.K.,Datta,K.K., 2000. Prevalence of *Aedes aegypti* at the International Port and Airport, Kolkata (West Bengal), India. *Dengue Bulletin* – Vol 24.
- Das,B.P.,Kabilan,L.,Sharma,S.N.,Lai,S.,Regu,K.,Saxena,V.K, 2004. Detection of dengue Virus in Wild Caught *Aedes albopictus* (Skuse) around Kozhikode Airport, Malappuram District, Kerala, India. *Dengue Bulletin* – Vol 28.
- Ditjen PPM & PL,1989. Manual Kantor Kesehatan Pelabuhan. Depkes RI. Jakarta.
- Ditjen PP & PL. 2004. Ekologi Dan Aspek Perilaku Vektor. Depkes RI, Jakarta
- Daud, O., 2008. Studi Epidemiologi Demam Berdarah Pendekatan Spasial Sistem Informasi Geografis Di Selatan Kota Palu. *Tesis*, Universitas Gadjah Mada.
- Ditjen PP & PL,2010. Standar Operasional Prosedur Nasional Kegiatan Kantor Kesehatan Pelabuhan di Pintu Masuk Negara.Kemenkes RI.Jakarta.

- Ditjen PP & PL,2010. Permenkes RI Nomor : 374/Menkes/Per/III/2010 tentang Pengendalian Vektor.Kemenkes RI, Jakarta.
- Ditjen PP & PL, 2015. Profil Pengendalian Penyakit dan Penyehatan Lingkungan. Kemenkes RI, Jakarta.
- ESRI,1990. ArcView. Environmental Systems Research Institute, Inc., Redlands, USA.
- Ekadinata,A., Dewi,S., Hadi,D., Nugroho,D., Johana,F., 2008. Sistem Informasi Geografis Untuk Pengelolaan Bentang Lahan Berbasis Sumber Daya Alam Buku 1 Sistem Informasi Geografis dan Penginderaan Jauh Menggunakan ILWIS Open Source.Bogor.
- Food and Environmental Hygiene Department (FEHD), HKSAR.2006. Safe Food & Public Health. http://www.fehd.gov.hk/safefood/dengue_fever/index.html Accessed on May 04, 2016.
- Fock, D.A.,2003, Review of Entomological Sampling Methods And Indicators For Dengue Vectors, UNICEF/UNDP/World Bank/WHO, Florida, USA
- Farida,A.,Ahmad,A.H.,Hadi,U.K.,Hambal,M., Fahrimal,Y., Shafitri,R.,2011. Ovitrap use in epidemiology study of *Aedes aegypti* and *Aedes albopictus* in Kuta Alam sub-district Banda Aceh, Indonesia. *Proceedings of The Annual International Conference Syiah Kuala University*. Vol 1 No.1.
- Fay, R.W., Eliason, D.A., 1966. A preferred oviposition site as asurveillance method for *Aedes aegypti*. *Mosq News* 26: 531–535.
- Folamauk.C.L.H., 2013. Hubungan antara Kejadian Demam Berdarah Dengue dengan Faktor Lingkungan Fisik Rumah dan Biologi Nyamuk *Aedes aegypti* di Kota Kupang. *Thesis*. Universitas Gajah Mada,Yogyakarta.
- Fitriyani,2007. Penentuan Wilayah Demam Berdarah *Dengue* di Indonesia dan Analisis Pengaruh Pola Hujan terhadap Tingkat Serangan.*Skripsi*.Institut Pertanian Bogor.
- Fatmawati,T.,Ngabekti,S.,Priyono,B.,2014. Distribudi Kemelimpahan Populasi *Aedes spp.* di Kelurahan Sukorejo Gunungpati Semarang.Unnes J Life Sci 3 (2).
- Getachew,D.,Tekie,H.,Gebre-Michael,T.,Balkew,M.,Mesfin,A.,2015. Breeding Sites of *Aedes aegypti*: Potential Dengue Vectors in Dire Dawa, East Ethiopia. *Interdisciplinary Perspectives on Infectious Diseases*. 706276 : 8.
- Hadi,U.K.,Susi.S.,Dwi.D.G.2012.Aktivitas nokturnal vektor demam berdarah dengue di beberapa daerah di Indonesia. *Jurnal Entomologi Kesehatan* Vol. 9 No.1 : 1-6.
- Hasyim,H.,2009. Analisis Spasial Demam Berdarah Dengue di Propinsi Sumatera Selatan. *Jurnal Pembangunan Manusia* Vol.9 No.3.
- Halstead,S.B.,1990.Dengue. In. K.S. Warren & A.A.F.Mahmoud (eds). *Tropical and Geographical Medicine*. 675-685.
- Halstead,S.B.,2007.Dengue Epidemiology part II. *J.Gen Virol*. 88:365-77
- Ihsan,A.F.,2013.Perilaku Vektor Demam Berdarah *Dengue (Aedes aegypti)* di daerah Endemis Kelurahan Bantarjati Kota Bogor. *Skripsi*. Institut Pertanian Bogor.

- Joshi,V.,Mourya,D.T.,Sharma,R.C.,2002. Persistence of dengue-3 virus transovarial transmission passage in successive generation of *Aedes aegypti* Mosquito.*Am. J. Trop. Med. Hyg.*, 67(2) : 158–161.
- Kuan,M.M.,Chang,F.Y.,2012. Airport sentinel surveillance and entry quarantine for dengue infections following a fever screening program in Taiwan. *BMC Infection Diseases*.12:182
- Kemkes, 2014. Pertemuan Koordinasi Pengendalian Vektor 3 – 6 September 2014 di Hotel New Sapphire, Yogyakarta.
- Kutipan Lembaran Negara dan Tambahan Lembaran Negara,1962.Undang-undang Republik Indonesia Nomor 2 tahun 1962 tentang Karantina Udara.Jakarta.
- Kutipan Lembaran Negara dan Tambahan Lembaran Negara,1962.Undang-undang Republik Indonesia Nomor 1 tahun 1962 tentang Karantina Laut.Jakarta.
- Lequime,S.,Lambrechts,L.,2014. Vertical transmission of arboviruses in mosquitoes: A historical perspective . *Infection, Genetics and Evolution*.xxx-xxx.
- Lai,P.C and Ann, S.H., 2006. Geospatial Research and Application Frontiers in Environmental and Public Health Systems. *International Conference in GIS and Health*.
- Leake, C.J. 1984. Transovarial Transmission of Arbovirus by Mosquitoes.In MA. Mayo and K.A Harrap (eds) *Vector in Virus Biology*, 197 (33): 159-74.
- Lee, H.L.1992. *Aedes* ovitrap and larval survey in several suburban communities in Selangor, Malaysia. *Tropical Biomedicine* 9: 29-34.
- Lee, H.L. & Rohani, A. 2005. Transovarial Transmission Of Dengue Virus In *Aedes aegypti* And *Aedes albopictus* In Relation to Dengue Outbreak In An Urban Area In Malaysia. *Dengue Bulletin*. 29 : 106-111.
- Lozano,R.D., Rodríguez,M.H.,Hernández-Avila,M.,2002. Gender-related family head schooling and *Aedes aegypti* larval breeding risk in Southern Mexico. *salud pública de méxico* . vol.44, no.3.
- Listyantanto, A .2009 Hubungan Lingkungan Fisik, Biologik dan Keberadaan Jentik Nyamuk *Aedes Aegypti* (HI) dengan penderita DBD di Wilayah Kerja Kantor Kesehatan Pelabuhan Samarinda, *Skripsi*.Universitas Mulawarman, Kalimantan Timur.
- Lemeshow,S.,Hosmer Jr,D.W.,Klar,J.,Lwanga,S.K.,1997. Besar Sampel Dalam Penelitian Kesehatan. Gadjah Mada University Press.Yogyakarta.Indonesia.
- Morato, V.C.G., Teixeira, Gomes, A.C., Bergamaschi, D.P., Barreto, M.L., 2005. Infestation Of *Aedes aegypti* Estimated By Oviposition Traps In Brazil. *Rev saude Publica*. 24: 83-94
- Martins,V.E.P.,Alencar,C.H.,Kamimura,M.T.,Araujo,F.M.,Simone,S.G.,Dutra,R.f .,Guedes,M.F.G.,2012. Occurrence of Natural Vertical Transmission of Dengue-2 and Dengue-3 Viruses in *Aedes aegypti* and *Aedes albopictus* in Fortaleza, Ceara´, Brazil.*Plos ONE* 7 (7).
- Notoatmodjo, S.,2012. Metodologi Penelitian Kesehatan..PT. Rineka Cipta. Jakarta.

- Norzahira, R., Hidayatulfathi, O, Wong, H.M., Cheryl, A., Firdaus, R , Chew, H.S, et al, 2010. Ovitrap surveillance of the dengue vectors, *Aedes (Stegomyia) aegypti* (L.) and *Aedes (Stegomyia) albopictus* Skuse in selected areas in Bentong, Pahang, Malaysia. *Tropical Biomedicine* 28(1): 48–54 .
- Puspitasari,D.A., Martini.,Saraswati,L.D., 2012. Tingkat Kerawanan Wilayah Berdasarkan Insiden Penyakit Demam Berdarah Dengue (DBD) dan Index Ovitrap di Kecamatan Gajah Mungkur Kota Semarang.*Jurnal Kesehatan Masyarakat*.Vol 1. No. 2.: 305-315.
- Peristiowati,Y., Lingga, Hariyono.,2014. Evaluasi Pemberantasan Demam Berdarah Dengue dengan Metode Spasial *Geographic Information System* (GIS) dan Identifikasi Tipe Virus Dengue di Kota Kediri. *Jurnal Kedokteran Brawijaya*. Vol. 28, No. 2.
- Prasetyowati,Y dan Astuti,E.P.,2010. Serotipe Virus *Dengue* di Tiga Kabupaten / Kota Dengan Tingkat Endemisitas DBD Berbeda di Propinsi Jawa Barat. *Aspirator*. Vol 2.No.2: 120-124.
- Ridha, M. R., Rahayu,N., Rosvita,N.A., Setyaningtyas,E., 2013. Hubungan Kondisi Lingkungan dan Kontainer dengan Keberadaan Jentik Nyamuk *Aedes aegypti* di Daerah Endemis Demam Berdarah Dengue di Kota Banjarbaru. *Jurnal Epidemiologi dan penyakit bersumber Binatang*,Vol 4,No.3,Jun 2013 hal : 133-137.
- Rahayu,D.F., Ustiawan,A.,2013. Identifikasi *Aedes aegypti* dan *Aedes albopictus*. *Balaba*.Vol. 9, No. 01 : 7-10.
- Rosen,L.,Shroyer,D.A.,Tesh,R.M.,Frier,J.E.,Lien,J.C.,1983.Transovarial transmission of dengue viruses by mosquitoes *Aedes albopictus* and *Aedes aegypti*.*Am J Trop Med. Hyg.* 32: 1108-19.
- Rohani,A.,Zamree,I.,Josep,R.T.,Lee,H.L.,2008. Persistency of transovarial dengue virus in *Aedes aegypti* (Linn.). *Southeast Asian. J TropMed Public Health*,39(5) : 813-6.
- Satoto,T.B.T.,Umniyati,S.R.,Astuti,F.D.,Wijayanti,N.,Gavotte,L.,Devaux,C.,Frutos,R.,2014. Assesment of vertical dengue virus transmission in *Ae.aegypti* and serotype prevalence in Bantul,Indonesia. *Asian Pac J Trop ; 4(Suppl 2): S563-S568*.
- Schmidt-Chanasit,J., Emerich,P., Tappe,D., Gunther,S., Schmid,S., Wolff,D., Hentschet,K., Sagebeil., Schoneberg.,Strak,K.,Frank,, 2014. Autochthonous dengue virus infection in Japan imported into Germany, September 2013. *Available online : [http //www.eurosurveillance.org /ViewArticle.aspx? ArticleId = 20681](http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=20681)*.
- Suroso,T., 1983. Tinjauan Keadaan dan Dasar-dasar Pemikiran dalam Pemberantasan Demam Berdarah Dengue di Indonesia, Sub.Dit.Arbovirosis, Direktorat P3M. Dep..Kes RI, Jakarta.
- Schwartz,E.,Weld,L.H., Smith,A.W., von Sonnenburg,F., Keystone,J.S., Kain,K.C., Torresi,J.,Freedman,D.O.,2008. Seasonality, Annual Trends, and Characteristics of Dengue among Ill Returned Travelers, 1997–2006.*Emerging Infectious Disease* 14 : 7.
- Sutaryo. 2004. Dengue, Penerbit Medika. Fakultas Kedokteran UGM, Yogyakarta.

- Seran,M.D dan Prasetowati,H.,2012. Transmisi Transovarial Virus degue pada telur Nyamuk *Aedes aegypti* (L.). *Aspirator* Vol. 4 No. 2 : 53 – 58.
- Shu,P.Y.,Chien,L.J.,Chang,S.F.,Su,C.L.,Kuo,Y.C.Liao,T.L.,Ho,M.S.,Lin,H.s.,Huang,J.H.,2005. Fever Screening at Airports and Imported Dengue.*Emerging Infectious Diseases* 11: 3.
- Sommerfeld,J.,Kroeger,A.,2012. Eco-bio-social research on dengue in Asia: a multicountry study on ecosystem and community-based approaches for the control of dengue vectors in urban and peri-urban Asia. *Pathogens and Global Health*.106:8.
- Sorisi,A.M.H.,Umniyati,S.R.,Satoto,T.B.T.,2012. Transovarial Transmission Index of Dengue Virus on *Aedes aegypti* and *Aedes albopictus* Mosquitoes in Malalayang District in Manado, North Sulawesi, Indonesia. *TJM*. Vol.01.No.2 : 57-59.
- Sorisi,A.M.H.,2013. Transmisi Transvarial Virus dengue pada Nyamuk Ades spp. *Jurnal Biomedik (JBM)*, Vol 5, 1 : 26-31.
- Sabir, M.,2014. Status Entomologis Nyamuk *Aedes aegypti* di Daerah Rawan Demam Berdarah Dengue Kelurahan Bentenge Kabupaten Pinrang Sulawesi Selatan. *Thesis*. Universitas Gajah Mada,Yogyakarta.
- Supartha,I.W.,2008. Pengendalian Terpadu Vektor Virus Demam Berdarah Dengue, *Aedes aegypti* (Linn.) dan *Aedes albopictus* (Skuse)(Diptera: Culicidae). *Pertemuan ilmiah 3-6 september 2008*. Dies Natalis Universitas Udayana .
- Suyasa ,I.N.G., Adi Putra,N., Aryanta,I.W.R.,2008. Hubungan Faktor Lingkungan dan Perilaku Masyarakat dengan Keberadaan Vektor Demam Berdarah *Dengue* (DBD) di Wilayah Kerja Puskesmas I Denpasar Selatan. *Ecotrophic* .3(1):1-6.
- Supriadi dan Nasution,N.,2007.Sistem Informasi Geografis.Terbitan Pertama USU Press, Medan Indonesia.
- Sudigdo,S dan Ismael,S.,2002. Dasar-dasar Metodologi penelitian Klinis.CV. Sagung Seto,Jakarta.
- Sutanto,I., Ismid,I.S., Sjarifuddin,P.K., Sungkar,S., 2008. Parasitologi Kedokteran. FKUI, Jakarta.
- Takahashi,M.,Niwa,T.,Yamada,K.I.,Sato,Y.,Ikawa,K.,Matsumoto,Y.,Sano,T., et al, 2002. Detection of Dengue virus-Infected Patient among Pasengers at the Quarantina Station of the New Tokyo International Airport. *Jpn.J.Infect.Dis* :55.
- Umniyati,S.R.,2009. Teknik Imunositokimia dengan Antibodi Monoclonal DSSC7 untuk Kajian Patogenesis Infeksi dan Penularan Transovarial Virus *Dengue* serta Surveilansi Virologis Vektor *Dengue*. *Disertasi*. Universitas Gajah Mada,Yogyakarta.
- Whelan,P., Lanche,G., Prosser,C., Ezpinosza,H, 2003. Exotix mosquitoes detected in cargo at East Arm Port Area 19 March 2003.*The Northern Territory Disease Control Bulletin*. Vol 10 No.2.
- Whelan ,P., Nguyen,H., Hajkowiczs,K., Davis,J., Smith,D., Pyke,A., Krause,V. 2012. Evidence in Australia for a Case of Airport Dengue. *PLOS Negleted Tropical Disease*.6 (9).

- Wong,N.Z.,Law,C.Y.,Lee,M.K.,Lee,S.S.,Lin,H.,2007. An Alert System For Informing Environmental Risk Of Dengue Infections. GIS For Health And The Environment. *Springer-Verlag*.
- Widiyanto,T.,2007. Kajian Manajemen Lingkungan terhadap Kajian Demam Berdarah Dengue (DBD) di Kota Purwokerto Jawa Tengah. *Thesis*.Universitas Diponegoro Semarang.
- Wai,K.T.,Arunachalam,N.,Tana,S.,FeEspino.,Kittayapong,P.,Abeyewickreme,W., Hapangama, D *et al.*,2012. Estimating dengue vector abundance in the wet and dry season: implications for targeted vector control in urban and peri-urban Asia. *Pathogens and Global Health*.106:8.
- World Health Organization, 1997, Dengue Haemorrhagic Fever Diagnosis, Treatment, Prevention and Control , Second edition, WHA, Geneva, Swiss.
- World Health Organization, 2009, Dengue Guidelines For Diagnosis, Treatment, Prevention and Control, New Edition, TDR WHO.
- World Health Organization , 2011. Comprehensive Guidelines for Prevention and Control of Dengue and Dengue Haemorrhagic Fever Revised and expanded edition, (SEARO Technical Publication Series No. 60).
- World Health Organization , 2008. International Health Regulation (2005) Second Edition.Genewa,Swiss.
- Wilson, M.E.,2003. The traveler and emerging infections: sentinel, courier, transmitter. *Journal of Applied Microbiology*, 94:1S--11S.
- Wirayoga,M.A.,2013.Hubungan Kejadian Demam Berdarah Dengue dengan Iklim di Kota Semarang tahun 2006-2011.*Skripsi*.Universitas Negeri Semarang.
- Zubaidah,T.,Marlina.,2014. Hubungan indikator entomologi dengan *density figure* di Kelurahan Jawa Kecamatan Martapura Kabupaten Banjar. *Jurnal Epidemiologi dan Penyakit Bersumber Binatang*. Vol 5. No. 1 :1-6.