

DAFTAR PUSTAKA

- Alam, M.T., Das, M.K., Dev, V., Ansari, M.A. and Sharma, Y.D. 2007. Identification of two cryptic species in the *Anopheles (Cellia) annularis* complex using ribosomal DNA PCR-RFLP. *Parasitol. Res.* 100: 943-948
- Angus, B. M. 1996. The history of the cattle tick *Boophilus microplus* in Australia and achievements in its control. *International journal for parasitology*, 26(120):1341-1355.
- Anastos. 1950. The Scutate Ticks or Ixodidae, Of Indonesia. *Entomol. Am.*30:1-144
- Arthur, D.R. 1946 The feeding mechanism of *Ixodes ricinus* (L.). *Parasitology* : 37: 154-16
- Arthur, D.R. 1960. *Ticks, a monograph of the Ixodoidea. Part V on the genera Dermacentor, Anocentor, Cosmiomma, Boophilus & Margaropus.* University Press, Cambridge : 251 pp.
- Baimai, V., C. A. Green, R. G. Andre, B. A. Harrison and E. L. Peyton. 1984. Cytogenetic studies of some species complexes of *Anopheles* in Thailand and Southeast Asia. *Southeast Asian J. Trop. Med. Public Health.*15:536-54
- Baldwin, B.G., Sanderson, M.J., Mark Porter, J., Wojciechowski, M.F., Campbell, C.S., a Donoghue, MJ. 1995. The ITS Region of Nuclear Ribosomal DNA: A Valuable Source of Evidence on Angiosperm Phylogeny. *Annals of the Missouri Botanical Garden.* 82 (2): 247-277.
- Barré, N. and Uilenberg G. 2010. Spread of parasites transported with their hosts: Case study two species cattlr tick.. *Rev. sci. tech. Off. int. Epiz.*, 29 (1), 149-160
- Barros-Battesti, D.M.,Hernandez, R.M., Famadas, K.M., Onofrio,V.C., Beati,L.and Gugliemone ,A.A. 2009. The ixodid ticks (Acari: Ixodidae) of Cuba *Syst & Appl. Acarology* 14 : 101–128.
- Barker, S. C. 1998. Distinguishing species and populations of rhipicephaline ticks with ITS 2 ribosomal RNA. *J Parasitol*, 84, 887-92.
- Barker SC, Murrell A. 2002. Phylogeny, evolution and historical zoogeography of ticks: a review of recent progress *Exp and Appl Acarol.*8):55-68.
- Barker SC, Murrell ,A.(2004 Systematics and evolution of tickswith a list of valid genus and species names. *Parasitology*129 (suppl):S15–S36
- Beati L. Keirans, J. E. 2001. Analysis of the systematic relationships among ticks of the genera *Rhipicephalus* and *Boophilus* (Acari: Ixodidae) based on

mitochondrial 12S ribosomal DNA gene sequences and morphological J.
Parasitol., 87(1): 32–48 .

Bedford, G.A.H. 1932. A synoptic check-list and host-list of the ectoparasites found on South African Mammalia, Aves and Reptilia. 18th. *Rep. Vet. Res. Un. S.*

Berkvens D.L., Geysen D., Chaka G., Madder M., Brandt J.R.A. 1998. A survey of the ixodid ticks parasitizing cattle in the Eastern Province of Zambia. *Med. Vet. Entomol.* 12:234–240.

Bickford, D., Lohman, D.J., Sodhi, N.S., Ng PKL., Meier, R., Winker, K., Ingram, K.K., Das I. 2007. Cryptic species as a window on diversity and conservation. *Trends. Ecol. Evol.* 22:148–155.

Biegelmeyer, P., Nizoli, L.Q., Da Silva, S. S., Dos Santos, T. R., Dionello N. J., Gulias-Gomes, C.C. , Cardoso, F. F. 2015. Bovine genetic resistance effects on biological traits of Rhipicephalus (Boophilus) microplus. *Vet Parasitol*, 208, 231-7.

Black, W.X. and Piesman, J. 1994. Phylogeny of hard- and soft-tick taxa (Acari: Ixodida) based on mitochondrial 16S rDNA sequences. *Proc Natl Acad Sci U S A.* 91(21): 10034–10038

Bock, R., Jackson, L., de Vos A., Jorgensen, W. 2004. Babesiosis of cattle *Parasitology* 129:247–269.

Brahma, R. K., Dixit, V., Sangwan, A. K. and Doley, R. 2014. Identification and characterization of Rhipicephalus (Boophilus) microplus and Haemaphysalis bispinosa ticks (Acari: Ixodidae) of northeast India by ITS2 and 16S rDNA sequences and morphological analysis. *Exp Appl*

Budiati, E.A. 2002. *Prevalensi parasit darah (Babesia sp. dan Theileria sp.) pada ternak sapi rakyat di lima kecamatan, Kabupaten Lampung Tengah.* Skripsi Fakultas Kedokteran Hewan IPB.

Burger, T. D., Shao, R. and Beker, S. C. 2014. Phylogenetic analysis of mitochondrial genome sequences indicates that the cattle tick, Rhipicephalus (Boophilus) microplus, contains a cryptic species. *Mol Phylogenet Evol*, 76, 241-53.

Budiati, A.E. 2012. *Prevalensi Parasit Darah (Babesia sp. dan I'izeileria sp.) pada Temak Sapi Rakyat di Lima Kecamatan Wilayah Kabupaten Lampung Tengah Propinsi Lampung .* Skripsi IPB.

Camicas, J.L. and Morel, P.C. 1977. Position systématique et classification des tiques (Acarida: Ixodida). *Acarologia.* 18:410–420

Camicas, J.L., Hervy, J.P., Adam, F. , Morel, P.C. 1998. *The ticks of the world (Acarida, Ixodida): nomenclature, described stages, hosts, distribution,* Éditions de l'Orstom.

- Chitimia, L., Lin, R. Q., Cosoroaba, I., Braila P., Song, H. Q. and Zhu, X. Q. 2009. Molecular characterization of hard ticks from Romania by sequences of the internal transcribed spacers of ribosomal DNA. *Parasitol Res*, 105, 1479-82.
- Clifford, C. M., Anastos, G. 1960. The use of chaetotaxy in the identification of larval ticks (Acarina: Ixodidae). *J Parasitol*, 46, 567-78.
- Cooley, R.A. 1946 The genera *Boophilus*, *Rhipicephalus*, and *Haemaphysalis* (Ixodidae) of the New World. *Natl Inst Health Bull* 187: 1-54.
- Crampton, A., McKay, I. dan Barker, C.S. (1996) Phylogeny of Ticks (Ixodida) inferred from Nuclear ribosomal DNA. *Int.J.Parasitol.* 26: 511-517
- Cruickshank, R.H. (2002) Molecular Markers for Phylogenetics of Mites and Ticks. *Systematic and Applied Acarology* 7: 3-14.
- Cuttule, C., Jonsson, N. N. and Seddon, J. 2009. Population structure of Australian isolates of the cattle tick *Rhipicephalus (Boophilus) microplus*. *Vet Parasitol*, 161, 283-91.
- Davey, R. B.; Garza, J. R. J.; Thompson, G. D.; Drumond, R. O. Ovipositional biology of the Southern cattle tick *Boophilus microplus* (Acari: Ixodidae) in the laboratory. *Journal of Medical Entomology*, v. 17, n. 2, p. 117-121, 1980.
- De Castro, J.J. 1977. Sustainable tick and tickborne disease control in livestock improvement in developing countries. *Vet.Parasitol* 71:77-97.
- de la Fuente, J., Estrada -Pena , A., Venzal, J. M., Kocan, K. M. , Sonenshine, D. E. 2008. Overview: Ticks as vectors of pathogens that cause disease in humans and animals. *Front. Biosci.* 13: 6938-46.
- Dergusoff, S. J. and Chilton, N. B. 2007. Differentiation of three species of ixodid tick, *Dermacentor andersoni*, *D. variabilis* and *D. albipictus*, by PCR-based approaches using markers in ribosomal DNA. *Mol Cell Probes*, 21, 343-8.
- Dobson, S. J. and Barker, S. C. 1999. Phylogeny of the hard ticks (Ixodidae) inferred from 18S rRNA indicates that the genus *Aponomma* is paraphyletic. *Mol Phylogenet Evol*, 11, 288-95.
- Does, de. 1905. Piroplasmosen in Ned. Indie. *Geneesk. Tijdschr.* 45: 515.
- Durden, L. A., Merker S., Beati L. 2008. The tick fauna of Sulawesi, Indonesia (Acari: Ixodoidea: Argasidae and Ixodidae). *Exp Appl Acarol.* 45: 85-110.
- Elder, J.K., S.G. Knott, S.G., and J.F. Kearnan, J.F. 1982 . Proceedings of the 3rd

International Symposium on Veterinary Epidemiology and Economics:
Coordinated Approach to Control of the Cattle Tick (*Boophilus microplus*) in
South East Queensland, Australia “

Evans, D. E., Martins, J. R. ,Guglielmone, A. A. 2000. A review of the ticks (Acari, ixodida) of Brazil, their hosts and geographic distribution - 1. The state of Rio Grande do Sul, southern Brazil. *Mem Inst Oswaldo Cruz*, 95,

Evans DE 1992. Tick infestation of livestock and tick control methods in Brazil: a situation report. *Insect Sci Applic 13*: 629-643.

Evans,, D. E., Martins, J. R. ,Guglielmone, A. A. 2000. A review of the ticks (Acari, ixodida) of Brazil, their hosts and geographic distribution - 1. The state of Rio Grande do Sul, southern Brazil. *Mem Inst Oswaldo Cruz*, 95, 453-70.

Everitt, J.I., Shaddock, J.A., Steinkamp. C., Clabaugh G 1986. Experimental Babesia bovis infection in Holstein calves. *Vet Pathol* .23:556

Foil, L. D., Coleman, P., Eisler, M., Fragoso-Sanchez H., Garcia-Vazquez, Z., Guerrero F. D., Jonsson, N. N., Langstaff, I. G., LI, A. Y., Machila, N., Miller R. J., Morton, J., Pruett J. H. , Torr, S. 2004. Factors that influence the prevalence of acaricide resistance and tick-borne diseases. *Vet Parasitol*, 125, 163-81.

Fischer, E. R., Hansen, B. T., Nair, V., Hoyt, F. H., & Dorward, D. W. 2012. Scanning Electron Microscopy. *Current Protocols in Microbiology*, Chapter, Unit2B.2.

Estrada-Pena, A. 2001. Climate warming and changes in habitat suitability for *Boophilus microplus* (Acari: Ixodidae) in Central America. *J Parasitol*. 87: 978-987.

Fukunaga, M., Yabuki, M., Hamase, A., Oliver, J.H Jr., Nakao, M.2000.Molecular phylogenetic analysis of ixodid ticks based on the ribosomal DNA spacer, internal transcribed spacer 2, sequences. *J Parasitol*. 86(1):38-43

Goff, W. L., W. C. Johnson, S. M. Parish, G. M. Barrington, W. Tuo, and R. A. Valdez. 2001. The age-related immunity in cattle to *Babesia bovis* infection involves the rapid induction of interleukin-12, interferon-gamma and inducible nitric oxide synthase mRNA expression in the spleen. *Parasite Immunol*. 23:463-471

Gothe, R. 1967. Ticks in the South African Zoological Survey Collection. Part XII. The genera *Boophilus* Curtice, 1891 and *Margaropus* Karsch, 1879. *Onderstepoort Jour of Vet. Res* 34 :81–107.

Gordon, B.M., Giza, C.C. 2004. Tick paralysis presenting in an urban environment. *Pediatr. Neurol*.30 (2):122-4.

- Guglielmone, A. A., Robbins, R. G., Apanaskevich, D. A., Petney, T. N., Estrada-Pena, A. , Horak, I. G. 2009. Comments on controversial tick (Acari: Ixodida) species names and species described or resurrected from 2003 to 2008. *Exp. Appl.Acaro.*, 48, 311-27.
- Hadi,U.K. dan Rusli,V.L. 2006. Infestasi Caplak Anjing *Rhipicephalus sanguineus* (Parasitiformes: Ixodidae) di Daerah Kota Bogor. *Jur. Med. Vet. Ind.*10 (2): 55-60.
- Harwood, R.F. dan James, M.T. 1979. *Entomology and Human and Animal Health*. 4th ed. MacMillan Publishing Co. Inc,New York :169
- Hillis, D.M., Dixon M.T.1991. Ribosomal DNA: molecular evolution and phylogenetic inference. *Q Rev Biol.* 66(4):411-53.
- Hillis, D.M.,Moritz, C., Mable B.K (Eds). 1996. *Molecular Systematics*, 2nd ed, SinauerAssociate, Sunderland, 1-13.
- Hinomoto, N., Tran, D. P., Pham, A. T., Ngoc Le T. B., Tajima, R., Ohashi, K., Osakabe, M. and Takafuji, A. 2007. Identification of spider mites (Acari: Tetranychidae) by DNA sequences: a case study in Northern Vietnam. *International Journal of Acarology*, 33, 53-60.
- Hitchcock, L. 1955. Studies on the non-parasitic stages of the cattle tick, *Boophilus microplus* (Canestrini)(AcarinaL Ixodidae). *Australian Journal of Zoology*, 3, 295-311.
- Horak, I.G., Camicas, J.L., Keirans, J.E. 2002.The Argasidae, Ixodidae and Nuttalliellidae (Acari: Ixodida): a world list of valid tick names. *Exp. and App. Acarol.* 28: 27–54.
- Hoogstral, H. 1956. *African Ixodoidea*, I. Ticks of the Sudan (with special reference to Equatoria Province and with preliminary reviews of the genera *Boophilus*, *Margaropus* and *Hyalomma*). US Navy, Washington, DC.
- Hoogstraal, H, and Aeschlimann, A. 1982. Tick-host specificity. *Bull Soc Entomol Suisse*, 55, 5–32.
- Hoogstraal, H, Clifford ,C.M., Roshdy ,M.A.1984The Haller's Organ Roof and Anterior Pit Setae of Argas Ticks (Ixodoidea: Argasidae). Subgenera *Secretargas* and *Ogadenus* *The Journal of Parasitology* Vol. 70, No. 3 : pp. 403-406

Hwang, W.U. and Kim, W. (1999). General properties and phylogenetic utilities of nuclear ribosomal DNA and mitochondrial DNA commonly used in molecular systematic Parasitology. *Korean J. Parasitol.* 37(4): 215-228

Houseman, R.M. 2013. Guide to Ticks and Tick-Borne Diseases. University of Missouri Extension.html

Islam, M.K., Alim, M.A. Tsuji N., Mondal, M.M. 2006. An investigation into the distribution, host-preference and population density of Ixodid ticks affecting domestic animals in Bangladesh *Tropical Animal Health and Production.*38(6):485-490

Kakati, P., Sarmah, P.C., Ray, D., Bhattacharjee, K., Sharma, R.K., Barkalita, L.M., Sarma, D.K., Baishya, B.C., Borah, P., Stanley, B. 2015. Emergence of oriental theileriosis in cattle and its transmission through *Rhipicephalus (Boophilus) microplus* in Assam. *India. Vet. World.* 8(9): 1099–1104.

Joydhar, N.B., Haq, M., Rahman, M.H., Sarkar, A.K. 2010. Laboratory Studies on The Life Cycle Of *Boophilus microplus* *Int. J. BioRes* 2 (9): 13-18

Kadarsani, S. 1971. Larval Ixodid Ticks of Indonesia (Acarina: Ixodidae). PhD thesis: University of Maryland, College Park : 182 pp

Kammah, K.M., El-Fiky, Z. 2005. Molecular markers of some tick genera in Egypt based on the internal transcribed spacer (ITS-2): 1- Ixodidae (*Boophilus* and *Hyalomma*). *Arab J. Biotech.* 8 (1) : 61-66.

Kauffman, J. 1996. *Parasitic infections of domestic animals: a diagnostic manual, Illustrated Ed., ILRI (aka ILCA and ILRAD): 423 pp*

Kettle, D.S. (1990). *Medical and veterinary entomology.* Croom Helm Ltd. : 423-425.

Klompen, J.S.H. Oliver Jr., J.H. Keirans, J.E. Homsher, P.J. 1997. A re-evaluation of relationships in the Metastriata (Acari: Parasitiformes: Ixodidae) . *Syst. Parasitol.* 38:1-24

Klompen, J.S.H., Black Jr., W.C., Keirans, J.E., Norris, D.E., 2000. Systematics and biogeography of hard ticks, a total evidence approach. *Cladistics* 16, 79–102

Kohls, G.M. 1950. Ticks (Ixodoidea) of The Philippines. *Natl. Inst. Health. Bull* (192), 28 p
Kohls, G. M. 1957. Insects of Micronesia. *Acarina: Ixodoidea. Insects Micronesia*, 3, 85-104.

Kohls, G.M. 1957: Malayasian parasites. 18. Ticks (Ixodoidea) of Borneo and

Malaya. *Stud. Inst. Med. Res. Malaya*: 28:65-94

Kolonin GV (1995) Review of the ixodid tick fauna (Acari: Ixodidae) of Vietnam.
J Med Entomol 32:276–282

Kolonin, G.V.(2009). Fauna of Ixodid Ticks of the World (Acari, Ixodidae)
<http://www.Kolonin.Org> (1 Maret 2016).

Krantz, G.W. 1978. A Manual of Acarology. 2nd Edition. Oregon State University
Bookstores, Corvallis.

Labruna, M. B., V. Naranjo, A. Mangold, C. Thompson, A. Estrada-Peña, A. A.
Guglielmone, F. Jongejan, and J. de la Fuente. 2009. Allopatric speciation
in ticks: genetic and reproductive divergence between geographic strains
of *Rhipicephalus (Boophilus) microplus*. *BMC Evol. Biol.* 9: 46–58.

Lane R.P., and . Crosskey, R.W. 2012. *Medical Insects and Arachnids*
Springer Science & Business Media :-723 pp

Manurung, J. 2002. Studi prevalensi infeksi caplak pada sapi di Kecamatan Ciracap
dan Kecamatan Surade Kabuoaten Sukabumi, Jawa Barat dan cara –cara
menanggulangnya. Seminar Nasional Teknologi Peternakan dan Veteriner.

McCrosker ,P.J.1981.The global importance of babesiosis. AcademicPress, New
York: 1–24.

Mayr, E. 1973. *Animal Species and evolution*. Harvard University Press, Cambridge,
MA:797 pp.

Minning, W. 1934. Beiträge zur Systematik und Morphologie der Zeckengattung
Boophilus Curtice. *Z. Parasitenkd* 7: 1–43

Mettler, L.E. dan Gregg, T.G. (1969). *Population Genetic and Evolution*. Prentice
Hall, Inc. New Jersey.

Mtambo, J , Madder, M., Van Bortel, W., Berkvens, D., dan Backeljau, T. (2007)
Rhipicephalus appendiculatus and *R. zambeziensis* (Acari: Ixodidae)
from Zambia: a molecular reassessment of their species status and
identification. *Exp. Appl. Acarol.* 41(1-2): 115-128

Munaf, H.B. (1986). Keanekaragaman hospes jenis-jenis Caplak marga
Amblyoma, *Boophilus* dan *Rhipicephalus* (Acariana; Ixodidae) yang
tercatat memarasit Kerbau dan Sapi di Indonesia. *Berita Biologi* 3 (6): 286-
291.

Madder, M., Thys E., Achi, L., Toure, A., Ddeken, R. 2011. *Rhipicephalus*
(*Boophilus*) *microplus*: a most successful invasive tick species in West-
Africa. *Exp Appl Acarol*, 53, 139-45.

- McLain, D.K., Wesson, D.M., Collins, F.H., Oliver, J.H. Jr. 1995. Evolution of the rDNA spacer, ITS 2, in the ticks *Ixodes scapularis* and *I. pacificus* (Acari: Ixodidae). *Heredity* (Edinb). 75 (Pt 3):303-19
- Miranda RL, de Castro JR, Olegário MM, Beletti ME, Mundim AV, Eyal O, Talmi-Frank D, Cury MC, Baneth G. b20011 Oocysts of *Hepatozoon canis* in *Rhipicephalus (Boophilus) micropilus* collected from a naturally infected dog. *Vet Parasitol* 177(3-4):392-6.
- Murrell, A., Campbell, N.J., Barker, S.C.A. 2001. Total-evidence phylogeny of ticks provides insights into the evolution of life cycles and biogeography. *Mol Phylogenet Evol.* 21(2):244-58.
- Murrell, A. and Barker, S. C. 2003. Synonymy of *Boophilus* Curtice, 1891 with *Rhipicephalus* Koch, 1844 (Acari: Ixodidae). *Systematic parasitology*, 56, 169-172.
- Navajaz, M. and Fenton, B. 2000. The application of molecular markers in the study of diversity in acarology: a review. *Experimental & applied acarology*, 24, 751-774
- Nyangiwe, N. and Horak, I. G. 2007. Goats as alternative hosts of cattle ticks. *Onderstepoort Journal of Veterinary Research*, 74, 1-7.
- Norris, D. E., Klompen, J. S. H. T. & Black, W. C. 1999. Comparison of the mitochondrial 12S and 16S ribosomal DNA genes in resolving phylogenetic relationships among hard ticks (Acari: Ixodidae). *Annals of the Entomological Society of America*, 92, 117-129.
- Núñez, J. L.; Muñoz Cobenas, M. E. & Moltedo, H. L. 1982 *Boophilus micropilus* La garrapata del Ganado vacuno. Buenos Aires, Hemisfério Sur.: 184 pp
- Nuttall, G. H. F. . Cooper W. F and. Robinson L. E. 1908. On the Structure of "Haller's Organ" in the Ixodoidea. *Parasitology*, 1, pp 238-242. doi:10.1017/S0031182000003486.
- Kocan, K.M., de la Fuente, J., Blouin, E.F., Coetzee, J.F., Ewing, S.A., 2010. The natural History of *Anaplasma marginale*. *Vet. Parasitol* : 167:95–1
- Liu, G.H., Chen F., Chen, Y.Z., Song, H.Q., Lin, R.Q., Zhou, D.H. and Zhu X. Q. 2013. Complete mitochondrial genome sequence data provides genetic evidence that the brown dog tick *Rhipicephalus sanguineus* (Acari: Ixodidae) represents a species complex. *International journal of biological sciences*, 9, 361.

- Oliveira, R.P., Bechara, H.G., Dernadi, S.E., Saito, C.K., Nunes, T.E., Szabo, P.M., Mahias, I.C.M. 2005. Comparison of the External Morphology of *Rhipicephalus sanguineus* (Latreille, 1806) (Acari: Ixodidae) Ticks from Brazil and Argentina. *Vet. Parasitol.* 129 :139-147.
- Oliver, J. H. 1989. Biology and systematics of ticks (Acari: Ixodida). *Annual Review of Ecology and Systematics*, 397-430.
- Oliver, J.H. and Dotson, E.M. 1993. Hormonal Control of Molting and Reproduction in Ticks. *American Zoologist*, 33 (3) 384-396
- Peter, R.J., Van den Bossche P., Penzhorn B.L., Sharp, B. 2005. Tick, fly, and mosquito control—lessons from the past, solutions for the future. *Vet Parasitol.* 132:205–215.
- Petney TN (1993) A preliminary study of the significance of ticks and tick-borne diseases in South-east Asia. *Mitt Österr Ges Tropenmed Parasitol* 15:33–42
- Petney TN, Keirans JE (1994) Ticks of the genus *Ixodes* in South-east Asia. *Trop Biomed* 11:123–134
- Petney TN, Keirans JE (1995) Ticks of the genera *Amblyomma* and *Hyalomma* in South-east Asia. *Trop Biomed* 12:45–56
- Petney TN, Keirans J.E. 1996. Ticks of the genera *Boophilus*, *Dermacentor*, *Nosomma* and *Rhipicephalus* (Acari: Ixodidae) in South-east Asia. *Trop Biomed* 13:73–84
- Petney, T. N., Kolonin, G. V. & Robbin, R. G. 2007. Southeast Asian ticks (Acari: Ixodida): a historical perspective. *Parasitology research*, 101, 201-205.
- Poucher, K. L., Hutcheson, J., Keirans, J. E., Durden L. A., Blackiv, W. C. 1999. Molecular genetic key for the identification of 17 *Ixodes* species of the United States (Acari: Ixodidae): a methods model. *The Journal of parasitol*, 623-629.
- Quicke, D. L. J. 1993. *Principles and Techniques of Contemporary Taxonomy*. New York: Blackie Academic and Professional: 311 pp
- Ravindran, R., Rao, J.R., Mishra, A.K. 2006. Detection of *Babesia bigemina* DNA in ticks by DNA hybridization using a non radioactive probe generated by arbitrary PCR. *Vet Parasitol.* 141: 181-185.
- Riek, R.F., Weinman, D. and Ristic, M., 1968. Babesiosis. *Infectious blood diseases of man and animals*: 219-268.]
- Ristic M. 1981. Babesiosis. In: Ristic M, MacIntyre I, editors. Diseases of cattle in the tropics. The Netherlands: Martinus Nijhof Publishers: 443-468.
- Richard, M.V., Kocan, A.A., Van Den Bussche, R.A., Barker R., W., Wyckoff, J.H.

Ewing, S.A.2005 Sequence variation of the ribosomal DNA second internal transcribed spacer region in two spatially-distinct populations of *Amblyomma americanum* (L.) (Acari: Ixodidae). *J Parasitol.* 91(2):260-3.

Roberts, F.H.S. 1965. The taxonomic Status of the species of the genera *Rhipicephalus* Koch and *Boophilus* Curtice (Acarina : Ixodidae) occurring in Australia. *Aust. J. Zool.* 13: 491–523.

Roberts J. A.1968. Resistance of Cattle to the Tick *Boophilus microplus*(Canestrini) Development of Ticks on *Bos taurus* *The Journal of Parasitology* 54(4): 663-666

Roberts, F.H.S. (1970) *Australian Ticks*. CSIRO, Melbourne : 267 pp.

Robbins, R. G. 2005. The ticks (Acari: Ixodida: Argasidae, Ixodidae) of Taiwan: a synonymic checklist. DTIC Document.

Roderick, G. K. 1996. Geographic structure of insect populations: gene flow, phylogeography , and their uses. *Ann.Rev. Entomol.*41:,325 – 35

Roshdy, M.A., Hefnawy,T. 1973. The functional morphology of *Haemaphysalis spiracles* (Ixodoidea: Ixodidae). *Z. Parasitenkd.* 42: 1-1

Saim, A. 1993 .Caplak (Acarina: IXODidae) pada *Rusa Cervus Timorensis* di Kawasan Sebelah Timur Garis Wallace, Indonesia. *Majalah Kedokteran Tropis Indonesia.* 6 (1): 33-41.

Saitou, N., Nei, M.1987.The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol Biol Evol.*4(4):406-25.

Schluter, D., McPhail, J.D.1992. Ecological character displacement and speciation in sticklebacks. *Am Nat.* 140 (1):85-108.

Soekardono, S.1989. Importan Protozoan Diseases Of Animals in Indonesia (Rview) *Bull.Penelit. Kes .* 17 (2): 154-16

Sigit, H.S, Partosoedjono, S., Akib, S.M. 1983. *Inventarisasi dan Pemetaan Parasit Indonesia: Laporan Penelitian Proyek Peningkatan dan Pengembangan Perguruan Tinggi Institut Pertanian Bogor* : 25-26.

Sonenshine, D.E .1991. *Biology of Ticks*. Volume 1. Oxford University Press, New York. 447 pp

- [Abstract](#)

Genetic incompatibility between *Boophilus decoloratus* (Koch, 1844) and *Boophilus microplus* (Canestrini, 1888) and hybrid sterility of Australian and South African *Boophilus microplus* (Acarina: Ixodidae).

Spickett, A. M., Malan Jr. 1978. Genetic incompatibility between *Boophilus decoloratus* (Koch, 1844) and *Boophilus microplus* (Canestrini, 1888) and hybrid sterility of Australian and South African *Boophilus microplus* (Acarina: Ixodidae) ; *Onderstepoort J. Vet. Res.* 45(3):149-53.

Sudira, I.W. (2009). Evaluasi Insektisida Deltametrin 0,6% EC Terhadap *Rhipicephalus sanguineus*. *Bulletin Veteriner.* 1 (1): 35-40

Sukanto, I.P., Payne, R.C., Partoutomo, P. 1993. Bovine babesiosis in Indonesia. *Prev. Vet. Med.* 16 (2): 151-156.

Sutherst, R., Maywald, G., Kerr, J. , Stegemen, D. 1983. The effect of cattle tick (*Boophilus microplus*) on the growth of *Bos indicus* × *B. taurus* steers. *Crop and Pasture Science*, 34, 317-327.

Sutherst, R. W., Bourne, A. S. , Sutherland, I. D. 1999. Production and survival of eggs of the cattle tick *Boophilus microplus* (Canestrini) (Acarina: Ixodidae) in the wet and dry tropics of north Queensland. *Australian Journal of Entomology*, 38, 340-347.

Tamura, K., Stecher, G., Peterson, D., ilipsiI, A. and Kumar , S. 2013. MEGA6: molecular evolutionary genetics analysis version 6.0. *Molecular biology and evolution*, 30, 2725-2729.

Tønnesen M.H., Penzhorn BL, Bryson N.R., Stoltsz W,H., Masibigiri T (2004) Displacement of *Boophilus decoloratus* by *Boophilus microplus* in the Soutpansberg region, Limpopo Province, South Africa. *ExpAppl Acarol* 32:199–208

Theiler, G. 1943. Notes on the ticks off domestic stock from Portuguese East Africa. Estação Anti-Malária de Lourenço Marques: Imprensa Nacional de Moçambique

Thompson, J.D., Higgins, D.G., Gibson ,T.J. 1994. Clustal W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, *position-specific gap penalties and weight matrix choice.* *Nucleic Acids Res.* 22(22): 4673–4680.

Troyo A, Calderón-Arguedas O, Alvarado G, Vargas-Castro LE, Avendaño A. 2012. Ectoparasites of dogs in home environments on the Caribbean slope of Costa Rica. *Rev Bras Parasitol Vet.* 21(2):179-83.

Tomanoff, 1944. Les tiques(Ixodoidae) de Indochine. Instituts Pasteur d l Indochie, Saigon. 220 pp

Tutuk, A. 2007. *Penanggulangan caplak Rhipicephalus sanguineus dengan vaksinasi. Laporan Penelitian LPPM IPB.*

Trueman, K. F., G. W. Blight. 1978. The effect of age on resistance of cattle to *Babesia bovis*. *Aust. Vet. J.* 54:301-305

Walker, T.J. 1964. Cryptic Species Among Sound-Producing Ensiferan Orthoptera (Gryllidae and Tettigoniidae). *The Quart. Rev. of Biol.* 39(4) : 345-355.

Woolley, A.T. 1972. Some sense organ of ticks as seen by scanning electron microscopy . *Tran. Am.Microscop.* 91(1): 35-47.

Waladde, S. M. 1976. The sensory nervous system of the adultcattle tick *Boophilus microplus*(Canestrini) Ixodidae. I. Lightmicroscopy. *J. Aust. Ent. Soc.* 15, 379–387.

Waladde, S. 1987. Receptors involved in host location and feeding in ticks. *International Journal of Tropical Insect Science*, 8, 643-647.

Waladde, S. and Rice , M. 1982. The sensory basis of tick feeding behaviour. *The physiology of ticks*, 71-118.

Waladde, S. M. 1979. A study of the structure and physiology of certain sensory receptors of the adult cattle tick *Boophilus microplus* (Canestrini) Ixodidae.

Waladde, S.M. 1977. The Sensory Nervous System of the Adult cattle Tick *Boophilus microplus* (Canestrini) Ixodidae. Part I. Light Microscopy. *Aust. Jour. Entomol.* 15 (4): 379-387

Wallis, G. P., Tabanich, W. J., Powell, J. R. 1984. Genetic heterogeneity among Caribbean populations of *Aedes aegypti*. *The American journal of tropical medicine and hygiene*, 33, 492-498.

Walker, T.J. 1964. Cryptic species among sound-producing Ensiferan Quart. *Ver. Biol.* 39: 345-355

Wedderburn PA, Jagger TD, McCartan B, Hunter AG (1999) Distribution of *Boophilus* species ticks in Swaziland. *Trop Anim Health Prod* 23:167–17

Wesson, D. M., McLain, D. K., Oliver J. H., Piesman, J. , Collins, F. H. 1993. Investigation of the validity of species status of *Ixodes dammini* (Acari: Ixodidae) using rDNA.

Proceedings of the National Academy of Sciences, 90, 10221-10225.

Wilkerson, R.C., Reinert, J.F., Li, C. 2004. Ribosomal DNA ITS2 sequences

differentiate six species in the Anopheles crucians complex (Diptera: Culicidae). *J Med Entomol.* 41(3):392-401.

Vredevoe, L. 1997. *Background Information on the Biology of Ticks.* <http://entomology.ucdavis.edu/faculty/rbkimsey/tickbio.html> (15-3-2011).

Chen,Z., Yang,X., Bu, F., Yang,X., Xiaolong Yang.X.,Liu, J. 2010. Ticks (Acari: Ixodoidea: Argasidae, Ixodidae) of China. *Exp.and Appl.Acarology.* 51(4): 393-404