

DAFTAR PUSTAKA

- Abel, E.D., Peroni, O., Kim, J.K., Kim, Y.B., Boss, O., Hadro, E., Minnemann, T., Shulman, G.I., Kahn, B.B. 2001. Adipose-selective targeting of the GLUT4 gene impairs insulin action in muscle and liver. *Nature*. 409(6821):729-33.
- Akbar, S., Bellary, S., Griffiths, H.R. 2011. Dietary antioxidant interventions in type 2 diabetes patients: a meta-analysis. *Br J Diabetes Vasc Dis*. 11(2): 62-68.
- Alapatt, P., Guo, F., Komanetsky, S.M., Wang, S., Cai, J., Sargsyan, A., Rodríguez Díaz, E., Bacon, B.T., Aryal, P., Graham, T.E. 2013. Liver retinol transporter and receptor for serum retinol-binding protein (RBP4). *J. Biol. Chem.* 288(2):1250-65.
- Al-Jada, D.N., Ahmad, M.N. 2014. Effect of dietary fats on the development of insulin resistance in relation to PPAR γ activation and leptin concentration in rats. *Journal of American Science* 2014;10(8): 59-66.
- Anggrahini, S., Ika R., Agnes M. 2006. Pengkayaan β -karoten mi ubi kayu dengan tepung labu kuning (*Cucurbita maxima Dutchenes*). *Majalah Ilmu dan Teknologi Pertanian*. 26 (2): 81-87.
- Arunkumar, E., Bhuvanewari, S., Anuradha, C.V. 2012. An intervention study in obese mice with astaxanthin, a marine carotenoid--effects on insulin signaling and pro-inflammatory cytokines. *Food. Funct.* 3(2):120-6.
- Asha, G. V., Reddy, M.R.G., Mahesh, M., Vajreswari, A., Jeyakumar, S.M. 2015. Male mice are susceptible to high fat diet-induced hyperglycaemia and display increased circulatory retinol binding protein 4 (RBP4) levels and its expression in visceral adipose depots. *Arch Physiol Biochem*. 122(1):19-26
- Bantle, J.P., Ratz, S.K., Thomas, W., Georgopoulos, A. 2000. Effects of dietary fructose on plasma lipids in healthy subjects. *Am. J. Clin. Nutr.* 72(5):1128-34.
- Berry, D.C., Jacobs, H., Marwarha, G., Gely-Pernot, A., O'Byrne, S.M, DeSantis, D., Klopfenstein, M., Feret, B., Dennefeld, C., Blaner, W.S, Croniger, C.M, Mark, M., Noy, N., Ghyselinck, N.B. 2013. The STRA6 receptor is essential for retinol-binding protein-induced insulin resistance but not for maintaining vitamin A homeostasis in tissues other than the eye. *J. Biol. Chem.* 288(34):24528-39.
- Ble-Castillo, J.L., Aparicio-Trapala, M. A., Juárez-Rojop, I.E., Torres-Lopez, J. E., Jose, D.M., Aguilar-Mariscal, H., Olvera-Hernández, V., Palma-Cordova, L.C., Diaz-Zagoya, J. C. 2011. Differential Effects of High-Carbohydrate and High-Fat Diet Composition on Metabolic Control and Insulin Resistance in Normal Rats. *Int. J. Environ. Res. Public Health*, 9: 663-1676.
- Blomhoff, R., Kiil Blomhoff, H. 2005. Overview of Retinoid Metabolism and Function. *J. Neurobiol.* 66(7):606-30.

- Boden, G. 2011. 45Obesity, Insulin Resistance and Free Fatty Acids. *Curr. Opin. Endocrinol. Diabetes. Obes.* 18(2): 139–143.
- Boden, G., Homko, C., Barrero, C.A., Stein, T.P., Chen, X., Cheung, P., Fecchio, C., Koller, S., Merali, S. 2015. Excessive caloric intake acutely causes oxidative stress, GLUT4 carbonylation, and insulin resistance in healthy men. *Sci. Transl. Med.* 7(304):304re7.
- Bonet, M.L., Canasb, J.A., Ribota, J., Paloua, A. 2015. Carotenoids and their conversion products in the control of adipocyte function, adiposity and obesity. *Arch. Biochem. Biophys.* (572): 112-125.
- Bonora, E., Formentini, G., Calcaterra, F., Lombardi, S., Marini, F., Zenari, L., Saggiani, F., Poli, M., Perbellini, S., Raffaelli, A., Cacciatori, V., Santi, L., Targher, G., Bonadonna, R., Muggeo, M. 2002. HOMA-estimated insulin resistance is an independent predictor of cardiovascular disease in type 2 diabetic subjects: prospective data from the Verona Diabetes Complications Study. *Diabetes Care.* 25(7):1135-1141.
- Burgess, S.C., He, T.T., Yan, Z., Lindner, J., Sherry, A.D., Craig, R. Malloy, Browning, J.D., Magnuson, M. A. 2007. Cytosolic Phosphoenolpyruvate Carboxykinase Does Not Solely Control the Rate of Hepatic Gluconeogenesis in the Intact Mouse Liver. *Cell. Metab.* 5(4): 313–320.
- Caili, F., Shi H., Li Q. 2006. A Review on Pharmacological Activities and Utilization Technologies of Pumpkin. *Plant Foods for Hum Nutr.* 61:73–80.
- Calvo-Ochoa, E., Hernández-Ortega, K., Ferrera, P., Morimoto, S., Arias, C. 2014. Short-term high-fat-and-fructose feeding produces insulin signaling alterations accompanied by neurite and synaptic reduction and astroglial activation in the rat hippocampus. *J. Cereb. Blood. Flow. Metab.* 34(6):1001-8.
- Ceriello, A., Motz E. 2004. Is Oxidative Stress the Pathogenic Mechanism Underlying Insulin Resistance, Diabetes, and Cardiovascular Disease? The Common Soil Hypothesis Revisited. *Arterioscler. Thromb. Vasc. Biol.* 24:816-823.
- Chen, G. 2013. Roles of Vitamin A Metabolism in the Development of Hepatic Insulin Resistance. *ISRN Hepatology.* (2013): 1-22.
- Chen, L., Chen, R., Wang H., and Liang, F. 2015. Mechanisms Linking Inflammation to Insulin Resistance. *Int. J. Endocrinol.* (2015): 1-10.
- Chung, S.S., Ho, E.C., Lam, K.S., Chung, S.K. 2003. Contribution of polyol pathway to diabetes-induced oxidative stress. *J.Am.Soc.Nephrol.* 14(8 Suppl 3):S233-6.
- Coelho, D.F., Pereira-Lancha, L.O., Chaves, D.S, Diwan, D., Ferraz, R, Campos-Ferraz, P.L, Poortmans, J.R, Lancha Junior, A.H. 2011. Effect of high-fat diets on body composition, lipid metabolism and insulin sensitivity, and the role of exercise on these parameters. *Braz. J. Med. Biol. Res.* 44(10):966-72.
- DeFronzo, R.A., Tripathy, D. 2009. Skeletal muscle insulin resistance is the primary defect in type 2 diabetes. *Diabetes Care.* 32 Suppl 2:S157-63.
- Delarue J, Magnan C. 2007. Free fatty acids and insulin resistance. *Curr. Opin. Clin. Nutr. Metab. Care.* 10(2):142-8.

- Dharshan, S.V. 2013. *Metabolic effects of short-term high-fat diet feeding in male and female mice*[thesis]. Miami University, Oxford, Ohio.
- Dirim, S.N., Çalışkan, G. 2012. Determination of the effect of freeze drying process on the production of pumpkin (*Cucurbita moschata*) puree powder and the powder properties. *GIDA*. 37 (4): 203-210.
- Drewnowski, A., Almiron-Roig, E. 2010. Human Perceptions and Preferences for Fat-Rich Foods. In: Montmayeur, J.P., le Coutre, J. (Ed.): *Fat Detection Taste, Texture, and Post Ingestive Effects*, CRC Press/Taylor & Francis, Boca Raton (FL).
- Eckel, R.H., Grundy, S.M., Zimmet, P.Z. 2005. The metabolic syndrome. *Lancet*. 365(9468):1415-28.
- Eldahshan, O.M. 2013. Carotenoids: A Review. *ARBP*. 3 (1): 345-352.
- Eleiwa, N.Z.H., Bakr, R.O., Mohamed, S.A. 2014. Phytochemical and Pharmacological Screening of Seeds and Fruits Pulp of *Cucurbita moschata* Duchesne Cultivated in Egypt. *IJPPR*. 29 (1): 1226-1236.
- Elliott, S.S., Keim, N.L, Stern, J.S., Teff, K., Havel, P.J. 2002. Fructose, weight gain, and the insulin resistance syndrome. *Am. J. Clin. Nutr.* 76(5):911-22.
- Evans, J.L, Maddux, B.A, Goldfine, I.D. 2005. The molecular basis for oxidative stress-induced insulin resistance. *Antioxid. Redox. Signal.* 7(7-8):1040-52.
- Fedders, R., Muenzner, M., Schupp, M. 2015. Retinol binding protein 4 and its membrane receptors: a metabolic perspective. *Horm. Mol. Biol. Clin. Investig.* 22(1):27-37.
- Fiedor, J., Burda, K. 2014. Potential Role of Carotenoids as Antioxidants in Human Health and Disease. *Nutrients*. 6(2): 466–488.
- Frey, S.K., Nagl, B., Henze, A., Raila, J., Schlosser, B., Berg, T., Tepel, M., Zidek, W., Weickert, M.O, Pfeiffer, A.F, Schweigert, F.J. 2008. Isoforms of retinol binding protein 4 (RBP4) are increased in chronic diseases of the kidney but not of the liver. *Lipids Health. Dis.* 7 (29): 1-9.
- Giacco, F., Brownlee, M. 2010. Oxidative stress and diabetic complications. *Circ. Res.* 107(9):1058-70.
- Hanson, R.W., Reshef, L. 1997. Regulation of phosphoenolpyruvate carboxykinase (GTP) gene expression. *Annu. Rev. Biochem.* 66:581-61.
- Hariyadi, P., 2013. Freeze drying technology : for better quality and flavor of dried products. *Food review Indonesia*. VIII (2): 52-57.
- Hendrasty, H.K. 2007. *Teknologi Pengolahan Pangan : Tepung Labu Kuning*. Kanisius, Yogyakarta.
- Hendrasty, H.K., 2007. *Tepung Labu Kuning Pembuatan dan Pemanfaatannya*. Kanisius, Yogyakarta.
- Hendrasty, H.K., 2007. *Tepung Labu Kuning Pembuatan dan Pemanfaatannya*. Kanisius, Yogyakarta.
- Hirosumi, J., Tuncman, G., Chang, L., Görgün, C.Z, Uysal, K.T, Maeda, K., Karin, M., Hotamisligil, G.S. 2002. A central role for JNK in obesity and insulin resistance. *Nature*. 420(6913):333-6.
- Hokayem, M., Blond, E., Vidal, H., Lambert, K., Meugnier, E., Feillet-Coudray, C., Coudray, C., Pesenti, S., Luyton, C., Lambert-Porcheron, S., Sauvinet, V., Fedou, C., Brun, J.F, Rieusset, J., Bisbal, C., Sultan, A., Mercier, J.,

- Goudable, J., Dupuy, A.M., Cristol, J.P., Laville, M., Avignon, A. 2013. Grape polyphenols prevent fructose-induced oxidative stress and insulin resistance in first-degree relatives of type 2 diabetic patients. *Diabetes Care*. 36(6):1454-61.
- Ito, Y., Oumi, S., Nagaswa, T., Nishizawa, N. 2006. Oxidative stress induces phosphoenolpyruvate carboxykinase expression in H4II cells. *Biosci. Biotechnol. Biochem.* 70 (9): 2191-2198.
- Janke, J., Engeli, S., Boschmann, M., Adams, F., Böhnke, J., Luft, F.C., Sharma, A.M., Jordan, J. 2006. Retinol-binding protein 4 in human obesity. *Diabetes*. 55(10):2805-2810.
- Jeyakumar, S.M., Yasmeen, R., Reichert, B., Ziouzenkova, O. 2013. In: Sommerburg, O., Siems, W.r, Klaus, K (Ed.): *Carotenoids and Vitamin A In Translational Medicine*. CRC Press, New York.
- Khitan, Z., Kim D.H. 2013. Fructose: A Key Factor in the Development of Metabolic Syndrome and Hypertension. *J. Nutr. Met.* (2013):1-13.
- Kotnik, P., Fischer-Posovszky, P., Wabitsch, M. 2011. RBP4: a controversial adipokine. 165(5):703-11.
- Mamikutty, N., Thent, Z.C., Sapri, S.R., Sahrudin, N.N., Mohd, M.R., Yusof, and Suhaimi F.H. 2014. The Establishment of Metabolic Syndrome Model by Induction of Fructose Drinking Water in Male Wistar Rats. *BioMed. Res. Int.* (2014): 1-8.
- Manolescu, D.C., Sima, A., Bhat, P.V. 2010. All-trans retinoic acid lowers serum retinol-binding protein 4 concentrations and increases insulin sensitivity in diabetic mice. *J. Nutr.* 140(2):311-6.
- Mansouri, M., Nikooie, R., Keshtkar, A., Larijani, B., Omidfar, K. 2014. Effect of endurance training on retinol-binding protein 4 gene expression and its protein level in adipose tissue and the liver in diabetic rats induced by a high-fat diet and streptozotocin. *J. Diabetes Investig.* 5(5): 484–491.
- Martinez, F.J., Rizza, R.A, Romero, J.C. 1994. High-fructose feeding elicits insulin resistance, hyperinsulinism, and hypertension in normal mongrel dogs. *Hypertension*. 23: 456-463.
- Martins, A.R., Nachbar, R.T., Gorjao, R., Vinolo, M.A., Festuccia, W.T., Lambertucci, R.H., Cury-Boaventura, M.F., Silveira, L.R., Curi, R., Hirabara, S.M. 2012. Mechanisms underlying skeletal muscle insulin resistance induced by fatty acids: importance of the mitochondrial function. *Lipids Health. Dis.* 11 (30):1-11.
- Mercader J., Granados, N., Bonet, M. L., Palou A. 2008. All-Trans Retinoic Acid Decreases Murine Adipose Retinol Binding Protein 4 Production. *Cell Physiol. Biochem.* 22:363-372
- Messier, C., Whately, K., Liang, J., Du, L., Puissant, D. 2007. The effects of a high-fat, high-fructose, and combination diet on learning, weight, and glucose regulation in C57BL/6 mice. *Behav. Brain. Res.* 178(1):139-45.
- Mohamed, S. 2014. Functional foods against metabolic syndrome (obesity, diabetes, hypertension and dyslipidemia) and cardiovascular disease. *Trends in Food Science & Technology.* 35 (2014) : 114-128.

- Montgomery, M.K, Turner, N. 2015. Mitochondrial dysfunction and insulin resistance: an update. *Endocr. Connect.* 4(1): R1–R15.
- Morino, K., Petersen, K.F, Shulman, G.I. 2006. Molecular mechanisms of insulin resistance in humans and their potential links with mitochondrial dysfunction. *Diabetes.* 55 (Suppl 2):S9-S15.
- Muenzner, M., Tuvia, N., Deutschmann, C., Witte, N., Tolkachov, A., Valai, A., Henze, A., Sander, L.E., Raila, J., Schupp, M. 2013. Retinol-binding protein 4 and its membrane receptor STRA6 control adipogenesis by regulating cellular retinoid homeostasis and retinoic acid receptor α activity. *Mol. Cell. Biol.* 33(20):4068-82.
- Murkovic, M., Mülledera, U., Neunteufl, H. 2002. Carotenoid Content in Different Varieties of Pumpkins. *J. Food. Compost. Anal.* 15 (6): 633-638.
- Newsholme, P., Haber, E.P., Hirabara, S.M., Rebelato, E.L.O., Procopio, J., Morgan, D., Oliveira-Emilio, H.C., Carpinelli, A.R., Curi, R. 2007. Diabetes associated cell stress and dysfunction: role of mitochondrial and non-mitochondrial ROS production and activity. *J. Physiol.* 583(Pt 1): 9–24.
- Ngatidjan, P.S. 2006. *Metode laboratorium dan Toksikologi*. Bagian Farmakologi dan Toksikologi. Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta.
- Ngatidjan. 2006. *Metode laboratorium dalam toksikologi*. Bagian Farmakologi dan Toksikologi Fakultas Kedokteran UGM, Yogyakarta.
- Nguyen, M.T., Satoh, H., Favelyukis, S., Babendure, J.L., Imamura, T., Sbodio, J.I., Zalevsky, J., Dahiyat, B.I., Chi, N.W., Olefsky, J.M. 2005. JNK and tumor necrosis factor- α mediate free fatty acid-induced insulin resistance in 3T3-L1 adipocytes. *J. Biol. Chem.* 280(42):35361-71.
- Ning, B., Wang, X., Yu, Y., Waqar, A.B., Yu, Q., Koike, T., Shiomi, M., Liu, E., Wang, Y., and Fan, J. 2015. High-fructose and high-fat diet-induced insulin resistance enhances atherosclerosis in Watanabe heritable hyperlipidemic rabbits. *Nutr. Metab.* 12 (30): 1-11.
- Norseen, J., Hosooka, T., Hammarstedt, A., Yore, M.M., Kant, S., Aryal, P., Kiernan, U.A, Phillips, D.A, Maruyama, H., Kraus, B.J, Usheva, A., Davis, R.J. Smith, U., Kahn, B.B. Retinol-binding protein 4 inhibits insulin signaling in adipocytes by inducing proinflammatory cytokines in macrophages through a c-Jun N-terminal kinase- and toll-like receptor 4-dependent and retinol-independent mechanism. *Mol. Cell. Bio.* 32(10):2010-9.
- Olefsky, J.M, Saekow, M. 1978. The effects of dietary carbohydrate content on insulin binding and glucose metabolism by isolated rat adipocytes. *Endocrinology.* 103(6):2252-63.
- Otani, H. 2011. Oxidative Stress as Pathogenesis of Cardiovascular Risk Associated with Metabolic Syndrome. *Antioxidants & Redox Signaling.* 15 (7): 1911-1926.
- Paiva, S.A, Russell, R.M. 1999. Beta-carotene and other carotenoids as antioxidants. *J. Am. Coll. Nutr.* 18(5):426-33.
- Panchal, S.K., Brown, L. 2011. Rodent Models for Metabolic Syndrome Research. *J. Biomed. Biotechnol.* (2011): 1-14.
- Pandian, R.S. 2013. Functional foods in managing diabetes. *Int. J. Pharm. Bio. Sci.* 4(2): (B) 572 – 579.

- Pang, G., Xie, J., Chen, Q., Hu Z. 2014. Energy intake, metabolic homeostasis, and human health. *Food Science and Human Wellness*. 3 (3-4): 89-103.
- Prasad, K. 2002. Suppression of phosphoenolpyruvate carboxykinase gene expression by secoisolariciresinol diglucoside (SDG), a new antidiabetic agent. *Int. J. Angiol.* 11(2): 107-109 .
- Rains, J.L., Jain, S.K. 2011. Oxidative stress, insulin signaling, and diabetes. *Free Radic. Biol. Med.* 50(5):567-75.
- Rakcejeva, T., Galoburda, R., Cude, L., Strautniece, E. 2011. Use of Dried Pumpkins in Wheat Bread Production. *Procedia Food Science*. 1: 441 – 447.
- Rasineni, K., Desireddy, S. 2011. Preventive effect of *Catharanthus roseus* (Linn.) against high-fructose diet-induced insulin resistance and oxidative stress in male Wistar rats. *Journal of Diabetes Mellitus*. 1 (3): 63-70.
- Rask-Madsen, C., Kahn, C.R. 2012. Tissue-specific insulin signaling, metabolic syndrome and cardiovascular disease. *Arterioscler. Thromb. Vasc. Biol.* 32(9): 2052–2059.
- Rial, E., Rodríguez-Sánchez, L., Gallardo-Vara, E., Zaragoza, P., Moyano, E., González-Barroso, M.M. 2010. Lipotoxicity, fatty acid uncoupling and mitochondrial carrier function. *Biochim. Biophys. Acta*. 1797(6-7):800-6
- Ribel-Madsen, R., Friedrichsen, M., Vaag, A., Poulsen, P. 2009. Retinol-binding protein 4 in twins: regulatory mechanisms and impact of circulating and tissue expression levels on insulin secretion and action. *Diabetes*.58(1):54-60.
- Rodriguez-Amaya, D.B., Kimura, Mieko., Godoy H. T., Amaya-Farfan, J. 2008. Updated Brazilian database on food carotenoids: Factors affecting carotenoid composition. *J. Food Compos. Anal.* 21 (2008): 445– 463.
- Rosen, E.D., Spiegelman, B.M. 2006. Adipocytes as regulators of energy balance and glucose homeostasis. *Nature*. 444(7121): 847–853.
- Rudkowska, I. 2009. Functional foods for health: focus on diabetes. *Maturitas*. 62(3):263-9.
- Rutledge, A.C., Adeli, K. 2007. Fructose and the metabolic syndrome: pathophysiology and molecular mechanisms. *Nutr. Rev.* 65(6 Pt 2):S13-23.
- Saunders, N.A. 2004. Real Time-PCR. In: Woodford, N., Johnson, A.P (Ed): *Genomic, Proteomic, and Clinical Bacteriology*. Humana Press, New Jersey.
- Sedigheh, A., Moshtaghian S.J., Setorki M.,Kazemi S.,Rafieian-kopaei M., Adelnia A., Shamsi F. 2011. Hypoglycaemic and hypolipidemic effects of pumpkin (*Cucurbita pepo* L.) on alloxan-induced diabetic rats. *Afr. J. Pharm. Pharmacol.* 5 (23): 2620-2626.
- Shanik, M.H., Xu, Y., Skrha, J., Dankner, R., Zick, Y., Roth J. 2008. Insulin resistance and hyperinsulinemia: is hyperinsulinemia the cart or the horse?. *Diabetes Care*. 31 Suppl 2:S262-8
- Shidfar, F., Jazayeri, S., Mousavi, S.N., Malek, M., Hosseini, A.F., Khoshpey, B. Does Supplementation with Royal Jelly Improve Oxidative Stress and Insulin Resistance in Type 2 Diabetic Patients?. *Iran J Public Health*. 44(6): 797–803
- Sies, H., Stahl, W. 1995. Vitamins E and C, beta-carotene, and other carotenoids as antioxidants. *Am. J. Clin. Nutr.* 62(6 Suppl):1315S-1321S.

- Siew-Hui, F., Siew-Pheng, C., Ismail, B.S., Awang, B. 2011. Insulin resistance is the predominant pathophysiologic feature of hyperglycemia in newly diagnosed overweight and obese type 2 diabetes mellitus in two University Hospitals in Malaysia. *JAFES*. 26 (2): 143.
- Stanhope, K.L., Bremer, A.A., Medici, V., Nakajima, K., Ito, Y., Nakano, T., Chen, G., Fong, T.H., Lee, V., Menorca, R.I, Keim, N.L, Havel, P.J. 2011. Consumption of fructose and high fructose corn syrup increase postprandial triglycerides, LDL-cholesterol, and apolipoprotein-B in young men and women. *J. Clin. Endocrinol. Metab.* 96(10):E1596-605.
- Sumiyoshi, M., Sakanaka, M., Kimura, Y. 2006. Chronic intake of high-fat and high-sucrose diets differentially affects glucose intolerance in mice. *J. Nutr.* 136(3):582-7.
- Swinburn, B.A, Caterson, I., Seidell, J.C, James, W.P. 2004. Diet, nutrition and the prevention of excess weight gain and obesity. *Public. Health Nutr.* 7(1A):123-46.
- Takikawa, M., Inoue, S., Horio, F., Tsuda, T. 2010. Dietary anthocyanin-rich bilberry extract ameliorates hyperglycemia and insulin sensitivity via activation of AMP-activated protein kinase in diabetic mice. *J Nutr.* 140(3):527-33.
- Tamori, Y., Sakaue, H., Kasuga, M. 2006. RBP4, an unexpected adipokine. *Nat. Med.* 12 (1): 30-31.
- Tan, Y., Sun, L.Q., Kamal, M.A., Wang, X., Seale, J.P., Qu, X. 2011. Suppression of retinol-binding protein 4 with RNA oligonucleotide prevents high-fat diet-induced metabolic syndrome and non-alcoholic fatty liver disease in mice. *Biochim. Biophys. Acta.* 1811(12):1045-1053.
- Tourniaire, F., Erwan G., J. von Linting, Jaap K., M. Luisa B., Jaume A., Georg L., Jean-Francois L. 2009. β -Carotene conversion products and their effects on adipose tissue. *Genes Nutr.* 4:179–187.
- Tranchida, F., Tchiakpe, L., Rakotoniaina, Z., Deyris, V., Ravion, O., Hiol, A. 2012. Long-term high fructose and saturated fat diet affects plasma fatty acid profile in rats. *J. Zhejiang Univ. Sci. B.* 13(4):307-17.
- Usha, R., Lakshmi M., Ranjani M. 2010. Nutritional, Sensory and Physical Analysis of Pumpkin Flour Incorporated into Weaning Mix. *Mal J Nutr.* 16 (3): : 379-387.
- Vincent. H.K., Bourguignon ,C.M., Weltman, A.L., Vincent, K.R., Barrett, E., Innes, K.E., Taylor, A.G. 2009. Effects of antioxidant supplementation on insulin sensitivity, endothelial adhesion molecules, and oxidative stress in normal-weight and overweight young adults. *Metabolism.* 58(2):254-62.
- Wang, J., Tang, N., Xiao, Q., Zhang, L., Li, Y., Li, J., Wang, J., Zhao, Z., Tan, L. 2015. Pulsed electromagnetic field may accelerate in vitro endochondral ossification. *Bioelectromagnetics.* 36(1):35-44.
- Winzell, M.S., Ahrén, B. 2004. The high-fat diet-fed mouse: a model for studying mechanisms and treatment of impaired glucose tolerance and type 2 diabetes. *Diabetes.* 53 (Suppl 3): S215-9.

- Winzell, M.S., Ahrén, B. 2004. The high-fat diet-fed mouse: a model for studying mechanisms and treatment of impaired glucose tolerance and type 2 diabetes. *Diabetes*. 53 (Suppl 3):S215-9.
- Wong, W.Y, Brown, L. 2014.). *Induction of metabolic syndrome by excess fructose consumption*. In Belma Turan and Naranjan S. Dhalla (Ed.), *Diabetic cardiomyopathy: biochemical and molecular mechanisms* (pp. 41-63) New York, NY, United States: Springer
- Wostmann, B.S. 1975. Nutrition and metabolism of the germfree mammal. *World Rev. Nutr. Diet*. 22: 40-92.
- Xanthopoulou, M.N., Nomikos, T., Fragopoulou, E., Antonopoulou, S. 2009. Antioxidant and lipoxygenase inhibitory activities of pumpkin seed extracts. *Food. Res. Int*. 42:641–646.
- Xia, X., Yan, J., Shen, Y., Tang, K., Yin, J., Zhang, Y., Yang, D., Liang, H., Ye, J., Weng, J. 2011. Berberine improves glucose metabolism in diabetic rats by inhibition of hepatic gluconeogenesis. *PLoS One*. 6(2):e16556.
- Yang, Q., Graham, T.E, Mody, N., Preitner, F., Peroni, O.D., Zabolotny, J.M., Kotani, K., Quadro, L., Kahn, B.B. 2005. Serum retinol binding protein 4 contributes to insulin resistance in obesity and type 2 diabetes. *Nature*. 436(7049):356-62.
- Yoshinari, O., Hideyo S., Kiharu I. 2009. Anti-Diabetic Effects of Pumpkin and Its Components, Trigonelline and Nicotinic Acid, on Goto-Kakizaki Rats. *Biosci. Biotechnol. Biochem*. 73 (5): 1033–1041.
- Yu, C., Chen, Y., Cline, G.W., Zhang, D., Zong, H., Wang, Y., Bergeron, R., Kim, J.K., Cushman, S.W., Cooney, G.J, Atcheson, B., White, M.F., Kraegen, E.W., Shulman, G.I. 2002. Mechanism by which fatty acids inhibit insulin activation of insulin receptor substrate-1 (IRS-1)-associated phosphatidylinositol 3-kinase activity in muscle. *J. Biol. Chem*. 277(52):50230-6.
- Zhang, Y., Li, R., Chen, W., Li, Y., Chen, G. 2011. Retinoids induced Pck1 expression and attenuated insulin-mediated suppression of its expression via activation of retinoic acid receptor in primary rat hepatocytes. *Mol. Cell. Biochem*. 355(1-2):1-8.