



## DAFTAR PUSTAKA

- Babel, A., Li, D., Xia, Y. N., & Jenekhe, S. a. (2005). Electrospun nanofibers of blends of conjugated polymers: Morphology, optical properties, and field-effect transistors. *Macromolecules*, 38(11), 4705–4711. <http://doi.org/10.1021/ma047529r>
- Baumgarten, P. K. (1971). Electrostatic spinning of acrylic microfibers. *Journal of Colloid And Interface Science*, 36(1), 71–79. [http://doi.org/10.1016/0021-9797\(71\)90241-4](http://doi.org/10.1016/0021-9797(71)90241-4)
- Bedeloglu, A. (2011). Progress in Organic. In *Progress in Organic Photovoltaic Fibers Research, Solar Cells - New Aspects and Solutions*, Prof. Leonid A. Kosyachenko (Ed.) (pp. 255–286). Croatia.
- Brabec, C., Dyakonov, V., & Scherf, U. (2008). *Edited by Chalcogenide Photovoltaics Physics of Organic Semiconductors Physics of Solar Cells One-Dimensional Metals Semiconducting Polymers Modelling Photovoltaic Systems Using PSpice Organic Light Emitting Devices*. 2008 WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Bower, David I. (2002). *An Introduction to Polymer Physics*. Cambridge University Press. Cambridge.
- Callister, W., & Rethwisch, D. (2007). *Materials science and engineering: an introduction. Materials Science and Engineering* (Vol. 94). [http://doi.org/10.1016/0025-5416\(87\)90343-0](http://doi.org/10.1016/0025-5416(87)90343-0)
- Casper, C. L., & Stephens, J. S. (2004). Controlling Surface Morphology of Electrospun Polystyrene Fibers: Effect of Humidity and Molecular Weight in Electrospinning Process. *Macromolecules*, 37, 573–578.
- Comyn, J. (1997). Handbook of organic solvent properties. *International Journal of Adhesion and Adhesives*, 17(2), 177. [http://doi.org/10.1016/S0143-7496\(97\)88687-3](http://doi.org/10.1016/S0143-7496(97)88687-3)
- Demir, M. M., Yilgor, I., Yilgor, E., & Erman, B. (2002). Electrospinning of polyurethane fibers. *Polymer*, 43(11), 3303–3309. [http://doi.org/10.1016/S0032-3861\(02\)00136-2](http://doi.org/10.1016/S0032-3861(02)00136-2)
- Ebewele, R. O. (2000). *POLYMER SCIENCE AND TECHNOLOGY*. Benin: CRC Press LLC.
- Elschner, A., Kirchmeyer, S., Lovenich, W., Merker, U., & Reuter, K. (2011). *PEDOT: Principles and Applications of an Intrinsically Conductive Polymer*. CRC Press. Boca Raton.
- Fong, H., Chun, I., & Reneker, D. H. (1999). Beaded nanofibers formed during electrospinning. *Polymer*, 40(16), 4585–4592. <http://doi.org/10.1016/S0032->



3861(99)00068-3

- Günes, S., Neugebauer, H., & Sariciftci, N. S. (2007). Conjugated polymer-based organic solar cells. *Chemical Reviews*, 1324–1338. <http://doi.org/10.1021/cr050149z>
- Ikei, M. J., Amaya, T. Y., Ramoto, S. U., & Atsumoto, K. M. (2014). Conductivity Enhancement of PEDOT / PSS Films by Solvent Vapor Treatment, *Journal of the Society of Materials Engineering for Resources of Japan*. 20(2), 158–162.
- Kara, M. O. P., & Frey, M. W. (2014). Effects of solvents on the morphology and conductivity of poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) nanofibers. *Journal of Applied Polymer Science*, 131(11), 1–8. <http://doi.org/10.1002/app.40305>
- Koski, A., Yim, K., & Shivkumar, S. (2004). Effect of molecular weight on fibrous PVA produced by electrospinning, 58, 493–497. [http://doi.org/10.1016/S0167-577X\(03\)00532-9](http://doi.org/10.1016/S0167-577X(03)00532-9)
- Liu, N., Fang, G., Wan, J., Zhou, H., Long, H., & Zhao, X. (2011). Electrospun PEDOT:PSS–PVA nanofiber based ultrahigh-strain sensors with controllable electrical conductivity. *Journal of Materials Chemistry*, 21(47), 18962. <http://doi.org/10.1039/c1jm14491j>
- Madhugiri, S., Dalton, A., Gutierrez, J., Ferraris, J. P., & Balkus, K. J. (2003). Electrospun MEH-PPV/SBA-15 Composite Nanofibers Using a Dual Syringe Method. *Journal of the American Chemical Society*, 125(47), 14531–14538. <http://doi.org/10.1021/ja030326i>
- Martin, C. R. (1994). Nanomaterials: a membrane-based synthetic approach. *Section Title: Chemistry of Synthetic High Polymers*, 266(5193), 1961–1966. <http://doi.org/10.1126/science.266.5193.1961>
- Merlo, J. a., & Frisbie, C. D. (2003). Field effect conductance of conducting polymer nanofibers. *Journal of Polymer Science Part B - Polymer Physics*, 41(21), 2674. <http://doi.org/10.1002/polb.10656>
- Mo, X. M., Xu, C. Y., Kotaki, M., & Ramakrishna, S. (2004). Electrospun P(LLA-CL) nanofiber: A biomimetic extracellular matrix for smooth muscle cell and endothelial cell proliferation. *Biomaterials*, 25(10), 1883–1890. <http://doi.org/10.1016/j.biomaterials.2003.08.042>
- Munir, Misbachul. (2016). Pengaruh Konsentrasi Larutan pada Morfologi, Sifat Optik dan Konduktivitas PVA Nanofiber, Skripsi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Yogyakarta.
- Noy, A., Miller, A. E., Klare, J. E., Weeks, B. L., Woods, B. W., & DeYoreo, J. J. (2002). Fabrication of luminescent nanostructures by dip-pen nanolithography. *Proceedings of the Society of Photo-Optical Instrumentation Engineers (Spie)*, 4809(Figure 1), 249–254. <http://doi.org/10.1117/12.451184>



- Patachia, S., Valente, A. J. M., Papancea, A., & Lobo, V. M. M. (2009). *Poly (Vinyl Alcohol) [PVA]-Based Polymer Membranes*. New York.
- Ramakrishna, S., Fujihara, K., Teo, W.-E., Lim, T.-C., & Ma, Z. (2005a). *An Introduction to Electrospinning and nanofibers. Polymers: Last achievements and prospects, in honour of Professor Jérôme*. Retrieved from <http://hdl.handle.net/2268/11512>
- Ramakrishna, S., Fujihara, K., Teo, W.-E., Lim, T.-C., & Ma, Z. (2005b). *An Introduction to Electrospinning and nanofibers. Polymers: Last achievements and prospects, in honour of Professor Jérôme*.
- Rianjanu, Aditya. (2015). Karakterisasi Nanofiber PEDOT:PSS/PVA yang Berpotensi Digunakan sebagai lapisan Penyangga pada Sel Surya Organik Bulk-Heterojunction Menggunakan Metode Electrospinning, Skripsi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Yogyakarta.
- Saghaei, J., Fallahzadeh, A., & Saghaei, T. (2015). ITO-free organic solar cells using highly conductive phenol-treated PEDOT:PSS anodes. *Organic Electronics*, 24(0), 188–194. <http://doi.org/http://dx.doi.org/10.1016/j.orgel.2015.06.002>
- Sakurada, Ichiro. (1985). *Polyvinyl Alcohol Fibers*. Marcel Dekker inc. New York and Basel.
- Son, W. K., Youk, J. H., Lee, T. S., & Park, W. H. (2004). Electrospinning of ultrafine cellulose acetate fibers: Studies of a new solvent system and deacetylation of ultrafine cellulose acetate fibers. *Journal of Polymer Science, Part B: Polymer Physics*, 42(1), 5–11. <http://doi.org/10.1002/polb.10668>
- Taylor, G. (1964). Disintegration of Water Drops in an Electric Field. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*. <http://doi.org/10.1098/rspa.1964.0151>
- Vargas, M. a., Vargas, R. a., & Mellander, B.-E. (1999). New proton conducting membranes based on PVAL/H3PO2/H2O. *Electrochimica Acta*, 44, 4227–4232. [http://doi.org/10.1016/S0013-4686\(99\)00137-1](http://doi.org/10.1016/S0013-4686(99)00137-1)
- Wannatong, L., Sirivat, A., & Supaphol, P. (2004). Effects of solvents on electrospun polymeric fibers: Preliminary study on polystyrene. *Polymer International*, 53(11), 1851–1859. <http://doi.org/10.1002/pi.1599>
- Wutticharoenmongkol, P., Supaphol, P., Sriksirin, T., Kerdcharoen, T., & Osotchan, T. (2005). Electrospinning of polystyrene/poly(2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylene vinylene) blends. *Journal of Polymer Science Part B: Polymer Physics*, 43(14), 1881–1891. <http://doi.org/10.1002/polb.20478>
- Yeo, J.-S., Yun, J.-M., Kim, D.-Y., Park, S., Kim, S.-S., Yoon, M.-H., ... Na, S. (2012). Significant Vertical Phase Separation in Solvent-Vapor-Annealed Poly(3,4-ethylenedioxythiophene):Poly(styrene sulfonate) Composite Films



Leading to Better Conductivity and Work Function for High- Performance Indium Tin Oxide-Free Optoelectronics.

- Yuan, X. Y., Zhang, Y. Y., Dong, C., & Sheng, J. (2004). Morphology of ultrafine polysulfone fibers prepared by electrospinning. *Polymer International*, 53(11), 1704–1710. <http://doi.org/10.1002/pi.1538>
- Zeng, J., Xu, X., Chen, X., Liang, Q., Bian, X., Yang, L., & Jing, X. (2003). Biodegradable electrospun fibers for drug delivery. *Journal of Controlled Release*, 92(3), 227–231. [http://doi.org/10.1016/S0168-3659\(03\)00372-9](http://doi.org/10.1016/S0168-3659(03)00372-9)
- Zhang, C., Yuan, X., Wu, L., Han, Y., & Sheng, J. (2005). EUROPEAN POLYMER Study on morphology of electrospun poly ( vinyl alcohol ) mats. *European Polymer Journal*, 41, 423–432. <http://doi.org/10.1016/j.eurpolymj.2004.10.027>
- Zhao, S., Wu, X., Wang, L., & Huang, Y. (2004). Electrospinning of ethylcyanoethyl cellulose/tetrahydrofuran solutions. *Journal of Applied Polymer Science*, 91(1), 242–246. <http://doi.org/10.1002/app.13196>
- Zong, X., Kim, K., Fang, D., Ran, S., Hsiao, B. S., & Chu, B. (2002). Structure and process relationship of electrospun bioabsorbable nanofiber membranes. *Polymer*, 43(16), 4403–4412. [http://doi.org/10.1016/S0032-3861\(02\)00275-6](http://doi.org/10.1016/S0032-3861(02)00275-6)