

DAFTAR PUSTAKA

- Alexandre, C., Waléria, F., Rezende, C., Julio, F., & Marchini, S. (2008). Original Article Circuit Weight Training vs Jogging in Metabolic Risk Factors of Overweight / Obese Women, 480–486.
- Al-sarraj, T., Saadi, H., Volek, J. S., & Fernandez, M. L. (2010). Carbohydrate restriction favorably alters lipoprotein metabolism in Emirati subjects classified with the metabolic syndrome. *Nutrition, Metabolism and Cardiovascular Diseases*, 20(10), 720–726.
- Amalia, Rinta. (2015). Pengaruh Pemberian Makanan Selingan Berbahan Dasar Tepung Gembili (*Dioscorea esculenta*) terhadap Kadar Kolesterol Total Orang Dewasa *Overweight* dan Obesitas. Fakultas Kedokteran UGM
- April, V. (2004). Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ) - Short Form, (April).
- Baak, M. A. van. (2012). *O 2 Debt*.
- Background, A. (2014). Expert panel report: Guidelines (2013) for the management of overweight and obesity in adults. *Obesity*, 22(S2), S41–S410.
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar, 306.
- Baqai, N. (2014). Pathophysiology and aetiology of obesity. *Medicine*, 43(2), 73–76.
- Basciani, S., Costantini, D., Contini, S., Persichetti, A., Watanabe, M., Mariani, S., Gnessi, L. (2015). Safety and efficacy of a multiphase dietetic protocol with meal replacements including a step with very low calorie diet. *Endocrine*, 48(3), 863–870.
- Bays, H. E., Toth, P. P., Kris-Etherton, P. M., Abate, N., Aronne, L. J., Brown, W. V., Samuel, V. T. (2013). Obesity, adiposity, and dyslipidemia: A consensus statement from the National Lipid Association. *Journal of Clinical Lipidology*, 7(4), 304–383.
- Ben Ounis, O., Elloumi, M., Ben Chiekh, I., Zbidi, A., Amri, M., Lac, G., & Tabka, Z. (2008). Effects of two-month physical-endurance and diet-restriction

- programmes on lipid profiles and insulin resistance in obese adolescent boys. *Diabetes and Metabolism*, 34(6), 595–600.
- BOUL'E, N. G. (2005). Effects of Exercise Training on Glucose Homeostasis, 28(1).
- Bray GA, P. B. (1998). pembahasan dietary fat intake does affect obesity.
- Catapano, A. L., Chairperson, E. A. S., Esc, R., Ireland, I. G., France, M. J. C., Uk, P. D., Uk, D. W. (2011). ESC / EAS Guidelines for the management of dyslipidaemias The Task Force for the management of dyslipidaemias of the European Society of Cardiology (ESC) and the European Atherosclerosis Society (EAS), 217, 3–46.
- CDC. (2015). Needs for Adults | Physical Activity | DNPAO | CDC. Retrieved from <http://www.cdc.gov/physicalactivity/basics/adults/>
- Colberg, S. R., Sigal, R. J., Fernhall, B., Regensteiner, J. G., Blissmer, B. J., Rubin, R. R., Braun, B. (2010). Exercise and type 2 diabetes: The American College of Sports Medicine and the American Diabetes Association: Joint position statement. *Diabetes Care*, 33(12).
- Distribution, H. D. L. S., Men, O., Wood, R. J., Volek, J. S., Liu, Y., Shachter, N. S., Fernandez, M. L. (2006). Nutrient Physiology , Metabolism , and Nutrient-Nutrient Interactions Carbohydrate Restriction Alters Lipoprotein Metabolism by Modifying, (October 2005), 384–389.
- do Valle, V. S., de Mello, D. B., Fortes, M. D. S. R., & Dantas, E. H. M. (2009). Effects of indoor cycling associated with diet on body composition and serum lipids. *Biomedical Human Kinetics*, 1, 11–15.
- Duclos, M., Oppert, J. M., Verges, B., Coliche, V., Gautier, J. F., Guezenec, Y., Strauch, G. (2013a). Physical activity and type 2 diabetes. Recommendations of the SFD (Francophone Diabetes Society) diabetes and physical activity working group. *Diabetes and Metabolism*, 39(3), 205–216.
- Duclos, M., Oppert, J., Verges, B., Coliche, V., Gautier, J., Guezenec, Y., Strauch, G. (2013b). Physical activity and type 2 diabetes . Recommendations of the SFD (Francophone Diabetes Society) diabetes and physical activity working group. *Diabetes and Metabolism*, 39(3), 205–216.

- Finer, N. (2014). Medical consequences of obesity. *Medicine*, 43(2), 88–93.
- Franklin, B. A., Ph, D., Cardiology, P., Rehabilitation, C., Durstine, J. L., & Ph, D. (2014). Best Practice & Research Clinical Endocrinology & Metabolism Impact of diet and exercise on lipid management in the modern era. *Best Practice & Research Clinical Endocrinology & Metabolism*, 28(3), 405–421.
- French Ministry of Youth, S. and C. D. (2008). Physical activity.
- Ha, C., & So, W. (2012). Effects of Combined Exercise Training on Body Composition, 41(8), 20–26.
- Hannukainen, J. C., Borra, R., Linderborg, K., Kallio, H., Kiss, J., Lepomäki, V., Nuutila, P. (2011). Liver and pancreatic fat content and metabolism in healthy monozygotic twins with discordant physical activity. *Journal of Hepatology*, 54(3), 545–552.
- Horowitz, J. F., & Klein, S. (2000). Lipid metabolism during endurance exercise 1 – 3, 56341, 558–563.
- Howley, E. T. (2000). Type of activity□: resistance , aerobic and leisure versus occupational physical activity.
- lii, B. C., & Dewhurst, T. A. (2016). American College of Cardiology. *JAC*, 66(19), D1–D44.
- Jensen, M. D., Ryan, D. H., Apovian, C. M., Ard, J. D., Comuzzie, A. G., Donato, K. A., Yanovski, S. Z. (2014). 2013 AHA/ACC/TOS guideline for the management of overweight and obesity in adults: A report of the American college of cardiology/American heart association task force on practice guidelines and the obesity society. *Journal of the American College of Cardiology*, 63(25 PART B), 2985–3023.
- Jensen, M. D., Ryan, D. H., Apovian, C. M., Ard, J. D., Donato, K. A., Hu, F. B., Lux, L. J. (2014). 2013 AHA / ACC / TOS Guideline for the Management of Overweight and Obesity in Adults q, 63(25), 2985–3023.
- Keating, S. E., Hackett, D. A., Parker, H. M., Connor, H. T. O., Gerofi, J. A., Sainsbury, A., Johnson, N. A. (2015). Effect of aerobic exercise training dose on liver fat and visceral adiposity. *Journal of Hepatology*, 63(1), 174–182.

- Kelly, R. B. (2010). Diet and Exercise in the Management of Hyperlipidemia, *81*(9), 1097–1102.
- Kim, H. S., & Kim, D. G. (2013). Effect of long-term resistance exercise on body composition, blood lipid factors, and vascular compliance in the hypertensive elderly men. *Journal of Exercise Rehabilitation*, *9*(2), 271–277.
- Kowalska, K., & Olejnik, A. (2016). Beneficial effects of cranberry in the prevention of obesity and related complications□: Metabolic syndrome and diabetes – A review. *Journal of Functional Foods*, *20*, 171–181.
- Kushner, R. F. (2007). *Obesity Management. Gastroenterology Clinics of North America* (1st ed., Vol. 36). Elsevier Ltd.
- Lin, J. S., O'Connor, E., Whitlock, E. P., & Beil, T. L. (2010). Behavioral counseling to promote physical activity and a healthful diet to prevent cardiovascular disease in adults: a systematic review for the U.S. Preventive Services Task Force. *Annals of Internal Medicine*, *153*(11), 736–750.
- Loon, L. J. C. Van. (2006). and insulin action, 47–59.
- Mann, S., Beedie, C., & Jimenez, A. (2014). Differential Effects of Aerobic Exercise , Resistance Training and Combined Exercise Modalities on Cholesterol and the Lipid Profile□: Review , Synthesis and Recommendations, 211–221.
- Mateo-Gallego, R., Marco-Benedí, V., Perez-Calahorra, S., Bea, A. M., Baila-Rueda, L., Lamiquiz-Moneo, I., Civeira, F. (2016). Energy-restricted, high-protein diets more effectively impact cardiometabolic profile in overweight and obese women than lower-protein diets. *Clinical Nutrition*, 1–9.
- Matsuda, M., & Shimomura, I. (2013). Increased oxidative stress in obesity□: Implications for metabolic syndrome , diabetes , hypertension , dyslipidemia , atherosclerosis , and cancer. *Obesity Research & Clinical Practice*, *7*(5), e330–e341.
- Matsuo, T., So, R., Shimojo, N., & Tanaka, K. (2015). Effect of aerobic exercise training followed by a low-calorie diet on metabolic syndrome risk factors in men. *Nutrition, Metabolism and Cardiovascular Diseases*, *25*(9), 832–838.
- Medicine, S. (2010). Exercise and Type 2 Diabetes, *33*(12).

- Meriil. (2006). Steps to Miles Conversion Chart, 1000.
- Miyashita, Y., Koide, N., Ohtsuka, M., Ozaki, H., Itoh, Y., Oyama, T., Shirai, K. (2004). Beneficial effect of low carbohydrate in low calorie diets on visceral fat reduction in type 2 diabetic patients with obesity. *Diabetes Research and Clinical Practice*, 65(3), 235–241.
- Phillips, E. M., & Kennedy, M. A. (2012). Theme Issue □: Exercise and Sports The Exercise Prescription □: A Tool to Improve Physical Activity. *PMRJ*, 4(11), 818–825.
- Pi-sunyer, F. X. (2002). The Obesity Epidemic □: Pathophysiology and Consequences of Obesity.
- Silver, H. J. (2014). pembahasan Consuming a balanced high fat diet for 16 weeks improves.
- Stasiulis, A., Mockiene, A., Vizbaraitė, D., & Mockus, P. (2010). Aerobic exercise-induced changes in body composition and blood lipids in young women. *Medicina (Kaunas, Lithuania)*, 46(2), 129–134.
- Stasiulis, A., & Mockus, P. (2010). Aerobic exercise-induced changes in body composition and blood lipids in young women, 46(9), 129–134.
- The Look AHEAD Research Group. (2010). Long Term Effects of a Lifestyle Intervention on Weight and Cardiovascular Risk Factors in Individuals with Type 2 Diabetes: Four Year Results of the Look AHEAD Trial. *Arch Intern Med*, 170(17), 1566–1575.
- Tzotzas, T., Filippatos, T. D., Triantos, A., Bruckert, E., Tselepis, A. D., & Kiortsis, D. N. (2008). Effects of a low-calorie diet associated with weight loss on lipoprotein-associated phospholipase A2 (Lp-PLA2) activity in healthy obese women. *Nutrition, Metabolism and Cardiovascular Diseases*, 18(7), 477–482.
- WHO, 2015. (n.d.). WHO _ Obesity and overweight.