



DAFTAR PUSTAKA

- Adiantho, K. 2000. Estimasi konsumsi dan kecernaan berdasarkan parameter degradasi pakan dalam rumen pada sapi Peranakan Onggole. Tesis Program Studi Ilmu Peternakan, Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.
- Aerts, J.V., D.L. De Brabander, B.G. Cottyn, and F.X. Buysse. 1977. Comparison of laboratory methods for predicting the organic matter digestibility of forages. *J. Anim. Feed Sci. and Technol.* 2: 337 – 349.
- Aerts, J.V., D.L. De Brabander, B.G. Cottyn, F.X. Buysse, L.A. Carlier, and R.J. Moermans. 1978. Some remarks on the analytical procedure of Van Soest for the prediction of forage digestibility. *J. Anim. Feed Sci. Technol.* 3: 309 – 322.
- A.F.I.A. 2011. Laboratory Methods Manual Versian 7. A reference manual of standart methods for the analysis of fodder. New Generation Print and Copy. Australia.
- A.F.R.C. 1993. Energy and Protein Requirement of Ruminants. CAB International, Wallingford, UK.
- Almodares, A., R. Taheri, I.M. Chung, and M. Fathi. 2008. The effect of nitrogen and potassium fertilizers on growth parameters and carbohydrate contents of sweet sorghum cultivars. *J. Environmental Biology*, 29: 849-852.
- Anggorodi, R. 1995. Ilmu Makanan Ternak Umum. PT. Gramedia. Jakarta
- A.O.A.C. 1990. Official Method of analysis. 13th Ed. Association of Official Analysis Chemist. Whashington, DC.
- Aufrere, J and B. Michalet-Doreau. 1988. Comparison of methods for predicting digestibility of feeds. *J. Anim. Feed Sci. Technol.* 20: 203 – 218.
- Barber, W.P.B., A.H. Adamson, J.F.B. Altman. 1984. New method of feed evaluation. In: W. Haresign and D.J.A. Cole eds. Recent Advances in Animal Nutrition. Butterworths. London. pp. 161 – 176.
- Barton II, F.E. 1988. Chemistry of lignocelluloses: Methods of analysis and consequences of structure. *J. Anim. Feed Sci. Technol.* 21: 278 – 286.
- Bauman, D.E., J.W Perfield II, M.J. de Veth, and A.L. Lock. 2003. New perspective on lipid digestion and metabolism in ruminants. *Proc. Cornell Nutr. Conf.* pp. 175 – 189.
- Bento, M.H.L., T. Acamovic, and J.M.F. Abreu. 2004. The role of condensed tannin on the rumen degradation of *Lotus pedunculatus*. In: T. Acamovic, C.S. Stewart, and T.W. Pennycott eds. Poisonous Plants and Related Toxins. CAB International, Wallingford. pp: 128 – 133



- Bird, S.H. 1989. Production from ciliate free ruminants. In: J.V. Nolan, R. A. Leng and D.I. Demeyer eds. *The Role of Protozoa and Fungi in Ruminants Digestion*. Pp. 223 – 246. Penambul Books, Armidale, Australia.
- Blaxter, K.L. 1962. *The Energy Metabolism of Ruminants*. Hutchinson & CO. London.
- Brinkmann, K., L. Blaschke, and A. Polle. 2002. Comparison of different methods for lignin determination as a basis for calibration of near-infrared reflectance spectroscopy and implications of lignoproteins. *J. Chem. Ecology.* 28 (12): 2483 – 2501.
- Buxton, R.D. and S. Falles. 1994. Plant environment and quality. In: G. Fahey ed. *Forage Quality, Evaluation and Utilization*. Am. Soc. Agronomi. Pp. 155 – 199.
- Buxton, R.D. and D.D. Redfearn. 1997. Plant limitations to fiber digestion and utilization. *J. Nutr.* 127: 814S – 818S.
- Casler, M.D. and H-J. G. Jung. 2006. Relationship of fiber, lignin and phenolics to in vitro fiber digestibility in three perennial grasses. *J. Anim. Feed Sci. Technol.* 125: 151 – 161.
- Cheeke, P.R. 2005. *Applied Animal Nutrition: Feeds and Feeding*. Pearson Prentice Hall. New Jersey.
- Cherney, D.J.R. 2000. Characterization of forages by chemical analysis. In: D.I. Given, E. Owen, R.F. E. Axford and H.M. Omed eds. *Forage Evaluation in Ruminant*. CAB International, Wallingford. Pp. 281 – 300.
- Church, D.C. 1978. *Livestock Feeds and Feedings Third Edition*. UPT Balai Pengembangan Proses dan Teknologi Kimia. Lembaga Ilmu Pengetahuan Indonesia.
- Coleman, S.W. and J.E. Moore. 2003. Feed quality and animal performance. *J. Field Crops Research.* 84: 17 – 29.
- Crowder, L.V. and H.R. Chheda. 1982. *Tropical grassland Husbandry*. Longman Group Limited.
- Cullison, A.E. 1979. *Feed and Feeding, Second Edition*. A Prentice Hall Co. Virginia.
- Damry. 2009. Effects of defaunation and methionine in the presence of protozoa on the flow of microbial long chain fatty acids from the rumen of sheep. *J. Agroland.* 16 (2): 162-171.
- David , I.P. and M.B De Ramos. 1977. *Training Manual On Desing And Analysis Of Experiment And Survei*. Statistical Labory College Of Science And Humintities University Of The Philippines At Los Banos College, Laguna.
- Devendara. C.1997. Crop residues for feeding animal in Asia: Technology development and adoption in crop/livestock system. In: C. Renard ed.



Crop Residues in Sustainable Mixed Crop/Livestock Farming System. pp. 242 -267.

Dhanoa, M.S., S. Lopez, and J. France. 2008. Linier models for determining digestibility. In: J. France and E. Kebreab eds. Mathematical Modelling In Animal Nutrition. CAB International, Wallingford. pp. 12 – 46.

Fonnesback, P.V., M.L. Christiansen, and L.E. Harris. 1981. Linier Model for calculating digestibility energy for sheep diets. *J. Anim. Sci.* 52: 1183 – 1196.

Fukushima, R.S, B.A. Dehority, and S.C. Loerch. 1991. Modification of colorimetric analysis for lignin and its used for studying the inhibitory effect of lignin on forages digestion by ruminal microorganism. *J. Anim. Sci.* 69: 295 – 304.

Giger-Reverdin, S. 1995. Review of the main methods of cell wall estimation: interest and limits for ruminants. *J. Anim. Feed Sci. Technol.* 55: 295 – 334.

Ginting, S.P. 2005. Sinkronisasi degradasi protein dan energi dalam rumen untuk memaksimalkan produksi protein mikrobia. *Wartazoa.* 15 (1): 1 – 10.

Goering, H.K. and P.J. Van Soest. 1970. Forages fiber analyses. Apparatus, reagents, procedures, and some application. USDA Agric. Handbook No.379. Washington DC.

Gomes, D.I., E. Detman, S.de C. V. Filho., R. S. Fukushima, M. A. de Souza, T.N.P. Valente, M.F. Paulino, and A.C. de Queiroz. 2011. Evaluation of lignin contents in tropical forages using different analytical methods and their correlations with degradation of in soluble fibre. *J. Anim. Feed Sci. and Technol.* 168: 206-222.

Grenet, E. and J.M. Besle.1991. Microbe and fiber digestion. In: J.P. Jouany eds. Rumen Microbial Metabolism and Ruminant Digestion. Institut National De La Recherche Agromique. Paris.

Han, C.Y., D.X. Lu, M. Hu and Z. L. Tan. 1999. Influence of controlling protozoa on the degradation and utilization of dietary fibre and protein in the ruman and nitrogenous flow entering the duodenum of sheep. *Asian-Aus. J. Anim. Sci.* 12 (8): 1241 – 1245.

Hargreaves, A., J. Hill, and J.D. Leaver. 2009. Effect of stage of growth on the chemical composition, nutritive value and ensilability of whole-crop barley. *J. Anim. Feed Sci. Technol.* 152: 50 – 61.

Harris, L.E. and E.W. Crampton. 1973. NRC names for feed processes and their use in evaluating the nutrient content of feeds. In: E.A. Ott, C.B. Ammerman, L.R. Arrington, W.C. Christiansen, G.E.Combs, Tony J. Cunha, J.R. Dickey, J.P. Feaster, J.F. Hentges, L.R. McDowell, J.E. Moore, R.L. Shirley, and H.D. Wallace. Eds. *Effect of Processing on The*



- Nutritional Value of Feeds. National Academy of Science. Washington. Pp. 1 – 22
- Harris, L.E., L. C. Keael, and P.V. Fonnesbeck. 1972. Use regression equations in predicting availability of energy and protein. *J. Anim. Sci.* 35: 658 – 680.
- Hartadi, H. 1980. Prediction of the quality of tropical grasses for ruminants by laboratory analyses and summative equations. Master Science Thesis. University of Florida. Gainesville. Florida.
- Huges., M., V. Mlambo, P.G.A. Jennings, and C.H.O. Lallo. 2014. The accuracy of predicting *in vitro* ruminal organic matter digestibility from chemical components of tropical pastures varies with season and harvesting method. *J. Trop. Agric. (Trinidad)*. 91: 131 – 146.
- Hobson, P.N. 1997. Introduction. In: P.N. Hobson and C.S. Stewart eds. *The Rumen Microbial Ecosystem*, Second Edition. Campman & Hall. India. pp. 1 – 9.
- Hoover, W.H. 1986. Chemical factor involved in ruminant fiber digestion. *J. Dairy Sci.* 69: 2755 – 2766.
- Horrocks, R.D. and J.F. Valentine. 1999. *Harvested Forages*. Academic Press. London.
- Humphreys. L.R. 1981. *Environmental Adaptation of Tropical Pasture Plants*. Macmillan Publisher. Australia.
- Hungate, R.E. 1966. *The Rumen and Its Microbes*. Academic press. New York.
- Huhtanen, P. 2006. Review article: Recent developments in forage evaluation with special reference to practical application. *J. Agric. Food Sci.* 15: 293 – 323.
- Huhtanen, P. and Khalili, H. 1992. The effect of sucrose supplements on particle associated carboxymethyl-cellulase and xylanase activities in cattle given grass-silages-based diet. *British J. of Nutr.* 67: 245 – 255.
- Hutjens, M. F. 1992. Selecting feed additives. In: *Large Dairy Herd Management* In: Van Horn, H. H. & Wilcox, C. J. eds. American Dairy. Pp. 309–317. Science Association, Savoy, IL.
- Iason, G. 2005. The role of plants secondary metabolites in mammalian herbivory: ecology perspectives. *Proc. of the Nutr. Society.* 64: 123 – 131.
- Indraningsih, R. Widiastuti, dan Y. Sani. 2006. Limbah pertanian dan perkebunan sebagai pakan ternak: Kendala dan prospeknya. Proceeding Lokakarya Nasional Ketersediaan IPTEK dalam Pengendalian Penyakit Strategis pada Ternak Ruminansia Besar. Balitnak. Ciawi. Bogor. 99 – 115.
- Jung, H. G. 1997. Analysis of forage fiber and cell wall in ruminant nutrition. *J. Nutr.* 127: 810S – 8113S.



- Jung, H.G. and G.C. Fahey. 1983. Nutritional implications of phenolic monomers and lignin: A review. *J. Anim. Sci.* 57: 206 – 219.
- Jung H.G. and M.S. Allen. 1995. Characteristics of plant cell walls affecting intake and digestibility of forages by ruminants. *J. Anim. Sci.* 73: 2774 – 2790.
- Karmada, G. 1992. Kecernaan berbagai limbah pertanian yang diamoniasi urea pada ternak sapi Peranakan Ongole secara *in vitro* dan *in sacco*. Tesis program Pasca Sarjana Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.
- Karunanandaa, K., G.A. Varga, D.E. Akin, L.L. Rigsby, and D.J. Royse. 1995. Botanical fractions of rice straw colonized by white-rot fungi: changes in chemical composition and structure. *Anim. Feed Sci. Technol.* 55: 179–199.
- Kibon, A. and E.R. Orkov. 1993. The use of degradation characteristic of browse plants to predict intake and digestibility by goats. *J. Anim. Prod.* 57: 247 – 251.
- Kitessa, S., P.C. Flinn, and G.G. Irish. 1999. Comparison of methods used to predict the *in vivo* digestibility of feeds in ruminants. *Aust. J. Agric. Res.* 50: 825 – 841.
- Kunstantinah dan B. Suhartanto. 1996. Pakan Ruminansia Nutrisi Nitrogen. Bagian Nutrisi Makanan Ternak. Fakultas Peternakan UGM. Yogyakarta.
- Leng, R.A. 1989. Recent advances in applied aspects of ruminant physiology and nutrition. In: C. Devendra and E. Imaizumi eds. *Ruminant Physiology and Nutrition In Asia*. Proceeding of the satellite symposium held during the VII international symposium on Ruminant Physiology. Japan Society Zootechnical Science. pp. 1 – 26.
- Liu, J. X., E. R. Ørskov, and X. B. Chen. 1999. Optimization of steam treatment as a method for upgrading rice straw as feeds. *Anim. Feed Sci. Technol.* 76:345-357.
- Lopez, S., J. Dijkstra, and J. France. 2000. Prediction of energy supply in ruminants, emphasis on forages. In: D.I. Given, E. Owen, R.F. E. Axford and H.M. Omed eds.. *Forage Evaluation in Ruminant*. CAB International, Wallingford. pp. 63 – 94.
- Lewis, N.G. and E. Yamamoto. 1990. Lignin:Occurrence, biogenesis and biodegradation. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 41: 455 – 496.
- Maaruf, K. 1986. Korelasi antara kecernaan *in situ* dan *in vitro* serta komposisi kimia limbah pertanian untuk kambing dan domba. Tesis program Pasca Sarjana Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.
- Males, J.R. 1987. Optimizing the utilization of cereal crop residues for beef cattle. *J. Anim. Sci.* 65: 1124 – 1130.



- Maryono dan N.H. Krisna. 2009. Pemanfaatan dan keterbatasan hasil ikutan pertanian serta strategi pemberian pakan berbasis limbah pertanian untuk sapi potong. *Wartazoa*. 19 (1): 31 – 42.
- Mbwile, R.P. and P. Uden. 1991. Comparison of laboratory methods on precision and accuracy of predicting forage organic matter digestibility. *J. Anim. Feed Sci. Technol.* 32: 243 – 251.
- McDonald, P., R.A. Edwards, and J.F.D. Greenhalgh. 1988. *Animal Nutrition*, Fourth Edition. Longman Group. Hongkong.
- Mertens, D.R. 1987. Predicting intake and digestibility using mathematical models of ruminal function. *J. Anim. Sci.* 64: 1548 – 1558.
- Minson, D.J. 1990. *Forage In Ruminant Nutrition*. Academic Press. New York.
- Minson, D.J. and R. Milford. 1967. The voluntary intake and digestibility of diets containing different proportions of legume and mature pangola grass (*Digitaria decumbens*). *Aust. J. Exp. Agric. Anim. Husb.* 7: 546 – 551.
- Moore, K.J. and J.H. Cherney (1986). Digestion kinetics of sequentially extracted cell wall component of forages. *J. Crop. Sci.* 26: 1230-1235.
- Moran. J. 2005. *Tropical Dairy Farming: Feeding management for small holder dairy farmers in the humid tropics*. Landlinks Press. Australia.
- Mould, F.L. and E.R. Ørskov. 1983. Manipulation of rumen fluid pH and its influence on cellulolysis in sacco, dry matter degradation and the rumen microflora of sheep offered either hay or concentrate. *Anim. Feed Sci. Technol.* 10: 1 – 14.
- Muiller-Harvey,I. A.B. McAllan, M.K. Theodorou, and D.E. Beever.1988. Phenolics in fibrous crop residues and plant and their effects on the digestion and utilisation of carbohydrates and proteins in ruminants. In: J.D. Reed, B. S. Capper, and P.J.H. Neate eds. *Plant Breeding and The nutritive Value of Crop Residues.. International Livestock Center for Africa*. Ethiopia. pp. 97 – 132.
- Nan, N.T.H., N. Van Hon, N. Trong Ngu, N. Tien Von, T.R. Preston, and R. A Leng. 2001. Practical application of defaunation of cattle on farms in Vietnam: response of young cattle fed rice straw and grass to a single drench of groundnut oil. *Asian-Aust. J. Anim. Sci.* 14 (4): 485 – 490.
- Newman, Y.C., L.E. Sollenberger, K.J. Boote, L.H. Allen, Jr. J.C.V. Vu, and M.B. Hall. 2005. Temperature and carbon dioxide effects on nutritive value of rhizoma peanut herbage. *J. Crop Sci.* 45: 316 – 321.
- NRC. 1996. *Nutrient Requirement of Beef Cattle* 7th ed. National Academic Press. Washington, DC.
- Nousiainen, J., M. Rinne, M. Hellamaki, and P Huhtanen. 2003. Prediction of the digestibility of the primary growth of grass silages harvested at different



- stages of maturity from chemical composition and pepsin-cellulase solubility. *J. Anim. Feed Sci. Technol.* 103: 97 – 111.
- Noziere, P. and B. Michalet-Doreau. 2000. In *sacco methods*. In: J.P.F. D'Mello eds. *Farm Animal Metabolism and Nutrition*. CAB International, Wallingford. pp. 233 – 253.
- Orskov, E.R. 1992. *Protein Nutrition in Ruminants*. Second Edition. Published by Academic Press Limited. London.
- Orskov, E.R. 2000. The *in situ* technique for estimating of forage degradability in ruminants. In: D.I. Given, E. Owen, R.F. E. Axford and H.M. Omed eds. *Forage Evaluation in Ruminant*. CAB International, Wallingford. pp. 175 – 188
- Orskov, E.R., G.W. Reid, and M. Kay. 1988. Prediction of intake by cattle from degradation characteristics of roughages. *J. Anim. Prod.* 46: 29 – 34.
- Orskov, E.R., F.D. DeB Hovell, and Mould. 1980. The use of nylon bag technique for the evaluation of feedstuffs. *J. Trop. Anim. Prod.* 5 (3): 195 – 213.
- Orskov, E.R. and I. McDonald. 1979. The estimation of protein degradability in the rumen from incubation measurements weighted according to rate of passage. *J. Agric. Sci.* 92: 499 – 503.
- Pagan, S., R.M. Wolfe, T.H. Terrill, and J.P. Muir. 2009. Effect of drying method and assay methodology on detergent fiber analysis in plants containing condensed tannin. *J. Anim. Feed Sci. Technol.* 154: 119 – 124.
- Palmquist, D. L. 1994. The role dietary fats in efficiency of ruminants. *J. Nutr.* 124: 1377S-1382S.
- Preston, T.R. and R.A. Leng. 1987. *Matching Ruminant Production System with Available Resources in The Tropics and Subtropics*. Penambul Books Ltd. Armidale NSW. Australia.
- Preston, T.R. 1986. Better utilization of crop residues and by-products in animal feeding: research guidelines 2: A practical manual for research workers. FAO Animal Production and Health Paper 50/2. FAO. Rome
- Promkot, C. and M. Wanapat. 2004. Ruminal degradation and intestinal digestion of crude protein of tropical resources using nylon bag and three-step *in vitro* procedure in dairy cattle,. In Proc. of the Agricultural Seminar, Animal Science/Animal Husbandry. Held at Sofitel RajaOrchid Hotel 27-28 January 2004. pp. 434 – 447.
- Rebole, A, J.Trevino, C. Barro, C. Alzueta, and R. Caballero. 1996. Chemical changes associated with the field drying of oat forage. *J Field Crop Res.* 47: 221 – 226.
- Reksohadiprodjo, S. 1993. Prediction of dry matter, digestible energy and digestible crude protein intakes of agricultural by products in small ruminants and the feeding of crop residues an industrial waste by-



- products in system of goat productions in Indonesia. Project report The International Foundation for Science Sweeden trough The Indonesian Institute of Science Indonesia and Gadjah Mada University. Yogyakarta.
- Ribeiro, J.M.C.R. and O.M.S.C. Moreira. 1998. Comments on feed evaluation methods used in the project. In: M. Antongiovanni ed. Exploitation of Mediterranean roughage and by-products. CIHEAM. 17: 79 – 91.
- Russell, J.B. and J.H Strobel. 1989. Effect of ionophores on ruminal fermentation. *Appl. Environ. Microbiol.* 55: 1–6.
- Rymer, C. 2000. The measurement of forage digestibility in vivo. In: D.I. Given, E. Owen, R.F. E. Axford and H.M. Omed eds. Forage Evaluation in Ruminant. CAB International, Wallingford. pp. 113 – 134.
- Schneider, B.H., H.L. Lucas, H.M Pavlech, and M. A. Cipolloni. 1951. Estimation of the digestibility of feeds from their proximate composition. *J. Anim. Sci.* 10: 706 – 713.
- Schneider, B. H., H.L. Lucas, M.A. Cipolloni, and H. M. Pavlech. 1952. The prediction of digestibility for feeds for which there are only proximate composition data. *J. Anim. Sci.* 11: 77 – 83.
- Seymour, M.W., D.R. Campbell, and Z.B. Johnson. 2005. Relationship between rumen volatile fatty acid concentrations and milk production in dairy cow: a literature study. *J. Anim. Feed Sci. Technol.* 119: 155 – 169.
- Smith, O.B. 1993. Feed resources for intensive smallholder syatem in the tropic: The role of crop residues. Paper presented at the XVII International Grassland Congress, 8 – 12 February 1993. Newzealand. Australia.
- Snyman, L.D. and H.W. Joubert. 1996. Effect of maturity stage and method of preservation on the yield and quality of forage sorghum. *J. Anim. Feed Sci. Technol.* 57: 63 – 73.
- Soetanto, H. 1998. Hubungan antara konsentrasi amonia cairan rumen dan degradasi pakan in sacco pada domba. *Buletin Peternakan Universitas Gadjah Mada.* 22 (1): 50 – 56.
- Soejono, M. 1983. Penanganan limbah pertanian sebagai makanan ternak. Dalam Fodder Seed and Forages Development. Laporan Pelaksanaan Latihan HMT IFD dan Fakultas Peternakan Universitas Gadjah Mada.
- Soejono, M. 1991. Petunjuk Laboratorium: Analisis dan Evaluasi Pakan. Pusat Antar Universitas Bioteknologi. UGM. Yogyakarta.
- Soejono, M. 1995. Perubahan struktur dan kecernaan jerami padi akibat perlakuan urea sebagai pakan sapi potong. Disertasi Pasca Sarjana Fakultas Peternakan UGM. Yogyakarta.
- Soejono, M., B.P. Widjyobroto, R. Utomo, dan A. Agus. 2001. Standarisasi Pengukuran Degradasi In Sacco Untuk Perbaikan Sistem Evaluasi



Protein Pada Ternak Ruminansia di Indonesia. Laporan Hasil Penelitian Hibah Bersaing III. Universitas Gadjah Mada. Yogyakarta.

- Soejono, M., R. Utomo, dan Widyantoro. 1987. Peningkatan nilai nutrisi jerami padi dengan berbagai perlakuan. In: Limbah Pertanian Sebagai Pakan dan Manfaat Lainnya (Crop Residue for Feed and Other Purposes). Proc. Biocorversion Project. Second Workshop on Crop Residues for Feed and Other Purposes. Grati. pp. 21 – 35.
- Soejono, M., R. Utomo, S. Priyono, dan A. Agus. 2002. Mutu pakan sapi potong ditinjau dari kebutuhan nutrisi. Makalah disampaikan pada pertemuan pengawas mutu pakan ternak Dinas Peternakan Propinsi Jawa Timur. Surabaya
- Soita. H.W. 2001. Influence of forages particle size on rumen metabolic responses an nutrient utilization. PhD Thesis, Department of Animal and Poultry Science. University of Saskatchewan. Saskatoon.
- Sulastri, R.D., M. Soejono, dan B. Suhartanto. 1987. Penggunaan limbah pertanian dengan berbagai level protein untuk pertumbuhan kambing jantan lokal. In: Limbah Pertanian Sebagai Pakan dan Manfaat Lainnya (Crop Residue for Feed and Other Purposes). Proc. Biocorversion Project. Second Workshop on Crop Residues for Feed and Other Purposes. Grati. pp: 195 – 199.
- Sung, G., Y. Kobayashi, J. Chang, Ahnul Ha, I.H. Hwang, and J. K. Ha. 2007. Low ruminal pH reduces dietary fiber digestion via reduced microbial attachment. Asian-Aust. J. Anim. Sci. 20 (2): 200 – 207.
- Syamsu, J.A., L.A. Sofyan, K. Mudikdjo, dan E.G. Said. 2003. Daya dukung limbah pertanian sebagai sumber pakan ternak ruminansia di Indonesia. Wartazoa.13 (1): 30 – 37.
- Tamminga, S. 1979. Protein degradation in forestomachs of ruminants. J. Anim. Sci. 49: 1615 – 1630.
- Tillman, A.D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, dan S. Lebdosoekojo. 1991. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press. Fakultas Peternakan UGM. Yogyakarta.
- Uden, P. 1988. The effect of grinding and pelleting hay on digestibility, fermentation rate, digesta passage and rumen and faecal particle size in cows. Anim. Feed Sci. Technol. 19:145 – 157.
- Undersander, D., D.R. Merten, and N. Thiex. 1993. Forage Analysis Procedures. National Foreges Testing Association. USA.
- Utomo, R. 2003 Penyediaan pakan di daerah tropik: problematika, kontinuitas dan kualitas. Pidato pengukuhan guru besar pada Fakultas Peternakan Universitas Gadjah Mada, tanggal 14 Mei 2003. Yogyakarta.
- Utomo, R., S. Reksohadiprodjo, B.P. Widyobroto, Z. Bachrudin, dan B. Suhartanto. 1999. Sinkronisasi degradasi energi dan protein dalam



rumen pada ransum basal jerami padi untuk meningkatkan efisiensi kecernaan nutrien sapi potong. Laporan Penelitian Komprehensif HBV. Proyek Pengakajian dan penelitian Ilmu Pengetahuan Terapan. Lemlit UGM. Yogyakarta.

- Vadiveloo, J. and J.G. Fadel. 2009. The response of rice straw varieties to urea treatment. *J. Anim. Feed Sci. Technol.* 151: 291 – 298.
- Van Soest, P.J. 1982. Nutritional Ecology of The Ruminant. Ruminant Metabolism, Nutritional Strategies. The Cellulolytic Fermentation and The Chemistry of Forages and Plants Fibers. Published and Distributed by O & Books. Inc. Corvallis. Oregon.
- Van Soest, P.J. 1994. Nutritional Ecology of The Ruminant. Second Edition. Cornell University Press.
- Van Soest, P.J. 1965. Symposium on factors influencing the voluntary intake of herbage by ruminants: Voluntary intake and relation to chemical composition and digestibility. *J. Anim. Sci.* 24: 834 – 843.
- Van Soest, P.J. 1967. Development of comprehensive system of feed analyses and its application to forages. *J. Anim. Sci.* 26: 119 – 128.
- Van Soest, P.J. and J.B. Robertson. 1979. System of analysis for evaluating fibrous feeds. In: W.J. Pigden, C.C. Balch, and M. Graham eds. Standardization of Analytical Methodology for Feeds. Proceedings of workshop held in Ottawa, Canada. pp. 49 – 60.
- Van Soest, P.J. 1988. Effect of environmental and quality of fiber on the nutritive value of crop residues. In: J.D. Reed, B. S. Capper, and P.J.H. Neate eds. Plant Breeding and The nutritive Value of Crop Residues. International Livestock Center for Africa. Ethiopia. pp. 71 – 96.
- Van Soest, P.J. and L.H.P. Jones. 1968. Effect of silica in forages upon digestibility. *J. Dairy Sci.* 51 (10): 1644 – 1648
- Van Soest, P.J. and V.C. Mason. 1991. The influence of the maillard reaction upon the nutritive value of fibrous feeds. *J. Anim. Feed Sci. Technol.* 32: 45 – 53.
- Van Soest, P.J. 1964. Symposium on nutrition and forage and pasture: New chemical procedures for evaluating forages. *J. Anim. Sci.* 23: 838 – 845.
- Van Soest, P.J. and R.H. Wine. 1968. Determination of Lignin and Cellulose in Acid-Detergent fiber with Permanganate. *J. Assoc. Off. Anal.Chem.* 51 (4): 780 – 786.
- Varga, G.A. and E.S. Kolver. 1997. Microbial and animal limitations to fiber digestion and utilization. *J. Nutr.* 127: 819S – 823S.
- Widyobroto, B.P., S. Padmowijoto, dan R. Utomo. 1995. Pendugaan kualitas protein bahan pakan (hijauan, limbah pertanian dan konsentrat) untuk



ternak ruminansia. Laporan Penelitian. Hibah Bersaing II/2 Perguruan Tinggi Tahun Anggaran 1994/1995. Fakultas Peternakan UGM.

Williamson, G. and W.J.A. Payne. 1978. An Introduction to Animal Husbandry in The Tropics. Third Edition. Longman Group Limited Inc.

Wilson, J.R. 1994. Cell wall characteristics in relation to forage digestion by ruminants. *J. Agric. Sci. Camb.* 122: 173 – 182.

Wink, M. 2004. Evolution of toxins and anti-nutritional factor in plants with special emphasis on leguminosae. In: T. Acamovic, C.S. Stewart, and T.W. Pennycott eds. *Poisonous Plants and Related Toxins*. CAB International, Wallingford. pp: 1 – 25.