

DAFTAR PUSTAKA

- Alves, H., Ginkel, J., Groen, N., Hulsman, M., Mentink, A., Reinders, M., *et al.* 2012. A mesenchymal stromal cell gene signature for donor age. *PloS One*. 7: 42908.
- Anonim. 1977. *Materia Medika Indonesia*. Jilid I. Departemen Kesehatan Republik. Jakarta.
- Anonim. 2008. *Direktorat Obat Asli Indonesia*. BPOM RI. Jakarta.
- Bassaneze, V., Miyakawa, A.A., Krieger, J.E. 2008. A quantitative chemiluminescent method for studying replicative and stress-induced premature senescence in cell cultures. *Anal Biochem*. 372 :198–203.
- Becker, T.M. and Rizos, H. 2003. Regulation of cellular senescence by the retinoblastoma pathway. In Aging of Cells in and Outside the Body. *Spring Neth*. 2: 151-169.
- Bersenev, A. *Cell therapy clinical trials in 2011*. <http://hematopoiesis.info/2012/01/04/cell-therapy-trials-2011>. Diakses tanggal 12 Februari 2016 pukul 13.40 WIB.
- Bosmann, H. B., Gutheil, R. L., Case, K. R. 1976. Loss of critical neutral protease in ageing WI-38 cells. *Nature*. 261: 499-501.
- Brunk, U. T. and Terman, A. 1999. *The mitochondrial-lysosomal axis theory of cellular aging*. In *Understanding the Process of Aging: The Roles of Mitochondria, Free Radicals and Antioxidants*. Marcel Dekker Inc. New York.
- Brunk, U. T., Ericsson. J. L. E., Ponten, J., Westermark, B. 1973. Residual bodies and ‘aging’ in cultured human glia cells. *Exp Cell Res*. 79: 1-14.
- Bruton, L., Lazo, J. S., Parker, K. L. 2005. *Goodman & Gilman’s The Pharmacological Basis of Therapeutics*. 11th Edition. McGrawHill. Lange.
- Buttiglieri, S., Ruella, M., Risso, A., Spatola, T., Silengo, L., Avvedimento, E.V., *et al.* 2011. The aging effect of chemotherapy on cultured human stem cells. *Exp Hem*. 39: 1171-1181.
- Campisi, J. 2005. Senescent cells, tumor suppression, and organismal aging: good citizens, bad neighbors. *Cells*. 120(4):513-22.
- Chainiaux, F. D., Jorge, D.E., Judith, C., Oliver, T. 2009. Protocols to detect senescence-associated beta-galactosidase (SA- gal) activity, a biomarker of senescent cells in culture and in vivo. *Nat Pub Group*. 4(12):1798-1804.

- Chang, B.D., Xuan, Y., Broude, E.V., Zhu, H., Schott, B., Fang, J., Roninson, I.B. 1999. Role of p53 and p21waf1/cip1 in senescence-like terminal proliferation arrest induced in human tumor cells by chemotherapeutic drugs. *Oncogene*. 18(34): 4808-4818.
- Chen, Q., Fischer, A., Reagan, J.D., Yan, L.J., Ames, B. N. 1995. Oxidative DNA damage and *senescence* of human diploid fibroblast cells. *Proc Natl Acad Sci USA*. 92: 4337–4341.
- Childs, A.C., Phaneuf, S.L., Dirks, A.J., Phillips, T., Leeuwenburgh. 2002. Doxorubicin treatment *in vivo* causes cytochrome c release and cardiomyocyte apoptosis, as well as increased mitochondrial efficiency, superoxide dismutase activity, and Bcl-2:Bax Ratio. *Cancer Research*. 62:4592-4598.
- Chretien, A., Campisi, J., Fagagna, D. 2008. Role of TGF-beta1-independent changes in protein neosynthesis, p38alphaMAPK, and cdc42 in hydrogen peroxide-induced senescence-like morphogenesis. *Free Radic. Biol. Med.* 44: 1732-1751.
- Cipriani, P., Di Benedetto, P., Liakouli, V., Del Papa, B., Di Padova, M., Di Ianni, M., Marrelli, A., Alessie, E. and Giacomelli, R., 2013. Mesenchymal stem cells (MSCs) from scleroderma patients (SSc) preserve their immunomodulatory properties although senescent and normally induce T regulatory cells (Tregs) with a functional phenotype: implications for cellular-based therapy. *Clin Exp Immunol.* 173(2):195-206.
- Collado, M., Blasco, M.A., Serrano, M. 2007. Cellular senescence in cancer and aging. *Cell*. 130: 223-233.
- Cristofalo, V. J. and Kabakjian, J. 1975. Lysosomal enzymes and aging *in vitro*: subcellular enzyme distribution and effect of hydrocortisone on cell life-span. *Mech Ageing Dev.* 4: 19-28.
- De Angelis, P.M., Svendsrud, D.H., Kravik, K.L., Stokke, T. 2006. Cellular response to 5-fluorouracil (5-FU) in 5-FU resistant colon cancer cell lines during treatment and recovery. *Mol Cancer*. 5:20.
- Demidenko, Z.N. and Blagosklonny, M.V. 2008. Growth stimulation leads to cellular senescence when the cell cycle is blocked. *Cell Cycle*. 7(21): 3355-3361.
- Departemen Kesehatan RI. 2010. *Suplemen I Farmakope Herbal Indonesia*. Departemen Kesehatan. Jakarta.
- Deursen, J.M.V. 2014. The role of senescent cells in ageing. *Nature*. 509: 439–446.

Dimri, G. P., Lee X, Basile G. 1995. A biomarker that identifies senescent human cells in culture and in aging skin in vivo. *Cell Biol.* 92: 9363-9367.

DiNardo, S., Voelkel, K., Sternglanz, R. 1984. DNA topoisomerase II mutant of *Saccharomyces cerevisiae*: topoisomerase II is required for segregation of daughter molecules at the termination of DNA replication. *Proc Natl Acad Sci U S A.* 81(9): 2616–2620

Dong, X.X., Hui, Z.J., Xiang, W.X., Rong, Z.F., Jian, S., Zhu, C.J. 2007. *Ginkgo biloba* extract reduces endothelial progenitor-cell senescence through augmentation of telomerase activity. *J Cardiovasc Pharmacol.* 49 (2): 111-115.

Friedenstein, A.J., Latzinik, N.W., Grosheva, A.G., Gorskaya, U.F. 1982. Marrow microenvironment transfer by heterotopic transplantation of freshly isolated and cultured cells in porous sponges. *Exp Hematol.* 10 (2): 217-27.

Gewirtz, D.A. 1999. A critical evaluation of the mechanisms of action proposed for the antitumor effects of the anthracycline antibiotics adriamycin and daunorubicin. *Biochem Pharmacol.* 57: 727–741.

Gewirtz, D.A., Holt, S.E. and Elmore, L.W. 2008. Accelerated senescence: an emerging role in tumor cell response to chemotherapy and radiation. *Biochem Pharmacol.* 76(8) : 947-957.

Goshima, J., Goldberg, V.M. , Caplan, A.I. 1991. The origin of bone formed in composite grafts of porous calcium phosphate ceramic loaded with marrow cells. *Clin Orthop Rel Res.* 269: 274-283.

Guo, H.D., Wang, H.J., Tan, Y.Z., Wu, J.H. 2011. Transplantation of marrow-derived cardiac stem cells carried in fibrin improves cardiac function after myocardial infarction. *Tissue Eng Part A.* 17: 45-48.

Hamadou, A. H., Xu, Y., Jiang, Q., Xia, W., Siddeeg, A. 2014. Evaluation of antioxidant efficacy of ethanolic and methanolic extracts from peanut hulls in silver carp oil during accelerated oxidation. *Int J Nut Food Sci.* 3(2): 104-110

Han, X., Pan, J., Ren, D., Cheng, Y., Fan, P., Lou, H. 2008. Naringenin-7-O-glucoside protects against doxorubicin-induced toxicity in H9c2 cardiomyocytes by induction of endogenous antioxidant enzymes. *Food Chem Tox.* 46: 3140-3146.

Hayflick, L. 1965. The Limited in vitro lifetime of human diploid cell strains. *Exp Cell Res.* 37: 614-636.

Heyne, K. 1987. *Tumbuhan Berguna Indonesia*. Jilid. II,. Departemen Kehutanan Republik Indonesia. Jakarta.



- Itahana, K., Campisi, J., Dimri, G.P. 2007. Methods to detect biomarkers of cellular senescence: the senescence-associated beta-galactosidase assay. *Methods Mol Biol.* 371:21-31.
- Khamsita, R., Hermawan, A., Putri, D., Meiyanto, E. 2012. Ethanolic extract of secang (*Caesalpinia sappan L.*) wood performs as chemosensitizing agent through apoptotic induction on breast cancer MCF-7 cells. *Indo J Cancer Chemo.* 3:3.
- Korb, O., Stützle, T., Exner, T.E. 2006. PLANTS: application of ant colony optimization to structure-based drug design. *Ant Colony Opt Swarm Intel.* 247-258.
- Koul, A., Gangar S.C., Sandhir V. 2005. Pitfalls in journey from traditional to modern medicine. *Nat Prod Rad.* 4: 6-13.
- Kyriakou, C., Rabin, N., Pizzey, A., Nathwani, A., Yong, K. 2008. Factors that influence short-term homing of human bone marrow-derived Mesenchymal Stem Cells in a xenogenic animal model. *Hematologic.* 93: 1457-1465.
- Larsen, A.K., Escargueil, A.E., Skladanowski, A. 2003. From DNA damage to G2 arrest: the many roles of topoisomerase II. *Prog Cell Cycle Res.* 5: 295–300.
- Lawless, C., Wang, C., Jurk, D., Merz, A., von Zglinicki, T., Passos, J.F. 2010. Quantitative assessment of markers for cell senescence. *Exp Ger.* 45: 772-778.
- Lee, H. J. and Lee, M. G. 1999. Effects of dexamethasone on the pharmacokinetics of adriamycin after intravenous administration to rats. *Res Commun Mol Pathol Pharmacol.* 105: 87-96.
- Lee, B.Y., Han, J.A., Im, J.S., Morrone, A., Johung, K., Goodwin, E.C., et al. 2006. Senescence-associated -galactosidase is lysosomal –galactosidase. *Aging Cell.* 5: 187–19.
- Liang, C., Chan, L., Chou, T., Chiang, F., Yen, C., Chen, P., et al. 2013. Brazilein from *Caesalpinia sappan L.* antioxidant inhibits adipocyte differentiation and induces apoptosis through caspase-3 activity and anthelmintic activities against *hymenolepis nana* and *Anisakis simplex*. *Evo-Based Complement Altern Med.* 2013: 1-14.
- Lim, D.K., U. Choi, D.H. Shin. 1997. Antioxidative activity of some solvent extract from *Caesalpinia sappan* Linn. *Korean J Food Sci Technol.* 28(1): 77–82.
- Mason, D.X., Jackson, T.J., Lin, A.W. 2004. Molecular signature of oncogenic ras-induced senescence. *Oncogene.* 23: 9238–9246.



- Meirelles, L.D.S., and Nardi, N.B. 2003. Murine marrow-derived mesenchymal stem cell: isolation, in vitro expansion, and characterization. *British J Haem.* 123(4): 702-711.
- Morota, T., Nishimura, M., Sasaki, H., Santo, S. 1996. Blood platelet aggregation inhibitors Containing Phenols of Caesalpin P, sappan-chalcone, 3-deoxysappanone or protosappanin A. *American Chem Soc.* 6.
- Nitiss, J.L. 1998. Investigating the biological functions of DNA topoisomerase in eukaryotic cells. *Biochim Biophys Acta.* 1400: 63–81.
- Oswald, J., Boxberger, S., Jørgensen, B., Feldmann, S., Ehninger, G., Bornhäuser, M., et al. 2004. Mesenchymal stem cells can be differentiated into endothelial cells in vitro. *Stem Cells.* 22: 377-384.
- Pawar, C.R., Landge, A.D. and Surana, S.J., 2008. Phytochemical and pharmacological aspects of *Caesalpinia sappan*. *J Pharm Research.* 1 (2).
- Pitchard, J.D. 2007. *Methanol: Toxicological Review.* http://www.gov.uk/government/uploads/system/uploads/attachment_data/file/341387/hpa_methanol_toxicological_overview_v2.pdf, Diakses pada tanggal 10 Maret 2016 pukul 12.05 WIB.
- PubChem. 2005. *Brazilin.* <https://pubchem.ncbi.nlm.nih.gov/compound/222515>. Diakses tanggal 12 Februari 2016 pukul 15.35 WIB.
- PubChem. 2016. *Brazilein.* <https://pubchem.ncbi.nlm.nih.gov/compound/6453902>. Diakses tanggal 12 Februari 2016 pukul 15.37 WIB.
- PubChem. 2005. *Doxorubicin.* <https://pubchem.ncbi.nlm.nih.gov/compound/31703>. Diakses tanggal 25 Februari 2016 pukul 11.54 WIB.
- Purnomo, H. 2011. *Kimia Komputasi: Molecular Docking PLANTS.* Pustaka Pelajar. Yogyakarta.
- Rachmady, R. 2015. Aktivitas Sitotoksik Ekstrak Etanolik Kayu Secang (*Caesalpinia sappan L.*) terhadap Sel Kanker Payudara Bertarget Molekuler pada Reseptor HER-2. *Skripsi.* UGM. Yogyakarta.
- Raffetto, J.D., Vasquez, R., Goodwin, D.G., Menzoian, J.O. 2006. Mitogen-activated protein kinase pathway regulates cell proliferation in venous ulcer fibroblast. *Vasc Endovasc Surg.* 40 (1): 59–66.
- Robbins, E., Levine, E. M., Eagle, H. 1970. Morphologic changes accompanying senescence of cultured human diploid cells. *J. Exp. Med.* 131: 1211-1222.
- Rutala, W.A. and Weber, D.J. 2004. Disinfection and Sterilization in Health Care Facilities: What Clinicians Need to Know. *Clinic Infect Dis.* 39: 702-709.
- Serrano, J., Palmeira, C.M., Kuehl, D.W., Wallace, K.B. 1999. Cardioselective



and cumulative oxidation of mitochondrial DNA following subchronic doxorubicin administration. *BBA-Bioenerg.* 1411(1): 201-205.

Shahidi, F. 1996. *Natural Antioxidants: Chemistry, Health Effects, and Applications*. AOCS Press. Champaign. Illionis.

Shay, J.W., Pereira-Smith, O.M., Wright, W.E. 1991. A role for both RB and p53 in the regulation of human cellular senescence. *Exp. Cell Res.* 196: 33-39.

Shay, J.W., Wright, W.E., Hayflick, L. 2000. His limit and cellular aging. *Nat Rev Mol Cell Biol.* 72-76.

Shlush, L.I., Itzkovitz, S., Cohen, A., Rutenberg, A., Berkovitz, R., Yehezkel, S., et al. 2011. Quantitative digital in situ senescence-associated b-galactosidase assay. *BMC Cell Biol.* 12 (16).

Smylie, M. G., Wong, R., Mihalcioiu, C., Lee, C., Pouliot, J. F. 2007. A phase II, open label, monotherapy study of liposomal Doxorubicin in patients with metastatic malignant melanoma. *Invest New Drugs.* 25: 155-159.

Song, Y.S., Lee, B.Y., Hwang, E.S. 2005. Distinct ROS and biochemical profiles in cells undergoing DNA damage-induced senescence and apoptosis. *Mech Ageing Dev.* 126: 580-590.

Speth, P. A., van Hoesel, Q. G., Haanen, C. 1988. Clinical pharmacokinetics of Doxorubicin. *Clin Pharmacokinet.* 15: 15-31.

Teodoro, M.L., Phillips, G.N., Kavraki, L.E. 2001. Molecular docking: A problem with thousands of degrees of freedom. Dalam *Robotics and Automation, 2001. Proceedings 2001 ICRA. IEEE International Conference* (1: 960-965). IEEE.

Turk, B. and Milo, G. E. 1974. An in vitro study of senescent events of human embryonic lung (WI-38) cells. *Arch Biochem Biophys.* 161: 46-53.

Uemura, T., Ohkura, H., Adachi, Y., Morino, K., Shiozaki, K., Yanagida, M. 1987. DNA topoisomerase II is required for condensation and separation of mitotic chromosomes in *S. pombe*. *Cell.* 50: 917-925.

Van Epps, H.L. 2005. How SLPI (secretory leukocyte protease inhibitor) soothes. *J Exp Med.* 202: 12.

Wang, Q., Zambetti, G.P. and Suttle, D.P. 1997. Inhibition of DNA Topoisomerase IIa Gene Expression by the p53 Tumor Suppressor. *Mol Cell Biol.* 1: 389-397.

Wang, Y., Blandino, G., Givol, D. 1999. Induced p21waf expression in H1299 cell line promotes cell senescence and protects against cytotoxic effect of radiation and doxorubicin. *Oncogene.* 18:2643-2649.



Wang, J.C. 2002. Cellular roles of DNA topoisomerases: a molecular perspective. *Nat Rev Mol Cell Biol.* 3(6): 430-40.

Wexler, S.A., Donaldson, C., Denning-Kendall, P., Rice, C., Bradley, B., Hows, J.M. 2003. Adult bone marrow is a rich source of human mesenchymal 'stem' cells but umbilical cord and mobilized adult blood are not. *Br J Haematol.* 121 (2): 368-74.

Weinberg, R.A. 1995. The retinoblastoma protein and cell cycle control. *Cell.* 81: 323-330.

Wicaksono, D., Arung, T., Sandra, F. 2008. Aktifitas antikanker dari kayu secang. *Cermin Dunia Kedokteran.* 35(3):133-137.

Yen, C., Nakagawa-Goto, K., Hwang, T.L., Wu, P.C., Morris-Natschke, S.L., Lai, W.C., et al. 2011. Total synthesis and evaluation of brazilein and analogs as anti-inflammatory and cytotoxic agents. *Bioorg Med Chem Lett.* 20(3): 1037-1039.

Young, A.P., Schlisio, S., Minamishima, Y.A., Zhang, Q., Li, L., Grisanzio, C., et al. 2008. VHL loss actuates HIF-independent *senescence* programme mediated by Rb and p4000. *Nat Cell Biol.* 10:361-369.

Zhang, H., Fazel, S., Tian, H., Mickle, D.A., Weisel, R.D. 2008. Donor age and cell passage affects differentiation potential of murine bone marrow derived stem cells. *BMC Cell Biol.* 9:60.

Zhang, D.Y., Wang H.J., Tan, Y.Z. 2013. Wnt/ -Catenin signaling induces the aging of mesenchymal stem cells through the DNA damage response and the p53/p21 pathway. *PloS One.* 6(6): e21397.

Zeng, K.W., Yu, Q., Song F.J., Liao, L.X., Zhao, M.B., Dong X. 2014. Deoxysappanone B, a homoisoflavone from the Chinese medicinal plant *Caesalpinia sappan* L., protects neurons from microglia-mediated inflammatory injuries via inhibition of I B kinase (IKK)-NF- B and p38/ERK MAPK pathways. *Europ J Pharm.* 748: 18-29.