



DAFTAR PUSTAKA

- Alamgir, Khan, W., Ahmad, S., Hassan, M.M. dan Naqvi, A.H., 2014, Structural Phase Analysis, Band Gap Tuning and Fluorescence Properties of Co Doped TiO₂ Nanoparticles, *Optical Materials*, 38, 278-285.
- Belessi, 2009, Removal of Reactive Red 195 from Aqueous Solutions by Adsorption on The Surface of TiO₂ Nanoparticles, *Journal of Hazardous Materials*, 170, 836-844.
- Budi, I.S., 2015, Sintesis Nanopartikel Fe₃O₄/SiO₂/TiO₂ Tersensitisasi Polianilina Sebagai Fotokatalis untuk Fotoreduksi Ion Au(III) Dalam Larutan [AuCl₄]⁻, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Carvalho, H.W.P., Batista, A.P.L., Bertholdo, R., Santilli, C.V., Pulcinelli, S.H. dan Ramalho, T.C., 2010, Photocatalyst TiO₂-Co: Effect of Doping Depth Profile on Methylene Blue Degradation, *J. Mater. Sci.*, 45, 5698-5703.
- Chen, X. dan Mao, S.S., 2007, Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications, and Applications, *J. Chem. Rev.*, 2891-2959.
- Choi, J., Park, H. dan Hoffmann, M.R., 2009, Effects of Single Metal-Ion Doping on The Visible-Light Photoreactivity of TiO₂, *J. Phys. Chem. C.*, 114 (2), 783-792.
- Daghrir, R., Drogui, P. dan Robert, D., 2013, Modified TiO₂ for Environmental Photocatalytic Applications: A Review, *Ind. Eng. Chem. Res.*, 52, 3581-3599.
- Day, R.A. dan Underwood, A.L., 2001, *Analisis Kimia Kuantitatif* (diterjemahkan oleh Dr. Ir Iis Sopyan, M. Eng), Erlangga, Jakarta, hal 74.
- Fernandez, B.R., 2011, Sintesis Nanopartikel, *Makalah*, Universitas Andalas, Padang.
- Fitriah, F., 2014, Pengaruh Suhu Kalsinasi Pada Sintesis Fe-Doped Titanium Dioksida dengan Metode Sol-Gel, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Fujishima, A. dan Honda, K., 1972, Electrochemical Photolysis of Water at a Semiconductor Electrode, *Nature*, 238, 5358, 37-38.
- Hamadani, M., Reisi-Vanani, A. dan Majedi A., 2010, Sol gel Preparation and Characterization of Co/TiO₂ Nanoparticles: Applications to The Degradation of Methyl Orange, *J. Iran. Chem. Soc.*, 7, S52-S58.



- Hamal, D.B. dan Klabunde, K.J., 2011, Valence State and Catalytic Role of Cobalt Ions in Cobalt TiO₂ Nanoparticle Photocatalysts for Acetaldehyde Degradation Under Visible Light, *J. Phys. Chem.*, 115, 17359-17367.
- Handayana dan Guo., 2002, First-Principles Investigations of The Electronic Structure and Magnetocrystalline Anisotropy in Stained Magnetite Fe₃O₄, *Phys. Rev. B*, 65, 094429.
- Hashimoto, K., Irie, H. dan Fujishima, A., 2007, TiO₂ Photocatalysis: A Historical Overview and Future Prospects, *Article AAPPS Bulletin*, 17, 6.
- Hoffmann, M.R., Scot, T.M., Wonyong, C. dan Detlef, W. B., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69-96.
- Houas, A., Lacheb, H., Ksibi, M., Elaloui, E., Guillard, C. dan Herman, J.M., 2001, Photocatalytic Degradation Patway of Methylene Blue in Water, *Appl. Catal. B. Environ.*, 31, 145-157.
- Ibhadon, A.O. dan Fitzpatrick, P., 2013, Heterogeneous Photocatalysis: Recent Advances and Applications, *Catalysts*, 3, 189-218.
- Jeng, Horng-Tay dan Guo, G. Y., 2002, First-Prinsiples Investigations of The Electronic Structure and Magnetocrystalline Anisotropy in Strained Magnetite Fe₃O₄, *Phys. Rev. B.*, 65, 094429.
- Kumar, S.G. dan Devi, L.G., 2011, Review on Modified TiO₂ Photocatalysis Under UV/Visible Light: Selected Result and Related Mechanisms on Interfacial Charge Carrier Transfer Dynamics, *J. Phys. Chem.*, 115, 13211-13241.
- Lachheb, H., Puzenat, E., Houas, A., Khisbi, M., Elaloui, E., Guillard, C. dan Hermann, J. M., 2002, Photocatalytic Degradation of Various Types of Dyes (Congo Red, Crocein Orange G, Methyl Red, Methylene Blue) in Water by UV Irradiated Titania, *Appl. Catal. B. Environ.*, 39, 15-90.
- Linsebigler, A.L., Lu, G. dan Yates, Jr.J.T., 1995, Photocatalysis on TiO₂ Surfaces: Principles, Mechanisms, and Selected Results, *J. Chem. Rev.*, 736-758.
- Liu, H., He, Y. dan Liang, X., 2013, Magnetic Photocatalyst Containing TiO₂ Nanocrystals: Morphology Effect on Photocatalytic Activity, *J. Mater. Res.*, 29 (1), 96-106.
- Loh, K., Lee, Y.K., Musa, A., Salmah, A.A. dan Zamri, I., 2008, Use of Fe₃O₄ for Anhancement of Biosensor Respon to the Herbicide 2,4-Dichlorophenoxyacetic Acid, *Sensor*, 8, 5775-5791.



- Mital, G.S. dan Manoj, T., 2011, A Review of TiO₂ Nanoparticles, *Chinese Sci Bull*, 56 (16), 1639-1657.
- Neamen, D.A.K., 2003, *Semiconductor Physics and Devices Basic Principles*, Third Edition, McGraw-Hill, New York, America.
- Paschoalino, F.C.S., Paschoalino, M.P. dan Jordão, E., 2012, Evaluation of TiO₂, ZnO, CuO and Ga₂O₃ on The Photocatalytic Degradation of Phenol Using an Annular-Flow Photocatalytic Reactor, *J. SciRes.*, 2, 135-140.
- Pavia, D.L., Lampman, G.M., Kriz, G.S. dan Vyvyan, J.R., 2009, *Introduction to Spectroscopy*, Fouth Edition, Cengage Learning, USA.
- Pozzo, R.L., Baltan'as, M.A. dan Cassano, A.E., 2010, Supported Titanium Dioxide as Photocatalyst in Water Decontamination, *J. Scate of The Art. Catal. Today.*, 39, 219-231.
- Putra, D.E., 2004, Studi Penurunan Kadar Logam Fe, Ni, dan Cu Pada Limbah Cair dengan Sistem Pemisah High Gradient Magnetic Separation (HGMS) Menggunakan Adsorben Nanopartikel Fe₃O₄, *Tesis*, Jurusan Fisika FMIPA UGM, Yogyakarta.
- Qiu, S., 2006, Synthesis, Processing and Characterization of Nanocrystalline Titanium Dioxide, *Thesis*, University of Central Florida, Orlando.
- Rahmawati, A.R., 2014, Modifikasi Magnetik Zeolit Alam Berbasis Metode Kopresipitasi Serta Aplikasinya Sebagai Adsorben Cd (II), *Skripsi*, Departemen Kmia FMIPA UGM, Yogyakarta.
- Riyani, K., Setyaningtyas, T. dan Dwiasih, D.W., 2012, Pengolahan Limbah Cair Batik Menggunakan Fotokatalis TiO₂-Dopan-N dengan Bantuan Sinar Matahari, *Indo. J. Mat. Sc*, 5 (2), 581-587.
- Saoud, F., 2010, Superparamagnetic Nanoparticles for Synthesis and Purification of Polymers Prepared Via Controlled Living Radical Polymerization (CLRP), *Dissertation*, Polymer Science at The University of Stellenbosch.
- Sartika, D., 2014, Investigasi Pengaruh Ukuran Partikel, Konsentrasi dan Sifat Magnetik Adsorben Nanopartikel Fe₃O₄ Terhadap Adsorpsi Logam Co dan Fe Dalam Larutan, *Tesis*, Jurusan Fisika FMIPA UGM, Yogyakarta.
- Sidiras, D.K. dan Batzias, F.A., 2007, Simulation of Dye Adsorption by Beech Sawdust as Affected by pH, *J. Hazard Mater.*, 141, 668-679.
- Sopyan, I., 2002, Pengaruh Struktur Kristal TiO₂ Dalam Degadasi Fotokatalitik Amonia dan Hidrogen Sulfida, *Indo. J. Mat. Sc.*, 3 (3), 39-43.



- Takeshita, K., Yamakata, A., Ishibashi, T. A., Onishi, H., Nishijima, K. dan Ohno, T., 2010, Transient IR Absorption Study of Charge Carriers Photogenerated in Sulfur Doped TiO₂, *Catalysts*, 2, 263-276.
- Tama, S. A., 2014, Sintesis Fotokatalis TiO₂-S dan Kinetika Degradasi Metilen Biru, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Tartaj, P., Morales, M.D.P., Verdaguer, S.P., Carreno, T.G. dan Serna, C.J., 2003, The Preparation of Magnetic Nanoparticles for Applications in Biomedicine, *Journal of Physics*, 36, 182-197.
- Tayade, R.J., Natarajan, T.S. dan Bajaj, H.C., 2009, Photocatalytic Degradation of Methylene Blue Dye Using Ultraviolet Light Emitting Diodes, *Ind. Eng. Chem. Res.*, 48 (23), 10262-10267.
- Tjahjanto, R.T. dan Gunlazuardi, J., 2001, Preparasi Lapisan Tipis TiO₂ Sebagai Fotokatalis: Keterkaitan Antara Ketebalan dan Aktivitas Fotokatalis, *Makara, Jurnal Penelitian Universitas Indonesia*, 5 (2), 81-91.
- Toor, A.P., Verma, C.K.A., Jotshi., P.K., Bajpai. dan Vasundhara, S., 2006, Photocatalytic Degradation of Direct Yellow 12 Dye Using UV/TiO₂ in a Shallow Pond Slurry Reactor., *Dyes and Pigments*, 68, 53-60.
- Tripathy, D., Adeyeye, A.O., Boothroyd, C.B. dan Piramanayagam, S.N., 2007, Magnetic and Transport Properties of Co-Doped Fe₃O₄ Films, *J. Appl. Phys.*, 101, 1-6.
- Tseng, Li-Ting, Luo, X., Tan, T.T., Li, S. dan Yi, J., 2014, Doping Concentration Dependence of Microstructure and Magnetic Behaviours in Co-Doped TiO₂ Nanorods, *Nanoscale Research Letters*, 9, 673-683.
- Utami, C.R., 2014, Pengaruh Konsentrasi Co, Suhu Kalsinasi, dan pH Pada Sintesis Co-Doped TiO₂ dengan Metode Sol Gel, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Wang, W., Gu, B., Liang, L., Hamilton, W.A. dan Wesolowski, D.J., 2004, Synthesis of Rutile (α -TiO₂) Nanocrystals with Controlled Size and Shape by Low-Temperature Hydrolysis: Effects of Solvent Composition, *J. Phys. Chem. B.*, 108, 92.
- Wu, J.H., Ko, S.P., Liu, H.L., Jung, M.H., Lee, J.H., Ju, J.S. dan Kim, Y.K., 2008, Sub 5 nm Fe₃O₄ Nanocrystals Via Coprecipitation Method, *Physicochem. Eng. Aspects*, 268-272.
- Yang, K., Peng, H., Wen, Y. dan Li, N., 2010, Re-examination of Characteristic FTIR Spectrum of Secondary Layer in Bilayer Oleic Acid Coated Fe₃O₄ Nanoparticles, *Applied Surface Layer*, 3093-3097.



Zhao, D.L., Teng, P., Xu, Y., Xia, Q.S. dan Tang, J.T., 2010, Magnetic and Inductive Heating Properties of Fe₃O₄/Polyethylene Glycol Composite Nanoparticles with Core Shell Structure, *Journal of Alloys and Compounds*, 502, 392-395.