

## Daftar Pustaka

- [1] R. B. Starkey and I. Aleksander, "Facial Recognition For Police Purposes Using Computer Graphics and Neural Networks," in *Electronic Images and Image Processing in Security and Forensic Science, IEE Colloquium*, 1990, pp. 1–2.
- [2] S. Klum, H. Han, A. K. Jain, and B. Klare, "Sketch based face recognition: Forensic vs. composite sketches," *Proc. - 2013 Int. Conf. Biometrics, ICB 2013*, 2013.
- [3] K. Petra, B. Miroslav, F. Tomislav, V. Luzar-Stiffler, I. Jarec, and Z. Bekic, "Knowledge Visualization in Biometric Face Recognition on Two-dimensional Images," in *Proceedings of the 2012 34th International Conference on Information Technology Interfaces (ITI)*, 2012, pp. 349–354.
- [4] Sepritahara, "Sistem Pengenalan Wajah (FACE RECOGNITION) Menggunakan Metode Hidden Markov Model (HMM)," Fakultas Teknik Elektro, Universitas Indonesia, 2012.
- [5] G. Prabhu Teja and S. Ravi, "Face recognition using subspaces techniques," *Int. Conf. Recent Trends Inf. Technol. ICRTIT 2012*, pp. 103–107, 2012.
- [6] M. Srinivasan and N. Ravichandran, "A New Technique For Face Recognition Using 2D-Gabor Wavelet Transform With 2D-Hidden Markov Model Approach," *Int. Conf. Signal Process. Image Process. Pattern Recognit.*, pp. 1–6, 2013.
- [7] Meita Firdhausya, Achmad Rizal, and Jondri., "Perancangan Sistem Pengenalan Wajah Menggunakan Transformasi Wavelet dan Hidden Markov Model," Teknik Telekomunikasi, Fakultas Teknik Elektro, Universitas Telkom, 2011.
- [8] P. M. E. Budi, "Teori Dasar Hidden Markov Model," *Makal. Probab. Stat. Inst. Teknol. Bandung*, 2011.
- [9] Phalita Nari Wastu, "Pengenalan Aksara Jawa Menggunakan Metode Hidden Markov Models," Fakultas Sains dan Teknologi, Universitas Sanata Dharma, 2009.
- [10] H. R. Farhan, "Face Recognition using Maximum Variance and SVD of Order Statistics with only Three States of Hidden Markov Model," *Int. J. Comput. Appl.*, vol. 134, no. 6, pp. 32–39, 2016.

- [11] P. Dinkova, P. Georgieva, and M. Milanova, “Face recognition using Singular Value Decomposition and Hidden Markov Models,” *World Sci. Eng. Acad. Soc.*, pp. 144–149, 2014.
- [12] Dwi Ely Kurniawan, “Identifikasi Citra Wajah Menggunakan Gabor-based Kernel Principal Component Analysis,” Politeknik Negeri Batam, 2014.
- [13] A. V. Nefian and M. H. Hayes, “Face detection and recognition using hidden Markov models,” *Proc. 1998 Int. Conf. Image Process. ICIP98 (Cat. No.98CB36269)*, vol. 1, pp. 141–145, 1998.
- [14] Ferdinando Samaria and S. Young, “HMM Based Architecture For Face Identification,” *Image Comput. Vis.*, vol. 12, pp. 537–538, 1994.
- [15] A. W. Margono, I. Gunawan, and R. Lim, “Pelacakan Dan Pengenalan Wajah Menggunakan Metode Embedded Hidden Markov Models,” *J. Inform.*, vol. 5, no. 1, pp. pp.22–31, 2004.
- [16] A. A. G. A. F. A. Y. W. Maharani, “Pengenalan Wajah Menggunakan Pseudo-2D Hidden Markov Model,” *J. Teknol. Inf. Politek. Telkom*, vol. 1, no. 1, pp. 26–31, 2011.
- [17] Arie Wirawan Margono, Ibnu Gunawan, and Resmana Lim, “Pelacakan Dan Pengenalan Wajah Menggunakan Metode Embedded Hidden Markov Models,” *J. Inform.*, vol. 5, no. 1, pp. pp.22–31, 2004.
- [18] A. V Nefian and M. H. H. III, “Hidden Markov models for face recognition,” *IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 5, pp. 1–4, 1998.
- [19] A. Kadir and A. Susanto, *Teori dan Aplikasi Pengolahan Citra*. Yogyakarta: Andi Offset, 2013.
- [20] E. Vidyaningrum and Prihandoko, *Human Face Detection by Using Eigenface Methode for Various Pose of Human Face*. 2012.
- [21] L. K. P. Saputra, “Peningkatan Akurasi Hasil Deteksi Wajah Untuk Pengenalan Wajah Di Berbagai Variasi Pencahayaan Dengan Perbaikan Citra,” Jurusan Teknik Elektro dan Teknologi Informasi, Fakultas Teknik, Universitas Gadjah Mada, 2015.
- [22] D. Putra, *Pengolahan Citra Digital*. Yogyakarta: Andi Offset, 2010.
- [23] A. Prijono and M. C. Wijaya, *Pengolahan Citra Digital Menggunakan MatLAB*. Bandung: Informatika, 2007.
- [24] N. Ahmad and A. Hadinegoro, “Metode Histogram Equalization Untuk Perbaikan Citra Digital,” in *Seminar Nasional Teknologi Informasi &*

*Komunikasi Terapan 2012*, 2012.

- [25] H. Arman, “Analisa Performance Metode Gabor Filter Untuk Pengenalan Wajah,” Universitas Islam Negeri Sultan Syarif Kasim Riau, 2012.
- [26] F. Y. Shih, “Image Processing and Pattern Recognition: Fundamentals and Techniques,” in *Wiley-IEEE Press*, 2010.
- [27] Agarwal Vertik, “Analysis of Histogram Equalization in Image Preprocessing,” *BIOINFO Human-Computer Interact.*, vol. 1, no. 1, 2011.
- [28] Vinay Kumar B, “Face Recognition Using Gabor Wavelets,” Global Academy of Technology, 2006.
- [29] Lestya Dila Rahma, “Pengenalan Wajah Berdasarkan Pengolahan Citra Digital dengan Metode Gabor Wavelet,” Universitas Sumatra Utara, 2009.
- [30] J. Daugman, “Two-dimensional analysis of cortical receptive field profiles,” *Vision Res.*, pp. 846–856, 1980.
- [31] J. Daugman, “Uncertainty relation for resolution in space, spatial frequency, and orientation optimized by two-dimensional visual cortical filters,” *J. Opt. Soc. Am. 2(7)*, pp. 1160–1169, 1985.
- [32] Fernando Kristian Tarigan, “Penggunaan Metode Gabor Wavelet Dalam Program Sketch Objek Citra Digital,” *Pelita Inform. Budi Darma*, vol. 6, no. 0911195, pp. 34–39, 2014.
- [33] D. Putra, *Sistem Biometrika Konsep Dasar, Teknik Analisis citra, dan Tahapan Membangun Aplikasi Sistem Biometrika*. Yogyakarta: Andi Offset, 2009.
- [34] Agus Kurniawan, Akuwan Saleh, and Nana Ramadijanti, “Aplikasi Absensi Kuliah Berbasis Identifikasi Wajah Menggunakan Metode Gabor Wavelet,” *Inst. Teknol. Sepuluh Novemb.*, pp. 480–487, 2012.
- [35] Muhammad Dahria, “Pengenalan Pola Wajah Menggunakan Webcam Untuk Absensi Dengan Metode Wavelet,” *J. SAINTIKOM*, vol. 12, 2013.
- [36] L. C. Jain, U. Halici, I. Hayashi, S. B. Lee, and S. Tsutsui, *Intelligent Biometric Techniques in Fingerprint and Face Recognition*. Florida: CRC Press LLC, 2000.
- [37] Zi-Hong, “Algebraic feature extraction of image for recognition,” *Pattern Recognit.*, vol. 24, no. 3, pp. 211–219, 1991.
- [38] K. V. Arya and Anukriti, “Face recognition under partial occlusion using HMM and Face Edge Length Model,” *2014 9th Int. Conf. Ind. Inf. Syst.*,

- pp. 1–6, 2014.
- [39] H. Miari-Naimi and P. Davari, “A New Fast and Efficient HMM-Based Face Recognition System Using a 7-State HMM Along With SVD Coefficients,” *Iran. J. Electr. Electron. Eng.*, vol. 4, pp. 46–57, 2008.
  - [40] T. M. Przytycka and J. Zheng, “Hidden Markov Models.” *Encyclopedia of Life Sciences*, 2011.
  - [41] T. Agustin, “Pengenalan Kata Berkolerasi Tinggi Menggunakan Program Berbasis HMM,” Universitas Gadjah Mada, 2007.
  - [42] A. Basuki, “Pengenalan Tutar Kata Terisolasi Menggunakan Model Markov Tersembunyi,” Universitas Gadjah Mada, 2002.
  - [43] L. Rabiner and B. Juang, “An introduction to hidden Markov models,” *IEEE ASSP Mag.*, vol. 3, no. January, p. Appendix 3A, 1986.
  - [44] Pratiwi, “Metode Ekstraksi Ciri 2DPCA Pada Pengenalan Citra Wajah Dengan Matlab,” *J. Teknol.*, vol. 7, pp. 1–5, 2014.
  - [45] V. V. Kohir and U. B. Desai, “Face recognition using a DCT-HMM approach,” *Proc. Fourth IEEE Work. Appl. Comput. Vision. WACV’98 (Cat. No.98EX201)*, pp. 226–231, 1998.
  - [46] A. Nefian and M. Hayes, “An Embedded HMM-based Approach for Face Detection and Recognition,” *Proceeding IEEE Int. Conf. Acoust. Speech Signal Process. Mar 1999*, vol. 6, pp. 3553–3556, 1999.
  - [47] M. Bicego and U. Castellani, “Using Hidden Markov Models and Wavelets for face recognition,” *Proceeding 12th Int. Conf. Image Anal. Process. (ICIAP ’03), Montoya, Italy, Sept. 2003*, pp. 52–56, 2003.
  - [48] H. Le and H. Li, “Simple 1D Discrete Hidden Markov Models for Face Recognition,” *Proceeding 8th Int. Work. ( Vis. Content Process. Represent. (VLBV 2003), Sep. 2003, Madrid, Spain, Springer-Verlag Berlin Heidelb.*, pp. 41–49, 2003.
  - [49] L. Bai and L. Shen, “Combining Wavelets with HMM for Face Recognition,” *Proceeding 23rd Int. Conf. Innov. Tech. Appl. Artif. Intell. (SGAI ’03), Dec. 2003, Springer-Verlag London Cambridge, UK*, pp. 227–233, 2003.
  - [50] V. Bevilacqua, L. Cariello, G. Carro, D. Daleno, and G. Mastronardi, “A face recognition system based on Pseudo 2D HMM applied to neural network coefficients,” *J. Soft Comput. Fusion Found. Methodol. Appl. Springer-Verlag*, vol. 12, pp. 615–621, 2008.

- [51] H. Naimi and P. Davari, "A New Fast and Efficient HMM-Based Face Recognition System Using a 7-State HMM Along With SVD Coefficients," *Iran. J. Electr. Electron. Eng.*, vol. 4, pp. 46–57, 2008.
- [52] I. Makaremi and M. Ahmadi, "A Robust Wavelet Based Feature Extraction Method for Face Recognition," *Proceeding IEEE Int. Conf. Syst. Man, Cybern. (SMC 2009)*, Oct. 2009, San Antonio, TX, USA, pp. 2173–2176, 2010.
- [53] H. Yegang and L. Benyong, "Face Recognition Based on PLS and HMM," *Chinese Conf. Pattern Recognit. (CCPR 2009)*, Nov. 2009, Nanjing, China, pp. 1–4, 2009.
- [54] L. Peng and L. Jiao, "Implement of face recognition system based on Hidden Markov Model," *Proceeding sixth Int. Conf. Nat. Comput. (ICNC 2010)*, Aug. 2010, Yantai, Shandong, vol. 7, pp. 3344–3348, 2010.
- [55] J. Cai, H. Ren, and Y. Yin, "Non-overlapped Sampling Based Hidden Markov Model for Face Recognition," *IEEE 3rd Int. Congr. Image Signal Process. (CISP)*, Oct. 2010, Yantai, China, vol. 4, pp. 1901–1904, 2010.
- [56] B. Vaseghi and S. Hashemi, "Face Verification Using DHMM and Adaptive K-Means Clustering," *Proceeding 4th IEEE Int. Conf. Broadband Netw. Multimed. Technol. (IC-BNMT)*, Oct. 2011, pp. 270 – 275, 2011.
- [57] E. Abbas and H. Farhan, "Face Recognition using DWT with HMM," *Eng. Technol. Journal, UOT, Baghdad, Iraq*, vol. 30, pp. 142–154, 2012.
- [58] K. Singh, M. Zaveri, and M. Raghuvanshi, "Recognizing Faces under Varying Poses with Three States Hidden Markov Model," *Proceeding IEEE Int. Conf. Comput. Sci. Autom. Eng. (CSAE)*, May 2012, Zhangjiajie, China, vol. 2, pp. 359–363, 2012.
- [59] Z. Elgarrai, O. E. Meslouhi, H. Allali, M. Kardouchi, and S.-A. Selouani, "Face recognition system using gabor features and HTK toolkit," *10th Int. Conf. Signal-Image Technol. Internet-Based Syst. SITIS 2014*, pp. 32–36, 23–27, 2014.