

## DAFTAR PUSTAKA

- Akbar, B., 2010, *Tumbuhan dengan Kandungan Senyawa Aktif yang Berpotensi Sebagai Bahan Antifertilitas*, 7-13, Adabia Press, Jakarta.
- Agoes, G., 2007, *Teknologi Bahan Alam*, 21, Penerbit ITB, Bandung.
- Ali, B.H., Blunden, G., Tanira, M.O., dan Nemmar, A., 2008, Some Phytochemical, Pharmacological and Toxicological Properties of Ginger (*Zingiber officinale* Roscoe): A Review of Recent Research, *Food and Chemical Toxicology*, **46**, 409-420.
- Aly, U.I., Abbas, M.S., Taha, H.S., dan Gaber, E.I., 2013, Characterization of 6-Gingerol for In Vivo and In Vitro Ginger (*Zingiber officinale*) Using High Performance Liquid Chromatography, *Global Journal of Botanical Science*, **1**, 9-17.
- Anonim, 1986, *Sediaan Galenik*, 1-11, Departemen Kesehatan Republik Indonesia, Jakarta.
- Anonim, 1999, *WHO Monographs on Selected Medicinal Plants*, Volume 1, 277-287, World Health Organization.
- Anonim, 2001, *Inventaris Tanaman Obat Indonesia (I)*, Jilid 2, 347, Departemen Kesehatan & Kesejahteraan Sosial RI Badan Penelitian dan Pengembangan Kesehatan, Jakarta.
- Anonim<sup>1</sup>, 2008, *Extraction Technologies for Medicinal and Aromatic Plants*, 67-69, International Centre For Science and High Technology, Trieste.
- Anonim<sup>2</sup>, 2008, Female Reproductive System, [ratguide.com/breeding/anatomy/female\\_reproductive\\_system.php](http://ratguide.com/breeding/anatomy/female_reproductive_system.php), diakses 21 April 2016.
- Anonim, 2010, *Suplemen I Farmakope Herbal Indonesia*, 127-131, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Anonim, 2016, Hematoma, <http://www.medicinenet.com/hematoma/page2.htm>, diakses 2 Juni 2016.
- Ansel, H.C., 1989, *Pengantar Bentuk Sediaan Farmasi*, diterjemahkan oleh Farida Ibrahim, Edisi Keempat, 605-609, Penerbit Universitas Indonesia, Jakarta.
- Bailey-Shaw, Y.A., Williams, L.A., Junor, G.O.M Green, C.E., Hibbert, S.L., Salmon, C.N., dan Smith, A.M., 2008, Changes in the Contents of Oleoresin and Pungent Bioactive Principles of Jamaican Ginger (*Zingiber officinale* Rosc.) during Maturation, *J.Agric. Food Chem.*, **56**, 5564-5571.
- Bhattarai, S., Tran, V.H., dan Duke, C.C., 2001, The stability of Gingerol and Shogaol in Aqueous Solutions, *Journal of Pharmaceutical Sciences*, **90**(10), Sydney.

- Blackburn, S., 2013, *Maternal, Fetal, & Neonatal Physiology: A Clinical Perspective*, 206, Elsevier Saunders, Philadelphia.
- Bode, A.M., dan Dong, Z., 2011, The Amazing and Mighty Ginger dalam Benzie, I.F.F., dan Wachtel-Galor, S., Second Edition, *Herbal Medicine: Biomolecular and Clinical Aspects*, 131-148, CRC Press, Boca Raton.
- Briggs, G.G., Freeman, R.K., dan Yaffe, S.J., 2011, *Drugs in Pregnancy and Lactation: A Reference Guide to Fetal and Neonatal Risk*, 837, Ninth Edition, Lippincott Williams & Wilkins, Philadelphia.
- Campbell, N.A., Reece, J.B., dan Mitchell, L.G., 2004, *Biologi*, diterjemahkan oleh Wasmen Manalu, Edisi Kelima, 162-172, Penerbit Erlangga, Jakarta.
- Clarke, B., 2008, Normal Bone Anatomy and Physiology, *Clin J Am Soc Nephrol*, **3**, 131-139.
- Clarke, J.H.R., Rates, S.M.K., dan Bridi, R., 2007, Um Alerta Sobre o uso de Produtos de Origem Vegetal na Gravidez, *Infarma*, **19**, 41-48 cit. Costa, K.C., Bezerra, S.B., and Norte, C.M., Nunes, L.M.N., de Olinda, T.M., 2012, Medicinal Plants with Teratogenic Potential: Current Considerations, *Brazilian Journal of Pharmaceutical Sciences*, **48**, 427-433.
- Clarkson, T.W., Nordberg, G.F., dan Sager, P.R., 1983, *Reproductive and Developmental Toxicity of Metals*, 408, Plenum Press, New York.
- D'Addario, V., 2015, *Donald School Basic Textbook of Ultrasound in Obstetrics & Gynecology*, Second Edition, 41, Jaypee Brothers Medical Publishers, New Delhi.
- Day, R.A., dan Underwood, A.L., 2002, *Analisis Kimia Kuantitatif*, diterjemahkan oleh Iis Sopyan, Edisi Keenam, 487, Penerbit Erlangga, Jakarta.
- De Velde, M.V., 2014, Risk of Teratogenicity dalam Chestnut, D.H., Wong, C.A., Tsen, L.C., Ngan Kee, W.D., Beilin, Y., dan Mhyre, J.M., Fifth Edition, *Chestnut's Obstetric Anesthesia: Principles and Practice*, 340, Elsevier Saunders, Philadelphia.
- Donatus, I.A., 2005, Toksikologi Dasar, Edisi Kedua, 200, 207, Laboratorium Farmakologi dan Toksikologi, Fakultas Farmasi UGM, Yogyakarta.
- Dutta, S., 2015, Human Teratogens and Their Effects: A Critical Evaluation, *International Journal of Information Research and Review*, **2**(3), 525-536.
- Ernst, E., dan Pittler, M.H., 2000, Efficacy of Ginger For Nausea and Vomiting: A Systematic Review of Randomized Clinical Trials, *Br J Anaesth*, **84**(3), 367-371.
- Everaus, H., 2011, Sterility, Infertility, and Teratogenicity dalam Olver, I.N., *The MASCC Textbook of Cancer Supportive Care and Survivorship*, 141, Springer, New York.
- Fadel, R.A., Sequeira, R.P., Abu-Hijleh, M.F., Obeidat, M., dan Salem, A.H.A., 2012, Effect of Prenatal Administration of Therapeutic Doses of Topiramate

- on Ossification of Ribs and *Vertebrae* in Rat Fetuses, *Ram J Morphol Embryol*, **53**(2),321-327.
- Faqi, A.S., 2013, *A Comprehensive Guide to Toxicology in Preclinical Drug Development*, 346-347, Elsevier, London.
- Flanagan, R.J., Braithwaite, R.A., Brown, S.S., Widdop, B., dan De Wolff, F.A., 1995, *Analisis Toksikologi Dasar*, WHO, Geneve, diterjemahkan oleh Sri Noegrohati, 40-46, Bidang Informasi Keracunan Pusat Informasi Obat dan Makanan, Badan Pengawas Obat dan Makanan, Jakarta.
- Flaxman, S.M., dan Sherman, P.W., 2000, Morning Sickness : A Mechanism for Protecting Mother and Embryo, *The Quarterly Review of Biology*, **75**(2),113-148.
- Gandjar, I.G., dan Rohman, A., 2007, *Kimia Farmasi Analisis*, 363-354, Pustaka Pelajar, Yogyakarta.
- Gunawan, A., 2012, Uji Toksisitas Khas Ekstrak Air Herba Eupatorium RipariumReg. pada Tikus Bunting Galur Sprague-Dawley, Tinjauan Terhadap Sistem Skeletal Janin, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Hamilton, P.M., 1995, *Dasar-Dasar Keperawatan Maternas*, diterjemahkan oleh Ni Luh Gede Yasmin Asih, 109, Penerbit Buku Kedokteran EGC, Jakarta.
- Hänsel, R., dan Sticher, O., 2007, *Pharmakognosie Phytopharmazie*, Volume 8, 1048, Springer, München.
- Hayes, A.W., 2008, *Principles and Methods of Toxicology*, Fifth Edition, 1691-1692, Informa Healthcare, New York.
- He, X.G., Bernart, M.W., Lian, L.Z., dan Li, L.Z., 1998, High-performance liquid chromatography-electrospray mass spectrometric analysis of pungent constituents of ginger, *Journal of Chromatography A.*, **796**, 327-334.
- Heffner, L., dan Schust, D., 2006, *Ata Glance Sistem Reproduksi*, diterjemahkan oleh Vidhia Umami, Edisi kedua, 28-29, Penerbit Erlangga, Jakarta.
- Hernani dan Hayani, E., 2001, Identification of chemical components on red ginger (*Zingiber officinale* var. Rubrum) by GC-MS, Proc Internaional Seminar on natural products chemistry and utilization of natural resources, 501-505, UI-Unesco, Jakarta.
- Hernani dan Winarti, 2011, *Kandungan Bahan Aktif Jahe dan Pemanfaatannya dalam Bidang Kesehatan*, Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian, Bogor.
- Hodgson, E., dan Levi, P.E., 2000, *A Textbook of Modern Toxicology*, Second Edition, 186-194, McGraw-Hill Companies, Inc., New York.
- Hood, R.D., 2012, *Developmental and Reproductive Toxicology A Practical Approach*, Third Edition, 169-173, CRC Press, Boca Raton.
- Huang, Q., Iwamoto, M., Aoki, S., Tanaka, N., Tajima, K., Yamahara, J., Takaishi, Y., Yoshida, M., Tomimatsu, T., dan Tamai, Y., 1991, Anti-5-

- hydroxytryptamine 3 effect of galanolactone, diterpenoid isolated from ginger, *Chem. Pharm. Bull*, **39**, 397–399.
- Isnaeni, W., 2006, *Fisiologi Hewan*, 267-268, Penerbit Kanisius, Yogyakarta.
- Iswati, E.W., 2000, Uji Keteratogenikan Senyawa Pentagamavunon-0 (PGV-0) pada Tikus Putih, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- John, L.J., dan Shantakumari, N., 2015, Herbal Medicines Use During Pregnancy: A Review from the Middle East, *Oman Med J.*, **30**(4),229-236.
- Jumiarni, Mulyati, S., dan Nurlina, S., 1995, *Asuhan Keperawatan Perinatal*, 16-17, Penerbit Buku Kedokteran EGC, Jakarta.
- Kumalasari, R.A., 2014, Uji Keteratogenikan Ekstrak Sampel DLBS5447@ (Zingiber majus) pada Tikus Bunting Sprague Dawley Tinjauan Terhadap Sistem Skeletal Janin, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Langner, E., Greifenberg, S., dan Gruenwald, J., 1998, Ginger: history and use, *Advances inTherapy*, **15**, 25–44cit. Ali, B.H., Blunden, G., Tanira, M.O., dan Nemmar, A., 2008, Some Phytochemical, Pharmacological and Toxicological Properties of Ginger (*Zingiber officinale Roscoe*): A Review of Recent Research, *Food and Chemical Toxicology*, **46**, 409-420.
- Lo, W.Y., dan Friedman, J.M.,2002, Teratogenicity of recently introduced medications in human pregnancy, *Obstet Gynecol*, **100**(3),465-473.
- Lohmiller, J.J., dan Swing, S.P., 2006, Reproduction and Breeding dalamSuckow, M.A., Weisbroth, S.H., dan Franklin, C.L., Second Edition,*The Laboratory Rat*, 147-150,Elsevier Academic Press, USA.
- Long, J.A., dan Evans, H.M., 1922, The estrous cycle in the rat and its associated phenomena, *Memories of University of California*, **6**, 1-148.
- Loomis, T.A., dan Hayes, A.W., 1996, *Loomis's Essentials of Toxicology*, FourthEdition, 221-224, Academic Press, California.
- Lu, F.C., 1995, *Toksikologi Dasar: Asas, Organ Sasaran, dan Penilaian Resiko*, diterjemahkan oleh Edi Nugroho, Edisi Kedua, 157-163, Penerbit Universitas Indonesia, Jakarta.
- Lyon, H., 1991, *Theory and Strategy in Histochemistry: A Guide to the Selection and Understanding of Techniques*, 229-230, Springer-Verlag, Berlin.
- Marcondes, F.K., Bianchi, F.J., dan Tanno, A.P., 2002, Determination of The Estrous Cycle Phases of Rats : Some Helpful Considerations, *Braz.J. Biol*, **62**(4), 608-614.
- Massaro, E.J., dan Rogers, J.M., 2004, *The Skeleton : Biochemical, Genetic, and Molecular Interactions in Development and Homeostasis*, 392-410,Human Press Inc., New Jersey.
- Megson, M., 2011, Traumatic subcutaneous haematoma causing skin necrosis, *BMJ Case Reports*, **2011**, 1-2.

- Nalbandov, A.V., 1990, *Fisiologi Reproduksi pada Mamalia dan Unggas*, diterjemahkan oleh Sumaryo Keman, Edisi Ketiga, 21-22, 31-25, Penerbit Universitas Indonesia, Jakarta.
- Nakamura, H., dan Yamamoto, T., 1983, The Active Part of The (6)-Gingerol Molecule in Mutagenesis, *Mutation Research*, **122**(92),87-94.
- Narotsky, R.W., dan Rogers, J.M., 2000, Examination of the axial skeleton of fetal rodents, *Methods in Molecular Biology*, **135**, 139-150.
- Niesink, R.J.M., de Vries, J., dan Hollinger, M., 1996, *Toxicology : Principles and Applications*, 929-942, CRC Press, United States of America.
- Nishaa, K., 2014, Profil Kromatografi Lapis Tipis Ekstrak Sampel DLBS 5447 dan Uji Keteratogenikan Tinjauan terhadap Gros Morfologi Janin, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Parthasarathy, V.A., Srinivasan, V., Nair, R.R., Zachariah, T.J., Kumar, A., dan Prasath, D., 2012, Ginger: Botany and Horticulture dalam Janick, J., Volume 39, *Horticultural Reviews*, 276-303, Wiley-Blackwell, New Jersey.
- Pearce, E.C., 2009, *Anatomi dan Fisiologi Untuk Paramedis*, 50-58, Penerbit PT Gramedia Pustaka Utama, Jakarta.
- Pertz, H.H., Lehmann, J., Roth-Ehrang, R., dan Elz, S., 2011, Effects of Ginger Constituents on the Gastrointestinal Tract: Role of Cholinergic M3 and Serotonergic 5-HT4 receptors, *Planta Med.*, **77**, 973-978.
- Pongrojpraw, D., Somprasit, C., dan Chanthasenanont, A., 2007, A randomized comparison of ginger and dimen- hydrinate in the treatment of nausea and vomiting in pregnancy, *J Med Assoc Thai*, **90**(9),1703–1709.
- Rahmani, A.H., Al Shabrmi, F.M., dan Aly, S.M., 2014, Active Ingredients of Ginger as Potential Candidates in the Prevention and Treatment of Diseases via Modulation of Biological Activities, *Int J Physiol Pathophysiol Pharmacol*, **6**(2), 125-136.
- Ravindran, P.N., dan Babu, K.N., 2005, *Ginger: The Genus Zingiber*, 297, CRC Press, Florida.
- Reich, E., 2013, *HPTLC of Medicinal Plants*, CAMAG Laboratory, Switzerland.
- Riyat, M., dan Sharma, D.C., 2007, *Practical Medical Biochemistry*, 16, BI Publications Pvt Ltd, New Delhi.
- Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K.M., dan Latha, L.Y., 2011, Extraction, Isolation and Characterization of Bioactive Compounds from Plants' Extracts, *Afr J Tradit Complement Altern Med.*, **8**(1), 1-10.
- Scott, A.S., dan Fong, E., 2014, *Body Structures and Functions*, Twelfth Edition, 87, Cengage Learning, Boston.
- Sharma, B.K., 2007, *Chromatography*, 3-20, Fifth Edition, GOEL Publishing House, Meerut.

- Smith, J.B., dan Mangkoewidjojo, S., 1988, *Pemeliharaan, Pembiakan dan Penggunaan Hewan Percobaan di Daerah Tropis*, 47-48, Penerbit Universitas Indonesia, Jakarta.
- Srivastava, M., 2011, *High-Performance Thin-Layer Chromatography (HPTLC)*, Springer-Verlag, Berlin.
- Stahl, E., 1973, *Analisis Obat Secara Kromatografi dan Mikroskopi*, diterjemahkan oleh Kosasih Padmawinata dan Iwang Sudiro, 13-15, Penerbit ITB, Bandung.
- Suckow, M.A., Weisbroth, S.H., dan Franklin, C.L., 2006, *The Laboratory Rat*, Second Edition, 116-119, Elsevier Academic Press.
- Sullivan, F.M., 1970, Mechanisms of Action of Teratogenic Drugs, *Proc R Soc Med.*, **63**(12), 1252-1253.
- Tjendraputra, E.N., Ammit, A.J., Roufogalis, B.D., Tran, V.H., dan Duke, C.C., 2003, Effective anti-platelet and COX-1 enzyme inhibitors from pungent constituents of ginger, *Thrombosis Research*, **111**, 259-265.
- Tsui, B., Dennehy, C.E., dan Tsourounis, C.A., 2001, A Survey of Dietary Supplement Use During Pregnancy at An Academic Medical Center cit. Costa, K.C., Bezerra, S.B., and Norte, C.M., Nunes, L.M.N., de Olinda, T.M., 2012, Medicinal Plants with Teratogenic Potential: Current Considerations, *Brazilian Journal of Pharmaceutical Sciences*, **48**, 427-433.
- Tyl, R.W., dan Marr, M.C., 1997, Developmental Toxicity Testing Methodology dalam Hood, R.D., *Handbook of Developmental Toxicology*, 175-226, CRC Press, Boca Raton.
- Wingerd, B.D., 1988, *Rat Dissection Manual*, 8-10, The John Hopkins University Press, Baltimore.
- Wohlmuth, H., Smith, M.K., Brooks, L.O., Myer, S.P., dan Leach, D.N., 2006, Essential oil composition of diploid and tetraploid clones of ginger (*Zingiber officinale* Roscose) grown in Australia, **54**, 1414-1419.
- Yamahara, J., Rong, H., Naitoh, Y., Kitani, T., dan Fujimura H., 1989, Inhibition of cytotoxic drug-induced vomiting in suncus by a ginger constituent, *J. Ethnopharmacol*, **27**, 353-355.