



REFERENCES

- Who.int, (2014). WHO | Cancer. [online] Available at: <http://www.who.int/cancer/en/> [Accessed 11 Sep. 2014].
- Adawayah, R., (2007). Pengolahan dan Pengawetan Ikan. (Indonesian text). Bumi Aksara, Jakarta.
- Armstrong, R. W., Imrey, P. B., Lye, M. S., Armstrong, M. J., Yu, M. C., and Sani, S., (1998). NASOPHARYNGEAL CARCINOMA IN MALAYSIAN CHINESE: SALTED FISH AND OTHER DIETARY EXPOSURES. International Journal of Cancer **77**: 228-235.
- Chang, E. T., and Adami, H. O. (2006). The Enigmatic Epidemiology of Nasopharyngeal Carcinoma. From "Cancer Epidemiology, Biomarker and Prevention". American Association for Cancer Research. cebp.aacrjournals.org [Accessed 02 September 2014]
- Chang, E. T. and Adami, H. O. (2008). Nasopharyngeal Carcinoma. In "Textbook of CANCER EPIDEMIOLOGY" Adami, H. O., Hunter, D., and Trichopoulos, D. (eds) 2008. 2 (edn): 175-195.
- Ekbunarawat, W., Ekpanyasul, C., Brennan, P., Kanka, C., Tepsuwan, K., Temiyastith, S., Klinvimon, T., Pongnikoen, S., and Sangrajrang, S. (2010). Evaluation of Non-viral Risk Factors for Nasopharyngeal Carcinoma in Thailand: Results from a Case-control Study. From "Asian Pacific Journal of Cancer Prevention" **11**: 929-932.
- Fachiroh, J. (2009). General Introduction. From "New Approaches for Primary Diagnosis and Screening Nasopharyngeal Carcinoma by Using Epstein-Barr virus Markers". 1 (edn). Hidayat, Yogyakarta Indonesia. **2-46**
- Fachiroh, J., Paramita, D., Hariwiyanto, B., Harijadi, A., Dahlia, H., L., Indrasari, S., R., Kusumo, H., Zeng, Y., S., Schouten, T., Haryana, S., M., and Middeldorp, J., M. (2006). Single-Assay Combination of Epstein-Barr Virus (EBV) EBNA1 and Viral Capsid Antigen-p18-derived Synthetic Peptides for Measuring Anti-EBV Immunoglobulin G (IgG) and IgA Antibody levels in Sera from Nasopharyngeal Carcinoma



Patients: Option from Field Screening. In Journal of Clinical Microbiology 44: **1459-67**.

Fang, C. Y., Lee, C. H., Wu, C. C., Chang, Y. T., Yu, S. L., Chou, S. P., Huang, P. T., Chen, C. L., Hou, J. W., Chang, Y., Tsai, C. H., Takada, K., and Chen, J. Y., (2008). Recurrent chemical reactivations of EBV promotes genome instability and enhances tumor progression of nasopharyngeal carcinoma cells. International Journal of Cancer. 124: **2016-25**.

Farrow, D. C., Vaughan, T. L., Berwick, M., Lynch, C. F., Swanson, G. M. and Lyon, J. L. (1998). DIET AND NASOPHARYNGEAL CANCER IN A LOW-RISK POPULATION. INTERNATIONAL JOURNAL OF CANCER, 78: 675-679.

Available at:

http://www.researchgate.net/publication/227842518_Diet_and_nasopharyngeal_cancer_in_a_lowrisk_population?enrichId=rgreq-7784586f-c510-4019-ab63-45919e8b1f8e&enrichSource=Y292ZXJQYWdlOzIyNzg0MjUxODtBUzoxMzkzMzAwMzM5Mzg0MzMAMTQzMDE4MjU5MzEwOA%3D%3D&el=1_x_2 [Accessed Nov. 2015].

doi: 10.1002/(SICI)1097-0215(19981209)

Guo, X., Johnson, R. C., Deng, H., Liao, J., Guan, L., Nelson, G. W., Tang, M., Zheng, Y., The, G. D., O'Brien, S. J., Winkler, C. A., and Zeng, Y. (2009). Evaluation of Nonviral Risk Factors for Nasopharyngeal Carcinoma in a High-Risk Population of Southern China. From "International Journal of Cancer", 124: **2942-47**

Hutajulu, S. H., Indrasari, S. R., Indrawati, L. P. L., Harijadi, A., Duin, S., Haryana, S. M., Steenbergen, R. D. M., Greijer, A. E., and Middeldorp, J. M. (2011). Epigenetic markers for early detection of nasopharyngeal carcinoma in a high risk population. Accessed from

<http://molecular-cancer.biomedcentral.com/>
doi:10.1186/1476-4598-10-48

Hutajulu, S. H., Ng Nawi, Jati, B.R., Fachiroh, J., Herdini, C., Hariwiyanto, B., Haryana, S. M., Middeldorp, J. M. (2012). Seroreactivity against Epstein - Barr virus (EBV) among first-degree relatives of sporadic EBV-associated nasopharyngeal carcinoma in Indonesia. *J Med Virol*, 84:768-776.



Jay, J. M. (2000). *Modern Food Microbiology*.6 (edn). Aspen Publishers, Inc. Gathersburg, Maryland.

Ji, M. F., Yu, Y. L., Cheng, W. M., Zong, Y. S., Ng, P. S. P., Chua, D. T. T., and Ng, M. H., (2011). *Detection of Stage I Nasopharyngeal Carcinoma by Serologic Screening and Clinical Examination*. Chinese Journal of Cancer. **30**: 120-3.

Jia, W., and Qin, H., D. (2012). *Non-viral environmental risk factors for nasopharyngeal carcinoma: A systematic review*. From "Seminars in Cancer Biology". www.elsevier.com/locate/semcancer [Accessed in 2 August 2014]

Lau, H. L., Leung, C. M., Chan, Y. H., Lee, A. W. M., Kwong, D. L. W., Lung, M. L., and Lam, T. H. (2013). Secular trends of salted fish consumption and nasopharyngeal carcinoma: a multi-jurisdiction ecological study in 8 regions from 3 continents. *BMC Cancer* 2013, **13**:298. DOI:10.1186/1471-2407-13-298

Low, W. K., Leong, J. L., Goh, Y. H., and Fong, K. M., (2000). *Diagnostic Value of Epstein-Barr Viral Serology in Nasopharyngeal Carcinoma*. American Academy of Otolaryngology-Head and Neck Surgery Foundation, Inc. **123**: 505-7. doi:10.1067/mhn.2000.108201

Nicholls, J. and Niedobitek, G. (2013). "Histopathological Diagnosis of Nasopharyngeal Carcinoma: Looking beyond the Blue Book". Busson, P. (eds). *Nasopharyngeal Carcinoma: Keys for Translational Medicine and Biology*. 10-22. Landes Bioscience and Springer Science.

Oemiat, R., Rahajeng, E., and Kristanto, A. Y., (2011). *Tumour's Prevalence and Influences Factors in Indonesia* (Indonesian Text). Buletin Penelitian Kesehatan, **39** no. 4: 190-204.

Paramita, D. K. (2010). *Diagnostic and Protective Aspects of Humoral Immune Responses to Epstein-Barr Virus Encoded Proteins in Nasopharyngeal Carcinoma*. Thesis.

Pathmanathon, R., Umapati, P., Sadler, R., et al. (1995). *Clonal proliferation of cells infected with EBV*



in pre-invasive lesions related to nasopharyngeal carcinoma. In The New England Journal of Medicine 333: **693-8**

Pegtel, D., Middeldorp, J., and Thorley-Lawson, D., A. (2004). *Epstein-Barr virus infection in ex vivo tonsil epithelial cell cultures of asymptomatic carrier.* In Journal Virology 78: **13253-61**

Poirier, S., Bouvier, G., Malaveille, C., Ohshima, H., Shao, Y. M., Hubert, A., Zeng, Y., De The, G., and Bartsch, H. (1989). *Volatile nitrosamine levels and genotoxicity of food samples from high-risk areas for nasopharyngeal carcinoma before and after nitrosation.* In: International Journal of Cancer, Vol. 44, No. 6, 1989, p. **1088-1094**.

Ren, Z. F., Liu, W. S, Qin, H. D., Xu, Y. F., Yu, D. D., Feng, Q. S., Chen, L. Z., Shu, X. O., Zeng, Y. X., and Jia, W. H. (2010). *Effect of Family History of Cancers and Environmental Factors on Risk of Nasopharyngeal Carcinoma in Guangdong, China.* From "Cancer Epidemiology - The International Journal of Cancer Epidemiology, Detection, and Prevention" doi: 10.1016/j.canep.2010.04.011

Schlesselman, J. J., and Stolley, P. D. (1982). *Case-Control Studies - Design, Conduct, Analysis.* New York, Oxford University Press.

Shanmugaratnam, K., and Sabin, L. H., (1991). *Histological typing of tumours of the upper respiratory tract and ear.* 2nd ed. Berlin: Springer-Verlag.

Suzanna, E., Sirait, T., Rahayu, P. R., Shalmont, G., Anwar, E., Andalusia, R., Harjati, and Panigoro, S. S. (2012). *Registrasi Kanker Berbasis Rumah Sakit di Rumah Sakit Kanker "Dharmais" - Pusat Kanker Nasional, 1993-2007 (Indonesian Text).* Indonesian Journal of Cancer, 179-325.

Soeripto. Epidemiology of Nasopharyngeal Carcinoma. Berita Kedokteran Masyarakat, 1998:207-211.

Tang, F., Tang, X., Tian, D., and Cao, Y. (2012). *Chemical Carcinogenesis and Nasopharyngeal Carcinoma, Carcinogenesis, Diagnosis, and Molecular Targeted*



Treatment for Nasopharyngeal Carcinoma, Dr. Shih-Shun Chen (Ed.), ISBN: 978-953-307-867-0, InTech, Available from:

<http://www.intechopen.com/books/carcinogenesis-diagnosis-and-molecular-targeted-treatment-for-nasopharyngeal-carcinoma/chemical-carcinogenesis-and-nasopharyngeal-carcinoma>

DOI: 10.5772/31185

Tiwawech, D., Srivatanakul, P., Karaluk, A., and Ishida, T. (2003). *Significance of Plasma IgA and IgG Antibodies to Epstein-Barr Virus Early and Viral Capsid Antigens in Thai Nasopharyngeal Carcinoma*. From "Asian Pacific Journal of Cancer Preview". **4**, 113-118.

Tugizov, S. M., Berline, J. W., and Palefsky, J. M. (2003). *Epstein-Barr Virus Infection of Polarized Tongue and Nasopharyngeal Epithelial Cells*. Nature Medicine **9**: 307-14.

Ward, M., H., Pan, W., H., Cheng, Y., J., Li, F., H., Brinton, L., A., Chen, C., J., Hsu, M., M., Chen, I., H., Levine, P., H., Yang, C., S., and Hildesheim, A., (2000). *Dietary Exposure to Nitrite and Nitrosamines and Risk of Nasopharyngeal Carcinoma in Taiwan*. From "International Journal Cancer Epidemiology, Detection and Prevention" **86**, 603-609.

Wei, W., I., and Sham, J., S. (1996). *Cancer of the Nasopharynx*. In "Cancer of the Head and Neck", **3** (edn), Myers, E., N., and Suen, J., Y. (eds). USA, W. B. Saunders Company.

Wei, W., I., and Sham, J., S. (2003). *Cancer of the Nasopharynx*. In "Cancer of the Head and Neck", **4** (edn), Myers, E., N., Suen, J., Y., Myers, J., and Hanna, E. (eds). USA, W. B. Saunders Company.