

DAFTAR PUSTAKA

- Aadland, E., Andersen, J. R., Anderssen, S. A., & Kvalheim, O. M. (2013). Physical Activity versus Sedentary Behavior : Associations with Lipoprotein Particle Subclass Concentrations in Healthy Adults. *PLoS ONE*, 8(12), 1–9. <http://doi.org/10.1371/journal.pone.0085223>
- Alberti, S. G., Zimmet, P. Z., Shaw, J. E., Bloomgarden, Z., Kaufman, F., & Silink, M. (2004). Type 2 Diabetes in the Young : The Evolving Epidemic, The International Diabetes Federation Consensus Workshop. *Diabetes Care*, 27(7), 1798-1811
- Alberty, R., & Albertyová, D. (2013). Serum Lipid Growth Curves For Children And Adolescents In Predicting Adult Dyslipidemia (Data From The Slovak Lipid Community Study). *Advance in Biological Chemistry*, 3(10), 419–426.
- Almatsier, Sunita. (2009). Prinsip Dasar Ilmu Gizi. hal, 28-50. Jakarta: PT Gramedia Pustaka Utama.
- Appel, L. J., Sacks, F. M., Carey, V. J., Obarzanek, E., Iii, E. R. M., Conlin, P. R., et al. (2016). Effects of Protein, Monounsaturated Fat and Carbohydrate Intake on Blood Pressure Results of the OmniHeart Randomized Trial. *Journal of American Medical Association*, 294(19), 2455–2464.
- Arundhana, A. I., Hadi, H., & Julia, M. (2013). Perilaku Sedentari Sebagai Faktor Risiko Kejadian Obesitas Pada Anak Sekolah Dasar Di Kota Yogyakarta Dan Kabupaten Bantul. *Jurnal Gizi Dan Dietetik Indonesia*, 1(5), 71–80.
- Atkin, A. J., Gorely, T., Clemes, S. a., Yates, T., Edwardson, C., Brage, S., et al. (2012). Methods Of Measurement In Epidemiology: Sedentary Behaviour. *International Journal of Epidemiology*, 41(5), 1460–1471. <http://doi.org/10.1093/ije/dys118>
- Ball, G. D., Huang, T. T., Gower, B., Cruz, M. L., Shaibi, G. Q., Weigensberg, M. J., & Goran, M. I. (2006). Longitudinal Changes In Insulin Sensitivity. *Journal Pediatrics*, 148, 16–22.
- Berenson, G. S., Srinivasan, S. R., Bao, W., Newman, W. P., Tracy, R. E., & Wattigney, W. A. (1998). Association Between Multiple Cardiovascular Risk Factors And Atherosclerosis In Children And Young Adults. *N England J Med*, 338(23), 1650–1656.
- Bey, L., & Hamilton, M. T. (2003). Suppression Of Skeletal Muscle Lipoprotein Lipase Activity During Physical Inactivity : A Molecular Reason To Maintain Daily Low-Intensity Activity. *Journal of Physiology*, 551(2), 673–682. <http://doi.org/10.1113/jphysiol.2003.045591>
- Blackett, P. R., Wilson, D. P., & Mcneal, C. J. (2015). Secondary Hypertriglyceridemia In Children And Adolescents. *Journal of Clinical Lipidology*, 9(5), S29–S40. <http://doi.org/10.1016/j.jacl.2015.04.006>
- Bray, G. A. (2013). Energy and Fructose From Beverages Sweetened With Sugar or High-Fructose Corn Syrup Pose a Health Risk for Some People 1 , 2. *Advances in Nutrition*, 4, 220–225. <http://doi.org/10.3945/an.112.002816.220>
- Christian, J. B., Juneja, M. X., Meadowcroft, A. M., Borden, S., & Lowe, K. A. (2011). Prevalence, Characteristics, and Risk Factors of Elevated Triglyceride Levels in US Children. *Clinical Pediatrics*, 50(12), 1103–1109. <http://doi.org/10.1177/0009922811414286>
- Crichton, G. E., & Alkerwi, A. (2015). Physical Activity, Sedentary Behavior Time And Lipid Levels In The Observation Of Cardiovascular Risk Factors In Luxembourg Study. *Lipids in Health and Disease*, 87(14), 1–9.

- <http://doi.org/10.1186/s12944-015-0085-3>
- Dalili, S., Rezvani, S. M., & Dalili, H. (2014). Cardio-Metabolic Risk Factors in Iranian Children : Where We are and the Others ? *Acta Medica Iranica*, 52(11), 831–836.
- Dam, R. M. Van, & Seidell, J. C. (2007). Carbohydrate Intake And Obesity. *European Journal of Clinical Nutrition*, 61, 573–599.
<http://doi.org/10.1038/sj.ejcn.1602939>
- Daniels, S. R., Benuck, I., Christakis, D. A., Dennison, B. A., Gidding, S. S., Gillman, M. W., *et al.* (2012). Expert Panel on Integrated Guidelines for Cardiovascular Health and Risk Reduction in Children and Adolescents. *National Heart Lung and Blood Institute*, 12-7286(10).
- Eckert, K. L., Loffredo, V. A., & O'Connor, K. (2009). Adolescent Physiology. In *Behavioral Approaches to Chronic Disease in Adolescent* (pp. 29–45).
- Edwardson, C. L., Gorely, T., Davies, M. J., Gray, L. J., Khunti, K., Wilmot, E. G., *et al.* (2012). Association of Sedentary Behaviour with Metabolic Syndrome : A Meta-Analysis. *PLoS ONE*, 7(4), 3–7.
<http://doi.org/10.1371/journal.pone.0034916>
- Ekelund, U., Griffin, S. J., & Wareham, N. J. (2007). Physical Activity And Metabolic Risk In Individuals With A Family History Of Type 2 Diabetes. *Diabetes Care*, 30(2), 337–342. <http://doi.org/10.2337/dc06-1883>
- Ford, E. S., & Caspersen, C. J. (2012). Sedentary Behaviour And Cardiovascular Disease : A Review Of Prospective Studies. *International Journal of Epidemiology*, 41(5), 1338–1353. <http://doi.org/10.1093/ije/dys078>
- García-hermoso, A., Martínez-vizcaíno, V., Sánchez-lópez, M., Recio-rodriguez, J. I., Gómez-marcos, M. A., García-ortiz, L., & Group, E. (2015). Moderate-To-Vigorous Physical Activity As A Mediator Between Sedentary Behavior And Cardiometabolic Risk In Spanish Healthy Adults : A Mediation Analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 12, 78.
<http://doi.org/10.1186/s12966-015-0244-y>
- Ginsberg, H. N., Zhang, Y., & Hernandez-ono, A. (2005). Regulation of Plasma Triglycerides in Insulin Resistance and Diabetes. *Archives of Medical Research*, 36, 232–240.
- Gopinath, B., Flood, V. M., Rochtchina, E., Baur, L. A., Chun, J., Louie, Y., *et al.* (2013). Carbohydrate Nutrition and Development of Adiposity During Adolescence. *Pediatric Obesity*, 21(9), 1884–1890.
<http://doi.org/10.1002/oby.20405>
- Grundy, S. M., Brewer, H. B., Cleeman, J. I., Smith, S. C., & Lenfant, C. (2004). Definition Of Metabolic Syndrome: Report Of The National Heart, Lung, And Blood Institute/American Heart Association Conference On Scientific Issues Related To Definition. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 24(2), e13–e18. <http://doi.org/10.1161/01.ATV.0000111245.75752.C6>
- Han, E., & Powell, L. M. (2013). Consumption Patterns of Sugar-Sweetened Beverages in the United States. *Journal of The Academy of Nutrition and Dietetics*, 113(1), 43–53. <http://doi.org/10.1016/j.jand.2012.09.016>
- Harchaoui, K. E. L., Visser, M. E., Kastelein, J. J. P., & Stoes, E. S. (2009). Triglycerides and Cardiovascular Risk. *Current Cardiology Reviews*, 5, 216–222.
- Hegele, R. A., & Pollex, A. E. R. L. (2009). Hypertriglyceridemia : Phenomics And Genomics. *Mol Cell Biochem*, 326, 35–43. <http://doi.org/10.1007/s11010-008-0005-1>

- Hong, Y. M. (2010). Atherosclerotic Cardiovascular Disease Beginning in Childhood. *Korean Circ J*, 40, 1–9.
- Hudgins, L. C., Hellerstein, M. K., Seidman, C. E., Neese, R. A., Tremaroli, J. D., & Hirsch, J. (2000). Relationship Between Carbohydrate-Induced Hypertriglyceridemia And Fatty Acid Synthesis In Lean And Obese Subjects. *Journal of Lipid Research*, 41, 595–604.
- Jacobson, T. A., Miller, M., & Schaefer, E. (2007). Hypertriglyceridemia and Cardiovascular Risk Reduction. *Clinical Therapeutics*, 29(5), 763–777.
- Janz, K. F., Lutuchy, E. M., Wenthe, P., & Levy, S. M. (2008). Measuring Activity In Children And Adolescents Using Self-Report: PAQ-C and PAQ-A. *Medicine and Science in Sports and Exercise*, 40(4), 767–772.
<http://doi.org/10.1249/MSS.0b013e3181620ed1>
- Kavey, R. W. (2016). Management of Moderate Hypertriglyceridemia in Childhood and Adolescence. *Curr Cardiovasc Risk Rep*, 10(6), 1–11.
<http://doi.org/10.1007/s12170-016-0484-7>
- Kelly, L. A., Lane, C. J., Weigensberg, M. J., Toledo-corrall, C. M., & Goran, M. I. (2011). Pubertal Changes of Insulin Sensitivity, Acute Insulin Response, and β -Cell Function in Overweight Latino Youth. *The Journal of Pediatrics*, 158(3), 442–446. <http://doi.org/10.1016/j.jpeds.2010.08.046>
- Kim, S., Song, Y., Park, S., & Park, M. (2016). Impact Of Lifestyle Factors On Trends In Lipid Profile Among Korean Adolescents : The Korea National Health And Nutrition Examination Surveys Study 1998 and 2010. *Korean J Pediatr*, 59(1), 65–73.
- Kong, A. P., Wing, Y., Choi, K. C., Li, A. M., Ko, G. T. C., Ma, R. C., et al. (2011). Associations Of Sleep Duration With Obesity And Serum Lipid Profile In Children And Adolescents. *Sleep Medicine*, 12(7), 659–665.
<http://doi.org/10.1016/j.sleep.2010.12.015>
- Kosova, E. C., Auinger, P., & Bremer, A. A. (2013). The Relationships Between Sugar-Sweetened Beverage Intake And Cardiometabolic Markers In Young Children. *Journal of The Academy of Nutrition and Dietetics*, 113(2), 219–227. <http://doi.org/10.1016/j.jand.2012.10.020>
- Labossiere, R., & Goldberg, I. J. (2007). Management of Hypertriglyceridemia. *Chapter 10/Management of Hypertriglyceridemia in Contemporary Cardiology: Therapeutic Lipidology*, 10, 201–220.
- Lee, A. K., Chowdhury, R., & Welsh, J. A. (2015). Sugars And Adiposity : The Long-Term Effects Of Consuming Added And Naturally Occurring Sugars In Foods And In Beverages Obesity Science & Practice. *Obesity Science and Practice*, (Mei), 41–49. <http://doi.org/10.1002/osp4.7>
- Leon-Latre, M., Moreno-Franco, B., Andres-Esteban, E. M., Ledesma, M., Laclaustra, M., Alcalde, V., et al. (2014). Sedentary Lifestyle and Its Relation to Cardiovascular Risk Factors , Insulin Resistance and Inflammatory Profile. *Sociedad Espanola de Cardiologia*, 67(6), 449–455.
- Lim, J. S. (2013). The Current State Of Dyslipidemia In Korean Children And Adolescents And Its Management In Clinical Practice. *Ann Pediatr Endocrinol Metab*, 1012(18), 1–8.
- Manhiot, C., Larsson, P., Gurofsky, R. C., Smith, R. W., Fillingham, C., Clarizia, N. A., et al. (2009). Spectrum and Management of Hypertriglyceridemia Among Children in Clinical Practice. *Pediatrics*, 123(2), 458–465.
<http://doi.org/10.1542/peds.2008-0367>
- Manu, P., Ionescu-tirgoviste, C., Tsang, J., Napolitano, B. A., Lesser, M. L., &

- Correll, C. U. (2012). Dysmetabolic Signals In “ Metabolically Healthy ” Obesity. *Obesity Research & Clinical Practice*, 6(1), e9–e20.
<http://doi.org/10.1016/j.orcp.2011.04.003>
- Martuti, S., Lestari, E. D., & Soebagyo, B. (2008). Prediktor Penyakit Kardiovaskular pada Anak Obes Usia Sekolah Dasar di Kotamadya Surakarta. *Sari Pediatri*, 10(1), 18–23.
- Mcguire, K. A., & Ross, R. (2011). Sedentary Behavior Is Not Associated with Cardiometabolic Risk in Adults with Abdominal Obesity. *PLoS ONE*, 6(6), 1–6. <http://doi.org/10.1371/journal.pone.0020503>
- Miles, L. (2007). Physical Activity And Health. *British Nutrition Foundation Nutrition Bulletin*, 32, 314–363.
- Miller, M., Stone, N. J., Ballantyne, C., Bittner, V., Criqui, M. H., Ginsberg, H. N., et al. (2011). Triglycerides and Cardiovascular Disease A Scientific Statement From the American Heart Association. *Circulation*, 123, 2292–2333. <http://doi.org/10.1161/CIR.0b013e3182160726>
- Nishida, C., Uauy, R., Kumanyika, S., & Shetty, P. (2004). The Joint WHO / FAO Expert Consultation on Diet, Nutrition And The Prevention Of Chronic Diseases : Process, Product And Policy Implications. *Public Health Nutrition*, 7(April 2003), 245–250. <http://doi.org/10.1079/PHN2003592>
- Pate, R. R., O’Neill, J. R., & Lobelo, F. (2008). The Evolving Definition Of “Sedentary”. *Exercise and Sport Sciences Reviews*, 36(4), 173–178. <http://doi.org/10.1097/JES.0b013e3181877d1a>
- Patel, A., Barzi, F., Jamrozik, K., Lam, T., & Ueshima, H. (2004). Serum Triglycerides as a Risk Factor for Cardiovascular Diseases in the Asia-Pacific Region. *Circulation*, 110, 2678–2687.
<http://doi.org/10.1161/01.CIR.0000145615.33955.83>
- Pejic, R. N., & Lee, D. T. (2006). Hypertriglyceridemia. *J Am Board Fam Med*, 19(3), 310–316.
- Satoh, H., Nishino, T., Tomita, K., & Tsutsui, H. (2006). Fasting Triglyceride is a Significant Risk Factor for Coronary Artery Disease in Japanese Middle-aged Men : Results from 10-Year Cohort Studies. *Circulation Journal*, 70(3).
- Sastroasmoro, Sudigdo dan Sofyan Ismael. (2011). Dasar-Dasar Metodologi Penelitian Klinis Edisi Ke-4. hal 369. Jakarta: Sagung Seto.
- Shah, A. S., & Wilson, D. P. (2015). Primary Hypertriglyceridemia In Children And Adolescents. *Journal of Clinical Lipidology*, 9(5), S20–S28.
<http://doi.org/10.1016/j.jacl.2015.04.004>
- Shoelson, S. E., Herrero, L., & Naaz, A. (2007). Obesity, Inflammation, and Insulin Resistance. *Gastroenterology*, 132(6), 2169–2180.
<http://doi.org/10.1053/j.gastro.2007.03.059>
- Swerdloff, R. S., Odell, W. D., & Ph, D. (1975). Hormonal Mechanisms In The Onset Of Puberty. *Postgraduate Medical Journal*, 51(April), 200–208.
- Taheri, F. (2015). Lipid Profiles and Prevalence of Dyslipidemia in Eastern Iranian Adolescents, Birjand, 2012. *Iran J Med Sci*, 40(4), 341–348.
- Tan, J. T., Shyuan, L., Tan, M., Seng, K., Kai, S., & Tai, E. S. (2008). A Family History Of Type 2 Diabetes Is Associated With Glucose Intolerance And Obesity-Related Traits With Evidence Of Excess Maternal Transmission For Obesity-Related Traits In A South East Asian Population. *Diabetes Research and Clinical Practise*, 82, 268–275.
<http://doi.org/10.1016/j.diabres.2008.08.005>
- Wang, Z., Zhang, S., Gong, L., Ren, W., Li, R., Zheng, R., et al. (2009). Clinical



UNIVERSITAS
GADJAH MADA

**HUBUNGAN SEDENTARY ACTIVITY, RIWAYAT DIABETES MELLITUS, DISLIPIDEMIA DAN OBESITAS
KELUARGA SERTA
ASUPAN KARBOHIDRAT SEDERHANA DENGAN PENINGKATAN LEVEL TRIGLISERIDA PADA
REMAJA SMA DI KOTA
YOGYAKARTA**

SIHNA SIYAHATAN F , DR.dr. Emy Huriyati, M.Kes; A. Fahmy A. Tsani, M.Sc, Dietisien
Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Practice of Family History Of Type 2 Diabetes On Pancreatic B -Cell
Function §. *Diabetes Research and Clinical Practice*, 86, 61–66.
<http://doi.org/10.1016/j.diabres.2009.04.004>

Yuan, G., Al-shali, K. Z., & Hegele, R. A. (2007). Hypertriglyceridemia: Its Etiology,
Effects and Treatment. *Canadian Medical Association Journal*, 176(8),
1113–1120.