

DAFTAR PUSTAKA

- Adair, L.S. (2008). Child and adolescent obesity: epidemiology and developmental perspective. *Physiology & Behavior* 94: 8–16. www.sciencedirect.com
- Allamanda, E., Prawirohartono, E.P., Mulyani, N.S. (2010). Predicting hypertension using waist circumference obese Indonesian adolescents. *Pediatrica Indonesiana*. Vol 50 (5): 300 – 4.
- Al Mheid, I., Patel, R., Murrow, J., Morris, A., Rahman, A., & Fike, L. et al. (2011). Vitamin D status is associated with arterial stiffness and vascular dysfunction in healthy humans. *Journal of The American College of Cardiology* 58(2): 186–92. doi: 10.1016/j.jacc.2011.02.051.
- Ali, A.T., & Crowther, N.J. (2009). Factor predisposing to obesity: a review of the literature. *Journal of Endocrinology, Metabolism and Diabetes of South Africa (JEMDSA)* 14(2):81–84.
- Anggara, F.H.D., & Prayitno, N. (2013). Faktor-faktor yang berhubungan dengan tekanan darah di Puskesmas Cikarang Barat tahun 2012. *Jurnal Ilmiah Kesehatan* 5(1).
- Ashraf, A.P., Alvarez, J.A., Gower, B.A., Saenz, K.H., & McCormick, K.L. (2014). Association of serum 25-Hydroxyvitamin D and components of the metabolic syndrome in obese adolescent females. *Obesity* 19(11):2214–21. doi: 10.1038/oby.2011.110.
- Bener, A., Al-Ali, M., & Hoffman, G.F. (2009). High prevalence of vitamin D in young children in a highly sunny humid country: a global health problem. *Minerva Pediatrica* 61(1): 15 – 22.
- Benmohammed, K., Nguyen, M.T., Khensal, S., Valensi, P., & Lezzar, A. (2011). Arterial hypertension in overweight and obese algerian adolescents: role of abdominal adiposity. *Diabetes & Metabolism* 37: 291 – 297.
- Bogacka, B.G., Syrenicz, M., Goral, J., Krupa, B., & Syrenicz, J. (2011). Serum 25-Hydroxyvitamin D (25-OH-D) in obese adolescents. *Endokrynologia Polska/Polish Journal of Endokrynology* 62(6): 506–11. ISSN 0423-104X.
- Cashman, K.D., Dowling, K.G., Skrabakova, Z., Gonzales-Gross, M., Valtuena, J., & De Henauw, S., et al. (2016). Vitamin D deficiency in Europe: pandemic? *American Journal of Clinical Nutrition* 103(4): 1033–44. doi:10.3945/ajcn.115.120873
- Cheng-Shiun, H., Gleeson, M., & Fraser, W.D. (2013). Measurement of circulating 25-Hydroxy vitamin D using three commercial enzyme-linked immunosorbent assay (ELISA) with comparison to liquid chromatography: tandem mass spectrometry method. *Hindawi Publishing Corporation ISRN Nutrition*. Article ID 723139, 6 pages.

- Codoner-Franch, P., Tava´rez-Alonso, S., Simo´-Jorda´, R., LaportaMartí´n, P., Carratala´-Calvo, A., & Alonso-Iglesias, E. (2012). Vitamin D status is linked to biomarkers of oxidative stress, inflammation, and endothelial activation in obese children. *Journal of Pediatrics* 161(5): 848–54.
- Dalimartha, S., Purnama, B.T., Sutarina, N., Mahendra., & Darmawan, R. (2008). *Care Yourself: Hipertensi*. Jakarta: Penebar Plus.
- Daniel, D., Hardigan, P., Bray, N., Penzell, D., & Savu, C. (2015). The incidence of vitamin D deficiency in the obese: a retrospective chart review. *Journal of Community Hospital Internal Medicine Prospectives* 5(1): 26069. <http://dx.doi.org/10.3402/jchimp.v5.26069>
- De Onis, M., Onyango, A.W., Borghi, E., Siyam, A., Nishida, C., & Siekmann, J. (2007). Development of a WHO growth reference for school-aged children and adolescents. *Bulletin of the World Health Organization*, 85, pp. 660-667.
- Dong, B., Ma, J., Wang, H.J., & Wang, Z.Q. (2013). The association of overweight and obesity with blood pressure among Chinese children and adolescents. *Biomedical and Environmental Science* 26(6): 437 – 44.
- Elhoseiny, S.M., Morgan, D.S., Rabie, A.M., Bishay, S.T. (2015). Vitamin D Receptor (VDR) Gene Polymorphisms (FokI, BsmI) and their Relation to Vitamin D Status in Pediatrics beta Thalassemia Major. *Indian J Hematol Blood Transfus* 32(2):228–238 DOI 10.1007/s12288-015-0552-z
- Ertek, S., Akgül, E., Cicero, A.F., Kutuk, U., Demirtas, S., Cehreli, S., & Erdogan, G. (2012). 25-Hydroxy vitamin D levels and endothelial vasodilator function in normotensive women. *Archive of Medical Science* 8: 47-52.
- Forman, J.P., Williams, J.S., & Fisher, N.D.L. (2010). Plasma 25-Hydroxyvitamin D and regulation of the renin–angiotensin system in humans. *Hypertension* 55:1283–88.
- Freedman, D.S., Zuguo, M., Srinivasan, S.R., Berenson, G.S., & Dietz, W.H. (2007). Cardiovascular risk factors and excess adiposity among overweight children and adolescents: the Bogalusa Heart Study. *Journal of Pediatrics* 150(1):12–17.
- Ganong, W.F. (2005). *Review of Medical Physiology*, 22nd ed. United States of America: McGraw-Hill Companies, Inc.
- Grant, W., & Holick M. (2005). Benefits and requirements of vitamin D for optimal health: a review. *Alternative Medicine Review* 10: 94–111.
- Grober, U. (2009). *Mikronutrien – Penyelarasan Metabolik, Pencegahan dan Terapi*. Jakarta: EGC.
- Guagnano, M.T., Ballone, R., Colagrande, V., Della, V.R., Manigrasso, M.R., & Merlitti, D., et al.. (2001). Large waist circumference and risk of

- hypertension. *International Journal of Obesity and Related Metabolic Disorders* 25(9): 1360 – 4.
- Gunawan, L. (2001). *Hipertensi Tekanan Darah Tinggi*. Yogyakarta: Penerbit KANISIUS.
- Guo, S.S., & Chumlea W.C. (1999). Tracking of body mass index in children in relation to overweight in adulthood. *American Journal of Clinical Nutrition*; 70:S145–148.
- Gupta, N., Goel, K., Shah, P., & Misra, A. (2012). Review childhood obesity in developing countries; epidemiology, determinants, and prevention. *Endocrine Review* 33: 48 - 70.
- Guyton, A.C., & Hall, J.E. (2006). *Buku Ajar Fisiologi Kedokteran Edisi 11*. Jakarta: Penerbit Buku Kedokteran EGC.
- Hardinsyah, H.H., Setiawan, B., & Effendi, I. (2008). Hubungan Indeks Massa Tubuh, Jenis Kelamin, Usia, Golongan Darah, dan Keturunan dengan Tekanan Darah pada Pegawai Negeri Sipil di Pekanbaru, Riau. *PGM* 31(2):51-58.
- Harel, Z., Flanagan, P., Forcics, M., & Harel, D. (2011). Low vitamin D status among obese adolescents: prevalence and response to treatment. *Journal of Adolescent Health*, 48(5), 448-452.
- Hengli. (2013). Hubungan Antara Merokok dan Aktivitas Fisik dengan Kejadian Hipertensi pada Pria di Wilayah Kerja Puskesmas Siantan Hulu, Kecamatan Pontianak Utara. (Naskah Publikasi). Universitas Tanjungpura, Pontianak.
- Hernawati. (2008). Sistem Renin-Angiotensin-Aldostern: Perannya dalam Pengaturan Tekanan Darah dan Terjadinya Peningkatan Tekanan Darah. (Naskah Publikasi). Universitas Pendidikan Indonesia, Bandung.
- Holick, M. (2007). Vitamin D deficiency. *The New England Journal of Medicine* 257(3): 266–81.
- Hughes, B.D., Heaney, R.P., Holick, Michael F., Lips, Paul., Meunier, Pierre J., & Vietch, R. (2005). Estimates of optimal vitamin D status. *Osteoporosis International* 16: 713 – 716
- Huriyati, E., Luglio, H.F., Ratrikaningtyas, P.D., Tsani, A.F.A., Sadewa, A.H., Juffrie, M. (2016). Dyslipidemia, insulin resistance and dietary fat intake in obese and normal weight adolescents: the role of uncoupling protein 2-866G/ gene polymorphism. *International Journal of Molecular Epidemiology and Genetics* 7(1):67-73.
- Indra, E.N. (2009). Pengaturan Tekanan Darah Jangka Pendek, Jangka Menengah, dan Jangka Panjang. *Medikora* 5(2): 185 – 200.

- Jakulj, F., Zernicke, K., Bacon, S.L., Wielingen, L.E., Key, B.L., West, S.G., & Campbell, T.S. (2007). A high-fat meal increases cardiovascular reactivity to psychological stress in healthy young adults. *The Journal of Nutrition*. 137:935 – 939.
- Jansen, S. (2006). *Makanan Fungsional*. Jakarta: Erlangga.
- Jensky, N.E., Criqui, M.H., Wright, M.C., Wassel, C.L., Brody, S.A., & Allison, M.A. (2010). Blood pressure and vascular calcification. *Hypertension* 55: 990 – 997. Doi: 10.1161/hypertensionaha.109.147520
- Jeong, Su Jin. (2013). Factors affecting the vitamin D status in South Korean children. *Journal of Food and Nutrition Sciences* 1(1):7–12.
- JNC VII Complete Report. (2004). The Seventh Report of The Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. USA.
- Jorde, R., Figenschau, Y., Emaus, N., Hutchinson, M., & Grimnes, G. (2010). Serum 25-Hydroxyvitamin D levels are strongly related to systolic blood pressure but do not Predict future hypertension. *Hypertension*; 55: 792 – 798. <http://hyper.ahajournals.org/content/55/3/792>
- Judd, S.E., & Tangpricha, V. (2009). Vitamin D deficiency and risk for cardiovascular disease. *American Journal of Medical Science* 338(1): 40–44. doi: 10.1097/MAJ.0b013e3181aeee91
- Kementerian Kesehatan RI. (2007). Hasil *Riset Kesehatan Dasar*. Badan Penelitian dan Pengembangan Kemenkes RI.
- Kementerian Kesehatan RI. (2013). Hasil *Riset Kesehatan Dasar*. Badan Penelitian dan Pengembangan Kemenkes RI.
- Khan, S.E., Hull, R.L., & Utzschneider, K.M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature* 444(7121): 840–46.
- Laksono, R.A. (2013). *Hubungan Antara Stress, Pola Makan, dan Kebiasaan Merokok dengan Terjadinya Kekambuhan pada Penderita Hipertensi di Puskesmas Bendosari Sukoharjo*. (Skripsi). FIK: Universitas Muhammadiyah Surakarta.
- Landsberg, L., Aronne, L.J., Bellin, L.J., Burke, V., Igel, L.I., Lloyd-Jones, D., & Sowers, J. (2013). Obesity-related hypertension: pathogenesis, cardiovascular risk, and treatment. *Journal of Clinical Hypertension (Greenwich)* 15(1):14–33.
- Larijani, F.A., Kalantar Motamedi, S.M., Keshtkar, A.A., Khashayar, P., Koleini, Z., Rahim, F., & Larijani, D. (2014). The Relation between serum Vitamin D levels and blood pressure: a population – based study. *Acta Medica Iranica* 52(4): 290 – 297.
- Lenders, C., Feldman, H., Von, S., Merewood, A., Sweeney, C., & Wilson, D. et al.. (2009). Relation of body fat indexes to vitamin D status and

deficiency among obese adolescents. *American Journal of Clinical Nutrition* 90: 459 – 467.

- Li, Y. C., Kong, J., Wei, M., Chen, Z.-F., Liu, S. Q., & Cao, L.-P. (2002). 1,25 Dihydroxyvitamin D₃ is a negative endocrine regulator of the renin-angiotensin system. *The Journal of Clinical Investigation*, 110(2), 229–238. <http://doi.org/10.1172/JCI15219>
- Lips, P. (2007). Review: Relative value of 25(OH)D and 1,25(OH)₂D measurements. *Journal of Bone and Mineral Research* 22(11). Doi: 10.1359/JBMR.070716
- Makmur, N.I. (2008). *Pengaruh latihan fisik terhadap tekanan darah anak Obesitas di kotamadya. Medan.* (Thesis). FK. Universitas Sumatera Utara.
- Marie, N.G., Fleming, T., Robinson, M., Thomson, B., Margono, N., & Mullany, E.C. et al. (2014). Global, regional, and national prevalence of overweight and obesity in children and adults during 1980 – 2013: a systematic analysis for the global burden of disease study 2013. *The Lancet* 384(9945):766–81. [http://dx.doi.org/10.1016/S0140-6736\(14\)60767-4](http://dx.doi.org/10.1016/S0140-6736(14)60767-4)
- McEniery, C.M., Wallace, S., Mackenzie, I.S., McDonnell, B., Yasmin., Newby, D.E., Cockcroft, J.R. (2006). Endothelial function is associated with pulse pressure, pulse wave velocity, and augmentation index in healthy humans. *Hypertension* 48:602–8. doi: 10.1161/01.HYP.0000239206.64270.5f
- Michalsky, M.P., Inge, T.H., Simmons, M., Jenkins, T.M., Buncher, R., & Helmrath, M., et al. 2015. Cardiovascular risk factors in severely obese adolescents – the teen longitudinal assessment of bariatric surgery (Teen – LABS) Study. *JAMA Pediatrics* 169(5): 438–44. Doi: 10.1001/jamapediatrics.2014.3690
- Muttaqin, A. (2009). *Pengantar Asuhan Keperawatan Klien dengan Gangguan Sistem Kardiovaskular.* Jakarta: Penerbit Salemba Medika.
- National High Blood Pressure Education Program (NHBEP). (2005). The fourth report on the diagnosis, evaluation, and treatment of high blood pressure in children and adolescents. US Department of Health and Human Services NIH Publication No. 05-5297.
- Norman, P.E., & Powell, J.T. (2014). Vitamin D and cardiovascular disease. *Circulation Research* 114: 379 – 93. DOI: 10.1161/CIRCRESAHA.113.301241
- Olson, M.L., Maalouf, N.M., Oden, J.D., White, P.C., & Hutchison, M.R. (2011). Vitamin D deficiency in obese children and its relationship to glucose homeostasis. *The Journal of Clinical Endocrinology & Metabolism* 97(1), 279-285.

- Pacifico, I., Anania, C., Osborn, J.F., Ferraro, F., Bonci, E., Olivero, E., & Chlesa, C. (2011). Low 25(OH)D3 levels are associated with total adiposity, metabolic syndrome, and hypertension in Caucasian children and adolescents. *European Journal of Endocrinology* 165: 603 – 611.
- Palacios, C., & Gonzales, L. (2013). Is vitamin D deficiency a major global public health problem? *Journal of Biochemistry and Molecular Biology*. <http://dx.doi.org/j.jsbmb.2013.11.003>
- Pearce, E.C. 2009. *Anatomi dan Fisiologi untuk Paramedis*. Jakarta: PT Gramedia Pustaka Utama.
- Pludowski, P., Jaworski, M., Niemirska, A., Litwin, M., Szalecki, M., & Karczmarewicz, E. et al. (2013). Vitamin d status, body composition and hypertensive target organ damage in primary hypertension. *Journal of Steroid Biochemistry & Molecular Biology* 144: 180-84.
- Rahajeng, E., & Tuminah, S. (2009). Prevalensi Hipertensi dan Determinannya di Indonesia. *Majalah Kedokteran Indonesia* 59(12).
- Reis, J.P., Muhlen, D., Miller III, E.R., & Michos, E.D. (2009). Vitamin D status and cardiometabolic risk factors in the United States adolescent population. *American Academy of Pediatric* ISSN: printed, 0031-4005, online 1098-4275.
- Rizkiriani, A., Khomsan, A., Riyadi, H. (2014). Obesity and hypertension among adolescents in Jakarta, Indonesia. *Pakistan Journal of Nutrition* 13(1): 17-21.
- Ronny., S., & Fatimah, S. (2008). *Fisiologi Kardiovaskular: Berbasis Masalah Keperawatan*. Jakarta: Penerbit Buku Kedokteran EGC.
- Rossi, R., Chiurlia, E., Nuzzo, A., Cioni, E., Origliani, G., & Modena, MG. (2004). Flow-mediated vasodilation and the risk of developing hypertension in healthy postmenopausal women. *Journal of the American College of Cardiology* 44(8):1636–40. [PubMed: 15489096]
- Sakamoto, R., Siegi, K. Jaceldo., Haddad, E., Oda, K., & Fraser, G.E et al. (2013). Relationship of vitamin D levels to blood pressure in a biethnic population. *Nutrition, Metabolism & Cardiovascular Diseases* 23: 776–84. doi:10.1016/j.numecd.2012.04.014
- Sandjaja, S., Budiman, B., Harahap, H., Ernawati, F., Soekatri, M., & Widodo, Y. et al. (2013). Food consumption and nutritional and biochemical status of 0-5–12-year-old Indonesian children: the SEANUTS study. *British Journal of Nutrition* 110:S11–S20
- Scragg, R., Sowers, M., Bell, C. (2007). Serum 25-hydroxyvitamin D, ethnicity, and blood pressure in the third national health and nutrition examination survey. *American Journal of Hypertension* 20:713– 729. doi:10.1016/j.amjhyper.2007.01.017

- Sherwood, L. (2011). *Fisiologi Manusia dari Sel ke Sistem Edisi 6*. Jakarta: Penerbit Buku Kedokteran: EGC.
- Soetjiningsih. (2004). *Tumbuh Kembang Anak*. Jakarta: EGC.
- Spiro, A., & Buttriss, J.L. (2014). Vitamin D: an overview of vitamin D status and intake in Europe. *Nutrition Bulletin* 39(4): 322-50.
- Straznicky, N.E., Louis, W.J., McGrade, P., & Howes, L.G. (1993). The effects of dietary lipid modification on blood pressure, cardiovascular reactivity and sympathetic activity in man. *Journal of Hypertension* 11:427 – 37.
- Sugiharto, A. (2007). Faktor – faktor Risiko Hipertensi Grade II pada Masyarakat: Studi Kasus di Kabupaten Karanganyar. (Tesis). Semarang: UNDIP.
- Sulistyoningrum, D.C., Gasevic, D., Green, T.J., Lear, S.A., & Devlin, A.M. (2013). Adiposity and the relationship between vitamin D and blood pressure. *Metabolism Clinical and Experimental* 62:1795–1802. <http://dx.doi.org/10.1016/j.metabol.2013.07.009>
- Suryono, S. (2004). *Buku Ajar Penyakit Dalam Jilid II*. FK UI. Jakarta: Balai Pustaka.
- Sweeting, H.N. (2007). Review: measurement and definitions of obesity in childhood and adolescence: a field guide for uninitiated. *Nutrition Journal* 6:32 doi: 10.1186/1475-2891-6-32
- Syarif, D.R. (2003). Childhood obesity: evaluation and management, dalam naskah lengkap National Obesity Symposium II, editor: Adi S. Surabaya: 123 – 39.
- Syukraini, I. (2009). *Analisis Faktor Risiko Hipertensi pada Masyarakat Nagari Bungo Tanjung*, Sumatera Barat.
- Tarcin, O., Yavuz, D.G., Ozben, B., Telli, A., Ogunc, A.V., & Yuksel, M. et al. (2009). Effect of vitamin D deficiency and replacement on endothelial function in asymptomatic subjects. *Journal of Clinical Endocrinology and Metabolism* 94: 4023–30.
- Thacher, T.D., & Clarke, B.L. (2011). Review: Vitamin D insufficiency. *Mayo Clin Proceeding* 86 (1): 50 – 60.
- Tolppanen, A.M., Fraser, A., Fraser, W.D., Lawlor, D.A. (2012). Risk factors for variation in 25-hydroxyvitamin D₃ and D₂ concentrations and vitamin D deficiency in children. *Journal of Clinical Endocrinology and Metabolism* 97: 1202–10.
- Tsiaras, WG., & Weinstock MA. (2011). Factors influencing vitamin D status. *Acta Dermato Venereologica* 91(2):115-24. doi: 10.2340/00015555-0980.
- Utami, S., Chairulfatah, A., & Rusmil, Kusnandi. (2015). Perbandingan kadar vitamin D (25 hidroksivitamin D) pada anak sakit kritis dan non kritis. *Sari Pediatri*;16(6): 434 – 440.

- Vaidya, A., & Forman, J.P. (2010). Hypertension highlights: vitamin D and hypertension current evidence and future direction. *Hypertension*. 56: 774 – 779. American Heart Association, Inc. Online ISSN: 1524-4563. DOI: 10.1161/HYPERTENSIONAHA.109.140160
- Versari, D., Daghini, E., Virdis, A., Ghiadoni, L., & Taddei, S. (2009). "Endothelium-dependent contractions and endothelial dysfunction in human hypertension". *British Journal of Pharmacology* **157** (4): 527–36. doi:10.1111/j.1476-5381.2009.00240.x. PMC 2707964. PMID 19630832
- Vogt, S., Baumert, J., Peters, A., Thorand, D., & Scragg, R. (2016). Waist circumference modifies the association between serum 25(OH)D and systolic blood pressure: results from NHANES 2001 – 2006. *Journal of Hypertension* 34(4): 637 – 645. doi: 10.1097/HJH.0000000000000840.
- Wallace, A.M., S. Gibson, A. de la Hunty, C. LambergAllardt, and M. Ashwell. (2010). Measurement of 25-hydroxyvitaminD in the clinical laboratory: current procedures, performance characteristics and limitations. *Steroids* 75(7):477– 88.
- Wallace, S.M.L., Yasmin., McEniery, C.M., Maki-Petaja, K.M., Booth, A.D., Cockcroft, J.R., Wilkinson, I.B. (2007). Isolated systolic hypertension is characterized by increased aortic stiffness and endothelial dysfunction. *Hypertension* 50: 228 – 233. doi:10.1161/HYPERTENSIONAHA.107.089391
- Wang, F., Wu, S., Ruan, Y., Wang, L. (2015). Correlation of serum 25-hydroxyvitamin D level with vascular calcification in hemodialysis patients. *International Journal of Clinical and Experimental Medicine* 8(9):15745-15751 www.ijcem.com /ISSN:1940-5901/IJCEM0010108
- WHO Expert Consultation. (2004). Appropriate Body-Mass Index for Asian Populations and Its Complications for Policy and Intervention Strategies. *The Lancet*, Vol. 363. www.thelancet.com
- WHO. (2004). Obesity: preventing and managing the global epidemic. Report of a WHO consultation (WHO Technical Report Series 894). ISB: 92 4 120894 5.
- Wortsman, J., Matsuoka, L., Chen, T., Lu, Z., & Holick, M. (2000). Decreased bioavailability of vitamin D in obesity. *American Journal of Clinical Nutrition* 72(3): 690 3.
- Zagura, M., Serg, M., Kampus, P., Zilmer, M., Eha, J., Lieberg, J., Cockcroft, J.R., Kals J. (2011). Aortic stiffness and vitamin D are independent markers of aortic calcification in patients with peripheral artery diseases and in healthy subjects. *European Journal of Vascular & Endovascular Surgery* 42(5): 689 – 695. <http://dx.doi.org/10.1016/j.ejvs.2011.07.027>
- Zerwekh, Joseph E. (2008). Blood biomarkers of vitamin D status. *American Journal of Clinical Nutrition* 87:1087S – 91S.