

## DAFTAR PUSTAKA

- Akpan, U.G., and Hameed, B.B.H., 2010, The Advancements in Sol-gel method of doped-TiO<sub>2</sub> Photocatalys, *Appl. Catal. A: Gen*, 375, 1-11.
- Barakat, M.A., Schaeffer, H., Hayes, G., and Shah, S.I., 2005, Photoocatalytic Degradation of 2-Chlorophenol Co-Doped TiO<sub>2</sub> Nanoparticles, *Appl. Catal. B: Environ.*, 57, 23-30.
- Bedikyan, L., Zakhariyev, S., and Zakhariyeva, M., 2013, Titanium Dioxide Thin Films: Preparation and Optical Properties, *J. Univ. Chem. Technol. Metallurgy*, 48(6), 555-558.
- Castro, Y., Arconada, N., and Duran, A., 2015, Synthesis and Photocatalytic of Mesoporous TiO<sub>2</sub> Films Doped with Ca, W, and N, *J. Solid. State. Chem*, 54(1), 11-20.
- Chainarong, S., Sikong, L., Pavasupree, S., and Niyomwas, S., 2011, Synthesis and Characterization of Nitrogen-doped TiO<sub>2</sub> Nanomaterials for Photocatalytic Activites under Visible Light, *9<sup>th</sup> Eco-Energy and Materials Science and Engineering Symposium*, 2011, 418-427.
- Cheng, X., Yu, X., Xing, Z., and Wan, J., 2012, Enhanced Photocatalytic Activity of Nitrogen Doped TiO<sub>2</sub> Anatase Nano-particle under Simulated Sunlight Irradiation, *International Conference on Future Energy, Environment, and Materials*, 2012, 598-605.
- Choi, W., Termin, A., and Hoffman, M.R., 1994, The Role of Metal Ion Dopants in Quantum-sized TiO<sub>2</sub>: Corellation Between Photoreactivity and Charge Carrier Recombination Dynamics, *J. Phys. Chem.*, 98,51, 13669-13679.
- Choudhury, B., Choudury, A., Islam, A.K.M.M., Alagarsamy, P., and Mukherjee, M., Effect of Oxygen Vacancy and Dopant Concentration on the Magnetic Properties of High Spin Co<sup>2+</sup> Doped TiO<sub>2</sub> Nanoparticles, *J. Magnetism. Magnetic. Mater.*, 323, 440-446.
- Colmenares, J.C., Aramendia, M.A., Marinas, A., Marinas, J.M., and Urbano, F.J., Synthesis, Characterization and Photocatalytic Activity of Different Metal-Doped Titania Systems, *Appl. Catal. A: Gen.*, 306, 120-127.
- Gupta, S.M., and Manoj, T., 2011, A Review of TiO<sub>2</sub> Nanoparticles, *Chin. Sci. Bull.*, 16(56), 1639-1657.

- Hashimoto, K., Irie, H., and Fujishima, A., 2005, TiO<sub>2</sub> photocatalys: a historical overview and future prospect, *Jpn. J. Appl. Phys.*, 44, 8269-8285.
- Hermawan, P., Pranowo, H.D., and Kartini, I., 2011, Physical Characterization of Ni(II) Doped TiO<sub>2</sub> Nanocrystal by Sol-gel Process, *Indones. J. Chem.*, 11(2), 135-139.
- Hong, R.Y., Li, J.H., Shen, L.L., Liu, D.Q., Li, H.Z., Zheng, Y., and Ding, J., 2009, Synthesis, Surface Modification and Photocatalytic Property of ZnO Nanoparticles, *J. Powder. Technol.*, 189, 426-432.
- Ibrahim, S.A., and Sreekantan, S., 2010, Effect of pH on TiO<sub>2</sub> Nanoparticles via Sol-gel Method. *International Conference on X-Rays & Related Techniques in Research & Industry*, 9-10 Juni 2010, Langkawi.
- Karthik, K., Pandian, S.K., Kumar, K.S., and Jaya, N.V., 2010, Influence of Dopant Level on Structural, Optical, and Magnetic Properties of Co-doped Anatase TiO<sub>2</sub> Nanoparticles, *Appl. Surf. Sci.*, 256, 4757-4760.
- Keshmiri, M., Mohseni, M., and Troczynski, T., 2004, Development of Novel TiO<sub>2</sub> Sol-gel Method Photocatalytic Activities for Trichloroethylene Oxidation, *Appl. Catal. B: Environ.*, 53, 209-219.
- Kirit, S., and Dimple., S, 2012, Characterization of Nanocrystalline Cobalt Doped TiO<sub>2</sub> Sol-gel Material, *J. Cryst. Growth.*, 352, 224-228.
- Liu, Y., Wang, H.Q., and Wu, Z.B., 2007, Characterization of Metal-doped Titanium Dioxide and Behavior on photocatalytic Oxidation of Nitrogen Oxides, *J. Environ. Sci.*, 19, 1505-1509.
- Mugundan, S., Rajamannan, B., Viruthagirl, G., Shanmugam, N., Gobi, R., and Praveen, P., 2015, Synthesis and Characterization of Undoped and Cobalt-doped TiO<sub>2</sub> Nanoparticles via Sol-gel Technique, *Appl. Nanosci.*, 5, 449-456.
- Ryu, W.S., Kim, E.J., Ko, S.K., and Hahn, S.H., 2004, Effect of Calcination on the Structural and Optical Properties of M/TiO<sub>2</sub> Thin Films by RF Magnetron Cosputtering, *Mater. Lett.*, 58, 582-587.
- Samet, L., Nasseur, J.B., Chtourou, R., March, K., and Stephan, O., 2013, Heat treatment Effect on the Physical Properties Cobalt Doped TiO<sub>2</sub> Sol-gel Materials, *Mater. Charact*, 85, 1-12.
- Segne, T.A., Tirukkuvalluri, S.R., and Challapali, S., 2011. Studies on Characterization and Photocatalys Activities of Visible Light Sensitive TiO<sub>2</sub>

Nano Catalysts Co-doped with Magnesium and Copper. *Inter. Res. J. Pure & Appl. Chem.*, 1(3), 84-103.

Siddhapara, K.S., and Shah, D.V., 2014, Study of Photocatalytic Activity and Properties of Transition Metal Ion Doped Nanocrystalline TiO<sub>2</sub> Prepared by Sol-gel Method, *Adv. Mater. Sci. Eng.*, 2014, 1-5.

Slamet, Syakur, R., dan Danumulyo, W., 2003, Pengolahan Limbah Logam Berat Chromium (vi) dengan Fotokatalis TiO<sub>2</sub>, *Makara Teknologi*, 7(1), 27-32.

Sukardjo, 2013, *Kimia Fisika*, Rineka Cipta, Yogyakarta.

Tian, J., Deng, H., Sun, L., Kong, H., Yang, P., and Chu, J., 2011, Effect of Co Doping on Structure and Optical Properties of TiO<sub>2</sub> Thin Films Prepared by Sol-Gel Method, *J. Phys. E: Low. Dimens. Sys. Nano.*, 44, 550-554.

Tjahjanto, R.T., dan Gunlazuardi, J., 2001, Preparasi Lapisan Tipis TiO<sub>2</sub> sebagai Fotokatalis: Keterkaitan Antara Ketebalan dan Aktivitas Fotokatalis, *Makara Teknologi*, 5(2), 81-91.

Tseng, T.K., Lin, Y.S., Chen, Y.J., and Chu, H., 2010, A Review of Photocatalysts Prepared by Sol-gel Method for VOCs Removal, *Int. J. Mol. Sci.*, 11, 2336-2361.