

## DAFTAR PUSTAKA

- Adeoluwa, O.A., Aderibigbe, A.O., Olonode, E.T., 2014. Antinociceptive property of *Olox subscorpioidea* Oliv (Olacaceae) extract in mice. *Journal of Ethnopharmacology*, 156, 353-357.
- Aggarwal, B.B., Gupta, S.C., Sung, B., 2013. Curcumin: an orally bioavailable blocker of TNF and other pro-inflammatory biomarkers. *British Journal of Pharmacology*, 169 (8), 1672-1692.
- Alzweiri, M., Sarhan, A.A., Mansi, K., Hudaib, M., Aburjai, T., 2011. Ethnopharmacological survey of medicinal herbs in Jordan, the Northern Badia region. *Journal of Ethnopharmacology*, 137 (1), 27-35.
- Amran, S., Koly, S.F., Kundu, S.P., Chowdhury, A.A., Hossain, A., Sultan, Z., Rahman, A., Paul, K., Shikder, S., Mredula, T.N., Kundu, S., 2015. The Pharmacokinetic Study of Aspirin, Paracetamol and Naproxen with Magnesium Sulfate. *Pharmaceutica Analytica Acta*, 6 (5), 1-8.
- Bagad, A.S., Joseph, J.A., Bhaskaran, N., Agarwal, A., 2013. Comparative Evaluation of Anti-Inflammatory Activity of Curcuminoids, Turmerones, and Aqueous Extract of *Curcuma longa*. *Advances in Pharmacological Sciences*, 2013, 1-7.
- Banafshe, H.R., Hamidi, G.A., Nouredini, M., Mirhashemi, S.M., Mokhtari, R., Shoferpour, M., 2014. Effect of curcumin on diabetic peripheral neuropathic pain: Possible involvement of opioid system. *European Journal of Pharmacology*, 723, 202-206.
- Bannwarth, B., Demotes-Mainard, F., Schaefferbeke, T., Labat, L., Dehais, J., 1995. Central analgesic effects of aspirin-like drugs. *Fundamental & Clinical Pharmacology*, 9 (1), 1-7.
- Bavry, A.A., Khaliq, A., Gong, Y., Handberg, E.M., Cooper-DeHoff, R.M., Pepine, C.J., 2011. Harmful Effects of NSAIDs among Patients with Hypertention and Coronary Artery Disease. *The American Journal of Medicine*, 124 (7), 614-620.
- Biegert, C., Wagner, I., Ludtke, R., Kotter, I., Lohmuller, C., Gunaydin, I., Taxis, K., Heide, L., 2004. Efficacy and safety of willow bark extract in the treatment of osteoarthritis and rheumatoid arthritis: results of 2 randomized double-blind controlled trials. *Journal of Rheumatology*, 31 (11), 2121-2130.
- Bochenek, G., Szafraniec, K., Kuschill-Dziurda, J., Nizankowska-Mogilnicka, E., 2015. Factors associated with asthma control in patients with aspirin-exacerbated respiratory disease. *Respiratory Medicine*, 109 (5), 588-595.
- Boji, M., Sedgeman, C.A., Nagy, L.D., Guengerich, F.P., 2015. Aromatic hydroxylation of salicylic acid and aspirin by human cytochromes P450. *European Journal of Pharmaceutical Sciences*, 73, 49-56.

- Bonaterre, G.A., Heinrich, E.U., Kelber, O., Weiser, D., Metz, J., Kinscherf, R., 2010. Anti-inflammatory effects of the willow bark extract STW 33-I (Proaktiv??) in LPS-activated human monocytes and differentiated macrophages. *Phytomedicine*, 17 (14), 1106-1113.
- Bruno, M., Bancheva, S., Rosselli, S., Maggio, A., 2013. Sesquiterpenoids in subtribe Centaureinae (Cass.) Dumort (tribe Cardueae, Asteraceae): Distribution, <sup>13</sup>C NMR spectral data and biological properties. *Phytochemistry*, 95, 19-93.
- Burian, M. & Geisslinger, G., 2005. COX-dependent mechanism involved in the antinociceptive action of NSAIDs at central and peripheral sites. *Pharmacology and Therapeutics*, 107 (2), 139-154.
- Carr, K.R., Ioffe, Y.J., Filippova, M., Duerksen-Hughes, P., Chan, P.J., 2015. Combined ultrasound-curcumin treatment of human cervical cancer cells. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 193, 96-101.
- Chapman, C.R. & Gavrin, J., 1999. Suffering: The contribution of persistent pain. *Lancet*, 353 (9171), 2233-2237.
- Chrubasik, S., Eisenberg, E., Balan, E., Weinberger, T., Luzzati, R., Conradt, C., 2000. Treatment of low back pain exacerbations with willow bark extract: a randomized double-blind study. *The American Journal of Medicine*, 109 (1), 9-14.
- Daher, J., Tonussi, C.R., 2003. A spinal mechanism for the peripheral anti-inflammatory action of indomethacin. *Brain Research*, 962 (1-2), 207-212.
- Edwards, S.E., Rocha, I.C., Williamson, E.M., Heinrich, M., 2015. *Phytopharmacy: An Evidence-based Guide to Herbal Medicinal Products*, 1 edn. John Wiley & Sons, Ltd., New York.
- Feltenstein, M.W., Schuhly, W., Warnick, J.E., Fischer, N.H., Sufka, K.J., 2004. Anti-inflammatory and anti-hyperalgesic effects of sesquiterpene lactones from *Magnolia* and Bear's foot. *Pharmacology, Biochemistry and Behaviour*, 79 (2), 299-302.
- Festing, M.F.W. & Altman, D.G., 2002. Guidelines for the Design and Statistical Analysis of Experiments Using Laboratory Animals. *ILAR Journal*, 43 (4), 244-258.
- Fiebich, B.L. dan Chrubasik, S., 2004. Effects of an ethanolic *Salix* extract on the release of selected inflammatory mediators *in vitro*. *Phytomedicine*, 11 (2/3), 135-138.
- FitzGerald, G.A., 2003. COX-2 and beyond: Approaches to prostaglandin inhibition in human disease. *Nature Reviews Drug Discovery*, 2 (11), 879-890.
- Gao, X.R., Adhikari, C.M., Peng, L.Y., Guo, X.G., Zhai, Y.S., He, X.Y., Zhang, L.Y., Lin, J., Zuo, Z.Y., 2009. Efficacy of different doses of aspirin in decreasing blood levels of inflammatory markers in patients with

- cardiovascular metabolic syndrome. *The Journal of Pharmacy and Pharmacology*, 61 (11), 1505-1510.
- Gottschalk, A. & Smith, D.S., 2001. New concepts in acute pain therapy: Preemptive analgesia. *American Family Physician*, 63 (10), 1979-1986.
- Graven-Nielsen, T. & Arendt-Nielsen, L., 2002. Peripheral and central sensitization in musculoskeletal pain disorders: an experimental approach. *Current Rheumatology Reports*, 4 (4), 313-321.
- Gupta, A.K., Mishra, R., Lal, R.K., 2015. Genetic resources, diversity, characterization and utilization of agronomical traits in turmeric (*Curcuma longa* L.). *Industrial Crops and Products*, 77, 708-712.
- Guzzo, L.S., Saude-Guimaraes, D.A., Silva, A.C.A., Lombardi, J.A., Guimaraes, H.N., Grabe-Guimaraes, A., 2008. Antinociceptive and anti-inflammatory activities of ethanolic extracts of *Lychnophora* species. *Journal of Ethnopharmacology*, 116 (1), 120-124.
- Han, Y.K., Lee, S.H., Jeong, H.J., Kim, M.S., Yoon, M.H., Kim, W.M., 2012. Analgesic Effects of Intrathecal Curcumin in the Rat Formalin Test. *The Korean Journal of Pain*, 25 (1), 1-6.
- Hassan, F.I., Zezi, A.U., Yaro, A.H., Danmalam, U.H., 2015. Analgesic, anti-inflammatory and antipyretic activities of the methanol leaf extract of *Dalbergia saxatilis* Hook.F in rats and mice. *Journal of Ethnopharmacology*, 166, 74-78.
- Hostanska, K., Jürgenliemk, G., Abel, G., Nahrstedt, A., Saller, R., 2007. Willow bark extract (BNO1455) and its fractions suppress growth and induce apoptosis in human colon and lung cancer cells. *Cancer Detection and Prevention*, 31 (2), 129-139.
- Hunskar, S., Berge, O.G., Hole, K., 1986. A modified hot-plate test sensitive to mild analgesics. *Behavioural Brain Research*, 21 (2), 101-108.
- Hunskar, S., Hole, K., 1987. The formalin test in mice: dissociation between inflammatory and non-inflammatory pain. *Pain*, 30 (1), 103-114.
- IM, K., Kumar, D., Ninan, E., Kuttan, R., Maliakel, B., 2015. Enhanced absorption and pharmacokinetics of fresh turmeric (*Curcuma Longa L*) derived curcuminoids in comparison with the standard curcumin from dried rhizomes. *Journal of Functional Foods*, 17, 55-65.
- Irving, G.R.B., Karmokar, A., Berry, D.P., Brown, K., Steward, W.P., 2011. Curcumin: The potential for efficacy in gastrointestinal diseases. *Best Practice & Research Clinical Gastroenterology*, 25 (4-5), 519-534.
- James, M.I., Iwuji, C., Irving, G., Karmokar, A., Higgins, J.A., Griffin-Teal, N., Thomas, A., Greaves, P., Cai, H., Patel, S.R., Morgan, B., Dennison, A., Metcalfe, M., Garcea, G., Lloyd, D.M., Berry, D.P., Steward, W.P., Howells, L.M., Brown, K., 2015. Curcumin inhibits cancer stem cell phenotypes in *ex vivo* models of colorectal liver metastases, and is clinically safe and tolerable in combination with FOLFOX chemotherapy. *Cancer Letters*, 364 (2), 135-141.

- Karp, A., Hanley, S.J., Trybush, S.O., Macalpine, W., Pei, M., Shield, I., 2011. Genetic Improvement of Willow for Bioenergy and Biofuels. *Journal of Intregative Plant Biology*, 53 (2), 151-165.
- Kasotakis, G., Pipinos, I.I., Lynch, T.G., 2009. Current evidence and clinical implications of aspirin resistance. *Journal of Vascular Surgery*, 50 (6), 1500-1510.
- Kato, H., Yoshimoto, K., Kobayashi, M., Sakabe, M., Funaki, H., Ikegaya, H., 2010. Oral administration of ethanol with aspirin increases the concentration of salicylic acid in plasma and organs, especially the brain, in mice. *European Journal of Pharmacology*, 635 (1-3), 184-187.
- Katz, W.A. & Rothenberg, R., 2005. The Nature of Pain: Pathophysiology. *JCR: Journal of Clinical Rheumatology*, 11 (2), S11-S15.
- Katzung, B.G., Masters, S.B., Trevor, A.J., 2012. *Basic & Clinical Pharmacology*, 12 edn. The Mc Graw-Hill Companies, Inc., New York.
- Khan, R.A., 2012. Evaluation of flavonoids and diverse antioxidant activities of *Sonchus arvensis*. *Chemistry Central Journal*, 126 (6), 1-7.
- Khayyal, M.T., El-Ghazaly, M.A., Abdallah, D.M., Okpanyi, S.N., Kelber, O., Weiser, D., 2005. Mechanism involved in the anti-inflammatory effect of a standardized willow bark extract. *Arzneimittel-Forschung-Drug Research*, 55 (11), 677-687.
- Kirschweg, B., Tatraaljai, D., Foldes, E., Pukanszky, B., 2015. Efficiency of curcumin, a natural antioxidant, in the processing stabilization of PE: Concentration effects. *Polymer Degradation and Stability*, 118, 17-23.
- Kong, C.S., Kim, K.H., Choi, J.S., Kim, J.E., Park, C., Jeong, J.W., 2014. Salicin, an extract from white willow bark, inhibits angiogenesis by blocking the ROS-ERK pathways. *Phytotherapy Research*, 28 (8), 1246-1251.
- Kulkarni, S.K., Bhutani, M.K., Bishnoi, M., 2008. Antidepressant activity of curcumin: involvement of serotonin and dopamine system. *Psychopharmacology*, 201, 435-442.
- Lanas, A., Polo-Tomás, M., Casado-Arroyo, R., 2013. The aspirin cardiovascular/gastrointestinal risk calculator – A tool to aid clinicians in practice. *Alimentary Pharmacology and Therapeutics*, 37 (7), 738-748.
- Lardos, A., Schmidlin, C.B., Fischer, M., Ferlas-Chlodny, E., Loniewski, I., Samochowiec, L., Musial, H.D., 2004. Efficacy and tolerance of an aqueous willow bark dry extract in patients with knee or hip arthrosis. *Zeitschrift fur Phytotherapie*, 25 (6), 275-281.
- Laurence, D.R., Bacharach, A.L., 1964. *Evaluation of drug activities: pharmacometrics*, 1, 183-205. Academic Press, New York.
- Leary, S., Underwood, W., Anthony, R., Cartner, S., Corey, D., Grandin, T., Greenacre, C., Gwaltney-Brant, S., McCrackin, M.A., Meyer, R., Miller, D., Shearer, J., Yanong, R., 2013. *AVMA Guidelines for the Euthanasia of Animals: 2013 Edition*, 2013 edn. American Veterinary Medical Association, Schaumburg.

- Le Bars, D., Gozariu, M., Cadden, S.W., 2001. Animal models of nociception. *Pharmacological Reviews*, 53 (4), 597-652.
- Lee, M. & Feldman, M., 1997. The aging stomach: implication for NSAID gastropathy. *Gut*, 41 (4), 425-426.
- Long, L., Soeken, K., Ernst, E., 2001. Herbal medicines for the treatment of osteoarthritis: a systematic review. *Rheumatology*, 40 (7), 779-793.
- Ma, J., Yu, H., Liu, J., Chen, Y., Wang, Q., Xiang, L., 2015. Curcumin promotes nerve regeneration and functional recovery after sciatic nerve crush injury in diabetic rats. *Neuroscience Letters*, 610, 139-143.
- Mahdi, J.G., 2010. Medicinal potential of willow: A chemical perspective of aspirin discovery. *Journal of Saudi Chemical Society*, 14 (3), 317-322.
- Mckinnon, R., Binder, M., Zupko, I., Afonyushkin, T., Lajter, I., Vasas, A., de Martin, R., Unger, C., Dolznig, H., Diaz, R., Frisch, R., Passreiter, C.M., Krupitza, G., Hohmann, J., Kopp, B., Bochkov, V.N., 2014. Pharmacological insight into the anti-inflammatory activity of sesquiterpene lactones from *Neurolaena lobata* (L.) R.Br. ex Cass. *Phytomedicine*, 21 (12), 1695-1701.
- Millan, M.J., 2002. Descending control of pain. *Progress in Neurobiology*, 66 (6), 355-474.
- Milano, J., Oliveira, S.M., Rossato, M.F., Sauzem, P.D., Machado, P., Beck, P., Zanatta, N., Martins, M.A.P., Mello, C.F., Rubin, M.A., Ferreira, J., Bonacorso, H.G., 2008. Antinociceptive effect of novel trihalomethyl-substituted pyrazoline methyl esters in formalin and hot-plate tests in mice. *European Journal of Pharmacology*, 581 (1-2), 86-96.
- Mishra, R., Gupta, A.K., Lal, R.K., Jhang, T., Benerjee, N., 2015. Genetic variability, analysis of genetic parameters, character associations and contribution for agronomical traits in turmeric (*Curcuma longa* L.). *Industrial Crops and Products*, 76, 204-208.
- Mittal, N., Joshi, R., Hota, D., Chakrabarti, A., 2009. Evaluation of antihyperalgesic effect of curcumin on formalin-induced orofacial pain in rat. *Phytotherapy Research*, 23 (4), 507-512.
- Moon, D.O., Kim, M.O., Choi, Y.H., Park, Y.M., Kim, G.Y., 2010. Curcumin attenuates inflammatory response in IL-1 $\beta$ -induced human synovial fibroblast and collagen-induced arthritis in mouse model. *International Immunopharmacology*, 10 (5), 605-610.
- Mutmainah, Susoliwati, R., Rahmawati, N., Nugroho, A.E., 2014. Gastroprotective effects of combination of hot water extracts of turmeric (*Curcuma domestica* L.), cardamon pods (*Ammomum compactum* S.) and sembung lea (*Blumea balsamifera* DC.) against aspirin-induced gastric ulcer model in rats. *Asian Pacific Journal of Tropical Biomedicine*, 4 (Suppl 1), S500-S504.

- Nahrstedt, A., Schmidt, M., Jäggi, R., Metz, J., Khayyal, M.T., 2007. Willow bark extract: The contribution of polyphenols to the overall effect. *Wiener Medizinische Wochenschrift*, 157 (13-14), 348-351.
- Naijil, G., Anju, T.R., Jayanarayanan, S., Paulose, C.S., 2015. Curcumin pretreatment mediates antidiabetogenesis via functional regulation of adrenergic receptor subtypes in the pancreas of multiple low-dose streptozotocin-induced diabetic rats. *Nutrition Research*, 35 (9), 823-833.
- Pan, Y., Zhu, G., Wang, Y., Cai, L., Cai, Y., Hu, J., Li, Y., Yan, Y., Wang, Z., Li, X., Wei, T., Liang, G., 2013. Attenuation of high-glucose-induced inflammatory response by a novel curcumin derivative B06 contributes to its protection from diabetic pathogenic changes in rat kidney and heart. *Journal of Nutritional Biochemistry*, 24 (1), 146-155.
- Prasad, S., Gupta, S.C., Tyagi, A.K., Aggarwal, B.B., 2014. Curcumin, a component of golden spice: From bedside to bench and back. *Biotechnology Advances*, 32 (6), 1053-1064.
- Prasad, S.J., Kumar, P.B., Raj, S.S., Sadhana, A., Maiya, S.T., Prasad, A.M., 2015. Hypoglycemic and Analgesic effects of Methanolic Extracts of *Sonchus arvensis* from Nepal. *International Journal of Pharmacognosy and Phytochemical Research*, 7 (3), 613-615.
- Pellerin, M., Hardy, F., Abergel, A., Boule, D., Palacci, J.H., Babinet, P., Wingtin, L.N., Glowinski, J., Amiot, J.F., Mechali, D., 1987. Chronic refractory pain in cancer patients. Value of the spinal injection of lysine acetylsalicylate. 60 cases. *Presse Medicale*, 16 (30), 1465-1468.
- Qureshi, S.J., Awan, A.G., Khan, M.A., Bano, S., 2002. Palynological Study of the Genus *Sonchus* from Pakistan. *Journal of Biological Sciences*, 2 (2), 98-105.
- Reuben, S.S., Sklar, J., 2000. Pain Management in Patients Who Undergo Outpatient Arthroscopic Surgery of the Knee. *The Journal of Bone and Joint Surgery*, 82-A (12), 1754-1766.
- Ruggieri, V., Vitale, G., Filaferrero, M., Frigeri, C., Pini, L.A., Sandrini, M., 2010. The antinociceptive effect of acetylsalicylic acid is differently affected by a CB<sub>1</sub> agonist or antagonist and involves the serotonergic system in rats. *Life Sciences*, 86 (13-14), 510-517.
- Saller, R., Melzer, J., Felder, M., Swiss Assalix Study Group, 2008. Pain relief with a proprietary extract of Willow bark in rheumatology. An open trial. *Schweiz Zschr Ganzheits Medizin*, 20 (3), 156-162.
- Schaible, H-G., Richter, F., 2004. Pathophysiology of pain. *Langenbeck's Archives of Surgery*, 389 (4), 237-243.
- Scheuren, N., Neupert, W., Ionac, M., Neuhuber, W., Brune, K., Geisslinger, G., 1997. Peripheral noxious stimulation releases spinal PGE<sub>2</sub> during the first phase in the formalin assay of the rat. *Life Sciences*, 60 (21), 295-300.
- Schmid, B., Lüdtkke, R., Selbmann, H-K., Kötter, I., Tschirdewahn, B., Schaffner, W., Heide, L., 2001. Efficacy and Tolerability of a Standardized Willow

- Bark Extract in Patients with Osteoarthritis: Randomized Placebo-controlled, Double Blind Clinical Trial. *Phytotherapy Research*, 15 (4), 344-350.
- Seelinger, G., Merfort, I., Schempp, C.M., 2008. Anti-oxidant, anti-inflammatory and anti-allergic activities of luteolin. *Planta Medica*, 74 (14), 1667-1677.
- Shara, M., Stohs, S.J., 2015. Efficacy and Safety of White Willow Bark (*Salix alba*) Extracts. *Phytotherapy Research*, 29 (8), 1112-1116.
- Sharma, S., Kulkarni, S.K., Agrewala, J.N., Chopra, K., 2006. Curcumin attenuates thermal hyperalgesia in a diabetic mouse model of neuropathic pain. *European Journal of Pharmacology*, 536 (3), 256-261.
- Shyu, K.W., Lin, M.T., 1985. Hypothalamic Monoaminergic Mechanisms of Aspirin-induced Analgesia in Monkeys. *Journal of Neural Transmission*, 62 (3), 285-293.
- Smyth, E.M., Grosser, T., Wang, M., Yu, Y., FitzGerald, G.A., 2009. Prostanoids in health and disease. *Journal of Lipid Research*, 50, S423-S428.
- Sostres, C., Gargallo, C.J., Arroyo, M.T., Lanas, A., 2010. Adverse effects of non-steroidal anti-inflammatory drugs (NSAIDs, aspirin and coxibs) on upper gastrointestinal tract. *Best Practice & Research Clinical Gastroenterology*, 24 (2), 121-132.
- Sukadana, I.M., Santi, S.R., 2011. SENYAWA ANTIBAKTERI BIS (2-ETILHEKSIL) ESTER DAN TRITERPENOID DALAM EKSTRAK n-HEKSANA DAUN TEMPUYUNG (*Sonchus arvensis* L.). *Majalah Obat Tradisional*, 16 (1), 1-6.
- Tasleem, F., Azhar, I., Ali, S.N., Perveen, S., Mahmood, Z.A., 2014. Analgesic and anti-inflammatory activities of Piper nigrum L. *Asian Pacific Journal of Tropical Medicine*, 7 (Suppl 1), S461-S468.
- Tajik, H., Tamaddonfard, E., Hamzeh-Gooshchi, N., 2008. The effect of curcumin (active substance of turmeric) on the acetic acid-induced visceral nociception in rats. *Pakistan Journal of Biological Sciences*, 11 (2), 312-314.
- Tatsumi, S., Mabuchi, T., Abe, T., Xu, L., Minami, T., Ito, S., 2004. Analgesic effect of extract of Chinese medicinal herbs Moutan cortex and Coicis semen on neuropathic pain in mice. *Neuroscience Letters*, 370 (2-3), 130-134.
- Tham, C.L., Liew, C.Y., Lam, K.W., Mohamad, A-S., Kim, M.K., Cheah, Y.K., Zakaria, Z-A., Sulaiman, M-R., Lajis, N.H., Israf, D.A., 2010. A synthetic curcuminoid derivative inhibits nitric oxide and proinflammatory cytokine synthesis. *European Journal of Pharmacology*, 628 (1-3), 247-254.
- Tjolsen, A., Rosland, J.H., Berge, O-G., Hole, K., 1991. *Journal of Pharmacological Methods*, 25 (3), 241-250.
- Treede, R-D., Kenshalo, D.R., Gracely, R.H., Jones, A.K.P., 1999. The cortical representation of pain. *Pain*, 79 (2-3), 105-111.

- Tsai, H.J., Hsu, Y.H., Huang, Y.W., Chang, Y.K, Liu, J.S., Hsu, C.C., 2015. Use of non-steroidal anti-inflammatory drugs and risk of chronic kidney disease in people with Type 2 diabetes mellitus, a nationwide longitudinal cohort study. *Diabetic Medicine*, 32 (3), 382-390.
- Uehleke, B., Müller, J., Stange, R., Kelber, O., Mezler, J., 2013. Willow bark extract STW 33-I in the long-term treatment of outpatients with rheumatic pain mainly osteoarthritis or back pain. *Phytomedicine*, 20 (11), 980-984.
- Valkhoff, V.E., Sturkenboom, M.C.J.M., Kuipers, E.J., 2012. Risk factor for gastrointestinal bleeding associated with low-dose aspirin. *Best Practice & Research Clinical Gastroenterology*, 26 (2), 125-140.
- Vane, J.R. & Botting, R.M., 2003. The mechanism of action of aspirin. *Thrombosis Research*, 110 (5-6), 255-258.
- Vilela, F.C., de Mesquita Padilha, M., dos Santos-e-Silva, L., Alves-da-Silva, G., Giusti-Paiva, A., 2009. Evaluation of the antinociceptive activity of extracts of *Sonchus oleraceus* L. in mice. *Journal of Ethnopharmacology*, 124 (2), 306-310.
- Vilela, F.C., Bitencourt, A.D., Cabral, L.D.M., Franqui, L.S., Soncini, R., Giusti-Paiva, A., 2010. Anti-inflammatory and antipyretic effects of *Sonchus oleraceus* in rats. *Journal of Ethnopharmacology*, 127 (3), 737-741.
- Vlachojannis, J., Magora, F., Chrubasik, S., 2011. Willow species and aspirin: Different mechanism of actions. *Phytotherapy Research*, 25 (7), 1102-1104.
- Whelton, A., 1999. Nephrotoxicity of nonsteroidal anti-inflammatory drugs: Physiologic foundations and clinical implications. *American Journal of Medicine*, 106 (5B), 13S-24S.
- Xagorari, A., Papapetropoulos, A., Mauromatis, A., Economou, M., Fotsis, T., Roussos, C., 2000. Luteolin Inhibits an Endotoxin-Stimulated Phosphorylation Cascade and Proinflammatory Cytokine Production in Macrophages. *The Journal of Pharmacology and Experimental Therapeutics*, 296 (1), 181-187.
- Xia, Z., Qu, Q., Lu, H., Fu, J., Ren, Y., Liang, J., 2010. Sesquiterpene lactones from *Sonchus arvensis* L. and their antibacterial activity against *Streptococcus mutans* ATCC 25175. *Fitoterapia*, 81 (5), 424-428.
- Xie, L., Li, X-K., Takahara, S., 2011. Curcumin has bright prospect for the treatment of multiple sclerosis. *International Immunopharmacology*, 11 (3), 323-330.
- Xu, Y-J., Sun, S-B., Sun, L-M., Qiu, D-F., Liu, X-J., Jiang, Z-B., Yuan, C-S., 2008. Quinic acid esters and sesquiterpenes from *Sonchus arvensis*. *Food Chemistry*, 111 (1), 92-97.
- Zhao, X., Xu, Y., Zhao, Q., Chen, C-R., Liu, A-M., Huang, Z-L., 2012. Curcumin exerts antinociceptive effects in a mouse model of neuropathic pain: Descending monoamine system and opioid receptors are differentially involved. *Neuropharmacology*, 62 (2), 843-854.

Zhu, Q., Sun, Y., Yun, X., Ou, Y., Zhang, W., Li, J-X., 2014. Antinociceptive effects of curcumin in a rat model of postoperative pain. *Scientific Reports*, 4, 1-4.