

DAFTAR PUSTAKA

- Abia, A.A. dan Asuquo, E. D., 2006, Lead(II) and Nickel(II) Adsorption Kinetics from Aqueous Metal Solution Using Chemically Modified and Unmodified Agricultural Adsorbents, *Afr. J. Biotechnol.*, 5(16), 1475-1482.
- Adeogun, A. I., Idowu, M.A., Ofudje, A.E., Kareem, S.O. dan Ahmed, A.A., 2013, Comparative Biosorption of Mn(II) and Pb(II) Ions on Raw and Oxalic Acid Modified Maize Husk: Kinetic, Thermodynamic and Isothermal Studies, *Appl. Water. Sci.*, 3, 167-179.
- Aguilar, M.I., Perez Marin, A.B., Meseguer, V.F., Ortuno, J.F., Saez, J., Llorens, 2009, Biosorption of Chromium (III) by Orange (*Citrus cinensis*) Waste: Batch and Continous Studies, *Chem. Eng. J.*, 155, 199-206.
- Arslanoglu, H., Altundogan, H.S. dan Tumen, F., 2009, Heavy Metals Binding Properties of Esterified Lemon, *J. Hazard. Mater.*, 164, 1406-1413
- Basyal, D., Homagai, P.L. dan Ghimire, K.N., 2010, Removal of Lead from Aqueous Medium Using Xanthate Modified Apple Juice Residue, *J. Nepal Chem. Soc.*, 26, 53-60.
- Bernado, G.R.R., Rene, R.M.J. dan Catalina, A.D.T., 2009, Chromium (III) Uptake by Agro Waste Biosorbent: Chemical Characterization, Sorption-Desorption Studies and Mechanism, *J. Hazard. Mater.*, 170, 845-854.
- Blazquez, G., Hernaiz, F., Calero, M., Martin-Lara, M.A., Tenorio, G, 2009. The Effect of pH on the Biosorption of Cr(III) and Cr(VI) With Olive Stone, *Chem. Eng. J.*, 148 , 473-479.
- Bohli, T., Villaescusa, I. dan Ouederni, A., 2013, Comparative Study of Bivalent Cationic Metals Adsorption Pb(II), Cd(II), Ni(II) and Cu(II) in Olive Stones Chemically Activated Carbon, *J. Chem. Eng. Process. Technol.*, 4:4.
- BPS, 2014, Tanaman Pangan, www.bps.go.id, tanggal akses 10 desember 2013.
- Calero, M., Ronda, A., Lara, M.A., Perez, A. dan Blazquez., 2013, Chemical Activation of Olive Tree Pruning to Remove Lead (II) in Batch System: Factorial Design for Process Optimization, *Biomass Bioenerg.*, 58, 322-332.
- Coman, V., Robotin, B. dan Ilea, P., 2012, Nickel Recovery/Removal From Industrial Wastes: A Review, *Resour.Conserv. Recycl.*, 73, 229-238.
- Darmadji, D.S., Marwoto, D.K.S., Swastika, D.M., Arsyad dan Hilman, I, 2005, *Prospek dan Arah Pengembangan Agribisnis Kedelai*, Badan Litbang Pertanian Departemen Pertanian, Jakarta.

- Das, N. dan Jana, R.K., 2006. Adsorption of Some Bivalent Heavy Metal Ions From Aqueous Solutions by Manganese Nodule Leached Residues, *J. Colloid Interface Sci.*, 293, 253-262.
- Dhakal, R.P., Ghimire, K. dan Inoue, K., 2005, Adsorptive Separation of Heavy Metals from an Aquatic Environment Using Orange Waste, *Hydrometallurgy*, 779, 182-190.
- Ding, Y., Jing, D., Gong, H. dan Yang., 2012, Biosorption of Aquatic Cadmium(II) by Unmodified Rice Straw, *Bioresour. Technol.*, 114, 20-25.
- El-sayed, G.O., Dessouki, H.A. dan Ibrahim, S.S., 2010, Biosorption of Ni(II) and Cd(II) from Aqueous Solution Onto Rice Straw, *Chem. Sci. J.*, CSJ-9.
- Febrianto, J., Kosasih, A.N., Sunarso, J., Ju, Y.H, Indraswati, N. dan Ismadji, S., 2009, Equilibrium and Kinetic Studies In Adsorption of Heavy Metal Using Biosorbent: A Summary of Recent Studies, *J. Hazard. Mater.*, 162, 616-645.
- Feng, N., Guo, X. dan Liang, S., 2009, Adsorption Study of Copper (II) by Chemically Modified Orange Peel, *J. Hazard. Mater.*, 164, 1286-1292.
- Gautam, R.K., Mudhoo, A., Lofrado, G. dan Chattopadhyaya, M.C., 2014, Boimass-derived Biosorbent for Metal Ions Sequestration: Adsorbent Modification and Activation Methods and Adsorbent Regeneration, *J. Environ. Chem. Eng*, 2, 239-259.
- Han, R., Zhang, L., Song, C., Zhang, M, Zhu, H. dan Zhang, L., 2010, Characterization of Modified Wheat Straw, Kinetic and Equilibrium Study about Copper Ion and Methylene Blue Adsorption in Batch Mode, *Carbohydr. Polym.*, 79, 1140-1149.
- Heidari, A., Younesi, H., Mehraban, Z. dan Heikkinen, H., 2013, Selective Adsorption of Pb(II), Cd(II) and Ni(II) Ions from Aqueous Solution Using Chitosan-MAA Nanoparticles, *Internat. J. Biol. Macromol.*, 61, 251-263.
- Ho, Y.S dan McKay, G., 1999, Pseudo-Second Order Model for Sorption Process, *Process Biochem.*, 34,451-465
- Ho, Y.S., 2004, Citation Review of Lagergren Kinetic Rate Equation on Adsorption Reactions, *Scientometrics*, 59 (1), 171-177.
- Ho, Y.S. dan Ofomaja, A.E., 2006, Kinetics Studies of Copper ion Adsorption on Palm Kernel Fibre, *J. Hazard. Mater.*, B137, 176-1802.
- Huheey, E.J., Keiter, E.A., Keiter, R.I, *Inorganic Chemistry Principle of Structure and Reactivity 4th Ed*, Harper Collins College Publisher, New York.

- Javadian, H., Vahedian, P. dan Toosi, M., 2013. Adsorption Characteristics of Ni(II) from Aqueous Solution and Industrial Wastewater Onto Polyaniiline/HMS Nanocomposite Powder. *Appl. Surf. Sci.*, 284 13-22.
- Jo o, V.T.M., Souza, D., Diniz, K.M., Massocatto, C.L., Cesar, R.T., Caetano, J. dan Dragunski, D.C., 2012, Removal of Pb (II) from Aqueous Solution with Orange Sub Products Chemically Modified as Biosorbent, *Bio Resources*, 7(2) 200-2318.
- Kartika, C., Vennilamani, N., Pattabhi, S. dan Sekar, M. 2010, Utilization of Sago Waste as an Adsorbent for the Removal of Pb(II) from Aqueous Solution: Kinetic and Isoterm Studies, *Internat. J. Eng. Sci. Technol.*, 2(6), 1867-1879.
- Kobyas, M., Dermirbas, E., Senturk, E. dan Ince, M., 2005, Adsorption of Heavy Metals Ion From Aqueous by Activated Carbon Prepared From Apricot Stone, *Bioresour. Technol.*, 1518-1521.
- Krowiak, A.W., Szafran, R.G. dan Modelski, S., 2010, Biosorption of Heavy Metal from Aqueous Solution Onto Peanut Shell as a Low Cost Biosorbent, *Desalination*, 265, 126-134.
- Lara, M.A.M., Rico, I.L.R., Vicente, I.C.A, Garcia, G.B. dan Hoces, M.C., 2010, Modification of the Sorptive Characteristic of Sugarcane Baggase for Removing Lead from Aqueous Solutions, *Desalination*, 256, 58-63.
- Lasmi, L., 2013, Studi Adsorpsi Kompetitif Logam Ag(I), Cu(II) dan Cr(III) pada Asam Humat, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Li, Q., Zhai, J., Zhang, W, Wang, M. dan Zhou, J., 2007, Kinetic Studies of Adsorption of Pb(II), Cr(III) and Cu From Aqueous Solution By Sawdust And Modified Peanut Husk, *J. Hazard. Mater.*, 141, 163-167.
- Liu, Y., Sun, X. dan Li, B., 2010, Adsorption of Hg²⁺ and Cd²⁺ by Ethylenediamine Modified Peanut Shells,. *Carbohydr. Polym.*, 81, 335-339.
- Lugo-lugo, V., Diaz, C. B., Nunez, F.U., Bilyeu, B. dan Hernandez, I.L., 2012, Biosorption of Cr(III) and Fe(III) in Single and Binary System onto Pretreated Orange Peel, *J. Environ. Manage.*, 112, 120-127.
- Mahajan, S.P., 2002, *Pollution Control in Industries Process*, Tata McGraw-Hill Pub. Co. Ltd., New Delhi.
- Miao, Q., Tang, Y., Liu, X. dan Chen, Q., 2013, Activated Carbon Prepared from Soybean Straw for Phenol Adsorption, *J.Taiwan Inst. Chem. Eng.*, 44, 458-465.

- Mohadi, R., Hidayati, N. dan Lesbani, A., Adsorption Desorption of Chromium (III) Ion on Cellulose from Wood Powder, *Internat. J. Sci. Eng.* 7, 77-80.
- Montoya, V.H., Cruz, M.A.P., Castillo, D.I.M., Virgen, M.R.M. dan Patriciolet, A.B., Competitive Adsorption of Dyes and Heavy Metals on Zeolitic Structures, *J. Environ. Manage.*, 116, 213-221.
- Ngah, W.S.W. dan Hanafiah, M.A.K.M., 2008, Removal of Heavy Metal Ions from Wastewater by Chemically Modified Plant Wastes as Adsorbents: A Review, *Bioresour. Technol.*, 99, 3935-3946.
- O'Connell, D.W, Birkinshaw, C. dan O'Dwyer, T. F., 2008. Heavy Metal Adsorbents Prepared from Modification of Cellulose: A Review. *Bioresour. Technol.*, 99, 6709-6724.
- Oscik, J., 1982, *Adsorption*, West Sussex, England : Ellis Horward Limited
- Osman, H, N., Badwy, R.K. dan Ahmad, H.F., 2010, Usage of Some Agricultural By-Product in the Removal of Some Heavy Metals from Industrial Wastewater, *J. Phytology*, 2(3), 51-62
- Parab, H., Joshi, S., Shenoy, N dan Lali, A., 2006. Determination of Kinetic and Equilibrium Parameters of the Batch Adsorption of Co(II), Cr(III) and Ni(II) Onto Coir Pith, *Process Biochem.*, 41, 609-615
- Perez-Marin, A. B., Ballester, A., Gonzalez, M. L., Munoz, J. A., Saez, J. dan Zapata, V. M., 2008, Study of Cadmium, Zinc and Lead Biosorption by Orange Wastes Using the Subsequent Addition Method, *Bioresour. Technol.*, 99, 8101-8106
- Pehlivan, E., Altun., T. dan Parlayici, S., 2012, Modified Barley Straw as a Potential Adsorbent for Removal of Copper Ions from Aqueous Solution, *Food Chem.*, 135, 2229-2234.
- Rafatullah, M., Sulaiman, O., Hashim, R. dan Ahmad, A., 2009, Adsorption of Copper (II), Chromium (III), Nickel (II) and Lead (II) Ions from Aqueous Solutions by Meranti Sawdust. *J. Hazard. Mater.*, 170, 969-977.
- Ramos, R.L., Rodriguez, L.E.L., Ramos, S.L. dan Castillo, N.A.M., 2012, Modification of Corn cob with Citric Acid to Enhance Its Capacity for Adsorbing Cadmium(II) from Water Solution, *Chem. Eng. J.*, 180, 113-120.
- Reddy, D.H.K., Harinath, Y., Seshaiyah, K dan Reddy, A.V.R., 2010, Biosorption of Pb(II) from Aqueous Solutions Using Chemically Modified *Moringa Oleifera* Tree Leaves, *Chem. Eng. J.*, 162, 626-634.

- Reddy, D.H.K., Harinath, Y., Seshaiyah, K dan Reddy, A.V.R., 2011, Biosorption of Ni(II) From Aqueous Phase by *Moringa Oleifera* Bark, a Low Cost Biosorbent, *Desalination*, 268, 150-157.
- Reddy, D.H.K., Seshaiyah, K dan Reddy, A.V.R. dan Lee, S.M., 2012, Optimization of Cd(II), Cu(II) and Ni(II) Biosorption by Chemically Modified *Moringa Oleifera* Leaves Powder, *Carbohydr. Polym.*, 88, 1077-1086.
- Riaz, M., Nadeem, R., Hanif, M.A., Ansari, T.M. dan Rehman, H., 2009, Pb(II) Biosorption from Hazardous Aqueous Streams Using *Gossypium Hirsutum* (Cotton) Waste Biomass, *J. Hazard. Mater.*, 161, 88-94.
- Sag, Y., Akeael, B. dan Kutsal, T., 2002, Ternary Biosorption Equilibria of Cr(VI), Cu(II) and Cd(II) on *Rhizopus arrhizus*, *Sep. Sci. Technol.*, 37(2), 279-309.
- Salem, N. M. dan Awwad, A.M., 2014, Biosorption of Ni(II) from Electroplating Wastewater by Modified (*Eriobotrya japonica*) Loquat Bark, *J. Saudi Chem. Soc.*, 18(5), 379-386
- Salleh, M.A.M., Mahmoud, D. M., Karim, W.A.W.A. dan Idris, A., 2011, Competitive and Anionic Dye Adsorption by Agricultural Solid Waster: A Comprehensive Review, *Desalination*, 280, 1-13.
- Singha, B. dan Das, S.K., 2013, Adsorptive Removal Cu(II) From Aqueous Solution and Industrial Effluent Using Natural/Agricultural Wastes, *Colloids and Surfaces B: Biointerfaces*, 107, 97-106.
- Srivastava, V.C., Mall, I.D. dan Mishra, I.M., 2009, Competitive Adsorption of Cadmium(II) and Nickle(II) Metal Ions from Aqueous Solution onto Rice Husk Ash, *Chem. Eng. Process.*, 48, 370-379.
- Sulaymon, A.H., Ebrahim, S.E. dan Ridha, M.J.M., 2013, Equilibrium, Kinetic, and Thermodynamic Biosorption on Pb(III), Cr(III), and Cd(II) Ions by Dead Anaerobic Bimass From Synthetic Wastewater, *Environ. Sci. Pollut. Res.*, 20, 175-187
- Tan, G., Yuan, H., Liu, Y. dan Xiao, D., 2010, Removal of Lead from Aqueous Solution with Native and Chemically Modified Corncobs, *J. Hazard. Mater.*, 74, 740-745.
- Uluozlu, O.D., Sari, A., Tuzen, M. dan Soylak, M., 2008, Biosorption of Pb(II) and Cr(III) from Aqueous Solution by Lichen (*Parmelina tiliaceae*) Biomass, *Bioresour. Technol.*, 99, 2972-2980.

- Wang, S., Wang, L., Kong, W., Ren, J., Liu, C., Wang, K, Sun, R. dan She, D., 2013, Preparation, Characterization of Carboxylated Bamboo Fibres and Their Adsorption for Lead(II) Ions in Aqueous Solution, *Cellulose*, 20, 2091-2100.
- Zhu, B., Fan, T. dan Zhang, D., 2008, Adsorption of Copper Ions From Aqueous Solution By Citric Acid Modified Soybean Straw, *J. Hazard. Mater.*, 153, 300-308.
- Zulkali, M.M.D., Ahmed, A.C. dan Norulakmal, N.H., 2006. Oriza Sativa Husk as Heavy Metal Adsorbent: Optimization with Lead as Model Solution. *Boires. Technol.*, 97, 21-25.