

## DAFTAR PUSTAKA

- AHA. (2012) Potassium and High Blood Pressure. Available from: [http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/PreventionTreatmentofHighBloodPressure/Potassium-and-High-Blood-Pressure\\_UCM\\_303243\\_Article.jsp](http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/PreventionTreatmentofHighBloodPressure/Potassium-and-High-Blood-Pressure_UCM_303243_Article.jsp) (Accessed 9 Agustus 2014).
- Allender, S., Wickramasinghe, K., Goldacre, M., Matthews, D., & Katulanda, P. (2011) Quantifying urbanization as a risk factor for noncommunicable disease. *J. Urban Health*, 88(5): 906–918.
- Alsairafi, M., Alshamali, K. & Al-rashed, A. (2010) Effect of Physical Activity on Controlling from Mishref Area of Kuwait. *Eur J Gen Med*, 7(4): 377-384.
- Aubin, H.-J., Farley, A., Lycett, D., Lahmek, P., & Aveyard, P. (2012) Weight gain in smokers after quitting cigarettes: meta-analysis. *BMJ*. 345: e4439.
- Bansal, S.K., Saxena, V. Kandpal, S.D., Gray, W.K., Walker, R.W., Goel, D., Sodfng, D.Q.G., Vwudlq, D.V. Wkh, R.Q., & Khdownkfduh, F.V. (2010) The prevalence of hypertension and hypertension risk factors in a rural Indian community: A prospective door-to-door study. *J. Cardiovasc. Dis. Res*, 3 (2): 117–123.
- Bhagyalaxmi, A., Atul, T., & Shikha, J. (2013) Prevalence of risk factors of non-communicable diseases in a District of Gujarat, India. *J. Health. Popul. Nutr.*, 31(1): 78–85.
- Bhattacharyya, D., Rai, S. & Neog, L. (2008) Therapy for cessation of smoking. *Med. J. Armed Forces India*, 64 (3): 254–259.
- BHF. (2011) *Blood Pressure*. London: British Heart Foundation.
- Börjesson, M., Kjeldsen, S. & Dahlöf, B. (2010) Hypertension. In *Physical Activity in the Prevention and Treatment of Disease*. 2nd ed. Östersund: Professional associations for physical activity. pp. 410–425.
- BPS Kota Yogyakarta, (2013) *Kota Yogyakarta dalam Angka tahun 2012*, Yogyakarta: Badan Pusat Statistik Kota Yogyakarta.
- CDC. (2014a) *Behaviors That Increase Risk for High Blood Pressure (Hypertension)*. Available from: <http://www.cdc.gov/bloodpressure/behavior.htm> (Accessed 8 Agustus 2014).
- \_\_\_\_\_. (2014b) *Conditions That Increase Risk for High Blood Pressure*. Available from: <http://www.cdc.gov/bloodpressure/conditions.htm> (Accessed 8 Agustus 2014).
- \_\_\_\_\_. (2014c) *Family History and Your Risk for High Blood Pressure (Hypertension)*. Available from: [http://www.cdc.gov/bloodpressure/family\\_history.htm](http://www.cdc.gov/bloodpressure/family_history.htm) (Accessed 8 Agustus 2014).

- \_\_\_\_\_. (2014d) *High Blood Pressure (Hypertension) Risk Factors*. Available from: [http://www.cdc.gov/bloodpressure/risk\\_factors.htm](http://www.cdc.gov/bloodpressure/risk_factors.htm) (Accessed 8 Agustus 2014).
- Cheng, S.-J., Yu, H.-K., Chen, Y.-C., Chen, C.-Y., Lien, W.-C., Yang, P.-Y., & Hu, G.-C. (2013) Physical Activity and Risk of Cardiovascular Disease Among Older Adults. *Int. J. Gerontol.*, 7(3): 133–136.
- Chiu, H.-C., Mau, L.-W., Chang, H.-Y., Lee, T.-K., Liu, H.-W., & Chang, Y.-Y. (2004) Risk factors for cardiovascular disease in the elderly in Taiwan. *Kaohsiung J. Med. Sci.*, 20(6): 279–286.
- Chockalingam, A., Campbell, N.R. & George Fodor, J. (2006) Worldwide epidemic of hypertension. *Can. J. Cardiol.*, 22 (7): 553–555.
- Cohen, L., Curhan, G. C., & Forman, J. P. (2012) Influence of age on the association between lifestyle factors and risk of hypertension. *J. Am. Soc. Hypertens.*, 6(4): 284–290.
- Cois, A. & Ehrlich, R. (2014) Analysing the socioeconomic determinants of hypertension in South Africa : a structural equation modelling approach. *BMC public health*, 14: 414.
- Courneya, K. S., & Friedenrich, C. M. (2011) Physical Activity and Cancer: An Introduction. In *Physical Activity and Cancer*. New York: Springer. pp.1-12.
- Cramm, J.M. & Lee, J. (2014) Smoking, physical activity and healthy aging in India. *BMC public health*, 14 (1): 526.
- Dans, A., Ng, N., Varghese, C., Tai, E. S., Firestone, R., & Bonita, R. (2011) The Rise of Chronic Non-communicable Diseases in Southeast Asia : time for action. *The Lancet*, 377(9766): 680–689.
- Depkes. (2006) *Pedoman Teknis Penemuan dan Tatalaksana Penyakit Hipertensi*. Jakarta: Direktorat Pengendalian Penyakit Tidak Menular Direktorat Jenderal PP & PL Departemen Kesehatan RI.
- Dewi F.S.T., Stenlund H., Hakimi M., & Weinehall L. (2013) The increasing risk factors of cardiovascular disease in Yogyakarta, Indonesia: A result from two cross- sectional surveys. In *Working with community Exploring community empowerment to support non-communicable disease prevention in a middle-income country*. Umeå, Swedia: Umeå University Medical Dissertations.
- Dewi, F.S.T., Stenlund, H., Marlinawati, V.U., Öhman, A., & Weinehall, L. (2013) A community intervention for behaviour modification: an experience to control cardiovascular diseases in Yogyakarta, Indonesia. *BMC public health*, 13: 1043.
- Dewi, F.S.T., Weinehall, L. & Ohman, A. (2010) Maintaining balance and harmony: Javanese perceptions of health and cardiovascular disease. *Glob. Health Action*, 3: 4660.

- Doll, R., Peto, R., Boreham, J., *et al.* (2004) Mortality in relation to smoking: 50 years' observations on male British doctors. *BMJ (Clinical research ed.)* 328 (7455): 1519.
- Elliott, P., Stamler, J., Dyer, A.R., Appel, L., Dennis, B., Kesteloot, H., Ueshima, H., Okayama, A., Chan, Q., Garside, D.B., & Zhou, B. (2006) Association Between Protein Intake and Blood Pressure. *Arch. Intern. Med.*, 166: 79–87.
- Eshak, E.S., Iso, H., Date, C., Kikuchi, S., Watanabe, Y., & Wada, Y. (2010) Dietary Fiber Intake Is Associated with Reduced Risk of Mortality from Cardiovascular Disease among Japanese Men and Women<sup>1-3</sup>. *J. Nutr.* 140: 1445–1453.
- FDA. (2013) *Vegetables: nutrition facts*. Available from: <http://www.fda.gov/Food/IngredientsPackagingLabeling/LabelingNutrition/ucm114222.htm> (Accessed 9 Agustus 2014).
- \_\_\_\_\_. (2014) *Fruits: nutrition facts*. [online]. Available from: <http://www.fda.gov/Food/IngredientsPackagingLabeling/LabelingNutrition/ucm063482.htm> (Accessed 9 Agustus 2014).
- Gharipour, M., Khosravi, A., Sadeghi, M., Roohafza, H., Hashemi, M., & Sarrafzadegan, N. (2013) Socioeconomic characteristics and controlled hypertension: Evidence from Isfahan Healthy Heart Program. *ARYA Atheroscler.* 9 (1): 77–81.
- Godin, G., Amireault, S., Bélanger-Gravel, A., Vohl, M-C., Pérusse, L., & Guillaumie, L. (2010) Prediction of daily fruit and vegetable consumption among overweight and obese individuals. *Appetite*, 54 (3): 480–4.
- Gordon, J.L., Lavoie, K.L., Arsenault, A., Ditto, B., Bacon, S.L. (2007) *Mood Disorders and Cardiovascular Disease*, 74-101. Montreal: Intech
- Green, M.S., Jucha, E. & Luz, Y. (1986) Blood pressure in smokers and nonsmokers epidemiologic findings. *Am Heart J*, 111: 932.
- Greger, J.L. (1999) Nutritional and Health Benefits of Inulin and Oligofructose: Nondigestible Carbohydrates and Mineral Bioavailability<sup>1</sup>. *J. Nutr.* 129: 1434–1435.
- Hall, J.E., Silva, A.A., Brandon, E., Stec, D.E., Ying, Z., & Jones, D.W. (2007) Pathophysiology of Obesity- Induced Hypertension and Target Organ Damage. In Lip, G.Y.H. and Hall, J.E. (eds.) *Comprehensive Hypertension*. New York: Elsevier.
- Hatton, D.C. & McCarron, D. a. (1994) Dietary calcium and blood pressure in experimental models of hypertension. A review. *Hypertension* 23 (4): 513–530.
- Hoggatt, K.J. (2002) *Biostatistical Methods in Epidemiology*, New York: John Wiley & Sons, Inc.

- Holt, R.I.G., Cockram, C., Flyvbjerg, A., Goldstein, & Barry J. (2010) *Textbook of Diabetes*. 4th ed. New Jersey, USA: Wiley –Blackwell.
- Hong, Y. (2009) Burden of Cardiovascular Disease in Asia : Big Challenges and Ample Opportunities for Action and making a difference. *Clin. Chem.*, 8 (55): 1450–1452.
- Hu, G., Barengo, N.C., Tuomilehto, J., Lakka, T., Nissinen, A., & Jousilahti, P. (2004) Relationship of physical activity and body mass index to the risk of hypertension: a prospective study in Finland. *Hypertension*. 43 (1): 25–30.
- Huang, N., Duggan, K. & Harman, J. (2008) Lifestyle management of hypertension. *Australian Prescriber*, 31 (6): 150–153.
- Ibrahim, M.M. & Damasceno, A. (2012) Hypertension in developing countries. *Lancet*, 380 (9841): 611–619.
- Jackson, C. & Brown, W. (2014) Joint Effects of Physical Activity and BMI on Risk of Hypertension in Women : A Longitudinal Study, *J. Obes*, 2014.
- Juraschek, S.P., Blaha, M.J., Whelton, S.P., Blumenthal, R., Jones, S.R., Keteyian, S.J., Schairer, J., Brawner, C. & Al-Mallah, M.H. (2014) Physical Fitness and Hypertension in a Population at Risk for Cardiovascular Disease: The Henry Ford Exercise Testing (FIT) Project. *J. Am. Heart Assoc.* 3(6):1–11.
- Kaplan, N.M. (2006) *Kaplan's Clinical Hypertension Project Manager*. 9th ed. Lippincott Williams & Wilkins.
- Katz, M.H. (2011) *Multivariable analysis: a practical guide for clinical and public health researchers*. 3rd ed. New York: Cambridge University Press.
- Kearney, P.M., Whelton, M., Reynolds, K., Whelton, P.K., & He, J. (2004) Worldwide prevalence of hypertension: a systematic review. *J. Hypertens.*, 22 (1): 11–19.
- Kearney, P.M., Whelton, M., Reynolds, K., Muntner, P., Whelton, P.K., He, J. (2005) Global burden of hypertension: analysis of worldwide data. *Lancet*. 365 (9455): 217–23.
- Kemenkes. (2008) *Riset Kesehatan Dasar*. Jakarta: Badan Pengembangan dan Penelitian Kesehatan Kementerian Kesehatan RI.
- \_\_\_\_\_. (2013) *Riset Kesehatan Dasar*. Jakarta: Badan Pengembangan dan Penelitian Kesehatan Kementerian Kesehatan RI.
- \_\_\_\_\_. (2014) *Data dan Informasi Tahun 2013 (Profil Kesehatan Indonesia)*. Jakarta: Kementerian Kesehatan RI.
- Khan, R.J., Stewart, C.P., Christian, P., Schulze, K.J., Wu, L., Leclercq, S.C., Khatry, S.K., & West, K.P. (2013) A cross-sectional study of the prevalence and risk factors for hypertension in rural Nepali women. *BMC public health*. 13: 55.

- Labarthe, D.R. (2011) *Epidemiology and Prevention of Cardiovascular Diseases : A Global Challenge*. Second Edi. Sudbury, Massachusetts, USA: Jones and Bartlett Publishers.
- Lawes, C.M.M., Hoorn, S. Vander, & Rodgers, A. (2008) *Global burden of blood-pressure-related disease, 2001.*, 371: 1513–1518.
- Lee, D., Ha, M., Kim, J., & Jacobs, D.R.. (2001) Effects of Smoking Cessation on Changes in Blood Pressure and Incidence of Hypertension. *Hypertension*. 37: 194–199
- Leone, A. (2012) How and why chemicals from tobacco smoke can induce a rise in blood pressure. *World J. Pharmacol.* 1 (1): 10.
- Liang, Y., Shiel, L.M., Teede, H., Kotsopoulos, D., Mcneil, J., Cameron, J.D., & Mcgrath, B.P. (2001) Effects of Blood Pressure , Smoking , and Their Interaction on Carotid Artery Structure and Function. *Hypertension*. 37:6-11.
- Lip, G.Y.H. & Beevers, D.G. (2007) Pathophysiology of Hypertension. In Beevers, D.G. (ed.) *ABC of Hypertension*. Fifth. BMJ Books. pp. 12–16
- Lloyd-Sherlock, P., Beard, J., Minicuci, N., Ebrahim, S., & Chatterji, S. (2014) Hypertension among older adults in low- and middle-income countries: prevalence, awareness and control. *Int. J. Epidemiol.* 43 (1): 116–128.
- Lwanga, S., & Lemeshow, S. (1997) *Sample Size Determination in Health Studies: a practical manual*. Geneva: World Health Organization.
- Maric-bilkan, C., & Manigrasso, M. B. (2012) Sex Differences in Hypertension : Contribution of the Renin – Angiotensin System. *GENM*, 9(4): 287–291.
- Mytton, O.T., Nnoaham, K., Eyles, H., Scarborough, P., & Ni Mhurchu, C. (2014) Systematic review and meta-analysis of the effect of increased vegetable and fruit consumption on body weight and energy intake. *BMC public health*, 14 (1): 886.
- Narkiewicz, K., Borne, P.J.H. Van De, Hausberg, M., Cooley, Ryan L., Winniford, M.D., Davison, D.E., & Somers, V.K. (1998) Cigarette Smoking Increases Sympathetic Outflow in Humans. *Circulation*, 98: 528–534.
- Nesbitt, P.D. (1973) Smoking, physiological arousal, and emotional response. *J.Pers. Soc. Psychol.*, 25 (1): 137–144.
- Ng, N., Stenlund, H., Bonita, R., Hakimi, M., Wall, S., & Weinehall, L. (2006) Preventable risk factors for noncommunicable diseases in rural Indonesia: prevalence study using WHO STEPS approach. *Bull. World Health Organ.*, 84(4): 305–313.
- NIH. (2014) What Is the DASH Eating Plan?. Available from: <http://www.nhlbi.nih.gov/health/health-topics/topics/dash/> (Accessed 9 Agustus 2014).

- O'brien, R.M. (2007) A Caution Regarding Rules of Thumb for Variance Inflation Factors. *Qual. Quant.*, 41 (5): 673–690.
- Okubo, Y., Suwazono, Y., Kobayashi, E., & Nogawa, K. (2004) An association between smoking habits and blood pressure in normotensive Japanese men : a 5-year follow-up study. *Drug Alcohol Depend.* 73: 167–174
- Parrott, S., Godfrey, C., Raw, M., West, R., & McNeill, A. (1998). Guidance for Commissioners on the Cost Effectiveness of Smoking Cessation Interventions. *Thorax*, 53(2), 2–37.
- Pham, L. H., Au, T. B., Blizzard, L., Truong, N. B., Schmidt, M. D., Granger, R. H., & Dwyer, T. (2009) Prevalence of risk factors for non-communicable diseases in the Mekong Delta, Vietnam: results from a STEPS survey. *BMC Public Health*, 9: 291.
- Phaswana-Mafuya, N., Peltzer, K., Chirinda, W., Musekiwa, A., & Kose, Z. (2013) Sociodemographic predictors of multiple non-communicable disease risk factors among older adults in South Africa. *Glob. Health Action*, 6: 20680.
- Poirier, P., Giles, T.D., Bray, G. a, Hong, Y., Stern, J.S., Pi-Sunyer, F.X., & Eckel, R.H. (2006) Obesity and cardiovascular disease: pathophysiology, evaluation, and effect of weight loss: an update of the 1997 American Heart Association Scientific Statement on Obesity and Heart Disease from the Obesity Committee of the Council on Nutrition, Physical. *Circulation*. 113 (6): 898–918.
- Rahajeng E., & Tuminah, S. (2009) Prevalensi hipertensi dan determinannya di Indonesia. *Maj Kedokt Indon*. 59 (12): 580-587
- Reddy, K.S. & Katan, M.B. (2007) Diet, nutrition and the prevention of hypertension and cardiovascular diseases. *Public Health Nutr.*, 7 (1a): 167–186.
- Richiardi, L., Bellocco, R. & Zugna, D. (2013) Mediation analysis in epidemiology : methods , interpretation and bias. *Int. J. Epidemiol*. 42: 1511–1519.
- Ruivo, J.A. & Alcântara, P. (2012) Hypertension and exercise, *Rev Port Cardiol*. 2012;31(2):151---158.
- SEARO. (2011) *Noncommunicable Diseases in the South-East Asia Region: 2011: Situation and Response*. New Delhi: World Health Organization, Regional Office for South-East Asia.
- Seltzer, C.C. (1974) Effect of smoking on blood pressure. *Am. Heart J*. 87 (5): 558–564.
- Shah, S.N. (2013) Epidemiology of Hypertension. *J. Assoc. physicians India*. 61 (2): 12-13.

- Sihombing, M. (2010) Hubungan Perilaku Merokok, Konsumsi Makanan/Minuman, dan Aktivitas Fisik dengan Penyakit Hipertensi pada Responden Obes Umur Dewasa di Indonesia. *Maj Kedokt Indon.* 60 (9): 406–412.
- Soares, J., Barcellos, F.C., Sclowitz, M.L., Krolow, I., & Sclowitz, T. (2006) Original Article Hypertension Prevalence and its Associated Risk Factors in Adults : a Population-Based Study in Pelotas. *Arq Bras Cardiol.* 1 (88): 54-59.
- Sontia, B. & Touyz, R.M. (2007) Role of magnesium in hypertension. *Arch. Biochem. Biophys.* 458 (1): 33–9.
- Stefanick, M.L. (2001) "Obesity : Role of Physical Activity." *In Nutrition in the prevention and treatment of disease.* California: Stanford University Academic Press
- Streppel, M.T., Arends, L.R., Veer, P. van't, Grobbee, D.E., & Geleijnse, J.M., (2005) Dietary Fiber and Blood Pressure: A Meta-analysis of Randomized Placebo-Controlled Trials. *Arch Intern Med.* 165: 150–156.
- Tibazarwa, K.B. & Damasceno, A. (2014) Hypertension in developing countries. *Can. J. Cardiol.* 30 (5): 527–33.
- Tsuda A, Steptoe, A., West, R., Fieldman, G., & Kirschbaum, C. (1996) Cigarette smoking and psychophysiological stress responsiveness: effects of recent smoking and temporary abstinence. *Psychopharmacology (Berl)*, 126 (3): 226–233.
- U.S. Department of Health and Human Services (2004) *The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure.* Bethesda: National Heart, Lung, and Blood Institute (NHLBI) of the National Institutes of Health.
- Vasdev, S. & Stuckless, J. (2010) Antihypertensive effects of dietary protein and its mechanism. *Int. J. Angiol.* 19 (1): 7–20.
- Wagner, K.-H., & Brath, H. (2012) A global view on the development of non communicable diseases. *Prev. Med.* 54 *Suppl*: S38–41.
- Walker, R. L., Gee, M. E., Bancej, C., Nolan, R. P., Kaczorowski, J., Joffres, M., Bienek, A., Gwadry-sridhar, F., Campbell, N. R. C. (2011). Health Behaviour Advice From Health Professionals to Canadian Adults With Hypertension : Results From a National Survey. *CJCA*, 27(4), 446–454.
- Wang, L., Manson, J.E., Gaziano, J.M., Buring, J.E., & Sesso, H.D. (2012) Fruit and vegetable intake and the risk of hypertension in middle-aged and older women. *Am. J. Hypertens.* 25(2): 180-189.
- Ward, K.D., Bliss, R.E., Vokonas, P.S., & Garvey, A.J. (1993) Effects of smoking cessation on blood pressure. *Am. J. Cardiol.* 72 (12): 979–981.
- Ward, K.D., Klesges, R.C. & Weg, M.W.V. (2001) *Cessation of Smoking and Body Weight*, John Wiley & Sons Ltd.

- WHO. (2008a) *Conducting the Survey, Data Entry, Data Analysis and Reporting and Disseminating Results Overview*. In *WHO STEPS Surveillance Manual*. Geneva: World Health Organization.
- \_\_\_\_\_. (2008b) *Glossary and References Overview*. In *WHO STEPS Surveillance Manual*. Geneva: World Health Organization.
- \_\_\_\_\_. (2011a) *Global Recommendations on Physical Activity for Health*. Geneva: World Health Organization.
- \_\_\_\_\_. (2011b) *Physical Activity*. Available from:  
<http://www.who.int/entity/dietphysicalactivity/en/index.html> (Accessed 5 Februari 2015).
- \_\_\_\_\_. (2013a) *A Global Brief on Hypertension: silent killer, global public health crisis*. Geneva: World Health Organization.
- \_\_\_\_\_. (2013b) *High Blood Pressure: global and regional overview*. Available from:  
[http://www.who.int/gho/ncd/risk\\_factors/blood\\_pressure\\_prevalence\\_text/en/](http://www.who.int/gho/ncd/risk_factors/blood_pressure_prevalence_text/en/) (Accessed 30 Desember 2014).
- \_\_\_\_\_. (2014a) *Global Health Observatory: Overweight*. Available from:  
[http://www.who.int/gho/ncd/risk\\_factors/overweight](http://www.who.int/gho/ncd/risk_factors/overweight) (Accessed 30 Desember 2014).
- \_\_\_\_\_. (2014b) *Global Health Observatory: prevalence of insufficient physical activity*. Available from:  
[http://www.who.int/gho/ncd/risk\\_factors/physical\\_a](http://www.who.int/gho/ncd/risk_factors/physical_a) (Accessed 30 Desember 2014).
- \_\_\_\_\_. (2014c) *Global Health Observatory: prevalence of tobacco use*. Available from:  
<http://www.who.int/gho/tobacco/use/en/> (Accessed 30 Desember 2014).
- \_\_\_\_\_. (2014d) *Global Health Observatory: unhealthy diet*. Available from:  
[http://www.who.int/gho/ncd/risk\\_factors/unhealthy](http://www.who.int/gho/ncd/risk_factors/unhealthy) (Accessed 30 Desember 2014).
- Williams, B. (2003) *Hypertension in Diabetes*. London and New York: Martin Dunitz.
- WPRO. (2006) *Noncommunicable Disease and Poverty: The need for pro-poor strategies in the Western Pacific Region*. Manila: WHO Western Pacific Region.
- Wu, W. (2010) *Confounding, interaction, and mediation in multivariable / multivariate regression modeling*. Department of Biostatistics, Cancer Biostatistics Center, Vanderbilt-Ingram Cancer Center.
- Yamaguchi, I. & Flynn, J.T. (2009) *Pathophysiology of Hypertension*. Berlin Heidelberg: Springer-Verlag. pp. 1485–1518.