

DAFTAR PUSTAKA

- Allcock, H.R., and Lampe, F.W., 1981, *Contemporary Polymer Chemistry*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey.
- Bourtoom, T., 2007, Effect of Some Process Parameters on the Properties of Edible Film Prepared from Starch, *Paper presented in The 9th Agro-Industrial Conference: Food Innovation*, 15-16 June 2007, Bangkok.
- Bourtoom, T., 2008, Edible Film and Coatings; Characteristics and Properties, *Int. Food Res. J.*, 15 (3), 1-12.
- Cao, N., Fu, Y., and He, J., 2007, Mechanical properties of gelatin films cross-linked, respectively, by ferulic acid and tannin acid, *Food Hydrocolloid*, 21, 575–584.
- Cereda, M.P., 2000, Characterization of Edible Films of Cassava Strach by electron Microscopy, *Braz. J. Food. Technol.*, 91-95.
- Darni, Y., Chici, A., dan Sri, I., 2008, Sintesa Bioplastik dari Pati Pisang dan Gelatin dengan Plastisizer Gliserol, *Prosiding Seminar Nasional Sains dan Teknologi-II*, 17-18 November, Lampung.
- Dewi, C.P., Djagal, W., dan Marseno., 2003, Karakterisasi *Edible Film* Komposit Protein Biji Kecipir dan Tapioca, *J. Teknologi dan industri pangan*, 14(3), 224-232.
- Fadhila, R., 2014, Pengaruh Penambahan Gliserol Terhadap Poli(butilen itakonat) dengan Metode Vakum Polikondensasi, *Skripsi*, Jurusan Kimia FMIPA UNS, Surakarta.
- Faizin, K.N., 2012, Pengaruh Penambahan Boraks dan Kitosan terhadap Kekuatan Tarik Biokomposit Serat Rami Bermatrik Sagu, *Indo. J. Civil. Eng.*, 1(1), 21-30.
- Fernandez, L., de Apodaca, E.D., Cebrian, M., Villarian, M.C., and Mate, J.I., 2007, Effect of the unsaturated degree and concentration of fatty acids on the properties of WPI-based edible film, *Eur. Food. Res. and Technol.*, 224, 415-420.
- Firdaus, F., 2008, *Sintetis Kemasan Film Ramah Lingkungan Dari Komposit Pati, Kitosan, dan Asam Polilaktat dengan Pemplastis Gliserol*, Pusat Sains dan Teknologi DPPM Universitas Indonesia, Yogyakarta.

- Galiatt, G., di Gioia, L., Guilbert, S., and Cuq, B., 1998, Mechanical and Thermomechanical Properties of Films Based on Whey Proteins as Affected by Plasticizer and Crosslinking Agents, *J. Dairy. Sci.*, 81, 3123-3130.
- Garcia, M., Martino, M.N., and Zaritzky, N.E., 2000, Lipid addition improve barrier properties of edible starch-based film and coating, *J. Food. Sci.*, 65(6), 941-947.
- Gontard, N., Duchez, C., Cuq, J.L., and Guilbert, S., 1994, Edible Composite Film of Wheat Gluten and Lipids-water-vapor Permeability and other Physical Properties, *J. Food. Sci. and Tech Mys.*, 29(1), 39-50.
- Gontard. N., Guilbert, S., and Lug, J.L., 1993, Water and glycerol a plasticizer affect mechanical and water vapor barrier properties of in edible wheat gluten film, *J. Food. Sci.*, 58, 190-195.
- Guilbert, S., and Biquet, B., 1996, Select Functional Properties of Fish Myofibrillar Protein-Based Films As Affect By Hydrophilic Plasticizer, *J. Agr. Food. Chem.*, 45(3), 622-626.
- Hagenmaier, R.D., and Shaw, P. E., 1990, Moisture Permeability of Edible Films made with Fatty Acid and (hydroxypropyl) Methylcellulose, *J. Agr. Food. Chem.*, 42(4), 899-902.
- Harsunu, B.T., 2008, Pengaruh Konsentrasi Plasticizer Gliserol dan Komposit Khitosan dalam Zat Pelarut Terhadap Sifat Fisik Edible Film dari Khitosan, *Skripsi*, Program Studi Teknik Kimia FT, UI, Jakarta.
- Heddy, S., 2000, Pengaruh dosis EM4 dan pupuk kandang sapi terhadap pertumbuhan dan hasil tanaman sawi (*Brassica juncea* L.), *J. Agritek.*, 8(4), 505-510.
- Higa, T., dan Widhidana, G.N., 1996, *Teknologi Efektif Mikroorganismen*, Penerbit Koperasi Karyawan, Departemen Kehutanan.
- Inukai and Masakatsu, 1999, Effects of Charge Density on Drug Permeability Through Alginate Gel Membranes, *Chem. Pharm. Bull.*, 48(7), 1059-1063.
- Irawati, D., 2013, Sintesis dan Karakterisasi Poli(butilen itakonat) dengan Penambahan Gliserol sebagai Agen Pengikat Silang, *Skripsi*, Jurusan Kimia FMIPA UNS, Surakarta.

- Jimenez, A., Talens, P., and Chiralt, A., 2007, *Effect of saturated and unsaturated fatty acids on structural and optical properties of corn starch-glycerol based film*, Departamento de Tecnologia de Alimentos, Universitat Politecnica de Valencia, Spain.
- Kamper, S.L., and Fennema, O., 1984, Water Vapor Permeability of an Edible, Fatty Acid, Bilayer Film, *J. Food. Sci.*, 49(6), 1482-1485.
- Glicksman, M., 1983, *Food Hydrocolloids*, Vol II, CRC Press, United States of America.
- Krochta, J.M., 1992, *Control of Mass Transfer in Food with Edible Coatings and Films*, CRC Press, Boca Raton.
- Krochta and Jonhson, 1997, *Edible Protein Films and Coatings*, in Damodaran S, Paraf A(eds) *Food Proteins and Their Applications*, Marcel Dekker, New York.
- Lourdin, D., Coignard, L., Bizot, H., and Colonna, P., 1997, *Influence of equilibrium relative humidity and plasticizer concentration on the water content and glass transition of starch materials*, *Polymer*, 38 (21), 5401-5406.
- Marbun S., 2012, Sintesis Bioplastik dari pati ubi jalar menggunakan penguat logam ZnO dan Penguat alami selulosa, *Skripsi*, Fakultas Teknik, Universitas Indonesia, Jakarta.
- Marseno, D.W., 2000, Pengaruh sorbitol terhadap sifat mekanik dan transmisi uap air film dari pati jagung, *Prosiding seminar nasional industry dan pangan*, 15 Januari 2000, Universitas Gadjah Mada, Yogyakarta.
- McHugh, T.H. and Krochta, J.M., 1994, Sorbitol vs Glycerol Plasticized Whey Protein Edible Film : Integrated Oxygen Permeability and Tensite Property Evaluation. *J. Agr. Food. Chem.*, 2(4), 841-84.
- Krochta, J.M., Baldwin, E.A., and Nisperos-Carriedo, M.A., 1994, *Edible Coatings and Films to Improve Food Quality*, Technomic Publising Co. Inc., Pennsylvania.
- Nurminah, M., 2002, Penelitian Sifat Berbagai Bahan Kemasan Plastik dan Kertas serta Pengaruhnya terhadap Bahan yang Dikemas, *Skripsi*, Fakultas Pertanian, Universitas Sumatera Utara, Medan.

- Orhan, Y., Hrenovic, J., dan Buyukgungor, H., 2004, Biodegradation of Plastic Compos Bags Under Controlled Soil Conditions, *Acta Chim. Slov.*, 51, 579–58.
- Pangesti, A.D., Rahim, A., dan Hutomo, G.S., 2014, Karakteristik Fisik, Mekanik dan Sensoris Edible Film dari Pati Talas pada Berbagai Konsentrasi Asam Palmitat, *e-J. Agrotekbis*, 2(6), 604-610.
- Parra, D.F., Tadini, C.C., Lugão, A.B., 2004, Mechanical Properties and Water Vapor Transmission in Some Blends of Cassava Starch Edible Films, *Carbohydr.Polym.*, 58, 475–481.
- Pavlath, A.E., and Robertson, G.H, 1999, Biodegradable Polymers vs Recycling what are the Possibilities, *Critical Reviews in Analytical Chemistry*, 29(3), 232-241.
- Rhim, J.W., 2004, *Physical and mechanical properties of water resistant sodium alginate films*, *Lebensmittel-Wissenschaft und-Technologie* 37 (3), 323-330.
- Rodrigues, M.J., Ose's, Ziani, K., and Mate, J.I., 2006, Combined Effect of Plasticizer and Surfactants on the Physical Properties of Starch based Edible Films, *Food. Res. Int.*, 39, 840-846.
- Rowatt, R.J., 1993, The Plastic Waste Problem, *Chem. Tech.*, 23, 56-60.
- Silva, M.A.D., Bierhalz, A.C.K., and Kieckbusch, T.G., 2009, Alginate and pectin composite films crosslinked with Ca²⁺ ions: Effect of the plasticizer concentration, *Carbohydr. Polym.*, 77 (4), 736-742.
- Srikhant, Pilla., 2011, *Handbook of bioplastics and biocomposites engineering applications*, University of Wisconsin-Madison, USA.
- Suryani, I., 2012, Pengaruh Penambahan Plasticizer dan Carboxymethyl Cellulose (CMC) terhadap Karakter Edible Film Ca-Alginat, *Skripsi*, FMIPA Universitas Sebelas Maret, Surakarta.
- Syarif, E., 1988, *Plastik dan Penggunaannya*, Penerbit UI Press, Jakarta.
- Widiawati, T. N., 2014, Pengaruh Poli(butilen itakonat) terhadap Karakter Plastik Biodegradabel Ca-Alginat/Kitosan, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.

Zahedi, Y., Sedaghat, N. and Ghanbarzadeh, B., 2011, Effect of Physical State of Fatty Acid on the Physical Properties of PGP-based Emulsified Edible Film, *Int. J. Nuts & Related Sci.*, 2 (2), 56-63.

Zhanjiang, F., 1990, *Training Manual Gracilaria Culture and Processing in China*, Regional Seafarming Development and Demonstration Project, China.