

DAFTAR PUSTAKA

- Andreuccetti, C., Carvalho, R.A. and Grosso, C.R.F., 2010, Gelatin-based Films Containing Hydrophobic Plasticizers and Saponin from *Yucca Schidigera* as the Surfactant, *Food Res. Int.*, 43, 1710–1718.
- Achmadi, S.S., 2005, *Kimia Dasar: Konsep-Konsep Inti*, (diterjemahkan dari Chang, R., 2003, *General Chemistry: The Essential Concepts*, 3th Ed, McGraw-Hill, New York), Penerbit Erlangga, Jakarta.
- Anita, Z., Akbar, F. dan Harahap, H., 2013, Pengaruh Penambahan Gliserol Terhadap Sifat Mekanik Film Dari Pati Kulit Singkong, *J. Tek. Kim. USU*, 2(2), 37-41.
- Anonim, 1995, Compendium of Food Additive Specification, www.fao.org. accessed on July 12th 2015.
- Anonim, 2008^a, *Pengelolaan Sampah*, Undang-Undang Republik Indonesia Nomor 18.
- Anonim, 2008^b, *Biochemical Reagents for Life Science Research*, Sigma Aldrich Pte., Ltd: 2706 pp.
- Anonim, 2015, Safety Data Sheet, Product number P0500; A1112; G 9012, www.sigmaaldrich.com, diakses tanggal 11 Mei 2015.
- Bahar, R., 2012, Ekstraksi Alginat dari Rumpun Laut *Sargassum* sp. dan Aplikasinya sebagai Pengawet Buah, *Mar. Chim. Acta*, 13(1), 16-20.
- Belitz, H.D. and Grosch, W., 1986, *Food Chemistry*, Springer, New York.
- Belščak-Cvitanovic, A., Komes, D., Karlovič, Djaković, S., Spoljarič, I., Mršič, G. and Ježek, D., 2015, Improving the Controlled Delivery Formulations of Caffeine in Alginate Hydrogel Beads Combined with Pectin, Carrageenan, Chitosan and Pysyllium, *J. Food. Chem.*, 167, 378-386.
- Bourtoom, T., 2008^a, Edible Film and Coatings ; Characteristics and Properties, *Int. Food Res. J.*, 15 (3), 1-12.
- Bourtoom, T., 2008^b, Plasticizer Effect on the Properties of Biodegradable Blend Film from Rice-Starch-Chitosan, *Songklanakarin J. Sci. Technol.*, 30(1), 149-155.
- Callegarin, F., Quezada-Galo, J.A., Debeaufort, F. and Voilley, A., 1997, Lipids and Biopacking, *J. Am. Oil Chem. Soc.*, 74 (10), 1183-1193.

- Carraher Jr., C.E., 2003, *Polymer Chemistry*, 6th Ed, Marcel Dekker Inc., New York.
- Chiew, C.S.C., Poh, P.E., Pasbakhsh, P., Tey, B.t., Yeoh, H.K. and Chan, E.S., 2014, Physicochemical Characterization of Halloysite/Alginate Bionanocomposite Hydrogel, *Appl. Clay Sci.*, 101, 444-454.
- Chin, A.W., 2010, *Polymer for Innovative Food Packaging, An Interactive Qualifying Project Report*, Faculty of Worcester Polytechnic Institute, Worcester.
- Chinnan, M.S. and Park, H.J., 1995, Effect of Plasticizer Level and Temperature on Water Vapor Transmission of Cellulose-based Edible Film, *J. Food Proc. Eng.*, 18, 417-429.
- Darni, Y., A., Chici, dan Sri, I.D., 2008, Sintesa Bioplastik dari Pati Pisang dan Gelatin dengan Plasticizer Gliserol, *Seminar Nasional Sains dan Teknologi-II*, 17-18 November 2008, Lampung.
- Delaney Jr., J.T., Liberski, A.R., Perelaer, J. and Schubert, U. S., 2010, Reactive Inkjet Printing of Calcium Alginate Hydrogel Porogens-a New Strategy to Open Pore Structure Matrices with Controlled Geometry, *J. Softmatter*, 6, 866-869.
- Donhow, I.G. and Fennema, O.R., 1993, The Effects of Plasticizers on Crystallinity, Permeability and Mechanical Properties of Methylcellulose Films, *J. Food Proc. Preserve.*, 17, 247-257.
- Edlund, U. and Albertsson, A.C., 2003, Polyesters Based on Diacid Advanced Drug Delivery, *Adv. Drug Dev. Reviews*, 55, 585-609.
- Fadhila, R., 2014, Pengaruh Penambahan Gliserol Terhadap Poli(butilen itakonat) dengan Metode Vakum Polikondensasi, *Skripsi*, Kimia MIPA Universitas Sebelas Maret, Surakarta.
- Fadjar, E., 2014, Kebutuhan Kantong Plastik di Indonesia Tinggi | -bisnis- |, *Tempo.com, Tempo News*, diakses tanggal 5 Februari 2015.
- Faridah, Marita, Y., Fona, Z. and Ramayani, 2012, The Effect of Culture Medium on Bacterial Cellulose as Edible Film Material, *J. P. N. L.*, 2 (2), 20-25.
- Febrianto, A., 2015, Pengaruh Penambahan Pemlastis Poli(butilen itakonat) dan Poli(butilen itakonat) Tersambung Silang Gliserol Terhadap Karakter Plastik Biodegradabel Ca-Alginat/Asam Stearat, *Skripsi*, Kimia MIPA Universitas Gadjah Mada, Yogyakarta.

- Fernandez, L., Apodaca, E.D de. and Cebrian, M., 2007, Effect of the Unsaturation Degree and Concentration of Fatty Acids, *Eur. Food Res. Technol.*, 224, 415-420.
- González, A., Strumia, M.C. and Alvarez Igarzabal, C.I., 2011, Cross-linked soy protein as material for biodegradable films: Synthesis, characterization and biodegradation. *J. Food. Eng.*, 106, 331–338.
- Hariyano, M.T., Samal, K. dan Agam, T., 2010, *Koleksi Bibit Alga Coklat (Padina Australis) Dengan Metode Rentangan Net*, Balai Budidaya Laut Ambon, Ambon.
- Hassan, R., Gabouri, A. and Zaafarany, I., 2013, Kinetics and Mechanism of Sol-Gel Transformation between Sodium Alginate Anionic Polyelectrolite and Some Alkaline Earth metal Ion eith Formation of Coordination Biopolymer Ionotropic Polymembrane Hydrogels of Capillary Structures, *Adv. Biosens. Bioelctron*, 2(3), 47-56.
- Hawa, L.T., Thohari, I. dan Radiati, L.E., 2014, Pengaruh Pemanfaatan Jenis dan Konsentrasi Lipid terhadap Sifat Fisik Edible Film Komposit Whey-Porang, *J.I.I.P.*, 23, 35–43.
- Inukai, M., Masakatsu, Y., 1999, Effect of Charge Density on Drug Permeability Through Alginat Gel Membrane, *Chem. Pharm. Bul.*, 47 (8), 1059-1063.
- Jogjareonrak, A., Benjakul, S., Visessanguan, W. and Tanaka, M., 2006, Fatty Acids and Their Sucrose Ester Affect to the Properties of Fish Skin Gelatin-based Film, *Eur. Food Res. Technol.*, 222, 650-657.
- Krochta, J.M., 1992, *Control of Mass Transfer in Food with Edible Coatings and Films*, (in Singh, R.P. and Wirakartakusumah, M.A. (eds), *Adv. Food Eng.*, 517-538), CRC Press, Boca Raton F.L.
- Lersel, S.V. and Flammini, A., 2010, *Algae-based Biofuels Applications and Co-products*, FAO Publications, Rome.
- Lodha, P. and Netravali, A.N., 2005. Thermal and Mechanical Properties of Environment-Friendly “Green” Plastics From Stearic Acid Modified-Soy Protein Isolate. *Ind. Crops Prod.*, 21, 49–64.
- López-Córdoba, A., Deladino, L. dan Martino, M., 2014. Corn starch-calcium alginate matrices for the simultaneous carrying of zinc and yerba mate antioxidants. *LWT - Food Sci. Technol.*, 59, 641–648.
- McHugh, D.J., 2003, *A Guide to the Seaweed Industry*, FAO Publications, Rome.
- Nawapat, D. and Thawien, W., 2013, Effect of UV-treatment on the Properties of Biodegradable Rice Starch Films, *Int. Food Res. J.*, 20 (3), 1313-1322.

- Ong, A. S. H. and Goh, S. H., 2002, Palm Oil: A Healthful and Cost-effective Dietary Component, *Food Nutr. Bull*, 23, 11-22.
- Rasyid, A., 2010, Ekstraksi Natrium Alginat dari Alga Coklat (*Sargassum Echinocarpum*), *Oseano.Limno.Indo.*, 36 (3), 393-400.
- Rodríguez, M., Osés, J. dan Ziani, K., Maté, J.I., 2006. Combined Effect Of Plasticizers And Surfactants On The Physical Properties Of Starch Based Edible Films. *Food Res. Int.*, 39, 840–846.
- Sahwan, F.L., Martono, D.H., Wahyono, S. dan Wisoyodharmo, L.A., 2005, Sistem Pengolahan Limbah di Indonesia, *J.Tek.Ling. P3LT*, 6(1), 311-318.
- Sihaloho, E.B., 2011, Evaluasi Biodegradabilitas Plastik Berbahan Dasar Campuran Pati dan Polietilen Menggunakan Metode Enzimatis, Konsorsia Mikroba dan Pengomposan, *Skripsi*, Program Studi Teknik Lingkungan UI, Depok.
- Sobral, P.J.A., Menegalli, F.C., Hubinger, M.D. and Roques, M.A., 2001, Mechanical, Water Vapor Barrier and Thermal Properties of Gelatin based Edible Film, *Food Hydrocoll.*, 15, 423-432.
- Soliman, E.A. and Furuta, M., 2014, Influence of Phase Behavior and Miscibility on Mechanical, Thermal and Microstructure of Soluble Starch-gelatin Thermoplastic Biodegradable Blend Film, *Food Nutr. Sci.*, 5, 1040-1055.
- Subaryono dan Apriani, S.N.K., 2010, Pengaruh Dekantasi Filtrat pada Proses Ekstraksi Alginat dari *Sargassum* sp. Terhadap Mutu Produk yang Dihasilkan. *J.P.B.Perikanan*, 5 (2), 165-175.
- Sulistiyorini, F., 2014, Poli(butilen itakonat) Tersambung Silang Gliserol sebagai Plasticizer dalam Plastik Biodegradabel Ca-Alginat/Kitosan, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Taqi, A., Askar, K.A., Nagy, K., Mutihac, L., and Stamatina, L., 2011, Effect of Different Concentration of Olive Oil and Oleic Acid on the Mechanical Properties of Albumin (Egg White) Edible Film, *Afr. J. Biotechnol.*, 10 (60), 12963-12972.
- Widiawati, T. N., 2014, Pengaruh Poli(butilen itakonat) terhadap Karakter Plastik Biodegradabel Ca-Alginat/Kitosan, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Widyaningsih, S., Kartika, D. dan Nurhayati, Y.T., 2012, Pengaruh Penambahan Sorbitol dan Kalsium Karbonat terhadap Karakteristik dan Sifat Biodegradasi Film dari Pati Kulit Pisang, *J. Mol.*, 7 (1), 69-81.

- Worz, N., Brandner, A. and Claus, P., 2009, Platinum-Bismuth-Catalyzed Oxidation of Glycerol: Kinetics and The Origin of Selective Deactivation, *J. Phys. Chem. C*, 144, 1164-1172.
- Yang, L. and Paulson, A.T., 2000, Effects of Lipids on Mechanical and Moisture Barrier Properties of Edible Gelatin Film, *Food Res. Int.*, 33 (7), 571-578.
- Zahedi, Y., Ghanbarzadeh, B. and Sedaghat, N., 2010, Physical Properties of Edible Emulsified Films based on Pistachio Globulin Protein and Fatty Acids, *J. Food Eng.*, 100, 102-108.
- Zahedi, Y., Sedaghat, N. and Ghanbarzadeh, B., 2011, Effect of Physical State of Fatty Acid on the Physical Properties of PGP-based Emulsified Edible Film, *Int. J. Nuts & Related Sci.*, 2 (2), 56-63.