



DAFTAR PUSTAKA

- Abate, M. dan Abel, S. K., 2006, *Remington: The Science and Practice of Pharmacy*, 21st Ed., 916, Lippincott Williams and Wilkins, University of Sciences, Philadelphia.
- Agoes, G., 2008, *Pengembangan Sediaan Farmasi*, Edisi Revisi dan Perluasan, 188-199; 209-210, ITB Press, Bandung.
- Ahluwalia, V. K., Boyd, D. R., Jain, A. K., Khanduri, C. H., Sharma, N. D., Furanocoumarin Glucosides from the Seeds of *Apium graveolens*, *Phytochemistry*, 27 (4): 1181-1183.
- Anderson, S., 2004, *Managing Pharmaceuticals in International Health*, 67, Birkhauser Verlag, Basel.
- Untung, O., 2010, *Herbal Indonesia Berkhasiat: Bukti Ilmiah dan Cara Racik*, Vol. 8, Cetakan II, 100-106; 125-127, PT Trubus Swadaya, Depok.
- Ansel, H. C., 1989, *Pengantar Bentuk Sediaan Farmasi*, diterjemahkan oleh Farida Ibrahim, Cetakan I, Universitas Indonesia Press, Jakarta, 119-123; 244-259.
- Ansel, H. C., Popovich, N. G., Allen, L. V., 1999, *Pharmaceutical Dosage Forms and Drug Delivery Systems*, 7th Ed., 203; 209; 213, Lippincott Williams and Wilkins, Philadelphia.
- Armstrong, N. A., dan James, K. C., 1986, *Pharmaceutical Experiment Design and Interpretation*, 206-207, Taylor and Francis Ltd, 1 Gunpowder Square, London.
- Backer, C.A., and Bakhuizen, R. C., van de Brink, 1965, *Flora of Java (Spermatophytes Only)*, Vol. II, 175; 190; 351, N.V.P. Noordhoff Groningen, Netherlands.
- Armstrong, N. A., dan James, K. C., 1996, *Pharmaceutical Experimental Design and Interpretation*, 205-222, Taylor and Francis Ltd., London.
- Asahina, A. Y., Ebisu, J. S. M., Ichinotsubo, D., Tongson, J., Hokama, Y., 1994, Effect of Okadaic Acid (OA) and Noni Fruit Extraction in the Synthesis of Tumor Necrosis Factor- α (TNF- α) by Peripheral Blood Mononuclear (PBN) Cells In Vitro, 197-205, *The Proceedings of the International Symposium of Ciguatera and Marine Natural Products*.



- Bandelin, F. J., 1989, *Tablet Formulation and Design*, in Lachman, L., Lieberman, H. A., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, Volume I, 2nd Ed., 386-388, Pharmaceutical Press, London.
- Banker, G. S., dan Anderson, N., R., 1986, *Tablet*, in Lachman L., Lieberman, H. A., Kanig, J. L., (Eds), *The Theory and Practice of Industrial Pharmacy*, 3rd Ed., 293-345, Lea and Febiger, Philadelphia.
- Bauer, J. dan Reams, G., 1995, The Angiotensin II Type 1 Receptor Antagonists: A New Class of Antihypertensive Drugs, *Archives of Internal Medicine*, **155**: 1361-1368.
- Bolton, S., 1997, *Pharmaceutical Statistics: Practical and Clinical Applications*, 3rd Ed., Marcel Dekker Inc., New York, 326-329; 610-619.
- BPOM RI, 2004, *Monograph of Indonesian Medicinal Plant Extracts*, Volume I, 8-10;73-75; 79-81, Badan Pengawasan Obat dan Makanan Republik Indonesia, Jakarta.
- Bullpitt, C. J., Rajkumar, C., dan Beckett, N., 1999, *Clinician's Manual: Hypertension and the Elderly*, 1-55, Science Press Ltd., London.
- Burnier, M. dan Brunner, R. H., 1998, Angiotensin II Receptor Antagonists in Hypertension, *Kidney International*, **54** (Suplemen 68): 107-111.
- Cantor, S. L., Augsburger, L. L., Hoag, S. W., dan Gerhardt, A., 2008, Mass Pharmaceutical Granulation Processes, Mechanism, and the Use of Binders, dalam Augsberger, L. L., dan Hoag, S. W., (Eds.), *Pharmaceuticals Dosage Forms : Tablets*, 3rd Ed., Vol. 1, 263.
- Crowley, P., dan Martini, L. G., *Drug-Excipient Interaction*, 1, Marcel Dekker Inc., New York.
- Dawoodbhai, S. dan Rhodes, C. T., 1989, The Effect of Moisture on Powder Flow And on Compaction and Physical Stability on Tablets, *Drug Development and Industrial Pharmacy*, **15**(10): 1577-1600, 1989.
- Departemen Kesehatan RI, 1979, *Farmakope Indonesia*, Edisi III, 6-7; 9; 93; 256, Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan RI, 1985, *Cara Pembuatan Simplisia*, 1-27; 51-52, Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan RI, 1991, *Inventaris Tanaman Obat Indonesia (I)*, 390-391, Departemen Kesehatan Republik Indonesia, Jakarta.



Departemen Kesehatan RI, 1994, *Persyaratan Obat Tradisional*, 11, Departemen Kesehatan RI, Jakarta.

Departemen Kesehatan RI, 1995, *Farmakope Indonesia*, Edisi IV, 4; 5; 12; 591; 771, Departemen Kesehatan Republik Indonesia, Jakarta.

Departemen Kesehatan RI, 2000^a, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Cetakan I, 1; 3-5; 10-11; 13; 31, Departemen Kesehatan RI Direktorat Jenderal Pengawasan Obat dan Makanan Direktorat Pengawasan Obat Tradisional, Jakarta.

Departemen Kesehatan RI, 2000^b, *Acuan Sediaan Herbal*, 70-71, Departemen Kesehatan Republik Indonesia, Jakarta.

Departemen Kesehatan RI, 2000^c, *Inventaris Tanaman Obat Indonesia (I)*, Jilid 1, 173-174, Departemen Kesehatan dan Kesejahteraan Sosial Republik Indonesia, Jakarta.

Departemen Kesehatan RI, 2001, *Inventaris Tanaman Obat Indonesia (I)*, Jilid 2, 31, Departemen Kesehatan dan Kesejahteraan Sosial Republik Indonesia, Jakarta.

Departemen Kesehatan RI, 2008, *Farmakope Herbal Indonesia*, Edisi I, xxviii; 68-72; 93-97; 136, Departemen Kesehatan Republik Indonesia, Jakarta.

Departemen Kesehatan RI, 2010, *Farmakope Herbal Indonesia*, Suplemen I, 93-96, Departemen Kesehatan Republik Indonesia, Jakarta.

Departemen Kesehatan RI, 2013, *Riset Kesehatan Dasar 2013*, 88-90, Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI, Jakarta.

Departement of Health, 2013, *The United States Pharmacopeia 37NF32*, Vol. 1, 40-41,490-491, United Book Press Inc., Baltimore.

Dewi, A. P. K., 2011, Optimasi Formulasi Tablet Ekstrak Sambiloto, *Tesis*, Fakultas Farmasi Universitas Gadjah Mada, Yogayakarta.

Dittmar, A., 1993, *Morinda citrifolia L.-use in Indigenous Samoan Medicine*, *Journal of Herbs, Spices and Medicine Plants*, Vol. 1, 77-92.

Djatmiko, M. dan Pramono, S., 2001, Standardisasi Sediaan Daun Seledri (*Apium graveolens L.*) secara KLT – Densitometri Menggunakan Apigenin sebagai Parameter, *Majalah Farmasi Indonesia*, 12 (2): 59-64.



Duke, 2015, *Phytochemical and Ethnobotanical Database*, Beltsville Agricultural Research Centre, Beltsville, Maryland, <http://www.ars-grin.gov/cgi-in/duke/pharmacy-scroll-3.pl>, diakses pada tanggal 29 April 2015 pukul 15:06.

Durance, T.D., Alex, Y., Kim, H., dan Christine, S. 1999, *Process for Drying Medicinal Plants*, 4, U.S. Patent, United States.

Dzulkarnain, B., Widowati, L., Isnawati, A., Thijssen, H. J. C., 1999, *Orthosiphon aristatus* (Blume) Miq., dalam De Padua, L. S., Bunyapraphatsara, N., dan Lemmens, R. H. M. J., (Eds.), *Medicinal and Poisonous Plants 1, Plant Resources of South-East Asia (PROSEA) Foundation* **12** (1): 368-371, Bogor.

Fassihi, A. R., dan Kanfer, I., 1986, Effect of Compressibility and Powder Flow Properties on Tablet Weight Variation, *Drug Development and Industrial Pharmacy*, Vol. 12, No. 11-13, School of Pharmaceutical Sciences Rhodes University, South Africa.

Fazal, S. S., Singla, R. K., 2012, Review on the Pharmacognostical and Pharmacological Characterization of *Apium graveolens* Linn., *Indo Global Journal of Pharmaceutical Science*, **2** (1): 36-42.

Fonner, D. E., Anderson, N. R., dan Bunker, G. S., 1981, Granulation and Tablet Characteristic, dalam Lachman, L., and Liberman, H. A., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, Vol II, 186-187, 207-208, 226227, Marcel Dekker Inc., New York.

Fudholi, A., 1983, Metodologi Formulasi dalam Kompresi Direk, *Medika No. 7*, Tahun 9, 580-586.

Fulcher, E. M., 2012, *Pharmacology: Principles and Application*, 3rd Ed., 480, Saunders, United States.

Fried, B., dan Sherma, J., 1994, *Thin Layer Chromatography Techniques and Application*, 3th Ed., Marcel Dekker Inc., New York.

Gandjar, I. G. dan Rohman, A., 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.

Garg, S. K., Gupta, S. R., dan Sharma, N. D., 1978, Apiumetin: A New Furanocoumarin from the Seeds of *Apium graveolens*, *Phytochemistry*, **17** (12): 2135-2136.

Garg, S. K., Gupta, S. R., dan Sharma, N. D., 1979^a, Apiumoside: A New Furanocoumarin Glucoside from the Seeds of *Apium graveolens*, *Phytochemistry*, **18** (10): 1764-1765.



Garg, S. K., Gupta, S. R., dan Sharma, N. D., 1979^b, Coumarins from *Apium graveolens* Seeds, *Phytochemistry*, **18** (9): 1580-1581.

Gritter, J. R., Bobbitt, M. J., dan Schwarting, E. A., 1991, *Pengantar Kromatografi*, Edisi II, diterjemahkan oleh Kosasih Padmawinata, 107-109, Penerbit ITB, Bandung.

Gunsel, W. C., dan Kanig, J. L., 1976, Tablets, in Lachman L., Lieberman, H. A., Kanig, J. L., *The Theory and Practice of Industrial Pharmacy*, 2nd Ed., 321-349, Lea dan Febiger, Philadelphia.

Gupta, S. K., Gupta, S. R., dan Sharma, N. D., 1979, Minor Phenolics of *Apium graveolens* Seed, *Phytochemistry*, **18** (2): 352.

Heinicke, R. M., 1985, The Pharmacologically Active Ingredient of Noni, *Bulletin of the National Tropical Botanical Garden*, Vol. 15, 10-14.

Higashiura, K., Ura, N., Miyazaki, Y., dan Shimamoto, K., 1999, Effect of an Angiotensin II Receptor Antagonist, Candesartan, On Insulin Resistance and Pressor Mechanisms in Essential Hypertension, *Journal of Human Hypertension*, Suplemen 1: 71-74.

Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure, 1997, The Sixth Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure, *Archives of Internal Medicine*, 157: 2413-46.

Kitajima, J., Ishikawa, T., dan Satoh, M., 2003, Polar Constituents of Celery Seeds, *Phytochemistry*, **64** (5): 1003-1011.

Kanig, J. L., dan Rudnic, E. M., 1984, The Mechanisms of Disintegrant Action, *Pharmaceutical Technology*, (4): 50-63.

Kaplan, N. M., 1983, Hypertension: Prevalence, Risks, and Effect of Therapy, *Annals of Internal Medicine*; 98: 7055-709.

Kaplan, N. M., 1998, Measurement of Blood Pressure, dalam *Clinical Hypertension*, Kaplan, N. M., (Eds.), Edisi 7, *Chapter 2*, 19.

Kaplan, N. M., 1998, Primary Hypertension: Pathogenesis, dalam *Clinical Hypertension*, Kaplan, N. M., (Eds.), Edisi 7, *Chapter 3*, 41.

Kaplan, N. M., 1998, Primary Hypertension: Natural History, Special Population, and Evaluation, dalam *Clinical Hypertension*, Kaplan, N. M., (Eds.), Edisi 7, *Chapter 4*, 101.



Kaplan, N. M., 1998, Treatment of Hypertension: Drug Therapy, dalam *Clinical Hypertension*, Kaplan, N. M., (Eds.), Edisi 7 Chapter 7, 181.

Ko, F. N., Huang, T. F., Teng, C. M., 1991, Vasodilatory Action Mechanics of Apigenin Isolated from *Apium graveolens* in Rat Thoracic Aorta, *Biochimica et Biophysica Acta*, **1115** (1): 69-74.

Kurtzweil, P., 2007, Lessening the Pressure: Array of Drugs Tames Hypertension, *FDA Consumer Magazine*, 1, U. S. Food and Drug Administration, United States.

Laksmi, M. K., 2004, *Sehat dengan Terapi Alami*, 64-68, Elex Media Komputindo, Jakarta.

Lerk, C. F. dan Doombos, D. A., 1987, *Optimization of Formulation of Fast Disintegrating Tablet*, 1-16, Drukkerij van Denderen B. V., Gronigen.

Lieberman, H. A., Lachman, L., and Schwartz, J. R., 1990, *Pharmaceutical Dosage Forms: Tablet's*, 2nd Ed, Vol 2, New York: Marcel Dekker, Inc, 195-245.

Martono, S., 1996, Penentuan Kadar Kurkumin secara Kromatografi Lapis Tipis Densitometri, *Buletin ISFI*, **2**:4, 11-21.

Mattsson, S., 2000, Pharmaceutical Binders and Their Function in Directly Compressed Tablets, *Disertasi*, Faculty of Pharmacy Uppsala University, Uppsala.

Niazi, S. K., 2009, *Handbook of Pharmaceutical Manufacturing Formulations Compressed Solid Products*, Vol 1, 2nd Ed., 63-73, Informa Healthcare USA, Inc., New York.

Nugroho, A. E., 2012, *Farmakologi: Obat-obat Penting dalam Pembelajaran Ilmu Farmasi dan Dunia Kesehatan*, Pustaka Pelajar, Yogyakarta.

Ohashi, K., Bohgaki, T., Shibuya, H., 2000, Antihypertensive Substance in the Leaves of Kumis Kucing (*Orthosiphon aristatus*) in Java Island, *The Journal of the Pharmaceutical Society of Japan*, **120** (5): 474-482.

Olah, N. K., Radu, L., Mogoan, C., Hanganu, D., Gocan, S., 2003, Phytochemical and Pharmacological Studies on *Orthosiphon stamineus* Benth. (Lamiaceae) Hydroalcoholic Extract, *Journal of Pharmacy and Biomedical Analysis*, **33** (1): 117-123.

Parrott, E. L., 1971, *Pharmaceutical Technology Fundamental Pharmaceutics*, 3rd Ed., 73-84, Burgess Publishing Company, Minneapolis.



- Peck, G. E., Baley, G. J., Curdy, V. E. M., Bunker, G. S., 1989, Tablet Formulation and Design, in Lachman, L., Lieberman, H. A., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, Vol. I, 2nd Ed., 96-108, Marcel Dekker Inc., New York.
- Pecsok, L. R., Shield, D. L., Cairns, T., dan William, M. G. I., 2001, *Modern Methods of Chemical Drug Analysis*, John Wiley and Sons, New York.
- Rowe, R.C., Paul J. S., dan Sian C. O., 2006, *Handbook of Pharmaceutical Excipients*, 5th Ed., 214-215, Pharmaceuticals Press, Washington D.C.
- Rowe, S. J., Sheskey, P. J., and Quinn, M. E., 2009, *Handbook of Pharmaceutical Excipient*, 6th Ed., 129-133; 663,-666; 651-653, Pharmaceutical Press, London.
- Sandell, E., 1982, *Pharmaceutics*, Ed. II, Swedish Pharmaceuticals Press, Stochklom, 113-150.
- Schmidt, J., Voigt, B., dan Adam, G., 1995, 2-Deoxybrassinolide – A Naturally Occuring Brassinosteroid from Apium graveolens, *Phytochemistry*, **40** (4): 1041-1043.
- Septia, D. N., 2015, Uji Aktivitas Kombinasi Ekstrak Herba Seledri (*Apium graveolens L.*), Daun Kumis Kucing (*Orthosiphon stamineus Benth.*), dan Buah Mengkudu (*Morinda citrifolia L.*) terhadap Tekanan Darah Tikus Galur Sprague Dawley Terinduksi Fenilefrin, Skripsi, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Shangraw, R. F., 1989, Compressed Tablet, in Lachman, Lieberman, H. A., Kanig, J. L., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, Vol. I, 195-229, Marcel Dekker Inc., New York.
- Sheth, B. B., Bandelin, F. J., Shangraw, R. F., 1980, Compressed Tablet, in Lachman, L., Lieberman, H. A., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, Vol. I, 109-171, 389-390, Marcel Dekker Inc., New York.
- Shovyana, H. H. dan Zulkarnain, A. K., 2013, Stabilitas Fisik dan Aktivitas Krim W/O Ekstrak Etanolik Buah Mahkota Dewa (*Phaleria macrocarpha* (Scheff.) Boerl) sebagai Tabir Surya, *Traditional Medicine Journal*, **18** (2)
- Siregar, C. J. P. dan Wikarsa, S., 2010, *Teknologi Farmasi Sediaan Tablet: Dasar-Dasar Praktis*, 13-42, EGC, Jakarta.
- Sjabana, D., dan Bahalwan, R. R., 2002, *Pesona Tradisional Ilmiah Mengkudu*, Penerbit Salemba Medika, Jakarta



Stahl, E., 1985, *Analisis Obat Secara Kromatografi dan Mikroskopi*, diterjemahkan oleh Kosasih Padmawinata dan Iwang Soediro, 3-4, Penerbit ITB, Bandung.

Sudarsono, Pudjoarinto, A., Gunawan, D., Wahyuono, S., Donatus, L. A., Dradjat, M., Wibowo, S., Ngatidjan, 1996, *Tumbuhan Obat*, 90-94, Pusat Penelitian Obat Tradisional, Universitas Gadjah Mada, Yogyakarta.

Sudarsono, Gunawan, D., Wahyunono, S., Donatus, I.A., Purnomo, 2002, *Tumbuhan Obat II*, 119-122, Universitas Gadjah Mada, Yogyakarta.

Sudjadi, 1988, *Metode Pemisahan*, 167-176, Penerbit Kanisius, Yogyakarta.

Sugiyono, 2012, Optimasi Formulasi Tablet Ekstrak Sarang Semut, *Tesis*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.

Supriadi, Rosita, dan Sudiarto, 2001, *Tumbuhan Obat Indonesia: Penggunaan dan Khasiatnya*, Yayasan Obor Indonesia, Jakarta.

Tambayong, J., 2000, *Patofisiologi untuk Keperawatan*, 94-96, EGC, Jakarta.

Trenkwalder, P., Lehtovita, M., dan Dahl, K., 1997, Long-term Treatment with Candesartan Cilextil Does Not Affect Glucose Homeostasis or Serum Lipid Profile in Mild Hypertensives with Type II Diabetes, *Journal of Human Hypertension*, **11** (Suplemen 2): 81-83.

Tsunoda, K., Abe, K., dan Hagino, T., 1993, Hypotensive Effect of Losartan, A Non Peptide Angiotensin II Receptor Antagonist, In Essential Hypertension, *American Journal of Hypertension*, **6**: 28-32.

Voigt, R., 1994, *Buku Pelajaran Teknologi Farmasi*, Ed. IV, 204, diterjemahkan oleh Soendani Noerono Soewandhi, disunting oleh Sambudi R., UGM Press, Yogyakarta.

Wadke, D. A. dan Jacobson, H., 1980, Preformulation Testing dalam Lieberman, H. A., and Lachman L., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, Vol. I, 45, Marcel Dekker Inc., New York.

Waeber, B. dan Brunner, H. R., 1997, Antihypertensive Agents: Mechanisms of Drug Action, dalam Hollenberg, N. K., Hypertension: Mechanisms and Therapy, *Atlas of Heart Disease*, Braunwald, E. (Eds.), *Chapter 7*, 7.

Wang, M. Y., dan Su, C., 2001, Cancer Preventive Effect of *Morinda citrifolia* (Noni), *Annals of the New York Academy of Science*, Vol. 952, 161-168.

Wang, M. Y., West, B. J., Jensen, C. J., Nowicki, D., Chen, S., Palu, A. K., dan Anderson, G., 2002, *Morinda citrifolia* (Noni): A Literature Review and



Recent Advances in Noni Research, *Acta Pharmacologica Sinica*, **23** (13): 1127-1141.

Weber, M., 1992, Clinical Experience with the Angiotensin II Receptor Antagonist Losartan: Preliminary Report, *American Journal of Hypertension*, **5**: 247-251.

Wiart, C., 2006, *Medicinal Plants of the Asia-Pacific: Drugs for the Future*, World Scientific Publishing Co. Pte. Ltd., Singapore.

Wijayakusuma, H., dan Dalimarta, S., 1995, *Ramuan Tradisional untuk Pengobatan Darah Tinggi*, Penebar Swadaya, Jakarta.

Wray, V., Sumaryono, W., Proksch, P., Wittle, L., Hartmann, T., 2006, Qualitative and Quantitative Analysis of the Phenolic Constituents from *Orthosiphon aristatus*, *Planta Medica*, **57** (2): 176-180.

Zhang, Y., Park, Y., Kim, T., 2002, Endothelium dependent Vasorelaxant and Antiproliferative Effect of Apigenin. *General Pharmacology*, Vol. 35.

Zografi, G., 1988, State of Water Associated with Solids, *Drug Development and Industrial Pharmacy*, Vol. 14, 1905-1926.

Zgorka, G. dan Gowniak, K., 1999, Simultaneous Determination of Phenolic Acid and Linear Furanocoumarins in Fruits of *Libanotis dolichostyla* by Solid-phase Extraction and High Liquid Chromatography, *Phytochemical Analysis*. Vol. 10, 268-271.