

## References

- Abidin, H.Z. et al., 2007. Volcano Deformation Monitoring in Indonesia : Status , Limitations and Prospects.
- Al-amri, S.S., Kalyankar, N. V & Khamitkar, S.D., 2010. Linear and Non-linear Contrast Enhancement Image. *Journal of Computer Science*, 10(2), pp.139–143. Available at: [http://paper.ijcsns.org/07\\_book/201002/20100222.pdf](http://paper.ijcsns.org/07_book/201002/20100222.pdf).
- Allard, P., Dajlevic, D. & Delarue, C., 1989. Origin of carbon dioxide emanation from the 1979 Dieng eruption, Indonesia: Implications for the origin of the 1986 Nyos catastrophe. *Journal of Volcanology and Geothermal Research*, 39(2-3), pp.195–206. Available at: <http://linkinghub.elsevier.com/retrieve/pii/0377027389900589>.
- Arbangiyah, R., 2012. *Perubahan Pola Pertanian Raykat di desa Sembungan Dataran Tinggi Dieng (1985-1995)/ The changed pattern in smallholder agriculture of Sembungan village of Dieng Plateau (1985-1995)*. University of Indonesia.
- Arun, P.V., 2013. A comparative analysis of different DEM interpolation methods. *The Egyptian Journal of Remote Sensing and Space Science*, 16(2), pp.133–139. Available at: <http://www.sciencedirect.com/science/article/pii/S1110982313000276>.
- Barry, P.H. et al., 2014. Carbon isotope and abundance systematics of Icelandic geothermal gases, fluids and subglacial basalts with implications for mantle plume-related CO<sub>2</sub> fluxes. *Geochimica et Cosmochimica Acta*, 134, pp.74–99. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0016703714001471> [Accessed June 2, 2014].
- Baxter, P. eter J. & Kapila, M., 1989. Acute health impact of the gas release at Lake Nyos , Cameroon , 1986. , 39, pp.265–275.
- Bonetto, S. et al., 2015. A tool for semi-automatic linear feature detection based on DTM. *Computers & Geosciences*, 75, pp.1–12. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0098300414002283>.
- Bruno, N. et al., 2001. Degassing of SO<sub>2</sub> and CO<sub>2</sub> at Mount Etna ( Sicily ) as an indicator of pre-eruptive ascent and shallow emplacement of magma. , 110.
- Budi-santoso, A. et al., 2013. Analysis of the seismic activity associated with the 2010 eruption of Merapi Volcano , Java. *Journal of Volcanology and Geothermal Research*, 261(November 2010), pp.153–170. Available at: <http://dx.doi.org/10.1016/j.jvolgeores.2013.03.024>.
- Campion, R. et al., 2010. Measuring volcanic degassing of SO<sub>2</sub> in the lower troposphere with ASTER band ratios. *Journal of Volcanology and Geothermal Research*, 194(1-3), pp.42–54. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027310001289> [Accessed June 2, 2014].
- Carlos, J., Munoz, J. & Sabrino, J.A., 2008. Split-Window Coefficients for Land Surface Temperature Retrieval From Low-Resolution Thermal Infrared Sensors. *IEEE Geoscince and Remote Sensing Letters*, 5(4), pp.806–809.

- Carter, A.J. et al., 2008. ASTER and field observations of the 24 December 2006 eruption of Bezymianny Volcano, Russia. *Remote Sensing of Environment*, 112(5), pp.2569–2577. Available at: [http://ezproxy.utwente.nl:2105/CitedFullRecord.do?product=WOS&colName=WOS&SID=Y1H9raDIB5dNRhRS4eh&search\\_mode=CitedFullRecord&isickref=WOS:000255370700049](http://ezproxy.utwente.nl:2105/CitedFullRecord.do?product=WOS&colName=WOS&SID=Y1H9raDIB5dNRhRS4eh&search_mode=CitedFullRecord&isickref=WOS:000255370700049) [Accessed May 6, 2014].
- Chen, M. & Chen, B., 2014. Online fuzzy time series analysis based on entropy discretization and a Fast Fourier Transform. *Applied Soft Computing*, 14, pp.156–166. Available at: <http://www.sciencedirect.com/science/article/pii/S1568494613002780>.
- Cheng, J. et al., 2008. Correlation-based temperature and emissivity separation algorithm. *Science in China Series D: Earth Sciences*, 51(3), pp.357–369. Available at: <http://link.springer.com/10.1007/s11430-008-0022-7> [Accessed May 27, 2014].
- Coll, C. et al., 2007. Temperature and emissivity separation from ASTER data for low spectral contrast surfaces. *Remote Sensing of Environment*, 110, pp.162–175.
- Cowperrwait, P.S.P. & Metcalfe, A. V., 2011. *Introductory Time Series with R*, Davies, R. et al., 2007. Cloud motion vectors from MISR using sub-pixel enhancements. *Remote Sensing of Environment*, 107(1-2), pp.194–199.
- DiStasio, R.J. & Resmini, R.G., 2010. Atmospheric compensation of thermal infrared hyperspectral imagery with the emissive empirical line method and the in-scene atmospheric compensation algorithms: A comparison S. S. Shen & P. E. Lewis, eds. *Society of Photo-Optical Instrumentation Engineers*, p.76952B–76952B–12. Available at: <http://proceedings.spiedigitallibrary.org/proceeding.aspx?articleid=1345005>.
- Evrendilek, F. et al., 2012. Satellite-based and mesoscale regression modeling of monthly air and soil temperatures over complex terrain in Turkey. *Expert Systems with Applications*, 39(2), pp.2059–2066. Available at: <http://dx.doi.org/10.1016/j.eswa.2011.08.023>.
- Froncini, F. et al., 2009. Carbon dioxide degassing and thermal energy release in the Monte Amiata volcanic-geothermal area (Italy). *Applied Geochemistry*, 24(5), pp.860–875. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0883292709000286> [Accessed July 31, 2014].
- Gallant, J.C. & Hutchinson, M.F., 1997. Scale dependence in terrain analysis. *Mathematics and Computers in Simulation*, 43, pp.313–321.
- Geological Agency of Indonesia, P., Basic data of volcano; Dieng, , pp.1–7. Available at: <http://www.vsi.esdm.go.id/index.php/gunungapi/data-dasar-gunungapi/531-g-dieng?start=5>.
- Giggenbach, W.E., Sano, Y. & Schmincke, H.U., 1991. CO<sub>2</sub>-rich gases from Lakes Nyos and Monoun, Cameroon; Laacher See, Germany; Dieng, Indonesia, and Mt. Gambier, Australia variations on a common theme. , 45, pp.311–323.
- Gillespie, a. et al., 1998. A temperature and emissivity separation algorithm for Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) images. *IEEE Transactions on Geoscience and Remote Sensing*,

- 36(4), pp.1113–1126. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=700995>.
- Gillespie, A.R. et al., 2011. Residual errors in ASTER temperature and emissivity standard products AST08 and AST05. *Remote Sensing of Environment*, 115(12), pp.3681–3694. Available at: <http://dx.doi.org/10.1016/j.rse.2011.09.007>.
- Guern, F.L.E., Tazieff, H. & Pierret, R.F., 1982. An Example of Health Hazard: People Killed by Gas during a Phreatic Eruption: Dieng Plateau (Java, Indonesia), February 20th 1979. *Bulletin of Volcanology*, 45, pp.2–5.
- Hashim, M. et al., 2013. Automatic lineament extraction in a heavily vegetated region using Landsat Enhanced Thematic Mapper ( ETM + ) imagery. *Advances in Space Research*, 51(5), pp.874–890. Available at: <http://dx.doi.org/10.1016/j.asr.2012.10.004>.
- Jacob, F. et al., 2004. Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors. *Remote Sensing of Environment*, 90(2), pp.137–152. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0034425703003699> [Accessed July 15, 2014].
- Jordan, G. et al., 2005. Extraction of morphotectonic features from DEMs: Development and applications for study areas in Hungary and NW Greece. *International Journal of Applied Earth Observation and Geoinformation*, 7, pp.163–182.
- Jordan, G. & Schott, B., 2005. Application of wavelet analysis to the study of spatial pattern of morphotectonic lineaments in digital terrain models. A case study. *Remote Sensing of Environment*, 94, pp.31–38.
- Jousset, P. et al., 2013. Signs of magma ascent in LP and VLP seismic events and link to degassing : An example from the 2010 explosive eruption at Merapi volcano , Indonesia. *Journal of Volcanology and Geothermal Research*, 261, pp.171–192. Available at: <http://dx.doi.org/10.1016/j.jvolgeores.2013.03.014>.
- Jousset, P. et al., 2012. The 2010 explosive eruption of Java’s Merapi volcano—A “100-year” event. *Journal of Volcanology and Geothermal Research*, 241–242, pp.121–135. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027312001862> [Accessed May 24, 2014].
- Jousset, P. & Pallister, J., 2013. The 2010 eruption of Merapi volcano. *Journal of Volcanology and Geothermal Research*, 261, pp.1–6. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027313001492> [Accessed May 26, 2014].
- Kalacheva, E., Taran, Y. & Kotenko, T., 2015. Geochemistry and solute fluxes of volcano-hydrothermal systems of Shishkotan, Kuril Islands. *Journal of Volcanology and Geothermal Research*, 296, pp.40–54. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027315000761>.
- Katili, J.A., 1974. Volcanism and Plate Tectonics in the Indonesian Island Arcs. *Tectonophysics*, 26(Elsevier Scientific Publishing Company, Amsterdam), pp.165–188.

- Kondo, K., Tsuchiya, M. & Sanada, S., 2002. Evaluation of effect of micro-topography on design wind velocity. *Journal of Wind Engineering and Industrial Aerodynamics*, 90(12-15), pp.1707–1718.
- Lagios, E. et al., 2007. Testing satellite and ground thermal imaging of low-temperature fumarolic fields : The dormant Nisyros Volcano ( Greece ). , 62, pp.447–460.
- Lamb, O.D. et al., 2014. Similar cyclic behaviour observed at two lava domes, Volcán de Colima (Mexico) and Soufrière Hills volcano (Montserrat), with implications for monitoring. *Journal of Volcanology and Geothermal Research*. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027314002261> [Accessed August 11, 2014].
- Li, Z.-L. et al., 2013. Satellite-derived land surface temperature: Current status and perspectives. *Remote Sensing of Environment*, 131, pp.14–37. Available at:<http://linkinghub.elsevier.com/retrieve/pii/S0034425712004749> [Accessed May 25, 2014].
- Matthews, A.J., Barclay, J. & Johnstone, J.E., 2009. The fast response of volcano-seismic activity to intense precipitation: Triggering of primary volcanic activity by rainfall at Soufrière Hills Volcano, Montserrat. *Journal of Volcanology and Geothermal Research*, 184(3-4), pp.405–415. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027309002261> [Accessed August 25, 2014].
- Mayaud, C. et al., 2014. Single event time series analysis in a binary karst catchment evaluated using a groundwater model (Lurbach system, Austria). *Journal of Hydrology*, 511, pp.628–639. Available at: <http://dx.doi.org/10.1016/j.jhydrol.2014.02.024>.
- Van der Meer, F. et al., 2014. Geologic remote sensing for geothermal exploration: A review. *International Journal of Applied Earth Observation and Geoinformation*, 33, pp.255–269. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0303243414001275> [Accessed July 20, 2014].
- Miller, C.D. et al., 1983. Eruptive history of the Dieng Mountains Region, Central Java, and Potential Hazards from future eruptions. *United State Departement of the Interior Geological Survey*, 83-68(Open-File Report).
- Nicholson, E.J. et al., 2013. Cyclical patterns in volcanic degassing revealed by SO<sub>2</sub> flux timeseries analysis: An application to Soufrière Hills Volcano, Montserrat. *Earth and Planetary Science Letters*, 375, pp.209–221. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0012821X1300277X> [Accessed July 15, 2014].
- Olmos, R. et al., 2007. Anomalous Emissions of SO<sub>2</sub> During the Recent Eruption of Santa Ana Volcano, El Salvador, Central America. *Pure and Applied Geophysics*, 164(12), pp.2489–2506. Available at: <http://link.springer.com/10.1007/s00024-007-0276-6> [Accessed August 19, 2014].
- Pacey, A., Macpherson, C.G. & McCaffrey, K.J.W., 2013. Linear volcanic segments in the central Sunda Arc, Indonesia, identified using Hough Transform analysis: Implications for arc lithosphere control upon volcano distribution. *Earth and Planetary Science Letters*, 369-370, pp.24–33. Available at:

- <http://linkinghub.elsevier.com/retrieve/pii/S0012821X13001155> [Accessed June 3, 2014].
- Peng, C.K. et al., 1994. Mosaic organization of DNA nucleotides. *Physical Review E*, 49(2), pp.1685–1689.
- Pieri, D. & Abrams, M., 2004. ASTER watches the world's volcanoes: a new paradigm for volcanological observations from orbit. *Journal of Volcanology and Geothermal Research*, 135(1-2), pp.13–28. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027304000277> [Accessed July 25, 2014].
- Pugnaghi, S. et al., 2006. Mt. Etna sulfur dioxide flux monitoring using ASTER-TIR data and atmospheric observations. *Journal of Volcanology and Geothermal Research*, 152(1-2), pp.74–90. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S037702730500346X> [Accessed June 2, 2014].
- Ramsey, M. & Dehn, J., 2004. Spaceborne observations of the 2000 Bezymianny, Kamchatka eruption: the integration of high-resolution ASTER data into near real-time monitoring using AVHRR. *Journal of Volcanology and Geothermal Research*, 135(1-2), pp.127–146. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027304000332> [Accessed June 2, 2014].
- Ramsey, M.S. & Harris, A.J.L., 2013. Volcanology 2020: How will thermal remote sensing of volcanic surface activity evolve over the next decade? *Journal of Volcanology and Geothermal Research*, 249, pp.217–233. Available at: <http://www.sciencedirect.com/science/article/pii/S0377027312001497> [Accessed May 25, 2014].
- Realmuto, V.J. & Worden, H.M., 2000. Impact of atmospheric water vapor on the thermal infrared remote sensing of volcanic sulfur dioxide emissions: A case study from the Pu'u "O"o vent of Kilauea Volcano, Hawaii. *Journal of Geophysical Research*, 105(B9), p.21497.
- Rossiter, D.G., 2012. *Time series analysis in R*, Version 1.0. Copyright 2009–2012 D G Rossiter. Available at: (<http://www.itc.nl/personal/rossiter>).
- Sabol, Jr., D.E. et al., 2009. Field validation of the ASTER Temperature–Emissivity Separation algorithm. *Remote Sensing of Environment*, 113(11), pp.2328–2344. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0034425709001898> [Accessed August 13, 2014].
- Soto-pinto, C., Arellano-baeza, A. & Sánchez, G., 2013. A new code for automatic detection and analysis of the lineament patterns for geophysical and geological purposes ( ADALGEO ). *Computers and Geosciences*, 57, pp.93–103. Available at: <http://dx.doi.org/10.1016/j.cageo.2013.03.019>.
- Spampinato, L. et al., 2011. Volcano surveillance using infrared cameras. *Earth-Science Reviews*, 106(1-2), pp.63–91. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0012825211000043> [Accessed May 25, 2014].
- Sukamar, M., Venkatesan, N. & Babu, C.N.K., 2014. A Review of Various Lineament Detection Techniques for high resolution Satellite Images. *International Journal of Advanced Research in Computer Science and Software Engineering*, 4(3), pp.72–78. Available at:

- [http://www.ijarcse.com/docs/papers/Special\\_Issue/icctrd2014/ijarcse\\_022.pdf](http://www.ijarcse.com/docs/papers/Special_Issue/icctrd2014/ijarcse_022.pdf).
- Trunk, L. & Bernard, A., 2008. Investigating crater lake warming using ASTER thermal imagery: Case studies at Ruapehu, Poás, Kawah Ijen, and Copahué Volcanoes. *Journal of Volcanology and Geothermal Research*, 178(2), pp.259–270. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027308003600> [Accessed May 25, 2014].
- Ulusoy, I., Labazuy, P. & Aydar, E., 2012. STcorr : An IDL code for image based normalization of lapse rate and illumination effects on nighttime TIR imagery. , 43, pp.63–72.
- Urai, M., 2004. Sulfur dioxide flux estimation from volcanoes using Advanced Spaceborne Thermal Emission and Reflection Radiometer—a case study of Miyakejima volcano, Japan. *Journal of Volcanology and Geothermal Research*, 134(1-2), pp.1–13. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027303004153> [Accessed August 13, 2014].
- USGS, V.H.P., Measuring volcanic gases: emission rates of sulfur dioxide and carbon dioxide in volcanic plumes. Available at: <http://volcanoes.usgs.gov/activity/methods/gas/plumes.php> [Accessed January 9, 2015].
- Vaughan, R.G. et al., 2010. Exploring the limits of identifying sub-pixel thermal features using ASTER TIR data. *Journal of Volcanology and Geothermal Research*, 189(3-4), pp.225–237. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027309004429> [Accessed June 2, 2014].
- Vaughan, R.G. et al., 2005. Monitoring eruptive activity at Mount St. Helens with TIR image data. *Geophysical Research Letters*, 32(19), p.L19305. Available at: <http://doi.wiley.com/10.1029/2005GL024112> [Accessed May 24, 2014].
- Vaughan, R.G. et al., 2012. Use of ASTER and MODIS thermal infrared data to quantify heat flow and hydrothermal change at Yellowstone National Park. *Journal of Volcanology and Geothermal Research*, 233-234, pp.72–89. Available at: <http://dx.doi.org/10.1016/j.jvolgeores.2012.04.022>.
- Watson, I. et al., 2004. Thermal infrared remote sensing of volcanic emissions using the moderate resolution imaging spectroradiometer. *Journal of Volcanology and Geothermal Research*, 135(1-2), pp.75–89. Available at: <http://www.sciencedirect.com/science/article/pii/S0377027304000307> [Accessed May 21, 2014].
- Weng, Q. & Fu, P., 2014. Remote Sensing of Environment Modeling annual parameters of clear-sky land surface temperature variations and evaluating the impact of cloud cover using time series of Landsat TIR data. *Remote Sensing of Environment*, 140, pp.267–278. Available at: <http://dx.doi.org/10.1016/j.rse.2013.09.002>.
- Werner, C. et al., 2013. Degassing of CO<sub>2</sub>, SO<sub>2</sub>, and H<sub>2</sub>S associated with the 2009 eruption of Redoubt Volcano, Alaska. *Journal of Volcanology and Geothermal Research*, 259, pp.270–284. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0377027312000996> [Accessed July 30, 2014].
- Www.usgs.gov & IRIS, Volcano Monitoring : Deformation , Seismicity & Gas. Available at: <http://volcanoes.usgs.gov/activity/methods/index.php>.

- Yamaguchi, Y. et al., 1998. Overview of Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER). *IEEE Transactions on Geoscience and Remote Sensing*, 36(4), pp.1062–1071. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=700991>.
- Zielke, O., Klinger, Y. & Arrowsmith, J.R., 2015. Fault slip and earthquake recurrence along strike-slip faults — Contributions of high-resolution geomorphic data. *Tectonophysics*, 638, pp.43–62. Available at: <http://dx.doi.org/10.1016/j.tecto.2014.11.004>.
- Zlotnicki, J. et al., 2000. Magnetic monitoring at Merapi volcano , Indonesia. , 100, pp.321–336.