



## REFERENCES

- Alatorre, L. C., Beguería, S., Lana-Renault, N., Navas, a., & García-Ruiz, J. M. (2012). Soil erosion and sediment delivery in a mountain catchment under scenarios of land use change using a spatially distributed numerical model. *Hydrology and Earth System Sciences*, 16(5), 1321–1334. doi:10.5194/hess-16-1321-2012
- Aleweli, C., Egli, M., & Meusburger, K. (2014). An attempt to estimate tolerable soil erosion rates by matching soil formation with denudation in Alpine grasslands. *Journal of Soils and Sediments*, (i). doi:10.1007/s11368-014-0920-6
- Alkharabsheh, M. M., Alexandridis, T. K., Bilas, G., Misopolinos, N., & Silleos, N. (2013). Impact of land cover change on soil erosion hazard in northern Jordan using remote sensing and GIS. *Procedia Environmental Sciences*, 19, 912–921. doi:10.1016/j.proenv.2013.06.101
- Arsyad, S. (1989). *Konservasi tanah dan air (Soil and water conservation)* (1st ed.). Bogor, Indonesia: Lembaga Sumberdaya Informasi-IPB.
- Blanco, H., & Lal, R. (2008). *Principles of soil conservation and management*. New York: Springer Science & Business Media B.V.
- Boix-fayos, C., Vente, J. De, & Barber, G. G. (2008). The impact of land use change and check-dams on catchment sediment yield, 4935(September), 4922–4935. doi:10.1002/hyp
- Bols, P. L. (1978). *The iso-erodents map of Java and Madura. Report of Belgian Technical Assistance Project ATA 105*. Bogor, Indonesia: Soil Research Institute. Bogor.
- BPS Banjarnegara. (2013). *Banjarnegara dalam angka (Banjarnegara in figures)*. Banjarnegara.
- Bui, E. N., Hancock, G. J., & Wilkinson, S. N. (2011). “Tolerable” hillslope soil erosion rates in Australia: Linking science and policy. *Agriculture, Ecosystems & Environment*, 144(1), 136–149. doi:10.1016/j.agee.2011.07.022
- Carmel, Y., Dean, D. J., & Flather, C. H. (2001). Combining location and classification error sources for estimating multi temporal database accuracy. *Photogrammetric Engineering & Remote Sensing*.



- Chen, S.-K., Liu, C.-W., & Chen, Y.-R. (2012). Assessing soil erosion in a terraced paddy field using experimental measurements and universal soil loss equation. *Catena*, 95, 131–141. doi:10.1016/j.catena.2012.02.013
- Congalton, R. G. (2001). Accuracy assessment and validation of remotely sensed and other spatial information. *International Journal of Wildland Fire*, 10, 321–328. doi:10.1071/WF01031
- Coppin, P., Jonckheere, I., Nackaerts, K., Muys, B., & Lambin, E. (2004). Digital change detection methods in ecosystem monitoring: a review. *International Journal of Remote Sensing*, 25(9), 1565–1596. doi:10.1080/0143116031000101675
- Corner, R. J., Dewan, A. M., & Chakma, S. (2014). Monitoring and prediction of land use and land cover (LULC) change. In A. Dewan & R. Corner (Eds.), *Dhaka Megacity: Geospatial Perspectives on Urbanisation, Environment and Health* (pp. 75–97). Dordrecht: Springer Netherlands. doi:10.1007/978-94-007-6735-5
- Danoedoro, P. (2012). *Pengantar penginderaan jauh digital*. Yogyakarta, Indonesia: Penerbit Andi.
- De Roo, A. P. J., Jetten, V., & Favis-Mortlock, D. (1999). Calibrating and validating the LISSEM model for two data sets from the Netherlands and South Africa. *Catena*, 37(3-4), 477–493. doi:10.1016/S0341-8162(99)00034-X
- De Roo, A. P. J., Jetten, V. G., & Favis-Mortlock, D. (1999). Calibrating and validating the LISSEM model for two data sets from the Netherlands and South Africa. *Catena*, 37(3-4), 477–493.
- Declercq, F., & Poesen, J. (1992). Evaluation of two models to calculate the soil erodibility factor K. *Pedologie*, 149–169.
- Desmet, P. J. J., & Govers, G. (1996). A GIS procedure for automatically calculating the USLE LS factor on topographically complex landscape units. *Journal of Soil and Water Conservation*, 51, 427–433. Retrieved from <http://www.jswconline.org/content/51/5/427.short>
- Duan, X., Xie, Y., Liu, B., Liu, G., Feng, Y., & Gao, X. (2012). Soil loss tolerance in the black soil region of Northeast China. *Journal of Geographical Sciences*, 22(4), 737–751. doi:10.1007/s11442-012-0959-5
- Dwiprabowo, H., Gintings, A. N., Sakuntaladewi, N., Mariyani, R., Alviya, I., Wicaksono, D., ... Rahman, S. (2012). *Analisis time series dan kebijakan terhadap perubahan penggunaan lahan (Development of time series of the*



*primary economic and policy aspect of land use change).* Bogor, Indonesia:  
Pusat Penelitian dan Pengembangan Perubahan Iklim dan Kebijakan, Badan  
Penelitian dan Pengembangan Hutan.

F.A.O. (n.d.). Wischmeier and Smith's Empirical Soil Loss Model (USLE).

Firdaus, R., & Nakagoshi, N. (2013). Dynamic patterns and socioeconomic  
driving forces of land use and land cover change in Humid Tropical  
Watersheds : A Case study of Batang Merao watershed, Indonesia.  
*International Research Journal of Environment Sciences*, 2(12), 89–96.

Fonji, S. F., & Taff, G. N. (2014). Using satellite data to monitor land-use land-  
cover change in North-eastern Latvia. *SpringerPlus*, 3, 61. Retrieved from  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4257002/>

Foody, G. M. (2002). Status of land cover classification accuracy assessment.  
*Remote Sensing of Environment*, 80(1), 185–201. doi:10.1016/S0034-  
4257(01)00295-4

García-Ruiz, J. M. (2010). The effects of land uses on soil erosion in Spain: A  
review. *Catena*, 81(1), 1–11. doi:10.1016/j.catena.2010.01.001

Govers, G., Vandaele, K., Desmet, P., Poesen, J., & Bunte, K. (1994). The role of  
tillage in soil redistribution on hillslopes. *Europena Journal of Soil Science*,  
45, 469–478.

Graaff, J. De. (1996). *The price of soil erosion: An economic evaluation of soil  
conservation and watershed development.*

Han, D., Guoqing, W., & Renchao, W. (2007). Land use change and cropland loss  
in the Zhejiang coastal region of China. *New Zealand Journal of Agricultural  
Research*, 50(5), 1235–1242. doi:10.1080/00288230709510407

Haregeweyn, N., Poesen, J., Verstraeten, G., Govers, G., de Vente, J., Nyssen, J.,  
... Moeyersons, J. (2013). Assessing the performance of a spatially  
distributed soil erosion and sediment delivery model (Watem/Sedem) in  
Northern Ethiopia. *Land Degradation & Development*. doi:10.1002/lde.1121

Imhoff, M. L., Lawrence, W. T., Elvidge, C. D., Paul, T., Levine, E., Privalsky,  
M. V., & Brown, V. (1997). Using nighttime DMSP/OLS images of city  
lights to estimate the impact of urban land use on soil resources in the United  
States. *Remote Sensing of Environment*, 59(96), 105–117.  
doi:10.1016/S0034-4257(96)00110-1



Jatiningtyas, S. (2012). *Formulation of soil erosion mitigation based on soil erosion dynamics and community perception in Merawu sub watershed, Banjarnegara District, Indonesia*. M.Sc. Thesis. University of Gadjah Mada. Yogyakarta, Indonesia.

Johnson, L. C. (1987). 991\_Soil loss tolerance: fact or myth. *Journal of Soil and Water Conservation*, 42(3), 155–160.

Kosmas, C., Danalatos, N., Cammeraat, L. H., Chabart, M., Gutierrez, L., Jacob, A., ... Vacca, A. (1997). The effect of land use on runoff and soil erosion rates under Mediterranean conditions. *Catena*, 29, 45–59.

Lambin, E. F., Geist, H., & Rindfuss, R. . (2006). Introduction: Local processes with global impact. In E. F. Lambin & H. Geist (Eds.), *Land Use and Land Cover Change* (pp. 1–8). Berlin, Germany: Springer Berlin Heidelberg.

Landis, R. J., & Koch, G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 3(1), 159–174.

Lavigne, F., & Gunnell, Y. (2006). Land cover change and abrupt environmental impacts on Javan volcanoes, Indonesia: A long-term perspective on recent events. *Regional Environmental Change*, 6(1-2), 86–100.  
doi:10.1007/s10113-005-0009-2

Leh, M., Bajwa, S., & Chaubey, I. (2013). Impact of land use change on erosion risk: An integrated Remote Sensing, Geographic Information System and modeling methodology, 421(August 2011), 409–421.

Li, L., Du, S., Wu, L., & Liu, G. (2009). An overview of soil loss tolerance. *Catena*, 78(2), 93–99. doi:10.1016/j.catena.2009.03.007

Liu, H., & Zhou, Q. (2004). Accuracy analysis of remote sensing change detection by rule-based rationality evaluation with post-classification comparison. *International Journal of Remote Sensing*, 25(5), 1037–1050.  
doi:10.1080/0143116031000150004

Lu, D., Moran, E., Hetrick, S., & Li, G. (2011). Land use and land cover change detection. In Q. Weng (Ed.), *Advances in Environmental Remote Sensing* (pp. 273–291). Boca Raton: CRS Press.

Mandal, D., & Sharda, V. N. (2011). Assessment of permissible soil loss in India employing a quantitative bio-physical model. *Current Science*, 100(3), 383–390.



- Mas, J.-F. (1999). Monitoring land cover changes: A comparison of change detection techniques. *International Journal of Remote Sensing*, 20(1), 139–152. doi:10.1080/014311699213659
- Mertens, B., & Lambin, E. F. (2000). Land cover change trajectories in southern Cameroon. *Annals of the Association of American Geographers*, 90(3), 467–494.
- Morgan, R. P. C. (2005). *Soil erosion and conservation: Third edition*. Victoria: Blackwell Publishing.
- Morgan, R. P. C. (2011). *Handbook of erosion modeling*. (R. P. C. Morgan & M. A. Nearing, Eds.) (1st ed.). Blackwell Publishing.
- Morgan, R. P. C., & Duzant, J. H. (2008). Modified MMF ( Morgan – Morgan – Finney ) model for evaluating effects of crops and vegetation cover on soil erosion. *Earth Surface Processes and Landforms*, 106(June 2007), 90–106. doi:10.1002/esp
- Morgan, R. P. C., Morgan, D. D. V, & Finney, H. J. (1984). A predictive model for the assessment of soil erosion risk. *Agricultural Engeineering Resources*, (April), 245–253.
- Moriasi, D., & Arnold, J. (2007). Model evaluation guidelines for systematic quantification of accuracy in watershed simulations. *Transactions of the ...*, 50(3), 885–900. doi:10.13031/2013.23153
- Nash, J. E., & Sutcliffe, J. V. (1970). River flow forecasting through conceptual models part I — A discussion of principles. *Journal of Hydrology*, 10, 282–290. doi:10.1016/0022-1694(70)90255-6
- Notebaert, B., Vaes, B., Govers, G., Verstraeten, G., van Oost, K., van Rompaey, A., ... Vaes, B. (2006). WaTEM / SEDEM version 2006 manual. Leuven: K.U. Leuven, Belgium.
- Pacheco, F. a L., Varandas, S. G. P., Sanches Fernandes, L. F., & Valle, R. F. (2014). Soil losses in rural watersheds with environmental land use conflicts. *The Science of the Total Environment*, 485-486, 110–20. doi:10.1016/j.scitotenv.2014.03.069
- Panizza, M. (1996). *Developments in earth surface processes 4, Environmental geomorphology* (pp. 1–285). Amsterdam, The Netherlands: Elsevier Science Bv.
- Pawitan, H. (2004). Land use changes and their impacts on watershed hydrology. *Laboratorium Hidrometeorologi FMIPA IPB. Bogor*, 65–80.



- Renard, K. G., Foster, G. R., Wesies, G. A., McCool, D. K., & Yoder, D. C. (1997). *Predicting soil erosion by water: a guide to conservation planning with the revised soil loss equation (RUSLE)*. Washington DC: US Department of Agriculture.
- Richards, J. A., & Jia, X. (1999). *Remote sensing digital image analysis*. Berlin, Heidelberg: Springer Berlin Heidelberg. doi:10.1007/978-3-662-03978-6
- Roo, A. P. J. D. E., & Wesseling, C. G. (1996). LISEM : A single-event physically based hydrological and soil erosion model for drainage basins 1: Theory, Input, and output. *Hydrological Processes*, 10(April 1995), 1107–1117.
- Rudiarto, I., & Doppler, W. (2013). Impact of land use change in accelerating soil erosion in Indonesian upland area : A case of Dieng Plateau , Central Java - Indonesia, 3(July), 558–576.
- Rustanto, A. (2010). *Soil erosion dynamics due to land use / land cover changes, case study in upper Serayu Watershed, Indonesia*. M.Sc Thesis. ITC, University of Twente, Enschede, The Netherlands.
- Schmengler, A. C. (2010). *Modeling soil erosion and reservoir sedimentation at hillslope and catchment scale in semi-arid Burkina Faso*.
- Schosser, B., Helming, K., & Wiggering, H. (2010). Assessing land use change impacts - a comparison of the SENSOR land use function approach with other frameworks. *Journal of Land Use Science*, 5(2), 159–178. doi:10.1080/1747423X.2010.485727
- Setiawan, M. A. (2012). *Integrated soil erosion risk management in the upper Serayu Watershed, Wonosobo District, Central Java Province, Indonesia*. Ph.D, University of Innsbruck, Austria.
- Sharma, A., Tiwari, K. N., & Bhadoria, P. B. S. (2011). Effect of land use land cover change on soil erosion potential in an agricultural watershed. *Environmental Monitoring and Assessment*, 173, 789–801. doi:10.1007/s10661-010-1423-6
- Sheikh, V., van Loon, E., Hessel, R., & Jetten, V. (2010). Sensitivity of LISEM predicted catchment discharge to initial soil moisture content of soil profile. *Journal of Hydrology*, 393(3-4), 174–185. doi:10.1016/j.jhydrol.2010.08.016
- Shirazi, M. A., & Boersma, L. (1984). A unifying quantitative analysis of soil texture. *Soil Science Society of America Journal*, 48, 142–147. doi:10.2136/sssaj1984.03615995004800010026x



- Shrestha, D. P. (1997). Assessment of soil erosion in the Nepalese Himalaya, a case study in Likhu Khola Valley, Middle Mountain Region. *Oxford & IBH Publishing Co. Pvt. Ltd*, 2(1), 59–80.
- Singh, A. (1984). *Tropical forest monitoring using digital landsat data in Northeastern India*. Ph.D Thesis. University of Reading. England.
- Singh, A. (1989). Review Article Digital change detection techniques using remotely-sensed data. *International Journal of Remote Sensing*, 10(6), 989–1003. doi:10.1080/01431168908903939
- Soewarno, & Syariman, P. (2008). Sedimentation control: Part II. Intensive measures, the inside of the Mrica Reservoir, Central Java. *Journal of Applied Sciences in Environmental Sanitation*, 3(2040), 17–24.
- Stamey, W. L., & Smith, R. M. (1964). A conservation definition of erosion tolerance. *Soil Science*, 97(3), 183–186. doi:10.1097/00010694-196403000-00006
- Steegen, a., Govers, G., Takken, I., Nachtergaele, J., Poesen, J., & Merckx, R. (2001). Factors controlling sediment and phosphorus export from two Belgian catchments. *Journal of Environmental Quality*. *Journal of Environmental Quality*, 1258(June), 1249–1258.
- Stocking, M., & Murnaghan, N. (2000). *Land degradation - Guidelines for field assessment*. Norwich: United Nations Environment Program.
- Stohlgren, T. J., Chase, T. N., Pielke, R. A., Sr, ., Kittel, T. G. F., & Baron, J. S. (1998). Evidence that local land use practices influence regional climate, vegetation, and stream flow patterns in adjacent natural areas. *Global Change Biology*, 4(5), 495–504. doi:10.1046/j.1365-2486.1998.t01-1-00182.x
- Sukristyonubowo, Gabriels, D., & Verloo, M. (2010). Sedimen trapping by terraced paddy field on sloping agricultural land. *Indonesian Journal of Agricultural Sciece*, 11(2), 57–64.
- Sulistyo, B. (2011a). *Pemodelan spasial lahan kritis berbasis raster di DAS Merawu Kabupaten Banjarnegara melalui integrasi citra Landsat 7 ETM dan Sistem Informasi Geografis*. Ph.D Thesis, Universitas Gadjah Mada, Yogyakarta.
- Sulistyo, B. (2011b). Pengaruh erosivitas hujan yang diperoleh dari rumus yang berbeda terhadap pemodelan erosi berbasis raster: Studi kasus di DAS Merawu, Banjarnegara, Jawa Tengah. *Agritech*, 31(3), 250–259.



- Sulistyo, B. (2011c). The effect of selecting different contour interval on a fully raster-based erosion modeling. *Jurnal TANAH TROPIKA (Journal of Tropical Soils)*, 16(3), 257–266. doi:10.5400/jts.2011.16.3.257
- Takken, I., Beuselinck, L., Nachtergaele, J., Govers, G., Poesen, J., & Dagraer, G. (1999). Spatial evaluation of a physically-based distributed erosion model (LISEM). *Catena*, 37(3-4), 431–447.
- Tejedor, M., Jiménez, C., Monteverde, C., & Parra, J. (2004). The influence of deforestation on soil water conservation in a pine forest in Tenerife (Canary Islands, Spain). In *Conserving Soil and Water for Society: Sharing Solutions* (pp. 1–4). Brisbane.
- The Government of Banjarnegara District. (2013). Akhir Januari 2013 Banjarnegara targetkan tanam 5 juta pohon - Kabupaten Banjarnegara. Retrieved March 26, 2015, from <http://www.banjarnegarakab.go.id/v3/index.php/berita-165/pemerintahan/1732-akhir-januari-2013-banjarnegara-tertargetkan-tanam-5-juta-pohon>
- The Public Relation of East Java Province. (2014). Banjarnegara targetkan tanam 5 juta pohon. Retrieved March 26, 2015, from <http://birohumas.jatengprov.go.id/node/300>
- Van der Knijff, J. M., Jones, R. J. A., & Montanarella, L. (2000). *Soil erosion risk assessment in Europe*. Assessment European Soil Bureau. Joint Research Centre, Space Applications Institute.
- Van Oost, K., Govers, G., & Desmet, P. (2000). Evaluating the effects of changes in landscape structure on soil erosion by water and tillage, 577–589.
- Van Oost, K., van Rompaey, a., Poesen, J., Govers, G., & Verstraeten, G. (2002). Evaluating an integrated approach to catchment management to reduce soil loss and sediment pollution through modelling. *Soil Use and Management*, 18(4), 386–394. doi:10.1079/SUM2002150
- Van Rompaey, A., Verstraeten, G., van Oost, K., Govers, G., & Poesen, J. (2001). Modelling mean annual sediment yield using a distributed approach. *Earth Surface Processes and Landforms*, 1236, 1221–1236. doi:10.1002/esp.275
- Van Vliet, J., Bregt, A. K., & Hagen-Zanker, A. (2011). Revisiting Kappa to account for change in the accuracy assessment of land-use change models. *Ecological Modelling*, 222(8), 1367–1375. doi:10.1016/j.ecolmodel.2011.01.017



Verstraeten, G., Poesen, J., Gillijns, K., & Govers, G. (2006). The use of riparian vegetated filter strips to reduce river sediment loads: An overestimated control measure? *Hydrological Processes*, 20(April), 4259–4267. doi:10.1002/hyp.6155

Wang, D., Gong, J., Chen, L., Zhang, L., Song, Y., & Yue, Y. (2013). Comparative analysis of land use / cover change trajectories and their driving forces in two small watersheds in the western Loess Plateau of China. *International Journal of Applied Earth Observation and Geoinformation*, 21, 241–252. doi:10.1016/j.jag.2012.08.009

Wang, Z., Doetterl, S., Vanclooster, M., Wesemael, B., & Oost, K. Van. (2015). Constraining a coupled erosion and soil organic carbon model using hillslope-scale patterns of carbon stocks and pool composition, 1–14. doi:10.1002/2014JG002768.Received

Wijitkosum, S. (2012). Impacts of land use changes on soil erosion in Pa Deng Sub-district , adjacent area of Kaeng. *Soil and Water Res.*, 2012(1), 10–17.

Wilkinson, G. G. (2005). Results and implications of a study of fifteen years of satellite image classification experiments. *IEEE Transactions on Geoscience and Remote Sensing*, 43(3), 433–440. doi:10.1109/TGRS.2004.837325

Wischmeier, W. H., & Smith, D. D. (1978). *Predicting rainfall erosion losses. A guide to conservation planning*. USDA, Agricultural Handbooks. Washington DC. doi:10.1029/TR039i002p00285

Xiuwan, C. (2002). Using remote sensing and GIS to analyse land cover change and its impacts on regional sustainable development. *International Journal of Remote Sensing*, 23(1), 107–124. doi:10.1080/01431160010007051

Zachar, D. (1982). *Soil erosion, development in soil science 10*. Czechoslovakia: Elsevier Scientific Publishing Company.

Zampella, R. a., & Procopio, N. a. (2009). Landscape patterns and water - quality relationships in New Jersey Pinelands Streams. New Jersey, USA: Pineland Commission, New Lisbon.

Zarka, A. K., Kells, D. C., Douches, D. S., & Buell, C. R. (n.d.). A guide to growing potatoes in your home garden. Michigan: Michigan State University.

Zuidam, R., Meijerink, A., & Verstappen, H. (1977). Geomorphology of the Serayu River Basin, Central Java. *ITC Journal*, 624–646. Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Geomorphology+of+the+Serayu+River+basin,+Central+Java#0>



UNIVERSITAS  
GADJAH MADA

THE IMPACT OF LAND USE CHANGE ON SOIL EROSION IN SERAYU WATERSHED, CASE STUDY

MERAWU WATERSHED,

BANJARNEGARA, CENTRAL JAVA

FEBRI SYAHLI, Dr. M. Anggri Setiawan, M.Si; B.G.C.M (Bart) Krol, M.Sc; Dr. Dhruba Pikha Shresta

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zuidam, V., & A, R. (1985). *Aerial photo-interpretation in terrain analysis and geomorphological mapping*. The Hague, Netherlands: Smith Publishers.