

## DAFTAR PUSTAKA

- Aisyah, V., Suharna, dan Agus S., 2011, Ground Amplification Mapping Using HVSR Method (Horizontal To Vertical Spectral Ratio) In Patuk, Gunungkidul, Yogyakarta (Indonesia). *Proceedings JCM Makassar 2011, The 36th HAGI and 40th IAGI Annual Convention and Exhibition*, Makassar, 26 – 29 September 2011.
- Aki, K., 1957, Space and Time Spectra of Stationary Stochastic Waves, with Special Reference to Microtremors, *Earthquake Research Institute Japan*.
- Aki, K., dan P. G. Richards, 2002, *Quatitative Seismology – Second Edition*, University Science Books, Sausalito.
- Anonim, 2010, *Peta Indeks Resiko Bencana Kekeringan*, Badan Nasional Penanggulangan Bencana
- Asten, M.W., dan Boore, D.M., 2005, *Blind Comparisons of Shear-Wave Velocities at Closely Spaced Sites in San Jose, California: U.S. Geological Survey Open-File Report 2005-1169*, California.
- Asten, M.W., Trevor D.H.U. dan Nelson L.A.M., 2004, Optimized Array Design for Microtremor Array Studies Applied to Site Classification; Comparison of Results With Scpt Logs. *13th World Conference on Earthquake Engineering*, Vancouver, Canada, No 2903.
- Azar, F.S., 2000, Multiattribute Decision-Making: Use of Three Scoring Methods to Compare the Performance of Imaging Techniques for Breast Cancer Detection. *J Technical Reports (CIS)*, 119.
- Bettig, B., P.Y. Bard, F. Scherbaum, J. Riepl, F. Cotton, C. Cornou dan D. Hatzfeld, 2001, Analysis of Dense Array Noise Measurements Using The Modified Spatial Auto-Correlation Method (SPAC): Application to The Genoble Area, *Bulletino Di Geofisica Teorica Ed Applicata*, 42, 3-4, 281-304.
- Brotopuspito, K.S, Tiar P., dan Ferry M.W., 2006, Percepatan Getaran Tanah Maksimum Daerah Istimewa Yogyakarta 1943-2006, *J. Geofisika*, 2006/1.
- Chatterjee A.K., A.K. Mal, L. Knopoff, dan J.A. Hudson, 1980, Attenuation of elastic waves in a cracked, fluid-saturated solid, *Mathematical Proceedings of the Cambridge Philosophical Society*, 88, 547-561.
- Daryono, Sutikno, J. Sartohadi, Dulbahri, dan K. S. Brotopuspito, 2009, Efek Tapak Lokal (Local Site effect) di Graben Bantul Berdasarkan Pengukuran Mikrotremor, *International Conference Earth Science And Technology*, Yogyakarta 6-7 August 2009

- Daryono, 2011a, Identifikasi Sesar Naik Belakang Busur (Back arc Thrust) Daerah Bali Berdasarkan Seismisitas dan Solusi Bidang Sesar, Artikel Kebumihan, Badan Meteorologi Klimatologi dan Geofisika, *www.bmg.go.id*, 5 Januari 2011.
- Daryono, 2011b, Indeks Kerentanan Seismik Berdasarkan Mikrotremor Pada Setiap Satuan Bentuklahan di Zona Graben Bantul Daerah Istimewa Yogyakarta, *Disertasi*, Program Pascasarjana Fakultas Geografi, UGM, Yogyakarta.
- Fauzi, N.A. 2011. *Studi Identifikasi Penurunan Muka Tanah Di Kota Denpasar Dengan Menggunakan Metode InSAR*. Skripsi. Jurusan Teknik Geodesi, ITB, Bandung.
- Farid, M., 2014, Studi Mikroseismik untuk Mendeteksi Perubahan Garis Pantai dengan Indikator Indeks Kerentanan Seismik, Peak Ground Acceleration dan Ground Shear Strain di Provinsi Bengkulu, *Disertasi*, Program Studi S3 Ilmu Fisika Fakultas MIPA, UGM, Yogyakarta.
- Fukhusima, Y., dan Tanaka, T., 1990, A New Attenuation Relation for Peak Horizontal Acceleration of Strong Earthquake Ground Motion in Japan, *Bull of the seismological society of America. Soc. Am.*, 80, 757-783.
- Hadiwidjojo, M.M., H. Samodra dan T.C Amin, 1998, *Peta Geologi Lembar Bali, Nusatenggara*, Direktorat Jendral Geologi dan Sumberdaya Mineral, Departemen Pertambangan dan Energi.
- Harianja, J., R. Suyarto., dan I.W Nuarsa, 2014, Aplikasi Sistem Informasi Geografi (SIG) untuk Pemetaan Akuifer di Kota Denpasar, *E-Jurnal Agroekoteknologi Tropika*, 3, 4, 209-217.
- Hassani, B., H. Zafarani, J. Farjoodi, dan A. Ansari, 2011, Estimations of Site Amplification, Attenuation, and Source Spectra of S-Waves in the East-Central Iran, *Soil Dynamics and Earthquake Engineering*, 31, 1397-1413.
- Hatta, Y., S. Nakamura, A. Nozu, S. Shibao, Y. Murakami, and K. Ichii, 2010, Microtremor H/V Spectrum Ratio and Site Amplification Factor in the Seismic Observation Stations for 2008 Iwate-Miyagi Nairiku Earthquake, *Bull of Graduate School of Engineering Hiroshima University*, 59, 1.
- Herak, M., 2008, ModelHVSR – A Matlab Tool to Model Horizontal-to-Vertical Spectral Ratio of Ambient Noise, *J. Computers and Geoscience*, 34, 1514-1526.
- Holzer, T.L. dan Earl H.P., 1981, Earth Fissures and Localized Differential Subsidence, *Journal of Water Resources Research*, 17, 1.

<http://badungkab.bps.go.id> diakses 12 November 2014 via [google.com](http://google.com).

<http://bankdata.denpasarkota.go.id> diakses 12 November 2014 via [google.com](http://google.com).

<http://denpasarkota.go.id/index.php/selayang-pandang/2/Kondisi-Geografi> diakses 12 November 2014 via [google.com](http://google.com).

<http://nasional.kompas.com> diakses 15 April 2015 via [google.com](http://google.com).

<http://surabaya.bisnis.com/read/20140920/4/74664/rekahan-tanah-muncul-di-sejumlah-titik-di-pacitan> diakses 12 November 2014 via [google.com](http://google.com).

Iqbal, P., A. Tohari, I.A. Sadisun dan D. Nugroho, 2014, Fasies Sedimen Kuarter Berpotensi Likuifaksi Pesisir Kota Padang Provinsi Sumatra Barat Berdasarkan Data Inti Bor dan CPTu, *J. Lingkungan dan Bencana Geologi*, 5, 1, 1-18.

Isihara, K., 1982, Evaluation of Soil Properties for Use in Earthquake Response Analysis. *Proc. Int. Symp. On Numerical Model in Geomech*, 237-259.

Kurniawan, A., B.D. Yuwono, dan L.M Sabri. 2013. Analisis Penurunan Muka Tanah Daerah Semarang Menggunakan Perangkat Lunak Gamit 10.04 Kurun Waktu 2008-2013. *Jurnal Geodesi*, 2, 4.

Konno, K., dan Ohmachi, T., 1998. Ground Motion Characteristics Estimated From Spectral Ratio Between Horizontal To Vertical Components Of Microtremor, *Bulletin of the Seismological of America*, 88, 1, 228-241.

Lachet, C dan P.Y. Bard, 1995, Theoretical Investigations on The Nakamura`s Technique, *Proceedings: Third International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, St. Louis, Missouri

Marjiono, Ratdomopurbo, Suharna, M.H.H Zajuli, dan R. Setianegara, 2014, Geologi Bawah Permukaan Dataran Klaten Berdasarkan Interpretasi Data Mikrotremor. *Jurnal Geologi dan Sumberdaya Mineral*, 15, 1, 3-9.

Meidji, I.U., 2014, Kajian Karakteristik Dinamika Tanah Terhadap Resiko Kerawanan Seismik dan Dampaknya Terkait Rencana Tata Ruang Wilayah di Kota Mataram Bagian Timur, *Tesis*, Program Studi S2 Ilmu Fisika Jurusan Fisika FMIPA UGM, Yogyakarta.

Mitchell, G., 2007, *Land Subsidence And Earth Fissuring In Arizona Report*, Arizona Geological Survey Report, Arizona.

Mohamed, G.A., dan H.H Mohamed, 2012, Attenuation of Shallow Microearthquakes at Abu Simbal Area, South Egypt, *Journal of African Earth Science*, 64, 65-70.

- Muhiddin, A.B., T. Harianto, F. Syukur, dan Haadymuqtadir, 2013, Microzoonation Model for Liquefaction Potential of Makassar Coastal Area, *Proceeding of the 7th International Conference on Asian and Pasific Coasts (APAC 2013)*, Bali.
- Munadi, S, 2000, *Aspek Fisis Seismologi Eksplorasi*, Program Studi Geofisika, Jurusan Fisika, FMIPA, Universitas Indonesia, Depok.
- Muntohar, A.S., 2009, *Laporan Penelitian Mikro-Zonasi Potensi Likuifaksi dan Penurunan Tanah Akibat Gempabumi*, Laporan Penelitian LP3M UMY, Yogyakarta.
- Nakamura, Y, 1989, A Method for Dynamic Characteristic Estimation of Subsurface using Microtremor on the Ground Surface, *QR Railway Technical Research Institute*, 30, 1, 25-33.
- Nakamura, Y, 1997, Seismic Vulnerability Indices for Ground And Structures Using Microtremor, *World Congress on Railway Research, Florence*, Nov. 1997.
- Nakamura, Y, 2000, Clear Identification of Fundamental Idea of Nakamura's Technique and its Applications, *Proc XII World Conf. Earthquake Engineering*, New Zealand, 2656.
- Nakamura, Y., T. Sato, dan M. Nishinaga, 2000, Local Site Effect of Kobe Based on Microtremor Measurement. *Proceeding of the Sixth International Conference on Seismic Zonation EERI*, Palm Springs California.
- Okada, H., 2003, The Microtremor Survey Method (Geophysical Monograph Series Number 12), *Society of Exploration Geophysicists*, Amerika.
- Okada, H., 2006, Theory of efficient array observations of microtremors with special reference to the SPAC method, *J. Exploration Geophysics*, 37, 73-85.
- Papathanassiou, G., S. Pavlides, and A. Ganas. 2005. The 2003 Lefkada earthquake: Field Observation and Preliminary Microzonation Map Based on Liquefaction Potential Index for The Town of Lefkada. *J. Engineering Geology*. 82, 12-31.
- Parolai, S., P. Bormann dan C. Milkereit, 2002, New Relationships between  $V_s$ , Thickness of Sediments, and Resonance Frequency Calculated by the H/V Ratio of Seismic Noise for the Cologne Area (Germany), *Bull of Seismological Society of America*, 92, 6, 2521-2527.
- Petermans, T., X. Devleeschouwer, F. Pouriel dan P. Rosset, 2006, Mapping the Local Seismic Hazard in the Urban Area of Brussels, Belgium, *IAEG*, 424.

- Pramumijoyo, S., 2009, Road to Earthquake Mitigation: Lesson Learnt from The Yogyakarta Earthquake 2009, *J. SE Appl Geolgy*, 1, 2, 32-36.
- Refrizon., A.I. Hadi, K. Lestari., dan T. Oktari, 2013, Analisis Percepatan Getaran Tanah Maksimum dan Tingkat Kerentanan Seismik Daerah Ratu Agung Kota Bengkulu, *Prosiding Semirata FMIPA Universitas Lampung*, 2013.
- Robert, J.C., dan Michael W.A. 2004. Resolving a Velocity Inversion at The Geotechnical Scale Using The Microtremor (Passive Seismic) Survey Method. *J. Exploration Geophysics*, 35, 14-18.
- Saito, A., S. Hasegawa, H. Ota, and M. Yamanaka, 2006, Analysis Of Ground Motion Based On Microtremor Characteristics In Kagawa Prefecture Japan, *IAEG*, 590: The Geologi Society of London.
- Saraswaty, A.N., 2013, Kesiediaan Membayar Pelanggan Rumah Tangga untuk Pelayanan Air Bersih dari PDAM di Kabupaten Badung, *E-Jurnal Ekonomi Pembangunan Universitas Udayana*, 2, 10, 477-491.
- Seekins, L.C., Leif W, Lucia M., dan Hsi-Ping L, 1996, Site Amplification at Five Locations in San Fransisco, California: A Comparison of S Waves, Cudas and Microtremors, *Bull of the Seismological Society of America*, 86, 3, 627-635.
- Sesame, 2004, Guidelines for the implementation of the H/V spectral ratio technique on ambient vibration measurements and interpretation, *SESAME European Research Project*, European Commision-Research General Directorate.
- Setiawan, J.J.H., 2009, Mikrozonasi Seismisitas Daerah Yogyakarta dan Sekitarnya, *Tesis*, Program Magister Teknik Geodesi dan Geomatika ITB, Bandung.
- Sengara, I.W., E.K. Kertapati, dan I.G. Mahardika, 2010, Seismic Hazard Assessment in Denpasar-Bali, *The Regional Workshop on Best Practices in Disaster Mitigation*, 320-328.
- Shelley, E.O., Javier L.S., Gabriel A., dan Edgar M.S., 2012, Microtremor Measurements To Identify Zones Of Potential Fissuring In The Basin Of Mexico, *J. Geofisica Internacional*, 51, 2, 143-156.
- Sheriff, R.E., dan Lloyd P.G., 1995, *Exploration Seismology; Second Edition*, Cambridge University Press, London.
- Seht, M.I, dan J. Wohlenberg. 1999. Microtremor Used To Map Thickness Of Soil. *Bulletin of the Seismological Society of America*, 89, 1, 250-259.

- Soebowo, E., D. Sarah, Y. Kumoro, dan N.A Satriyo, 2011, Identifikasi Zona Penurunan Tanah Akibat Likuifaksi di Daerah Serangan-Tanjung Benoa, Bali Selatan, *Prosiding Pemaparan Hasil Penelitian Puslit Geoteknologi-LIPI 2011*, 193-198.
- Sukhyar, R., 2009, *Laporan Tahunan Badan Geologi 2009*, Laporan Badan Geologi, Bandung.
- Sumartono, 2005, Penyelidikan Geokimia Regional Sistematis Lembar Denpasar dan Mataran Provinsi Bali, *Kolokium Hasil Lapangan DIM*, 12, 1-7.
- Sungkono, 2011, Inversi Terpisah dan Simultan Dispersi Gelombang Rayleigh dan Horizontal-to-Vertical Spectral Ratio Menggunakan Algoritma Genetik, *Tesis*, Program Magister Bidang Studi Geofisika Jurusan Fisika FMIPA ITS, Surabaya.
- Sungkono dan B.J. Santosa, 2011, Karakterisasi Kurva Horizontal to Vertical Spectral Ratio: Kajian Literatur dan Pemodelan. *Jurnal Neutrino*, 4, 1.
- Supartoyo, G. Suantika dan Djadja, 2009, *Peta Kawasan Rawan Bencana Gempabumi Pulau Bali*, Pusat Vulkanologi dan Mitigasi Bencana Geologi, Bandung.
- Suryana, P., 2013, Identifikasi Daerah Rawan Bencana Tanah Longsor di Provinsi Lampung, *J. Sains dan Teknologi Indonesia*, 15, 1, 52-59.
- Suyarto, R., 2012, Kajian Akifer di Kecamatan Denpasar Barat Provinsi Bali, *J. Bumi Lestari*, 12, 1, 162-166.
- Tirtomihardjo, T. dan T. Setiawan, 2011, Simulasi Aliran Air Tanah Cekungan Air Tanah Denpasar-Tabanan, Provinsi Bali, *J. Geologi Indonesia*, 6, 3, 145-163.
- Thein, P.S., S. Pramumijoyo, K.S. Broptopuspito, W. Wilopo, J. Kiyono, and A. Setyanto, 2013, Estimation of sedimen Thickness by Using Microtremor Observation at Palu City, Indonesia, *Prociding of The 11<sup>th</sup> International Conference on Mining, Materials and Petroleum Engineering, The 7<sup>th</sup> International Conference on Earth Resources Tecnology*, Chiang Mai, Thailand, 116.
- Waluyo., 1996, *Seismologi*, Lab. Geofisika, Program Studi Teknik Geofisika, FMIPA, UGM, Yogyakarta.
- Waluyo., 2013, *Analisis Runtun Waktu*, Program Studi Teknik Geofisika, FMIPA, UGM, Yogyakarta.
- Wathelet, M., D. Jongmans, dan M. Ohrnberger, 2004, Surface-Wave Inversion Using a Direct Search Algorithm and Its Application to Ambient Vibration Measurements, *J. Near Surface Geophysics*, 211-221.