ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahn, S.Y., Shin, M.Y., Kim, Y.A., Yoo, J.A., Kwak, D.H,, Jung, Y.J., *et al*., 2008, Magnetic separation: a highly effective method for synchronization of cultured erythrocytic *Plasmodium falciparum*, *Parasitol Res,* 102:1195-1200.

Alam, G., Soegihardjo C.J., & Sudarsono, 1995, Detection of indole alkaloid in the callus culture of *Brucea javanica* (L) Merr, *Proceding Symposium Medicinal Plants Research VIII,* Bogor, Indonesia, pp: 452-456.

Al-Adhroey, H.A., Nor, m.Z., Al-Mekhlafi, M.H., & Mahmud, R., 2010, Ethnobotanical study on some Malaysian antimalarial plants: A community based survey, *J Ethnopharmacol*, 132: 362-364.

Amino, R., Thiberge, S., Shorte, S., Frischnecht, F., & Menerd, R., 2006, Quantitative imaging of *Plasmodium* sporozoites in the mammalian host, *C R Biologies,* 329: 858–862.

Aley, S.B., Sherwood, J.A., & Howard, R.J., 1984, Knob-positive and knob-negative *Plasmodium falciparum* differ in expression of a strain-specific malarial antigen on the surface of infected erythrocytes. *J Exp Med* 160:1585-1590.

Alona, P., 2007, *Plasmodium falciparum* Gametocytes: still many secrets of a hidden life, *Mol Microbiol,* 66(2): 291–302.

Anderson L.A., Harris A., & Phillipson J.D., 1983, Production of cytotoxic canthin-6-one alkaloids by ailanthus altissima, *J Nat Products,* 46(3): 374-378.

Anonim, 2012, *Plasmodium falciparum*, http//www.dpd.cdc.gov/dpdx, diakses tanggal 20 Desember 2012.

Arnida, Wahyono, Mustofa, & Susidarti, R.A., 2013, *In vitro* antiplasmodial activity of ethanol extracts of Borneo medicinal plants (*Hydrolea spinosa; Ampelocissus rubiginosa; Uraria crinite; Angiopteris evecta*), *Unpublish*.

Aryanti, Ermayanti, T.M., Prinadi, K.I., & Dewi, R.M., 2006, Uji daya antimalaria *artemisia* sp terhadap *Plasmodium falcifarum*, *MFI*, 17(2): 81-84.

Auparakkitanon, S., Noonpakdee, W., Ralph, R.K., Denny W.A., & Wilairat, P., 2003, Antimalarial 9-anilinoacridine compounds derected at hematin, *J Antimicrob Chemother*, 47(12): 3708-12.

Baelsmans, R., Deharo, E., Munoz, V., Sauvain, M., & Ginsburg, H., 2000, Experimental conditions for testing the inhibitory activity of chloroquine on the formation of β-hematin, *Exp Parasitol*, 96(4):243-8.

Baird, J.K., 2013, Evidence and implications of mortality associated with acute *Plasmodium vivax* malaria, *Clin Microbiol Rev*, 26:36–57.

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Baird, J.K., & Hoffman, S.L., 2004, Primaquine therapy for malaria, *Clin Infect Dis*, 39:1336–1345.

Bakar, N.A., Klonis, N., Hanssen, E., Chan, C., & Tilley, L., 2010, Digestive-vacuole genesis and endocytic processes in the early intraerythrocytic stages of *Plasmodium falciparum*, *J Cell Sci*, 123: 441–450.

Baldwin, J., Farajallah, A.M., Malmquist, N.A., Rathod, P. K., & Phillips, M. A., 2002, Malarial Dihydroorotate Dehydrogenase Substrate And Inhibitor Specificity, *J Biol Chem*, 277: 41827–41834.

Bandar, H., Hijazi, A., Rammal, H., Hachem, A., Saad, Z., & Badran, B., 2013, Techniques for the extraction of bioactive compounds from Lebanese *Urtica dioica*, AJPCT, 1(6): 507-513.

Bannister, L.H., & Mitchell, G.H., 2009, The malaria merozoite, forty years on, *Parasitol*, 136: 1435–1444.

Bannister, L.H., Hopkins, J.M., Fowler, R.E., Krishna, S., & Mitchell, G.H., 2000, Ultrastructure of rhoptry development in *Plasmodium falciparum* erythrocytic schizonts, *J Parasitol*, 121 (3): 273–287.

Bannister, L.H., Hopkins, J.M., Margos, G., Dluzewski, A.R. & Mitchell, G.H., 2004, Three-dimensional ultrastructure of the ring stage of *Plasmodium falciparum*: evidence for export pathways, *Microsc Microanal*, 10: 551-562.

Bapela, J.M., Meyer, M., & Kaiser, M., 2014, *In vitro* antiplasmodial screening of ethnopharmacologically selected South African plant species used for the treatment of malaria, *J Ethnopharmacol*, 3: 245-248.

Basco, LK., 2007, *Field Application of in vitro assays for the sensitivity of human malaria parasites to antimalaria drugs*, WHO Press, Geneva.

Bassilico, N., Pagani, E., Monti, D., Olliaro, P., & Taramelli, D., 1998. A microtitrebased method for measuring the haem polymerization inhibitory activity (HPIA) of antimalarial drugs, *J Antimicrob Chemother*, 42: 55-60.

BenMamoun, C., Gluzman, I.Y., Hott, C., MacMillan, S.K., Amarakone, A.S., Anderson, D.L., *et al*., 2001, Co-ordinated programme of gene expression during asexual intraerythrocytic development of the human malaria parasite *Plasmodium falciparum* revealed by microarray analysis, *Mol Microbiol*, 39: 26–36.

Bennett, T.N., Kosar, A.D., Ursos, L.M.B., Dzekunov, S., Sidhu, A.B.S., Fidock, D.A., *et al*., 2004, Drug resistance-associated pfCRT mutations confer decreased *Plasmodium falciparum* digestive vacuolar pH, *Mol Biochem Parasitol*, 133: 99–114.

Bergquvist, Y., & Lindegardh, N., 2007, *Antimalarial drug levels in body fluids, in Schalgenahauf-Lowlor & Patricia*, 2nd Edition, BC Decker Inc, Shelton USA. 248-268.

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Bertania, S., Houel, E., Jullian, V., Bourdy, G., & Valentin, A., 2012, New findings on Simalikalactone D, an antimalarial compound from *Quassia amara* L. (Simaroubaceae), *J Exp Parasitol*, 130(4): 341–347.

Bickii, J., Tchouya, G.R.F., Tchouankeu, J.C., & Tsamo, E., 2007, Antimalarial activity in crude extracts of some cameroonian medicinal plants, *Afr J Trad CAM*., 4 (1): 107-111

Biot, C., Nosten, F., Fraisse,L., Terminassian D., Khalife, J., & Dive D., 2011, The Antimalarial Ferroquine: From Bench To Clinic, *Parasite*, 18: 207-214.

Boselli, E., Velazco, V., Caboni, M.F., & Lercker, G., 2001, Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food, *J Chromatogr A*, 917: 239-244.

Bozdech, Z., Llina, M., Lee Pulliam B., Wong, ED, Zhu J., & DeRisi JL., 2003, The Transcriptome of the Intraerythrocytic Developmental Cycle of *Plasmodium falciparum*, *PLoS Biol*, 1(1): 085-100.

Bruce, M.C., Carter, R.N., Nakamura, K., Aikawa, M., & Carter, R., 1994, Cellular location and temporal expression of the *Plasmodium falciparum* sexual stage antigen Pfs16, *Mol Biochem Parasitol*, 65: 11–22.

Bunnik, E.M., Polishko, A., Prudhomme, J., Ponts, N., Gill, S.S., Stefano Lonardi, S., & Le Roch, K.R., 2014, DNA-encoded nucleosome occupancy is associated with transcription levels in the human malaria parasite *Plasmodium falciparum*, *BMC*, 15:347.

Carter, R., Graves, P.M., Creasey, A., Byrne, K., Read, D., Alano, P., & Fenton, B., 1989, *Plasmodium falciparum*: an abundant stage-specific protein expressed during early gametocyte development, *Exp Parasitol*, 69: 140–149.

Christenhusz, Maarten, J. M., Toivonen, & Tuuli, K., 2008, Giants invading the tropics: the oriental vessel fern, *Angiopteris evecta* (Marattiaceae), *Biol Invasi*, 10(8): 1215-1228.

Cox, F.E., 2010, History of the discovery of the malaria parasites and their vectors, *Parasit Vectors*, 3:5.

Dahl, E.L., & Rosenthal, P.J., 2008, Apicoplast translation, transcription and genome replication: targets for antimalarial antibiotics, *Trends Parasitol*, 24(6): 279-284.

Depkes, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Departemen Kesehatan RI, Jakarta.

Depkes, 2001, *Standar pengawasan program bidang kesehatan, pemberantasan penyakit malaria*, Inspektorat Jenderal Departemen Kesehatan RI, Jakarta

ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Depkes, 2006, *Pedoman Penatalaksanaan Kasus Malaria di Indonesia*, Jakarta: Direktorat Jendral Pengendalian Penyakit dan Penyehatan Lingkungan, Jakarta.

Depkes, 2008, *Pedoman Penatalaksanaan Kasus Malaria di Indonesia: Gebrak Malaria*, Dirjen Pengendalian Penyakit dan Penyehatan Lingkungan, Departemen Kesehatan RI, Jakarta.

de Castro, M.D.L. & Garcia-Ayuso, L.E., 1998, Soxhlet extraction of solid materials: An outdated technique with a promising innovative future, *Anal Chem Acta*, 369(1):1-2.

de Souza, W., 2005, Microscopy and cytochemistry of the biogenesis of the parasitophorous vacuole, Histochem, *Cell Biol*, 123: 1–18.

Dluzewski, A.R., Ling, I.T., Hopkins, J.M., Grainger, M., Margos, G., Mitchell, G.H., *et al*., 2008. Formation of the food vacuole in *Plasmodium falciparum*: a potential role for the 19 kDa fragment of merozoite surface protein 1 (MSP1(19)), *PLoS One*, 3: e3085.

Dondorp, A.M., Nosten, F., Yi, P., Das, D., Phyo, A.P., Tarning, J., *et al*., Artemisinin resistance in *Plasmodium falciparum* malaria, 2009, *N Engl J Med*, 361:455–467.

Duraisingh, M.T., & Cowman, A.F., 2005, Contribution of the pfmdr1 gene to antimalarial drug-resistance, *Acta Tropica*, 94 (3): 181-190.

Edwards, C., & Stillman, P., 2006, *Minor Illness or Major Didease?, The clinical phamaciist in the community*, 4th Edition, Pharmaceutical Press, London, 262.

Ekland, E.H., & Fidock, D.A., 2008, *In vitro* evaluations of antimalarial drugs and their relevance to clinical outcomes, *Int J Parasitol*, 38(7): 743–747.

Enoh S.A, Seudieu C, Davidson E, Dritschilo A, & Jung M., 2009, Novel Inhibitor Plasmodium Histon Deasetilase Itu Mice Cures *P. berghei*, *Antimicrob Agents Chemother*, 53(5): 1727–1734.

Falade, M.O., Akinboye, D.O., Gbotosho, G.O., Ajaiyeoba, E.O., Happi, T.C., Abiodun, O.O., *et al*., 2014, *In vitro* and *in vivo* antimalarial activity of *Ficus thonningii* Blume (Moraceae) and *Lophira alata* Banks (Ochnaceae), identified from the ethnomedicine of the Nigerian Middle Belt, *J Parasitol Res*, 2014: 1-6

Farooq, U., & Mahajan, R.C., 2004, Drug resistance in malaria, *J Vect Borne Dis*, 41: 45-53.

Fidock, D.A., T. Nomura, A. K. Talley, R. A. Cooper, S. M. Dzekunov, M.T., Ferdig, *et al*., 2000, Mutations in the *P. falciparum* digestive vacuole trans membrane protein PfCRT and evidence for their role in chloroquine resistance, *Mol Cell*, 6:861-71.

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Fidock, D.A., Rosenthal, P.J., Croft, S.L., Brun, R., & Nwaka, S., 2004, Antimalarial drug discovery: Efficacy models for compound screening, *Nat Rev Drug Disc*, 3(6): 509-520.

Fidock, D.A., Eastman, R.T., Ward, S.A., & Meshnick, S.R., 2008, Recent highlights in antimalarial drug resistance and chemotherapy research, *Trends in Parasitol*, 24 (12): 537-544.

Florens. L., Washburn, M.P., Raine, J.D., Anthony, R.M., & Grainger, M., 2002, A Proteomic view of the *Plasmodium falciparum* life cycle, *Nature*, 419: 520–526.

Garcia, C.R., de Azevedo, M.F., Wunderlich, G., Budu, A., Young, J.A., & Bannister, L., 2008, Plasmodium in the postgenomic era: new insights into the molecular cell biology of malaria parasites, *Cell Mol Biol*, 266: 85–156.

Geislinger, T.M., Chan, S., Moll, K., Wixforth, A.,Wahlgren, M., & Franke, T., 2014, Label-free microfluidic enrichment of ring-stage *Plasmodium falciparum*-infected red blood cells using non-inertial hydrodynamic lift, *Malar J*, 13:375

Gessler, M.C., Nkunya, M.H.H., Mwasumbi, L.B., Heinrich, M., & Tanner, M., 1997, Screening Tanzanian medicinal plants for antimalarial activity, *Acta Tropica*, 56(1): 65-77.

Grimberg, B.T., & Mehlotra, R.K., 2011, Expanding the antimalarial drug now, but how, *Pharmaceutical*, 4: 681-712.

Hadi, S., 2003. Tanaman obat pulau Lombok : agen anti malaria dari *Alstonia scholaris* R. Br. *J Obat Bahan Alam*., 3(2): 28-33.

Hanssen, E., McMillan, P.J., & Tilley, L., 2010, Cellula architecture of *Plasmodium falciparum*-infected erythrocytes, *Int J Parasitol*, 40: 1127-1135.

Hanssen, E., Dekiwadia, C., Riglar, D.T., Rug, M., & Lemgruber, L, 2013, Electron tomography of *Plasmodium falciparum* merozoites reveals core cellular events that underpin erythrocyte invasion, *Cell Microbiol*, 15: 1457–1472.

Harbone, J.B., 1987, *Metode Fitokimia*, *Penuntun cara modern menganalisis tumbuhan*, Penerbit ITB, Bandung.

Hasnawati & Prawita, E., 2010, Isolasi dan identifikasi senyawa antibakteri dari daun *Eupatorium odoratum* L. Terhadap bakteri *Staphylococcus aureus* ATCC 25923 dan *Escherichia coli* ATCC 25922, *MFI*, 15(1): 41-50.

Hay, S.I., & Snow, R.W., 2006, The malaria atlas project: geveloping global maps of malaria risk, *PLoS Med*, 3(12): e473.

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Hay, S.I, Okiro, E.A., Gething, P.W., Patil, A.P., Tatem, A.J., Guerra, C.A., *et al*., 2010, Estimating the global clinical burden of *Plasmodium falciparum* malaria in 2007, *PLoS Med*, 7(6): e1000290.

Haynes, J.D., & Moch, J.K., 2002, Automated synchronization of *Plasmodium falciparum* parasites by culture in a temperature-cycling incubator, *Methods Mol Med*, 72:489-497.

Hayward, R.E., DeRisi, J.L., Alfadhli, S., Kaslow, D.C., & Brown, P.O., 2000, Hotgun DNA microarrays and stage-specific gene expression in *Plasmodium falciparum* malaria, *Mol Microbiol*, 35: 6–14.

Hertiani, T., & Purwantini, 2002, Minyak atsiri hasil destilasi ekstrak etanol daun sirih (*Piper betle* L) dari beberapa daerah di Yogyakarta dan aktivitas antijamur terhadap *Candida albicans* anti-fungal activity of essential oil distilled from ethanol, *MFI*, 8 (4) 132-137.

Hoa, N.K., Phan, D.N., Thuan, N.D., & Ostenson, C.G., 2009, Screening of the hypoglycemic effect of eight Vietnamese herbal drugs, *Methods Find Exp Clin Pharmacol*, 31(3):165-169.

Hoppe, H.C., Verschoor, J.A., & Louw, A.I., 1991, *Plasmodium falciparum*: a comparison of synchronisation methods for in vitro cultures, *Exp Parasitol* 72:464-467.

Hseu, T. H., (1981), Structure of Angiopteroside (4-O-β-D-glucopyranosyl-L-threo-2hexen-5-olide) Monohydrate, a fern glycoside from *Angiopteris lygodiifolia* Ros, *Acta Crystallographica*, B37(11): 2095–2098.

Huy, N.T., Maeda, A., Uyen, D.T., Trang, D.T.X., Sasai, M., Shiono, T. *et al*., 2007, Alcohols induce beta-hematin formation via the dissociation of aggregated hem and reduction in interfacial tension of the solution, *Acta Tropica*, 101: 130–138.

Jawetz, Melnick, & Adelberg's, 2001, *Medical Microbiology*, 22nd Edition, Lange Medical Books-McGraw Hill, New York, 576-580.

Kavishe, R.A., van den Heuvel, J.M.W., van de Vegte-Bolmer, M., Luty, A.J.F., Russel, F..G.M., & Koenderink, J.B., 2009, Localization of the ATP-binding cassette (ABC) transport proteins PfMRP1, PfMRP2, and PfMDR5 at the *Plasmodium falciparum* plasma membrane, *Malar J*, **8**:205.

Karov, D., Dicko, M.H., Sanon, S., Simpore, J., & Traore, A.S., 2003, Antimalarial activity of *Sida acuta* Burm.f (Malvaceae) and *Pterocarpus erinaceus* Poir (Fabaceae), *J Ethnopharmacol*, 89: 291-294.

Kemenkes, 2011, Epidemiologi malaria di Indonesia, *Buletin Jendela Data dan Informasi Kesehatan*, Kementrian Kesehatan RI, 1: 2-4.

Khan, M.R., & Omoloso, A.D., 2008, Antibacterial and antifungal activities of *Angiopteris evecta*, *Fitoterapia*, 79(5):366-369.

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Kita, K., Miyadera, H., Saruta, F., & Miyyoshi, H., 2001, Parasite Mitochondria as a Target for Chemotherapy, *J Health Sci*, 47(3): 219–239.

Kumar, S., Guha, M., Choubey, V., Maity, P., & Bandyyopaddhay, U., 2007, Antimalarial drugs inhibiting hemozoin (β-hematin) formation : A mechanistic update, *Life Sciences*, 80, 813-828.

Lanzer, M., Wickert, H., Krohne, G., Vincensini, L. & Braun Breton, C., 2006, Maurer's clefts: A novel multi-functional organelle in the cytoplasm of *Plasmodium falciparum*-infected erythrocytes, *Int J Parasitol*, 36: 23-36.

Lambros, C., & Vanderberg, J.P., 1979, Synchronization of *Plasmodium falciparum* Erythrocytic Stages in Culture, *J Parasitol*, 65:418-420.

Lasonder, E., Ishihama, Y., Andersen, J.S., Vermunt, A.M., & Pain, A., 2002, Analysis of the *Plasmodium falciparum* proteome by high-accuracy mass spectrometry, *Nature*, 419: 537–542.

Le Roch, K.G., Zhou, Y., Batalov, S., & Winzeler, E.A., 2002, Monitoring the chromosome 2 intraerythrocytic transcriptome of *Plasmodium falciparum* using oligonucleotide arrays, *Am J Trop Med Hyg*, 67: 233–243.

Lew, V.L., Tiffert, T., & Ginsburg, H., 2003, Excess hemoglobin digestion and the osmotic stability of *Plasmodium falciparum*-infected red blood cells, *Blood* 101, 4189-4194.

Limananti, A.I., & Triratnawati, A., 2003, Ramuan jamu cekok sebagai penyembuhan kurang nafsu makan pada anak, suatu kajian etnomedisin, *Makara Kesehatan* 7(1): 12

Liu, K.C.S., Lin, Y.S., Roberts, M.F & Phillipson, J.D., 1990, Canthin-6-one alkaloids from cell suspension cultures of *Brucea javanica*, *J Phytochem*, 29(1): 141-143.

Ljungström, I., Perlmann, H., Schlichtherle, M., Scherf, A., & Wahlgren, M., 2004, *Methods in Malaria Research,* Fourth Edition, University Boulevard, Manassas.

Lozhkin, A.V., & Sakanyan, E.I., 2006, Structure of chemical compounds, methods of analysis and process control, natural coumarins: methods of isolation and analysis, *Pharm Chem J*, 40(6): 337-346.

Macreadie, I., Ginsburg, H., Sirawaraporn, W., & Tilley, L., 2000, Antimalarial drug development anf new targets, *Parasitol Today*, 16(10): 438-44.

Mahapatra, S.K., Chakraborty, S.P., Das, S., Hati, A.K., & Roy, S., 2011, Prevalence of severe chloroquine resistance associates the point mutation in *pfcrt* and *pfmdrI* gene in eastern India, *Asian Pacific J Trop Dis*, 1(4): 263–269.

Mang'era C.M., Mbai, F.N., Omedo, I.A., Mireji, P.O., & Omar, S.A., 2012, Changes in genotypes of *Plasmodium falciparum* human malaria parasite

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

following withdrawal of chloroquine in Tiwi, Kenya, *Acta Trop*., 123: 202–207

Marechal, E., & Cesbron-Delauw, M.F., 2001, The apicoplast: a new member of the plastid family, *Trends Plant Sci*, 6: 200–205.

Margos, G., Bannister, L.H., Dluzewski, A.R., Hopkins, J., Williams, I.T., & Mitchell, G.H., 2004, Correlation of structural development and differential expression of invasion-related molecules in schizonts of *Plasmodium falciparum*, *J Parasitol*, 129: 273–287.

McElroy,A., 2002, *Medical Anthropology, Encyclopedia of Cultural Anthropology*, New York, 33-41.

Mehta, S.R. & Das, S., 2006, Management of malaria: resent trends, *J Commun Dis*, 38(2): 130-133.

Miller, L.H., Baruch, D.I., Marsh, K., & Doumbo, O.K., 2002, The pathogenic basis of malaria, *Nature*, 415: 673–679.

Mohamad, S., Zin, N. M., Wahab, H. A., Ibrahim, P., Sulaiman, S.F., Zahariluddin, A.S.M., *et al*., 2011, Antituberculosis potential of some ethnobotanically selected malaysian plants, *J Ethnopharmacol*, 113 (3): 1021-1026.

Moll, K., Ljungstrom, I., Perlmann, H., Scherf, A., & Wahlgren, M., 2008, *Methods in Malaria Research*, University Boulevard, Manassas, 1-55.

Mouatcho, J.C., & Goldring, J.P.D., 2013, Malaria rapid diagnostic tests: challenges and prospects, *J Med Microbiol*, 62: 1491–1505.

Muktiningsih, S.R., Muhammad, H.S., Warsana, I.W., Budhi, M., & Panjaitan, P., 2005, Review tanaman obat yang digunakan oleh pengobat tradisional di sumatra utara, sumatra selatan, bali dan sulawesi selatan, *Media Litbang Kesehatan* XI, 4: 25-36.

Munoz, V., Sauvain, M., Bourdy, G, Callapa, J., Bergeron, S., Rojas, I., *et al*., 1999, A search for natural bioavtive compounds in Bolivia through a multidisciplinary approach part I. evaluation of the antimalarial activity of plants used by the Chocobo Indians, *J Ethnopharmacol*., 000: 1-11.

Mustofa, 2008, Stage specificity of pasak bumi root (*Eurycoma longifolia* jack) isolate on *Plasmodium falciparum* cycles, *The Medic J Malaysia*, 63 Spl A: 98-99

Mustofa, 2009, Obat Antimalaria Baru Antara Harapan dan Kenyataan, Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta.

Mycek, M.J., Harvey, R.A., Champe, P.C., & Fisher, B.D., Hartanto, H., & Widya, M., 2001, *Farmakologi Ulasan Bergambar*, Edisi II, diterjemahkan dari Bahasa Inggris oleh Agoes, A., Jakarta, 353-354.

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Naughton, J.A., & Bell, A., 2007, Studies on cell-cycle synchronization in the asexual erythrocytic stages of *Plasmodium falciparum*, *J Parasitol*, 134:331-337.

Olszewski, K.L., Morrisey, J.M., Wilinski, D., Burns, J.M., Vaidya, A.B., Rabinowitz, J.D., & Llina, M., 2009, Host-Parasite Interactions Revealed by *Plasmodium falciparum* metabolomics, *Cell Host & Microbe*, 191–199.

Omar, F & Mahajan, R,C., 2004, Drug resistence in malaria, *J vec Borneo Disease*, 41: 45-53.

O'Neill, P.M., Barton, V.E., Ward, S.A., & Chadwick, J., 2012, '4-Aminoquinolines: Chloroquine, Amodiaquine and Next-Generation Analogues' in Stanes, H.M., & Krishna, S., *Treatment and Prevention of Malaria*, Springer Basel, Liverpool, 19-44.

Painter, H.J., Morrisey, J.M., Mather, M.W., & Vaidya, A.B., 2007, Specific Role of Mitochondrial Electron Transport in Blood-Stage *Plasmodium falciparum*, *Nature*, 446, 88–91.

Pavanand, K., Nutakul, W., Dechatiwongse, T., Yoshihira, K.,Yongvanitchit, K., Scovill, J.P., *et al*., 1986. *In vitro* antimalarial activity of *Brucea javanica* against multi-drug resistant *Plasmodium falciparum*, *Planta Med*, 52: 108–111.

Pavia, D.L., Lampman, G.M., Kriz, G.S., & Vyvyan, J.R., 2001, *Introduction to Spectroscopy*, Fourth Edition, Departmant of Chemistry, Western Washington University Bellingham, Washington.

Patankar, S., Munasinghe. A., Shoaibi, A., Cummings, L.M., & Wirth, D.F., 2001, Serial Analysis of Gene Expression in *Plasmodium falciparum* Reveals the Global Expression Profile of Erythrocytic Stages and The Presence of Anti-sense Transcripts in The Malarial Parasite, *Mol Biol Cell*, 12: 3114–3125.

Pouplin, J.N., Tran, T.H., Phan, T.A., Dolecek, C., Farrar, J., Caron, P., *et al*., 2007, Antimalarial and cytotoxic activities of ethnopharmacologically selected medicinal plants from south Vietnam, *J Ethnopharmacol*, 109: 417-427.

Praptiwi, Harapini, M., & Chairul, 2007, Pengaruh pemberian ekstrak pauh kijang (*Irvingia malayana* oliv ex. a.benn) terhadap tingkat penurunan parasitemia pada mencit yang diinfeksi *P. berghei*, *Biodiversitas* 8(2): 96-98.

Prozesky, E.A., Meyer, J.J.M., & Louw, A.I., 2001, *In vitro* antiplasmodial activity and cytotoxicity of ethnobotanically selected South African plants, *J Ethnopharmacol*, 76: 239–245.

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Ravikumar. S., Inbaneson, S.J., & Suganthi, P., 2012, *In vitro* antiplasmodial activity of chosen terrestrial medicinal plants against *P. falciparum, Asian Pacific J Trop Biomed*, 2(1): S252–S256.

Ralph, S.A., van Dooren, G.G., Waller, R.F., Crawford, M.J., Fraunholz, M.J., Foth, B.J., *et al*., 2004, Tropical Infectious diseases: metabolic maps and functions of the *P. falciparum* apicoplast, *Nat Rev Microbiol*, 2: 203–216.

Rang, H.P., Dale, M.M., Ritter, J.M., & Moore, P.K., 2003. *Pharmacology*, 5thed., Churchill Livingstone, London.

Razavi, S.M., Zahri, S., Motamed, Z., & Ghasemi, G., 2010, Bioscreening of oxypeucedanin, a known furanocoumarin, *Iranian J Basic Med Sci*, 13(3): 133-138.

Renford-Cartwright, L.C., Sinha A., Humphereys G.S., & Mwang, J.M., 2010, New synchronization method for *Plasmodium falciparum*, *J Malaria*, 9:170.

Richier, E., Biagini, G.A., Wein, S., Boudou, F., Bray, P.G., Ward. S.A., *et al*., 2006, Potent antihematozoan activity of novel bisthiazolium drug T16: evidence for inhibition of phosphatidylcholine metabolism in erythrocytes infected with *Babesia* and *Plasmodium spp*, *Antimicrob Agents Chemother*, 50: 3381–3388.

Rieckmann, K.H., 1987, Visual in vitro test for determining the drug sensitivity of *Plasmodium falciparum, The Lancet* 12:1333-35.

Ridley, R.G., 2002, Medical need, scientific opportunity and the drive for antimalarial drugs, *Nature*, 415: 686-693.

Rosenthal, J.P., 2003, Antimalarial drug discovery: old and new approaches, *J experiment Biol*, 206: 3735-3744

Rowe, J,A., Claessens, A., Corrigan, R.A., & Arman, M., 2009, Adhesion of *Plasmodium falciparum*-infected erythrocytes to human cells: molecular mechanisms and therapeutic implications, *Mol Med*, 11:e16.

Saim, N., Dean, J.R., Abdullah, Md.P., & Zakaria, Z., 1997, *J Chromatogr A*. 791, 361.

Saleh, I., Handayani, D., & Anwar, C., 2014, Polymorphisms in the *pfcrt* and *pfmdr1* genes in *Plasmodium falciparum* isolates from South Sumatera, Indonesia, *Med J Indonesia*, 23: 1.

Salinas, J.L., Kissinger, J.C., Jones, D.P., & Galanski, M.R., 2014, Metabolomics in the fight against malaria, *Mem Inst Oswaldo Cruz*, 109(5): 589–597.

Sanchez, C.P., Dave, A., Stein, W.D., & Lanzer, M., 2010, Transporters as ediators of drug resistance in *Plasmodium falciparum, Int J Parasitol*, 40 (10): 1109–1118.

Satimai, W., Sudathip, P., Vijakadge, S., Khamsiriwatchara, A., & Sawang, S., 2012, Artemisinin resistance containment project in Thailand, responses to

UNIVERSITAS GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

mefloquine-artesunate combination therapy among *falciparum* malaria patients in provinces bordering Cambodia, *J Malaria*, 11(1): 300-303.

Setyiasi, M., Ardiningsih, P., & Nofiani, R., 2013, Analisis organoleptik produk bubuk penyedap rasa alami dari ekstrak daun sansakng (*Pycnarrhena cauliflora* Diels), *JKK*, 2(1) 63-68.

Sherman & Irwin, W., 2011, *Magic Bullet to conguer malaria: from quinine to Qinghaosu*, ASM Press, US., p. 225

Sholikhah, EN., Wijayanti, I.T., & Mustofa, 2014, *In vivo* antiplasmodial activity and acute toxicity of standardized extract of *Eurycoma longifolia* jack. Root traditionally used to treat malaria, *AJPT*, 9 (1): 24-28

Silverstain, R. M., Bassler, G. C., & Morrill, T.,C., 2002, *Spectrometric Identification of Organic Compounds*, 4th ed., a.b. Hartono, A. J., *et al*., Erlangga, Jakarta

Singh, S., Plassmeyer, M., Gaur, D., & Miller, L.H., 2007, Mononeme: a new secretory organelle in *Plasmodium falciparum* merozoites identified by localization of rhomboid-1 protease, *Proc Natl Acad Sci USA*, 104: 20043–20048

Sirinivas, S.D., & Puri, S.K., 2002, Time course of in vitro maturationof intraerythrocytic malaria parasite, a comparison between *Plasmodium falciparum* and *Plasmodium knowlesi*, *Mem Inst Oswaldo Cruz*, *97*(6): 901-903.

Slater, Barney. L., War, & Disease, 2009, *Biomedical Research on Malaria in the Twentieth Century*, Rutgers University Press, US., p 53

Smith, D.G.G., & Aronson, J.K., 2002, *Oxford Textbook of Clinical Pharmacology and Drug Therapy*, 3th Edition, Oxford University Press, New York.

Smith, R.C., Vega-Rodriguez, J., & Jacobs-Lorena, M., 2014, The Plasmodium bottleneck: malaria parasite losses in the mosquito vector, *Mem Inst Oswaldo Cruz*, 109 (5): 644-6661.

Solomon, L., Okeere, H.C., & Daminabo, V., 2014, Understanding human malaria: further review on the literature, pathogenesis and disease control, *MVI*, 1-2.

Stangeland, T., Alele, P.E., Katuura, E., & Lye, K,A., 2011, Plants used ti treat malaria in Nyakayojo sub-county, western Uganda, *J Ethnopharmacol*, 137: 154-166.

Steele, J.C.P., Phelps, R.J., Simmonds, M.S.J., Warhurst, D.C., & Meyer, D.J., 2002, Two Novel Assays for the Detection of Haemin-Binding Properties of Antimalarial Wvaluated with Compounds Isolated from Medical Plants, *J Antimicrob Chemother*, 50: 25-31.

ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Syamsudin, Tjokrosonto, S., Wahyuono, S., & Mustofa, 2007, Aktivitas antiplasmodium dari dua fraksi ekstrak n-hexan kulit batang asam kandis *(Garcinia parmifolia* Miq), *MFI*, 18(4): 210-215.

Tambunan, R.M., & Simanjuntak, P., 2006, Penentuan struktur kimia antioksidan benzofenon glikosida dari ekstrak n-butanol buah mahkota dewa (*Phaleria macrocarpa* (Scheff) Boerl.), *MFI*, 17 (4) 184-189.

Taveepanich, S., Kamthong, N., Sawasdipuksa, N., & Roengsumran, S., 2005, Chemical constituents and biological activity of *Angiopteris evecta* Hoffm, *J Sci Res Chula Univ*, 30(2):187-192.

Thomas, K., & Ying, W., 2008, Artemisinin - An innovative cornerstone for anti-malaria therapy, *Progress in Drug Research*, 66: 383-422.

Tilley, L., McFadden, G., Cowman, A., & Klonis, N., 2007, Illuminating *Plasmodium falciparum*-infected red blood cells, *Trends in Parasitol*, 23 (6): 268-278.

Tilley, L., Sougrat, R., Lithgow, T. & Hanssen, E., 2008, The twists and turns of Maurer's cleft trafficking in *P. falciparum*-infected erythrocytes, *Traffic*, 9:187-197.

Tjay, T. H., & Raharja,K., 2002, Obat-obat Penting, Alex Media Komputindo, Jakarta.

Tonkin, C.J., Pearce, J.A., McFadden, G.I., & Cowman, A.F., 2006, Protein targeting to destinations of the secretory pathway in the malaria parasite *Plasmodium falciparum*, *Microbiol*, 9:381-387.

Tosun, F., Kizilay, C.A., Erol, K., Kilic, F.S., Kurkcuoglu, M., & Baser, K.H.C. 2008, Anticonvulsant activity of furanocoumarins and the essential oil obtained from the fruits of Heracleum crenatifolium, *Food Chem*, 107: 990-993.

Trager, W., & Jensen, J.B., 1976, Human malaria parasites in continous culture, *Science,* 193: 673-676.

van Dooren, G.G., Marti, M., Tonkin, C.J., Stimmler, L.M., Cowman, A.F., & McFadden, G.I., 2005, Development of the endoplasmic reticulum, mitochondrion and apicoplast during the asexual life cycle of *Plasmodium falciparum*, *Mol Microb,* 57 (2): 405–419.

von Itzstein, M., Plebanski, M., Cooke, B.M., & Coppel, R.L., 2008, Hot, sweet and sticky: the glycobiology of *Plasmodium falciparum*, *Trends Parasitol*, 24: 210–218

Wagih, M.E., G. Alam, S. Wiryowidagdo, & K. Attia, 2008, Improve production of the indole alkaloid canthin-6-on from cell suspension culture of *Brucea javanica* (L.) Merr, *Indian J Sci Tec*, 7: 1-6.

Waksmundzka-Hajnos, M., Petruczynik, A., Hajnos, M.Ł., Tuzimski, T., Hawrył, M., Bogucka-Kocka, A, 2006, Two-dimensional thin-layer

ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

chromatography of selected coumarins, *J Chromatogr Sci*, 44(8): 510-517.

Wang, P., Wang, Q., Sims, P.F., & Hyde, J.E., 2002, Rapid positive selection of stable integrants following transfection of *Plasmodium falciparum*, *Mol Biochem Parasitol*, 123: 1–10.

Warhurst, D.C., 2007, '*The Parasite' in Schalgenahauf-Lowlor & Patricia, Travelers Malaria*, 2nd Edition, BC Decker Inc, Shelton USA. 70-79.

Wellems, T.S., & Plowe, C.V., 2001, Chloroquine Resistant Malaria, *J Infect Dis* 184:770-6.

White, N.J., Pukrittayakamee, S., Hien, T.T., Faiz, M.A., Mokuolu, O.A., & Dondorp, A.M., 2013, Malaria, *Lancet*, 383:723–735.

WHO, 2006, *Guidelines for The Treatment of Malaria*, WHO Press, Geneva, 25.

WHO, 2008, *Word Malaria Report*, WHO Press, Geneva, 30

WHO, 2010[a], *Guidelines for The Treatment of Malaria* -- 2nd edition, WHO Press, Geneva, 1-22.

WHO, 2010[b], *Global Report on Antimalarial Drug Efficacy and Drug Resistance: 2000-2010*, WHO Press, Geneva, 11-27.

WHO, 2010[c], *Basic Malaria Microscopy*, WHO Press, Geneva, 53-56.

WHO, 2011[a], *Global Plan for Artemisinin Resistance Containment (GPARC)*, WHO Press, Geneva, 19.

WHO, 2011[b], *Word Malaria Report*, WHO Press, Geneva

WHO, 2011[c], *Universal Access To Malaria Diagnostic Testing*, Geneva

WHO, 2012, *Word Malaria Report*, WHO Press, Geneva, 29

WHO, 2013, *Word Malaria Report*, WHO Press, Geneva

Widyowati, R., Santa, I.G.P., Rahman, A., Tantular, I., & Widyawaruyanti, A., 2003, Uji *in-vitro* aktivitas antimalaria isolat dari *Andrographis paniculata* terhadap *Plasmodium falciparum* pada stadium gametosit, *MFI*, 3(3): 99-102.

Williams, D.H., & Fleming, I., 1995, *Spectroscopic Methods in Organic Chemistry*, Fifth Ed. McGraw-Hill, Berkshire, 17.

Wilson, D.W., Langer, C., Goodman, C.D., McFadden, G.I., & Beeson, J.G., 2013, Defining the Timing of Action of Antimalarial Drugs against *Plasmodium falciparum*, *Antimicrob Agents Chemother*, 57 (3): 1455–1467.

Wiesner, J. & Jomaa, H., 2007, Isoprenoid biosynthesis of the apicoplast as drug target, *Curr Drug Targets*, 8: 3–13.

Willcox, M., Bodeker, G., & Rasoanaivo, P., 2004, *Traditional Medicinal Plants And Malaria*, CRC Press, Boca Raton, 30, 260.

UNIVERSITAS
GADJAH MADA
ISOLASI DAN UJI AKTIVITAS ANTIPLASMODIUM In Vitro SENYAWA AKTIF DARI UMBI HATI TANAH (Angiopteris evecta)
ARNIDA, Prof. Dr. Wahyono, SU., Apt; Prof. Dr. Mustofa, M.Kes., Apt; Prof. Dr. Ratna Asmah Susidarti, MS., Apt
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Widodo, & Rahayu, 2010, Aktivitas antimalaria ekstrak etil asetat kulit batang mundu (*Garcinia dulcis* Kurz), *MFI*, 21(4), 238-242.

Wongsrichanalai, C., Pickard, A.L., Wernsdorfer, W.H., & Meshnick, S.R., 2002, Epidemiology of drug-resistant malaria, *Lancet Infect Dis*, 2: 209–218.

Woodrow, C.J., & Krishna, S., 2006, Antimalarial drugs: recent advances in molecular determinants of resistance and their clinical significance, *Cell Mol Life Sci*, 63:1586–1596.

Wright, G.J., & Rayner, J. C., 2014, *Plasmodium falciparum* erythrocyte invasion: Combining function with immune evasion, *PLoS Pathogens*, 10 (3): e1003943.

Yen, G.C., Lai, H.H., & Chou, H.S., 2001, Nitric oxide-scavenging and antioxidant effects of *Uraria crinita* root, *J Food Chem*, 74 (4): 471-478.

Zirihi, G.H., Yao, D.J., Ka-adou, K.M., & Philippe, G., 2005, Phytochemical and pharmacological studies of alcoholic extract of *Fagara macrophylla* (Oliv) Engl (Rutaceae); chemical structure of active compound inducing antipaludic activity, *J Chin Clin Med*, 2(4): 205-210.