

DAFTAR PUSTAKA

- Abdul Majid, 2004. *Krisis Hipertensi Aspek Klinis Dan Pengobatan*. Bagian Fisiologi Fakultas Kedokteran Universitas Sumatera Utara.
- AHA, 2014. Hypertensive Crisis. *American Heart Association*, .
- AHRQ, 2010. Comparative Effectiveness of Angiotensin Converting Enzyme Inhibitors (ACEIs) and Angiotensin II Receptor for Treating Essential Hypertension-An Update of The 2007 Report. *Agency for Healthcare Research and Quality*, .
- Armilawaty, 2007. 'Hipertensi dan Faktor Resikonya Dalam Kajian Epidemiologi'. *Bagian Epidemiologi FKM UNHAS*, .
- August, P., 2013. Hypertension in Women. *Advances in Chronic Kidney Disease*, , Women in Nephrology **20**: 396–401.
- Aung, M.N., Yuasa, M., Moolphate, S., Nedsuwan, S., Yokokawa, H., Kitajima, T., dkk., 2012. Reducing salt intake for prevention of cardiovascular diseases in high-risk patients by advanced health education intervention (RESIP-CVD study), Northern Thailand: study protocol for a cluster randomized trial. *Trials*, **13**: 158.
- Balitbang, 2013. 'Riset Kesehatan Dasar 2013'. Departemen Kesehatan RI, Jakarta.
- Beevers, G., Lip, G.Y.H., dan O'Brien, E., 2001. The pathophysiology of hypertension. *BMJ: British Medical Journal*, **322**: 912–916.
- Bustan, M. N, 1997. *Epidemiologi Penyakit Tidak Menular*. Rineka Cipta, Jakarta.
- Calhoun, D.A. dan Oparil, S., 1990. Treatment of Hypertensive Crisis. *New England Journal of Medicine*, **323**: 1177–1183.
- Cannon, C.M., Levy, P., Baumann, B.M., Borczuk, P., Chandra, A., Cline, D.M., dkk., 2013. Intravenous nicardipine and labetalol use in hypertensive patients with signs or symptoms suggestive of end-organ damage in the emergency department: a subgroup analysis of the CLUE trial. *BMJ Open*, **3**: e002338.
- Cherney, D. dan Straus, S., 2002. Management of Patients With Hypertensive Urgencies and Emergencies. *Journal of General Internal Medicine*, **17**: 937–945.
- Chobanian AV, Bakris GL, Black HR, dan et al, 2003. The seventh report of the joint national committee on prevention, detection, evaluation, and treatment of high blood pressure: The jnc 7 report. *JAMA*, **289**: 2560–2571.
- Clifton, G.G., Cook, M.E., Bienvenu, G.S., dan Wallin, J.D., 1989. Intravenous nicardipine in severe systemic hypertension. *The American Journal of Cardiology*, **64**: H16–H18.

- Cook, N.R., Appel, L.J., dan Whelton, P.K., 2014. Lower Levels of Sodium Intake and Reduced Cardiovascular Risk. *Circulation*, CIRCULATIONAHA.113.006032.
- Corry, D.B. dan Tuck, M.L., 1999. Hypertensive crises. *Current Treatment Options in Cardiovascular Medicine*, **1**: 1–9.
- Corwin, E.J., 2008. *Buku Saku Patofisiologi Corwin*, 1 st. ed. EGC : Penerbit Buku Kedokteran, Jakarta.
- Curran, M.P., Robinson, D.M., dan Keating, G.M., 2012. Intravenous Nicardipine. *Drugs*, **66**: 1755–1782.
- Dahlan Sopiudin, 2013. *Besar Sampel Dan Cara Pengambilan Sampel Dalam Penelitian Kedokteran Dan Kesehatan*, 3rd ed. Salemba Medika, Jakarta.
- Depkes RI, 2006. *Pharmaceutical Care Untuk Penyakit Hipertensi*. Direktorat Jenderal Bina Farmasi, Jakarta.
- Dipiro J. T, R.L.T., Yee, C.G, Matzke , G.R, Wells, B. G, dan Posey L., 2008. *Pharmacotherapy A Pathophysiologic Approach*, 6 th. ed. McGraw-Hill.
- Eastwood, S., Tillin, T., Mayet, J., Wright, A., Hughes, A., dan Chaturvedi, N., 2014. Mean arterial pressure is a stronger predictor of stroke in South Asian than European men, independent of other cardiometabolic risk factors; the SABRE study. *Artery Research*, **8**: 160.
- Goldstein, I.B., Shapiro, D., dan Weiss, R.E., 2008. How family history and risk factors for hypertension relate to ambulatory blood pressure in healthy adults: *Journal of Hypertension*, **26**: 276–283.
- Gunawan, L, 2001. *Hipertensi, Penyakit Tekanan Darah Tinggi*. Kanisius, Yogyakarta.
- Hall, M.E., do Carmo, J.M., da Silva, A.A., Juncos, L.A., Wang, Z., dan Hall, J.E., 2014. Obesity, hypertension, and chronic kidney disease. *International Journal of Nephrology and Renovascular Disease*, **7**: 75–88.
- Hoffman B.B, 2006. Therapy of Hypertension, dalam: *Bronton, L. L., Lazo, J.S., Parker, K. L., Goodman & Gilman's The Pharmacological Basis Of Therapeutics*. McGraw-Hill, New York.
- Hull, A, 1996. *Penyakit Jantung, Hipertensi Dan Nutrisi*. Bumi Aksara, Jakarta.
- Huysmans, F., Sluiter, H., Thien, T., dan Koene, R., 1983. Acute treatment of hypertensive crisis with nifedipine. *British Journal of Clinical Pharmacology*, **16**: 725–727.
- Hyman L, Schachat AP, He Q, Leske M, dan for the Age-Related Macular Degeneration Risk Factors Study Group, 2000. Hypertension, cardiovascular disease, and age-related macular degeneration. *Archives of Ophthalmology*, **118**: 351–358.
- Idham Idris, 2008. Management Strategy in Hypertensive Crisis : the role of nicardipine. *Department of Cardiology and Vascular Medicine Faculty of*

Medicine University of Indonesia National Cardiovascular Center Harapan Kita, .

- , 2004. *Krisis Hipertensi Dalam Buku Ajar Kardiologi*. Faklutas Kedokteran Universitas Indonesia, Jakarta.
- Jamerson, K., Weber, M.A., Bakris, G.L., Dahlöf, B., Pitt, B., Shi, V., dkk., 2008. Benazepril plus Amlodipine or Hydrochlorothiazide for Hypertension in High-Risk Patients. *New England Journal of Medicine*, **359**: 2417–2428.
- James PA, Oparil S, Carter BL, dan et al, 2014. 2014 evidence-based guideline for the management of high blood pressure in adults: Report from the panel members appointed to the eighth joint national committee (jnc 8). *JAMA*, **311**: 507–520.
- Kaplan, M. N, 2006. *Kaplan's Clinical Hypertension*, 9 th. ed. Lippincott Williams & Wilkins, Dallas, Texas.
- Katz, A.M., 1986. Pharmacology and mechanisms of action of calcium-channel blockers. *Journal of Clinical Hypertension*, **2**: 28S–37S.
- Kotchen, T.A., 2008. Obesity-Related Hypertension? Weighing the Evidence. *Hypertension*, **52**: 801–802.
- Lameshow, S., Hosmer Jr, D.W., Klar, J., dan Lwanga, S.K., 1990. *Adequacy of Sample Size in Health Studies*. John Wiley & Sons, Ltd, Chicester.
- Landsberg, L., Aronne, L.J., Beilin, L.J., Burke, V., Igel, L.I., Lloyd-Jones, D., dkk., 2013. Obesity-related hypertension: Pathogenesis, cardiovascular risk, and treatment—A position paper of the The Obesity Society and the American Society of Hypertension. *Obesity*, **21**: 8–24.
- Leunissen, K.M.L. dan Kooman, J.P., 1998. Hypertensive emergencies 1003–1020.
- Madhur, M.S, 2014. Hypertension. *Medscape Drugs and Disease*.
- Malesker, M.A. dan Hilleman, D.E., 2012. Intravenous labetalol compared with intravenous nicardipine in the management of hypertension in critically ill patients. *Journal of Critical Care*, **27**: 528.e7–528.e14.
- Mansjoer, A, Savitri, R, Setiowulan, W, Triyanti, K, dan Wardhani, W. I, 1999. *Kapita Selekt Kedokteran*, Jilid 1. ed. Media Aesculapius FK UI, Jakarta.
- Mark A Malesker dan Daniel E Hilleman, 2012. Intravenous labetalol compared with intravenous nicardipine in the management of hypertension in critically ill patient. *Journal of Critical Care*, Volume 27.
- Mojón, A., Ayala, D.E., Piñeiro, L., Otero, A., Crespo, J.J., Moyá, A., dkk., 2012. Comparison of Ambulatory Blood Pressure Parameters of Hypertensive Patients With and Without Chronic Kidney Disease. *Chronobiology International*, **30**: 145–158.
- Mutschler E, 1991. *Dinamika Obat Buku Ajar Farmakologi Dan Toksikologi*. Institut Teknologi Bandung.

- Neal L., dan Benowitz M. D, 2009. Antihypertensive Agents, dalam: *B.G., Masters, S. B., Trevor, J. T., Basic and Clinical Pharmacology*. McGraw-Hill, New York, hal. 167–172.
- Neutel, J.M., Smith, D.H.G., Wallin, D., E, C., Ram, C.V., Fletcher, E., dkk., 1994. A Comparison of Intravenous Nicardipine and Sodium Nitroprusside in the Immediate Treatment of Severe Hypertension. *American Journal of Hypertension*, **7**: 623–628.
- Ong, K.L., Cheung, B.M.Y., Man, Y.B., Lau, C.P., dan Lam, K.S.L., 2007. Prevalence, Awareness, Treatment, and Control of Hypertension Among United States Adults 1999-2004. *Hypertension*, **49**: 69–75.
- Onoyama, 1987. Effect of a Diltiazem on Severe Systemic Hypertension. *Current Therapeutic Research*, **42** .
- Oparil S, Zaman, M. A, dan Calhoun, D. A, D.A., 2003. *Pathogenesis of Hypertension*. Annals of Internal Medicine.
- Peters SAE, Huxley RR, and Woodward M, 2013. No sex difference in association between SBP and stroke and ischemic heart disease. *Physicians academy for cardiovascular educations*, Stroke. 2013;44:2394-2401 .
- Ramos, A.P. dan Varon, J., 2014. Current and Newer Agents for Hypertensive Emergencies. *Current Hypertension Reports*, **16**: 1–8.
- Saseen J.J dan Carter B.L, 2005. Essential Hypertension, dalam: *In : Koda Kimble Applied Therapeutics : The Clinical Use of Drugs*. Lippincot Williams & Wilkin, New York.
- Sheps,S.G, 2005. *Mayo Clinic Hypertension : Mengatasi Tekanan Darah Tinggi*. Intisari Mediatama, Jakarta.
- Staessen, J.A. dan Birkenhäger, W.H., 2005. Evidence that new antihypertensives are superior to older drugs. *The Lancet*, **366**: 869–871.
- Sugiharto, A, 2007. ' â™ Faktor-faktor Risiko Hipertensi Grade I Pada Masyarakat (Studi Kasus di Kabupaten Karanganyar)' Tesis'. Universitas Diponegoro, Semarang.
- Suhardjono, 2012. Penatalaksanaan Hipertensi Kompleks dan Hipertensi Krisis. *Jurnal Medika*, edisi No 01Vol XXXVIII .
- Tambayong D.J, 2000. Gangguan Sistem Kardiovaskular, dalam: *Patofisiologi Untuk Keperawatan*. EGC : Penerbit Buku Kedokteran, Jakarta, hal. 95.
- Vaidya, CK dan Quellette, JR, 2007. Hypertensive Urgency and Emergency. *Hospital Physician*, **43-50** .
- Varon, J. dan Marik, P.E., 2000. THE diagnosis and management of hypertensive crises*. *Chest*, **118**: 214–227.
- Varon Joseph dan Marik Paul E., 2007. Hypertensive Crises : Challenges and Management. *Chest*, **131**: 1949–1962.

- Varon, P.J., 2008. Treatment of Acute Severe Hypertension. *Drugs*, **68**: 283–297.
- Wallace, J.P., 2003. Exercise in Hypertension. *Sports Medicine*, **33**: 585–598.
- Wallin, J.D., 1990. Intravenous nicardipine hydrochloride: Treatment of patients with severe hypertension. *American Heart Journal*, **119**: 434–437.
- Watson, K, Watson, B, Summers, K, dan Michocki, R, 2009. Hypertensive Crises, dalam: *Koda Kimble & Young's Applied Therapeutics The Clinical Use of Drugs*. Lippincott Williams & Wilkins, Dallas, Texas, hal. Chapter 21, 520–535.
- WHO, 2003. *Management of Hypertension : International Society of Hypertension Writing Group*. WHO-International Society of Hypertension.
- , 2013. WHO | A global brief on hypertension. *WHO* .
- Yang, H.J., Kim, J.G., Lim, Y.S., Ryoo, E., Hyun, S.Y., dan Lee, G., 2004. Nicardipine versus Nitroprusside Infusion as Antihypertensive Therapy in Hypertensive Emergencies. *Journal of International Medical Research*, **32**: 118–123.