

DAFTAR PUSTAKA

- Ahmed, K., Nizami, S.S., Raza, N.Z. and Mahmood, K., 2012, Mechanical, Swelling, and Thermal Aging Properties of Marble Sludge-Natural Rubber Composites, *Int. J. Ind. Chem.*, 3, 21, 1-12, DOI: 10.1186/2228-5547-3-21.
- Aielo, P.B., Borges, F.A., Romeira, K.M., Miranda, M.C.R., De-Arruda, L.B., Filho, P.N.L., De C. Drago, B. and Herculano, R.D., 2014, Evaluation of Sodium Diclofenac Release Using Natural Rubber Latex as Carrier, *Mat. Res.*, 1, 17, 1-10, <http://dx.doi.org/10.10590/S1516-14392014005000010>.
- Ali, M., 1983, Pengaruh Elektrolit Terhadap Kestabilan Emulsi Lateks Karet Alam, *Tesis*, FMIPA ITB, Bandung.
- Allen, P.W., 1958, The Swelling Behavior of Natural Rubber Latex, *J. Colloid Sci.*, 13, 483-487.
- Anonim, 2011, *Pengembangan Teknologi Tepat Guna Pembuatan Barang Karet Berbasis Lateks Pravulkanisasi*, Balai Penelitian Teknologi Karet, Bogor.
- Anonim, 2011, *Petunjuk Praktikum Pembuatan Barang Karet dan Plastik*, Balai Besar Kulit, karet dan Plastik, Laboratorium Sarana Riset Karet dan Plastik Kementerian Perindustrian, Jakarta.
- Anonim, 1989, *SNI 06-1301-1989, Sarung Tangan Karet*, Badan Standardisasi Nasional, BSNI, Jakarta.
- Anonim, *Manual No. M/85-150-P700 Operating Instructions Brookfield dial viscometer*, brookfield engineering laboratories, inc., Middleboro.
- Anshari, D., 2009, Impregnasi Asap Cair Tempurung Kelapa, Poliester Tidak Jenuh Yukalac 157 BQTN-Ex dan Toluene Diisotianat Terhadap kayu Kelapa Sawit, *Tesis*, Sekolah Pasca Sarjana, USU, Medan
- Babu, R.R., Shibulal, G.S., Chandra, A.K., and Naskar, K., 2013, *Advanced Structural Materials, Advanced Elastomer I Volume 11, Compounding and Vulcanization*, Springer Verlag, Berlin Heidelberg, 83-135, DOI: 10.1007/978-3-642-20925-3_4
- Burford, R.P. and Pittolo, M., 1984, The Mechanical Properties of Rubber Compound Containing Soft Fillers, *J. Mater. Sci.*, 19, 3059-3067.
- Chen, D., Shao, H., Yao, W. and Huang, B., 2013, Fourier Transform Infrared Spectral Analysis of Polyisoprene of a Different Microstructure, *Int. J. Polym. Sci.*, <http://dx.doi.org/10.1155/2013/937284>.

- Chiu, H.T. and Tsai, P.A., 2006, Aging and Mechanical Properties of NR/NBR Blends, *J. Mater. Eng. Perform.*, 1, 15, 88-94, DOI: 10.1361/105994906X83448
- Cibulkova, Z., Polovkova, J., Lukes, V. and Klein, V., (2006), DSC and FTIR Study of The Gamma Radiation Effect On Cis-1,4-Poliisoprena, *J. Therm. Anal. Calorim.*, 3, 84, 709-703.
- Coran, A.Y., 2005, *Vulcanization*, Mark, J.E., Erman, B., and Eirich, F.R., *The Science and Technologi of Rubber Third Edition*, Elsevier Academic Press, Amsterdam.
- Danwanichakul, P., Lertsurasakda, P. and Wiwattanasit, R., 2012, Correlation Between Dry Rubber Content in Field Latex and Viscosity Measured With Efflux Time Method, *Songkalarin J. Sci. Technol.*, 5, 34, 551-555, <http://www.sjst.psu.ac.th>.
- Datta, R.N. and Ingham, F.A.A., 2001, *Rubber Additives-Compounding Ingredients*, White, J.R. and De, S.K., *Rubber Technologist's Handbook*, Rapra Technology Ltd., Shawbury, UK.
- Donnet, J.P., and Custodero, E., 2005, *Reinforcement of Elastomers by Particulate Fillers*, Mark, J.E., Erman, B. and Eirich, F.R., *The Science and Technologi of Rubber Third Edition*, Elsevier Academic Press, Amsterdam.
- El-Nemr, K.F., 2011, Effect of Different Curing Systems on the Mechanical and Physico-chemical Properties of Acrylonitrile Butadiene Rubber Vulcanizates, *Mater. Des.*, 32, 3361-3369, DOI: 10.1016/j.matdes.2011.02.010.
- Evans, O.R., Dong, W. and Deshpande, K., 2013, *Sulfur-Containing Organic-Inorganic Hybrid Gel Compositions and Aerogels*, United Stated, Patents US20130005842.
- Fretheim, K., Granum, P.E. and Vold, E., 2008, Influence of Generation Temperature on The Chemical Composition, Antioxidative, and Antimicrobial Effects of Wood Smoke, *J. Food Sci.*, 45(4), 999-1002, DOI: 10.1111/j.1365-2621.1980.tb07497.x
- Ganjali, S.T., Malekzadeh, M., Abbasian, A., and Khosravi, M., 2009, Effects of Different Activator Systems on Cure Characteristics and Physicomechanical Properties of a NR/SBR Blend, *Iran. Polym. J.*, 18(5), 415-425, <http://journal.ippi.ac.ir>.

- Ghosh, P., Katare, S., Patkar, P., Caruthers, J.M. and Venkatasubramanian, V., 2003, Sulfur Vulcanization of Natural Rubber for Benzothiazole Accelerated Formulations: From Reaction Mechanism to Rational Kinetic Model, *Rubber Chem. Technol.*, 6, 592-693
- Haider, K.S., 2012, Rubber Soul-The Investigation of Rubber by Vibrational Spectroscopy, *Thesis*, Technische Universität Berlin, Berlin, 15-19.
- Harahap, H., 2008, Pengaruh Pengisi CaCO_3 dan Temperatur Vulkanisasi Terhadap Sifat-sifat Mekanikal Film Latex Karet, Departemen Teknik Kimia USU, *Jurnal Penelitian Rekayasa*, 2, 1, 43-46.
- Heideman, G., 2004, Reduced Zinc Oxide Levels in Sulphur Vulcanisation of Rubber Compounds, Mechanistic Aspects of The Role of Activators and Multifunctional Additives, *Ph.D. Thesis*, University of Twente, Enschede, the Netherlands.
- Hermiwati, Yuniari, A. dan Susila, J.R., 2008, Lem Kompon Karet Untuk Sepatu Kulit yang dibuat dengan proses Vulkanisasi, *Majalah Kulit, Karet dan Plastik*, 1, 24, 14-18.
- Hossain, K.M.Z., Sharif, N., Dafader, N.C., Haque, M.E., and Chowdhury, A.M.S., 2013, Physicochemical, Thermomechanical, and Swelling Properties of Radiation Vulcanised Natural Rubber Latex Film: Effect of Diospyros peregrina Fruit Extracts, *ISRN Polym. Sci.*, Article ID 621352, <http://dx.doi.org/10.1155/2013/621352>.
- Hunting, N.M, and Datta, R.N., 2009, *Durability of Rubber Compounds*, White, J., De, S.K. and Naskar, K., *Rubber Technologist's Handbook* Volume 2, Smithers Rapra Technology Limited, Shawbury.
- Jana, G.K. and Das, C.K., 2005, Recycling Natural Rubber Vulcanizates Through Mechanochemical devulcanization, *Macromol. Res.*, 1, 13, 30-38
- Javazindo, Tn., 2012, Kesed nomad ,Karpet nomad 3M- Karpet karet - Keset karet -karpet Nomad 3M, <http://www.productsdb.com/perusahaan.php?pid=2434&sct=produkdetail&prid=20644>, diakses tanggal 2 Januari 2015
- Jeon, G.S., Han, M.H. and Seo, G.,1999, Effect of ZnO Content at The Surface of Brass-Plated Steel Cord on The Adhesion Property to Rubber Compound, *Korean J. Chem. Eng.*, 2, 16, 248-252.

- Jeon, G.S., Han, M.H. and Seo, G., 1999, The Adhesion Properties of Stearic Acid-Loaded Rubber Compound to Brass-Plated Steel Cords, *Korean J. Chem. Eng.*, 4, 16, 434-440.
- Jovanovic, S.S., Jovanovic, V., Markovic, G., Zekovic, I. and Cincovic, M.M., 2014, Properties of Vulcanized Poliisoprena Rubber Composites Filled With Opalized White Tuff and Precipitated Silica, *Sci. World J.*, 11, 27, 1-13, DOI: 10.1155/2014/913197
- Kang, H., Kang, M.Y. and Han, K.H., 2000, Identification of Natural Rubber and Characterization of Rubber Biosynthetic Activity in Fig Tree, *Plant Physiol.*, 3, 123, 1133-1142
- Khang, T.H. and Ariff, Z.M., 2011, Vulcanization Kinetics Study of Natural Rubber Compounds Having Different Formulation Variables, *J. Therm. Anal. Calorim.*, 3, 10, 1-9, DOI: 10.1007/s10973-0-1937-3.
- Kim, K.S., 2013, *Laminated Nanofiber Web and Method for Producing Same, and Nanofiber Composite Using Same*, English, Patent WO 2013066022 A1
- Kumnuantip, C. and Sombatsompop, N., 2003, Dynamic Mechanical Properties and Swelling Behaviour of NR/Reclaimed Rubber Blends, *Mater. Lett.*, 21, 57, 3167-3174, DOI: 10.1016/S0167-577X(03)00019-3.
- Kwanming, K., Klinpituksa, P. and Waehamad, W., 2009, Ultraviolet Curing of Acrylated Liquid Natural Rubber for Surface Coating Application, *Songkalarin J. Sci. Technol.*, 31(1), 49-55.
- Mahmoud, K.H. and Makled, M.H., 2012, Infrared Spectroscopy and Thermal Stability Studies of Natural Rubber-Barium Ferrite Composites, *Adv. Chem. Eng. Sci.*, 3, 350-358, <http://dx.doi.org/10.4236/aces.2012.23041>.
- Manoj, K.C., Kumari, P. and Unnikrishnan, G., 2011, Cure Characteristics, Swelling Behaviors, and Mechanical Properties of Carbon Black Filler Reinforced EPDM/NBR Blend System, *J. Appl. Polym. Sci.*, 5, 120, 2654-2662, DOI: 10.1002/app.33476.
- Marlina, P. dan Daud, D., 2009, Penggunaan Minyak Biji Karet Sebagai Bahan Pelunak Kompon Karet, *Jurnal Industri Hasil Perkebunan*, 1, 4, 8-14.
- Mashuri, M., 2010, Kasur Lipat Anti Alergi Debu – Kasur Kesehatan, <https://produkkelapa.wordpress.com/category/rubberized-coir-sebutret/page/3/>, diakses tanggal 2 Januari 2015

- Mathew, N.M., 2001, *Natural Rubber*, White, J.R., and De, S.K., *Rubber Technologist's Handbook*, Rapra Technology Ltd., Shawbury, UK
- Maznah, K.S., Baharin, A., Hanafi, I., Azhar, M.E., and Hakim, M.H.M.R., 2008, Effect of Acid Treatment on Extractable Protein Content, Crosslink Density and Tensile Properties of Natural Rubber Latex Films, *Polym. Test.*, 27, 823-826. DOI: 10.1016/j.polymertesting.2008.06.004
- Medrano, M.G., Gomez, S.B., and Chaler, N.A., 2010, Novel Vulcanizing Ingredient: Toward Greener Rubber Formulations, *Doctoral Thesis*, Universitat Ramon Llul, Barcelona, Spain.
- Mouri, H., 2001, *Filler*, White, J.R., and De, S.K., *Rubber Technologist's Handbook*, Rapra Technology Ltd., Shawbury, UK
- Nallasamy, P. and Mohan, S., 2004, Vibrational Spectra of Cis-1,4-Poliisoprena, *Arabian J. Sci. Eng.*, 1A, 29, 17-26.
- Nuyah, 2009, *Penentuan Formulasi Karet Pegangan Setang (Grip Handle) dengan Menggunakan Karet Alam dan Karet Asintetis Berdasarkan SNI 06-7031-2004*, Badan Riset dan Standardisasi Industri, Palembang.
- Ochigbo, S.S., Luyt, A.S. and Focke, W.W., 2009, Latex Derived Blends of Poly(vinyl acetate) and Natural Rubber: Thermal and Mechanical Properties, *J. Mater. Sci.*, 12, 44, 3248-3254, DOI: 10.1007/s10853-009-3435-6
- Ookawa, M., 2012, *Synthesis and Characterization of Fe-Imogolite as an Oxidation Catalyst*, Valašková, M. and Martynkova, G.S., *Earth and Planetary Sciences » Geology and Geophysics » "Clay Minerals in Nature - Their Characterization, Modification and Application*, Intech, Japan, DOI: 10.5772/48171
- Parhusip, A.B., 2008, Potret Karet Alam Indonesia, *Econ. Rev.*, 213
- Poochai, C., Pae-on, P. and Pongpayoon, T., 2010, Poliisoprena-coated Silica/Natural Rubber Composite, *World Acad. Sci. Eng. Tech.*, 4, 5, 756-760.
- Pranoto, Y., 2000, Optimasi Produksi Karet Sheet Menggunakan Asap Cair dan Redistilat Sebagai Koagulannya, *Tesis*, Program Pasca Sarjana UGM, Yogyakarta.

- Pranoto, Y., Darmadji, P. dan Suhardi, 2001, Optimasi Sifat Perpanjangan Putus dan PRI (*Plasticity Retention Index*) Dalam Produksi Karet Sheet dengan Koagulasi Asap Cair, *AGROSAINS*, 1, 14, 88-96.
- Prasertsit, K., Rattanawan, N., and Ratanapisit, J., 2011, Effect of Wood Vinegar as an Additive for Natural Rubber Products, *Songkalarin J. Sci. Technol.*, 33 (4), 425-430, <http://www.sjst.psu.ac.th>.
- Przybyszewska, M. and M. Zaborski, 2009, The Effect of zinc Oxida nanoparticle Morphology on Activity in Crosslinking of Carboxylated Nitrile Elastomer, *eXPRESS Polym. Lett.*, 3, 9, 542-552, DOI: 10.3144/exprespolymlett.2009.68.
- Putro, A., 2013, Inovasi, <http://sedikitarti.blogspot.com/2013/09/inovasi.html>, diakses tgl 2 Jan 2015
- Radhakrishnan, C.K., Kumari, P. and Sujith, A., 2008, Dynamic Mechanical Properties of Styrene Butadiene Rubber and Poly (ethylene-co-vinyl acetate) Blends, *J. Polym. Res.*, 2, 15, 161-171, DOI: 10.1007/s10965-007-9155-1
- Raharjo, P., 2009, Karet Material Andalan Ekspor Antara Harapan dan Ancaman, *www.Infometrik.com*, diakses tanggal 5 Oktober 2011.
- Raharjo, P., 2011, Radikal Bebas dan Antioksidan, *www.Infometrik.com*, diakses tanggal 9 April 2015.
- Ravichandran, K. and Natchimuthu, N., 2005, Natural Rubber-Leather Composites, *Polimeros*, 2, 15, 1-14, <http://dx.doi.org/10.1590/S0104-14282005000200008>.
- Radzimska, A.K., and Jesionowski, T., 2014, Zinc Oxide—From Synthesis to Application: A Review, *Materials*, 7, 2833-2881; doi:10.3390/ma7042833
- Roberts, C.C. and Francis, L.F., 2013, Drying and Cracking of Soft Latex Coatings, *J. Coat.. Technol. Res.*, 4, 10, 441-451, DOI: 10.1007/s11998-012-9425-7.
- Rodgers, B., and Waddell, W., 2005, The Science of Rubber Compounding, Mark, J.E., Erman, B., and Eirich, F.R., *The Science and Technologi of Rubber Third Edition*, Elsevier Academic Press, Amsterdam.

- Rodrigues, F.H.A, Feitosa, J.P.A, Ricardo, N.M.P.S., De Franca, F.C.F. and Carioca, J.O.B., 2006, Antiockxidant activity of cashew nut shell liquid (CNSL) derivatives on Thermal Oxidation of Syntehetic cis-1,4-poliisoprena, *J. Braz. Chem. Soc.*, 2, 17, 1-10; <http://dx.doi.org/10.1590/S0103-50532006000200008>.
- Salomon, G. and Van Der Schee, A.C., 1954, Infrared Analysis of Isomerized, Vulcanized and Oxidized Natural Rubber, *J. Polym. Sci.*, 6, 181-192.
- Sanches, N.B., Pedro, R., Diniz, M.F., Mattos, E.D.C., Cassu, S.N. and Dutra, R.D.C.L., 2013, Infrared Spectroscopy Applied to Materials Used as Thermal Insulation and Coatings, *J. Aerosp. Technol. Manag.*, 4, 5, 421-430, DOI: 10.5028/jatm.v5i4.265.
- Scott, G., 1980, *Process for preparing oxidatively-stable polymers by reaction with antioxidant in the presence of free radical*, US Patent 4213892.
- Seng, L.Y., Ahmad, S.H., Rasid, R, Noum, S.Y.E., Hock, Y.C. and Tarawneh, M.A.A., 2011, Effect of Liquid Natural Rubber (LNR) on The Mechanical Properties of LNR Toughened Epoxy Composite, *Sains Malaysiana*, 7, 40, 679-683.
- Setua, D.K., Awasthi, R., Kumar, S., Prasad, M. and Agarwal, K., 2010, Scanning Electron Microscopy of Natural Rubber Surfaces: Quantitive Statistical andSpectral Texture Analysis Using Digital Image Processing, *Sci. Tech. App. Educ.*, 1642-1652.
- Shipman, J.J. and Golub, M.A., 1962, Infrared Study of The Reaction of Poliisoprena and Polybutadiene with Sulfur by Use of Deuterated Polymers, *J. Polym. Sci.*, 58, 1063-1082.
- Simchareon, W., Amnuaikit, T., Boonme, P., Taweepreda, W., and Pichayakorn, W., 2012, Characterization of Natural Rubber Latex Film Containing Various Enhancers, *Procedia Chem.*, 4, 308-312; doi: 10.1016/j.proche.2012.06.043
- Sircar, A.K., 1991, Analysis of Elastomer Vulcanisate Composition By TG-DTG Techniques, *Thermal Analysis and Rheology*, Rubber Division, Americal Chemical Society, Toronto
- Spacht, R.B., 1967, *Rubber Antioxidant*, US Patent 3305522.
- Stewart, J.E. and Linnig, F.J., 1967, The Far Infrared Spectrum of Vulcanized Natural Rubber, *J. Res. NBS Phys. Chem.*, 1, 71A, 19-23.

- Sujito dan Wibowo, B., 2015, Kemandirian dari Lembar Karet, *Harian Kompas*, 7 Februari 2015, 16.
- Sulekha, P.B. and Joseph, R., 2003, Preparation and Characterisation of Novel Polymer Bound Phenolic Antioxidants and Its Use in Natural Rubber, *J. Elastomers Plast.*, 1, 35, 85-97, DOI: 10.1177/009524403031638.
- Suryana, A. dan Goenadi, D.H., 2007, *Prospek dan Arah Pengembangan Agribisnis Karet*, Edisi Kedua, Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian, Jakarta.
- Tranggono, S., Setiadji, B., Darmadji, P., Supranto, Sudarmanto dan Armunanto, R., 1997, Identifikasi Asap Cair dalam Berbagai Jenis kayu dan Tempurung Kelapa, *Jurnal Ilmu dan Teknologi Pangan*, 1, 2, 15-24.
- Tiffanychew, 2014, Benang Karet, <http://www.kaskus.co.id/thread/53cf80e99e7404cd308b46c0/benang-karet>, diakses tanggal 2 januari 2015
- Utama, M., 2007, *Pengaruh Bahan Antioksidasi pada Proses Vulkanisasi Radiasi lateks Alam, Teknologi Lateks Alam Iradiasi : Solusi Problema Produksi Barang Karet*, Pusat Pengembangan Informatika Nuklir BATAN, Serpong, 103-113
- Utama, M., Sumarti, M., dan Marsongko, Fx., 2007, *Optimasi Waktu Tinggal Bahan Kimia Pada Produksi Lateks Karet Alam Iradiasi, Teknologi Lateks Alam Iradiasi : Solusi Problema Produksi Barang Karet*, Pusat Pengembangan Informatika Nuklir BATAN, Serpong, 185-196, ISSN: 1410-9891
- Valavi, J., 2011, Latex Compounding, <http://rubberisedcoir.blogspot.com/2011/07/latex-compounding.html>, diakses pada tanggal 27 Agustus 2014
- White, J., De, S.K. and Naskar, K., 2009, *Rubber Technologist's Handbook Volume 2*, Smithers Rapra Technology Limited, Shawbury.
- Winarno, F.G., 2002, *Kimia Pangan dan Gizi*, PT. Gramedia Pustaka Utama, Jakarta.
- Xu, H., Han, J., Fang, L., Shen, F. and Wu, C., 2007, Effect of Grafted Carbon Black on Properties of Vulcanized Natural Rubber, *Polym. Bull.*, 2, 58, 951-962, DOI: 10.1007/s00289-007-0730-8.

- Yahya, Y.S.R., Azura, A.R. and Ahmad, Z., 2011, Effect of Thermal Degradation Behaviour of Natural Rubber, *J. Phys. Sci.*, 2, 22, 1-14.
- Yang, S.Y., Jia, Z.X., Liu, L., Fu, W.W., Jia, D.M. and Luo, Y.F., 2014, Insight Into Vulcanization Mechanism of Novel Binary Accelerators For Natural Rubber, *Chin. J. Polym. Sci.*, 8, 32, 1077-1085, DOI: 10.1007/s10118-014-1486-x.
- Yeang, H.Y., Sunderasan, E., and Ghazali, H.M., 1995, Latex Allergy Studies: Extraction of natural rubber latex proteins with reference to film thickness, latex d.r.c. and protein migration behavior, *J. Nat. Rubb. Res.*, 1, 10, 46-62