



BIBLIOGRAPHY

- Abdulkadar, A. H. W., Al-Ali, A. A., Al-Kildi, A. M., and Al-Jedah, J. H. 2004. Mycotoxins in food products available in Qatar. *Food Control*, 15(7), 543-548.
- Abidin, F. Z., Hui, C. K., Luan, N. S., Ramli, E. S. M., Hun, L. T., and Ghafar, N. A. 2011. Effects of edible bird's nest (EBN) on cultured rabbit corneal keratocytes. *BMC Complementary and Alternative Medicine*, 11(94), 1-10.
- Ayejuyo, O. O., Olowu, R. A., Agbaje, T. O., Atamenwan, M., and Osundiya, M. O. 2011. Enzyme - Linked Immunosorbent Assay (Elisa) of Aflatoxin B1 in Groundnut and Cereal Grains in Lagos , Nigeria. *Research Journal of Chemical Sciences*, 1(8), 1-5.
- Bagatin, A. K. 2014. Aflatoxin contamination and risk assessment of Brazilian maize and poultry feed. Kagawa University. Faculty of Agriculture. Master thesis.
- Bansal, V., Malviya, R., Pal, O. P., and Sharma, P. K. 2010. High Performance Liquid Chromatography: A Short Review. *Journal of Global Pharma Technology*, 2(5), 22-26.
- Biddle, F., and Belyavin, G. 1963. The haemagglutination inhibitor in edible bird-nest: Its biological and physical properties. *Journal of General Microbiology*, 31, 31-44.
- Bio-Rad. 2000. *Activated Immunoaffinity Supports*. Catalog Numbers: 153-6046 Affi-Gel 10 Gel. Bio-Rad Laboratories. USA.
- Björck, L., and Kronvall, G. 1984. Purification and some properties of streptococcal protein G, a novel IgG-binding reagent. *Journal of Immunology*, 133(2), 969-974.
- Castegnaro, M., Tozlovanu, M., Wild, C., Molinié, A., Sylla, A., and Pfohl-Leszkowicz, A. 2006. Advantages and drawbacks of immunoaffinity columns in analysis of mycotoxins in food. *Molecular Nutrition and Food Research*, 50(6), 480-487.
- Chandler, P.J. 2007. "Purification and Characterization of Antibodies", in *Making and Using Antibodies: A practical handbook*. Edited by Gary C. Howard and Matthew R. Kaser. USA. CRC Press. Pg: 125-155.



- Chandler Chandler, P.J. 2014. "Purification and Characterization of Antibodies", in *Making and Using Antibodies: A practical handbook*, 2nd edition. Edited by Gary C. Howard and Matthew R. Kaser. USA. CRC Press. Pg: 67-96.
- Chua, K.-H., Lee, T.-H., Nagandran, K., Md Yahaya, N. H., Lee, C.-T., Tjih, E. T. T., and Abdul Aziz, R. 2013. Edible Bird's nest extract as a chondro-protective agent for human chondrocytes isolated from osteoarthritic knee: in vitro study. *BMC Complementary and Alternative Medicine*, 13, 19.
- Cranbrook, E. O., Lim, G. W., Koon, L. C., and Rahman, M. A. 2013. The species of white-nest swiftlets (Apodidae, Collocaliini) of Malaysia and the origins of house-farm birds: morphometric and genetic evidence. *Forktail*, 29, 107-119.
- Crooks, S. R. H., Elliott, C. T., Thompson, C. S., and McCaughey, W. J. 1997. Comparison and evaluation of the specificity and binding capacity of commercial and in house affinity columns used in sample preparation for analysis of growth-promoting drugs. *Journal of Chromatography B.*, 690, 161-172.
- EFSA. 2007. Opinion of the scientific panel on contaminants in the food chain on a request from the commission related to the potential increase of consumer health risk by a possible increase of the existing maximum levels for aflatoxins in almonds, hazelnuts and pis. *The EFSA Journal*, 446(1), 1-127.
- European Commission. 2010. Commission regulation (EU) No 165/2010 of 26 February 2010 amending Regulation (EC) No 1881/2006 setting maximum levels for certain contaminants in foodstuffs as regards aflatoxins. *Official Journal of the European Union*, L50/8-12.
- European Commission. 2006. Commission regulation (EC) No 401/2006 of 23 February 2006 laying down the methods of sampling and analysis for the official control of the levels mycotoxins in foodstuffs. *Official Journal of the European Union*, L70/12-34.
- Food Safety Commission of Japan. 2013. Evaluation report of mycotoxins: Aflatoxin M1 in milk and aflatoxin B1 in feed.
- Goh, D. L. M., Chew, F. T., Chua, K. Y., Chay, O. M., and Lee, B. W. 2000. Edible "bird's nest"-induced anaphylaxis: An under-recognized entity? *The Journal of Pediatrics*, 137(2), 277-279.
- Goh, D. L. M., Chua, K. Y., Chew, F. T., Seow, T. K., Ou, K. L., Yi, F. C., and Lee, B. W. 2001. Immunochemical characterization of edible bird's nest allergens. *Journal of Allergy and Clinical Immunology*, 107(6), 1082-1088.



- Golge, O., Hepsag, F., and Kabak, B. 2013. Incidence and level of aflatoxin contamination in chilli commercialised in Turkey. *Food Control*, 33(2), 514-520.
- Guo, C.-T., Takahashi, T., Bukawa, W., Takahashi, N., Yagi, H., Kato, K., ... Suzuki, Y. 2006. Edible bird's nest extract inhibits influenza virus infection. *Antiviral Research*, 70(3), 140-146.
- Hamid, A. S., Tesfamariam, S. G., Zhang, Y., and Zhang, Z. G. 2013. Aflatoxin B1-induced hepatocellular carcinoma in developing countries: Geographical distribution, mechanism of action and prevention (Review). *Oncology Letters*, 5, 1087-1092.
- Hunt, B., Zola, H., Goddard, C. 2000. "Hybridoma technology: making monoclonal antibodies", in *Monoclonal Antibodies*. Edited by Zola, H. Oxford: BIOS Scientific Publisher Ltd.
- Husain, N., Heri, M. A., and Rachmawati, E. 1993. Kandungan Aflatoksin B1, B2, G1 dan G2 pada kacang tanah (*Arachis Hypogaea* L) yang beredar di pasar tradisional daerah Jabodetabek. *E-Journal Universitas Pakuan*, 1-10.
- Ibrahim, S. H., Teo, W. C., and Baharun, A. 2009. A Study on suitable habitat for swiftlet farming. *E-Journal of Civil Engineering*, 1(1), 1-7.
- Idris, A., Abdullah, A.-A., and Abd-Rehman, M. 2014. An Overview of the Study of the Right Habitat and Suitable Environmental Factors that Influence the Success of Edible Bird Nest Production in Malaysia. *Asian Journal of Agricultural Research*, 8(1), 1-16.
- International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use. 2014. ICH Harmonised Tripartite guideline. *Validation of Analytical Procedures: Text and Methodology*. USA.
- Invitrogen Corporation. 2001. Technologies for Monoclonal Antibody Production. GiBCO™.
- Kew, P. E., Wong, S. F., Lim, P. K. C., and Mak, J. W. 2014. Structural analysis of raw and commercial farm edible bird nests. *Tropical Biomedicine*, 31(1), 63-76.
- Krska, R. and Schuhmacher, R. 2012. "Mycotoxin analysis", in *Guide to Mycotoxin featuring Mycotoxin Risk Management in Animal Production*. Special Edition World Nutrition Forum 2012. Edited by Binder, E.M. England: Anytime Publishing Service, 119-139.



- Kurniati, D., and Dolorosa, E. 2012. Analisis Faktor Internal dan Eksternal Usaha Agribisnis Sarang Burung Walet di Kota Pontianak. *Jurnal Iprekas - Ilmu Pengetahuan and Rekayasa*, 1-6.
- Kusumaningrum, H. D., Toha, A. D., Putra, S. H., and Utami, A. S. 2010. Contamination of *Aspergillus flavus* and Aflatoxin at Distribution Chain of Maize Based Food Product and its Influencing Factors. *Jurnal Teknologi Dan Industri Pangan*, XXI(2), 171-176.
- Lau, A. S. M., and Melville, D. S. 1994. International Trade in Swiftlet Nest: With Special Reference to Hong Kong. A Traffic Network Report.
- Li, P., Zhang, Q., and Zhang, W. 2009. Immunoassays for aflatoxins. *Trends in Analytical Chemistry*, 28(9), 1115-1126.
- Liu, J. K. H. 2014. The history of monoclonal antibody development - Progress, remaining challenges and future innovations. *Annals of Medicine and Surgery*, 3(4), 113-116.
- Ma, F., and Liu, D. 2012. Sketch of the edible bird's nest and its important bioactivities. *Food Research International*, 48(2), 559-567.
- Marcone, M. F. 2005. Characterization of the edible bird's nest the "Caviar of the East." *Food Research International*, 38(10), 1125-1134.
- Marin, S., Ramos, a J., Cano-Sancho, G., and Sanchis, V. 2013. Mycotoxins: occurrence, toxicology, and exposure assessment. *Food and Chemical Toxicology : An International Journal Published for the British Industrial Biological Research Association*, 60, 218-237.
- Margareta, R., and Abdullah, M. 2010. Pemodelan Spasial Habitat Burung Walet Sarang Putih Menggunakan Sistem Informasi Geografis (SIG) dalam Upaya Pengembangan Budidaya Sarang Walet di Jawa Tengah (Studi Kasus Kaupaten Grobogan dan Kabupaten Semarang). *Jurnal Sains Dan Teknologi*, 8(2), 73-86.
- Matsukawa, N., Matsumoto, M., Bukawa, W., Chiji, H., Nakayama, K., Hara, H., and Tsukahara, T. 2011. Improvement of bone strength and dermal thickness due to dietary edible bird's nest extract in ovariectomized rats. *Bioscience, Biotechnology, and Biochemistry*, 75(3), 590-592.
- Menteri Pertanian Republik Indonesia. 2013. Tindakan karantina hewan terhadap pemasukan atau pengeluaran sarang walet ke dan dari dalam wilayah negara Republik Indonesia.



- Miyamoto, K., Hamada, A., and Kawamura, O. 2008. Determination of aflatoxins in corn and peanut by an immunoaffinity column bound AF.2 monoclonal antibody-HPLC method. *Technical Bulletin of Faculty of Agriculture, Kagawa University*, 60 (113), 75-81.
- Moser, A. C., and Hage, D. S. 2010. Immunoaffinity chromatography: an introduction to applications and recent developments. *Bioanalysis*, 2(4), 769–790.
- Nahrer, K. 2012. "Mycotoxins and their effects in animals", in *Guide to Mycotoxin featuring Mycotoxin Risk Management in Animal Production*. Special Edition World Nutrition Forum 2012. Edited by Binder, E.M. England: Anytime Publishing Service, 49-88.
- National Agency of Drug and Food Control of Indonesia. 2009. Penetapan Batas Maksimum Cemaran Mikroba dan Kimia dalam Makanan.
- Oberholser, H. C. 1912. A revision of the form of the edible-nest swiftlet, *collocalia fuciphaga* (Thunberg). *Proceedings U.S. National Museum*, 42(1881), 11–20.
- Osada, N. 2010. Development of novel monoclonal antibodies that have the same affinity of to aflatoxin B1, B2, G1, G2, and the antibodies were used for simultaneous analysis of five kind of aflatoxins. Kagawa University. Faculty of Agriculture. Graduation thesis.
- Paydar, M., Wong, Y. L., Wong, W. F., Hamdi, O. A. A., Kadir, N. A., and Looi, C. Y. 2013. Prevalence of nitrite and nitrate contents and its effect on edible bird nest's color. *Journal of Food Science*, 78(12), T1940–T1947.
- Rahayu, E. S., Raharjo, S., and Rahmianna, A. A. 2003. Cemaran aflatoksin pada produksi jagung di daerah Jawa Timur. *Agritech*, 23, 174.
- Ramesh, J., Sarathchandra, G., and Sureshkumar, V. 2013. Original Research Article Analysis of feed samples for aflatoxin B 1 contamination by HPTLC - a validated method, 2(5), 373–377.
- Risman, A. 1996. Kajian Beberapa Aspek Bio-Ekologi Burung Walet (*Aerodramus fuciphagus*) di Gua Situlung, Kecamatan Bayah, Kabupaten Lebak, Jawa Barat. Graduation thesis: Institut Pertanian Bogor.
- Rossi, C. N., Takabayashi, C. R., Ono, M. A., Bordini, J. G., Kawamura, O., Vizoni, E., ... Ono, E. Y. S. 2013. Assessment of exposure of broiler chicken in Brazil to mycotoxins through naturally contaminated feed. *Food Security*, 5(4), 541–550.



- Rossi, C. N., Takabayashi, C. R., Ono, M. A., Saito, G. H., Itano, E. N., Kawamura, O., ... Ono, E. Y. S. 2012. Immunoassay based on monoclonal antibody for aflatoxin detection in poultry feed. *Food Chemistry*, 132(4), 2211–2216.
- Saengkrajang, W., Matan, N., and Matan, N. 2013. Nutritional composition of the farmed edible bird's nest (*Collocalia fuciphaga*) in Thailand. *Journal of Food Composition and Analysis*, 31(1), 41–45.
- Senyuva, H. Z. and Gilbert, J. 2010. Immunoaffinity column clean-up techniques in food analysis: A review. *Journal of Chromatography. B.*, 878(2), 115-132.
- Setiawan, T. H. 2013. Studi Penelitian Pembangunan Rumah Walet Studi Kasus Rumah Walet Rawaluku, Propinsi Bandar Lampung. *Jurnal Teknik Sipil*, 12(2), 86-97.
- Snyder, L. R., and Kirkland, J. J. 1979. *Introduction to Modern Liquid Chromatography* (2nd Edition). New York: A Wiley-Interscience publication.
- Stimpson, C. M. 2013. A 48,000 year record of swiftlets (Aves: Apodidae) in North-western Borneo: Morphometric identifications and palaeoenvironmental implications. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 374, 132-143.
- Turner, N. W., Subrahmanyam, S., and Piletsky, S. A. 2009. Analytical methods for determination of mycotoxins: a review. *Analytica Chimica Acta*, 632(2), 168-180.
- Uchigashima, M., Saigusa, M., Yamashita, H., Miyake, S., Fujita, K., Nakajima, M., and Nishijima, M. 2009. Development of a novel immunoaffinity column for aflatoxin analysis using an organic solvent-tolerant monoclonal antibody. *Journal of Agricultural and Food Chemistry*, 57(19), 8728-8734.
- Vimala, B., Hussain, H., and Nazaimoon, W. M. W. 2012. Effects of edible bird's nest on tumour necrosis factor-alpha secretion, nitric oxide production and cell viability of lipopolysaccharide-stimulated RAW 264.7 macrophages. *Food and Agricultural Immunology*, 23(4), 303-314.
- Wijayanti, A. D. 2010. The determination of aflatoxin B1 on broiler feed by high performance liquid chromatography with immunoaffinity clean-up. *Journal of Sain Veteriner*, 28(2), 98-103.
- Yusrini, H. 2005. Teknik analisis kandungan aflatoksin B1 secara ELISA pada pakan ternak dan bahan dasarnya. *Buletin Teknik Pertanian*, 10(1), 16-19.



Web source:

International Trade Center. 2015. List of importing markets for a product exported by Indonesia. Product: 04 Dairy products, eggs, honey, edible animal products. Accessed on January 10th, 2015 at http://www.trademap.org/tradestat/Country_SelProductCountry_TS.aspx

Mycotoxin.info. 2015. Mycotoxin formation / fungal growth by mycotoxin.info. Accessed on January 9th, 2015 at http://www.mycotoxins.info/myco_info/field_funggrwth.html

Sohdi, N. S. 2001. In the Asia, the swiftlet nest comes before the egg by Navjot S. Sodhi. Accessed on October 7th, 2014 at <http://www.japantimes.co.jp/life/2001/06/07/environment/in-asia-the-swiftlet-nest-comes-before-the-egg/#.VFYhK4fB6fQ>

US Food and Drug Administration. 2000. Guidance for Industry: Action Level for Poisonous or Deleterious Substances in Human Food and Animal Feed. Accessed on January 11th, 2015. <http://www.fda.gov/food/guidanceregulation/guidancedocumentsregulatoryinformation/ucm077969.htm>

Interview:

Bakri, Muhammad. "All about swiftlet". 60 minutes. Siwa, South Sulawesi: February 9th, 2014.