



DAFTAR PUSTAKA

- Aziz, M.F., Andrijono, saifuddin, A.B. (2006). *Buku acuan Nasional Onkologi Ginekologi*, Edisi Pertama. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo
- Audu, B.M., Takai, I.U, Chama, C.M., Bukar, M., Kyari, O. (2009). Hydatidiform Mole as Seen in a University Teaching Hospital: A 10-year Review. *Journal of Obstetrics and Gynaecology*, 29 (4): 322-325
- Andrijono, Kurnia, K., Asikin, N. (1997). A Case-Control Study of Vitamin A Level in Hydatidiform Mole. *Med J Indones*, Vol 6, No 3
- Almasi, A., Almassinokiani, F., Akbari, P. (2014). Frequency of Molar Pregnancies in Health Care Centers of Tehran, Iran. *J Reprod Infertill*, Vol 15, No 3
- Altman, A.D., Bentley, B., Murray, S., Bentley, J.R. (2008). Maternal Age-Related Rates of Gestational Trophoblastic Disease. *American College of Obstetricians and Gynecologists*. Vol. 112, No. 2, Part 1
- Altieri, a., Franceschi, S., Ferlay, J., Smith, J., Vecchia, C.L. (2003). Epidemiology and Aetiology of Gestational Trophoblastic Disease. *The Lancet Oncology*, Vol 4
- Aziz, N., Yousfani, S., Soomro, I., Mumtaz, F. (2012). Gestational Trophoblastic Disease. *J Ayub Med Coll Abbottbad*, 24 (1)
- Acaia, B., Parazzini, F., Vecchia, C.L., Ardiello, O.R., Fedele, L., Candiani, G.B. (1988). Increased Frequency of Complete Hydatidiform Mole in Woman With Repeated Abortion. *Gynecologic Oncology*, 31: 310-314
- Berek, J.S. (2002). *Novaks's Gynecology*, Thirteenth Edition. Lippincott Williams & Wilkins Philadelphia
- Berkowitz, R.S., Bernstein, M.R., Harlow, B.L., Rice, L.W., Lage, J.M., Goldstein, D.P., Cramer, D.W. (1995). Case-Control Study of Risk Factors for Partial Molar Pregnancy. *Am J Obstet Gynecol*, Vol 173, No 3, Part 1
- Berkowitz, R.S & Goldstein, D.P. (2009). Molar Pregnancy. *The New England Journal of Medicine* 360;16
- Buckley, J.D., Henderson, B.E., Morrow, C.P., Hammond, C.B., Kohorn, E., Austin, D.F. (1988). Case-Control Study of Gestational Choriocarcinoma. *Cancer Research*, 48; 1004-1010



- Cunningham, Leveno, Bloom, Hauth, Rouse, Spong. (2010). *Williams Obstetrics*, 23rd Edition. The McGraw-Hill Companies
- Curtis, K.M., Marchbanks, P.A., Peterson, H.B. (2007). Review Article Neoplasia With Use of Intrauterine Devices. *Journal Contraception*
- Coulin, P., Diatta, A.L., Boufettal, H., Feingold, J., Leguern, E., Candelier, J.J. (2014). The Involvement of the Trans-Generational Effect In the High Incident of the Hydatidiform Mole in Africa. *Placenta*, 36: 48-51
- Darma, K.K. (2011). *Metode Penelitian Keperawatan*. Jakarta: Trans Info Media
- Disaia dan Creasman. (2007). *Clinical Gynecology Oncology*, Seventh Edition. Mosby Elsevier
- Decherney, A.H., Nathan, L., Goodwin, T.M., Laufer, N. (2007). *Current Diagnosis & Treatment Obstetrics & Gynecology*, 10 th Edition. The McGraw-Hill Companies
- Deveault, C., Qian, J.H., Chebaro, W., Ao, A., Gilbert, L., Mehio, A., Khan, R., Tan, S.L., Wischmeijer, A., Coullin, P. (2009). NLRP7 Mutations in Women With Diploid Androgenetic and Triploid Moles: a Proposed Mechanism for Mole Formation. *Hum Mol Genet*; 18: 888-897
- DepKes RI. (2000). *Standar Pelayanan Kebidanan*. Jakarta
- Eniola, O.A., Mabayoje, P., Ogunniyi, S.O. (2001). Hydatidiform Mole in Ile-Ife, Nigeria: a 10-year. *Journal of Obstetrics and Gynaecology*, Vol 21, No 4, 405-407
- Egwuatu, V.E & Ozumba, B.C. (1989). Observations on Molar Pregnancy in Enugu, Nigeria. *Int. J. Gynecol. Obstet*, 29: 219-225
- Fortner, K.B., Szymanski, L.M., Fox, H.E., Wallach, E.E. (2007). *The Johns Hopkins Manual of Gynecology and Obstetrics*. 3rd Edition. Lippincott Williams & Wilkins
- Gibbs, R.S., Karlan, B.Y., Haney, A.F., Nygaard, I. (2008). *Danforth's Obstetrics and Gynecology*, Tenth Edition. Lippincott Williams & Wilkins
- Garavaglia, E., Gentile, C., Cavoretto, P., Spagnolo, D., Valsecchi, L., Mangili, G. (2008). Ultrasound Imaging After Evacuation as an Adjunct to β -hcg Monitoring in Posthydatidiform Molar Gestational Trophoblastic Neoplasia. *Am J Obstet Gynecol*, 200: 417e1-417e5



- Hayward, B.E., Vos, M.D., Talati, N., Abdollahi, M.R., Taylor, G.R., Meyer, E., Williams, D., Maher, E.R., Setna, F., Nazir, K., Hussaini, s., Jafri, H., Rashid, Y., Sheridan, E., Bonthron, D.T. (2009). Genetic and Epigenetic Analysis of Recurrent Hydatidiform Mole. *Human Mutation*, 30; E629-E639
- Ha, M.C., Cordier, S., Bard, D., Thuy, L.B., Hao, H.A., Quinh, H.T., Dai, L.C., Abenhaim, L., Phuong, N.N. (1996). Agent Orange and The Risk of Gestational Trophoblastic Disease in Vietnam. *Archives of Environmental Health*, Vol 51 No 5
- Igwegbe, A.O & Eleje, G.U. (2013). Hydatidiform Mole: A Review of Management Outcome in a Tertiary Hospital in South-East Nigeria. *Annals of Medical and Health Sciences Research*, Vol 3 Issue 2
- Kaye, D.K. (2002). Gestational Trophoblastic Disease Following Complete Hydatidiform Mole in Mulago Hospital, Kampala, Uganda. *African Health Science*, Vol 2 No 2
- Lurain, J.R. (2010). Gestational Trophoblastic Disease I: Epidemiology, Pathology, Clinical Presentation and Diagnosis of Gestational Trophoblastic Disease, and Management of Hydatidiform Mole. *American Journal of Obstetrics & Gynecology*
- Lentz, G.M., Lobo, R.A., Gershenson, D.M., Katz, V.L. (2012). *Comprehensive Gynecology*, 6th Edition. Elsevier Mosby
- Lapau, B. (2013). *Metode Penelitian Kesehatan*. Jakarta: Yayasan Pustaka Obor Indonesia
- Mohammadjafari, R., Abedi, P., Najafabady, M.T. (2010). The Gestational Trophoblastic Diseases: A Ten Year Retrospective Study. *International Journal of Fertility and Sterility*, Vol 4, No 1, Pages: 1-4
- Manokhina, I., Hanna, C.W., Stephenson, M.D., McFadden, D.E., Robinson, W.P. (2013). Maternal NLRP7 and C6orf221 Variants are not a Common Risk Factor for Androgenetic Moles, Triploidy and Recurrent Miscariage. *Mol Human Reproduction*, vol 19; 18: 539-544
- Messaed, C., Chebaro, W., Roberto, R.B.D., Rittore, C., Cheung, A., Arseneau, J., Schneider, A., Chen, M.F., Bernishke, K., surti, U., Hoffner, L., Sauthier, P., Bucket, W., Qian, J.H., Lau, N.M., Bagga, R., Engert, J.C., Coulin, P., Touitou, I., Slim, R. (2011). NLRP7 In The Spectrum of Reproductive Wastage: Rare Non-Synonymous Variants Confer Genetic Susceptibility to Recurrent Reproductive Wastage. *J Med Genet*; 48: 540-548



- Ocheke, A.N., Musa, J., Uamai, A.O. (2011). Hydatidiform Mole in Jos, Nigeria. *Nigeria Medical Journal*, Vol 52 Issue 4
- Parazzini, F., Cipriani, S., Mangili, G., Garavaglia, E., Guarnerio, P., Ricci, E., Benzi, G., Salerio, B., Polverino, G., Vecchia, C.L. (2002). Oral Contraceptives and Risk of Gestational Trophoblastic Disease. *Contraception* 65, 425-427
- Palmer, J.R., Driscoll, S.G., Rosenberg, L., Berkowitz, R.S., Lurain, J.R., Soper, J., Twiggs, L.B., Gershenson, D.M., Kohorn, E.I., Berman, M., Shapiro, S., Rao, R.S. (1999). Oral Contraceptive Use and Risk of Gestational Trophoblastic Tumors. *Journal of The National Cancer Institute*, Vol 91, No 7
- Parazzini, F., Mangili, G., Vecchia, C.L., Negri, E., Bocciolone, L., Fasoli, M. (1991). Risk Factors for Gestational Trophoblastic Disease: A Separate Analysis of Complete and Partial Hydatidiform Moles. *Obstetrics & Gynaecology*, Vol 78, No 6
- Prawirohardjo. (1999). *Ilmu Kandungan*, Edisi Kedua. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo
- Pritchard, J.A., Macdonald, P.C., Gant, N.F. (1991). *Obstetri Williams*, Edisi Ketujuhbelas. Surabaya: Airlangga
- Parry, D.A., Logan, C.V., Hayward, B.E., Shires, M., Landolsi, H., Diggle, C., Carr, I., Rittore, C., Touitou, I., Philibert, L. (2011). Mutations Causing Familial Biparental Hydatidiform Mole Implicate C6orf221 as a Possible Regulator of Genomic Imprinting in the Human Oocyte. *Am J Hum genet*; 89: 451-458
- Rezavand, N., Kamravamanesh, M., Safdari, Z., Ghodsi, F. (2011). Study on Hydatidiform Mole Frequency and Some of Its Relevant Factors. *International Journal of Academic Research*, Vol 3, No 2, Part III
- Sebire, N.J., Foscett, M., Fisher, R.A., Rees, H., Seckl, M., Newlands, E. (2002). Risk of Partial and Complete Hydatidiform Molar Pregnancy in Relation to Maternal Age. *International Journal of Obstetrics and Gynaecology*, Vol 109, pp 99-102
- Sebire, N.J., Fisher, R.A., Fosket, M., Ress, H., Seckl, M.J., Newlands, E.S. (2003). Risk of Recurrent Hydatidiform Mole and Subsequent Pregnancy Outcome Following Complete or Partial Hydatidiform Molar Pregnancy. *International Journal of Obstetrics and Gynaecology*, 110, pp: 22-26



- Strohl, A.E & Lurain, J.R. (2014). Clinical Epidemiology of Gestational Trophoblastic Disease. *Curr Obstet Gynecol Rep* 3: 40-43
- Schorge, J.O., Schaffer, J.I., Halvorson, L.M., Hoffman, B.L., Bradshaw, K.D., Cunningham, F.G. (2008). *Williams Gynecology*. Department of Obstetrics and Gynecology University of Texas Southwestern Medical Center at Dallas
- Salehi, S., Eloranta, S., Johansson, A.L.V., Bergstrom, M., Lambe, M. (2011). Reporting and Incidence Trends of Hydatidiform Mole in Sweden 1973-2004. *Acta Oncologica*, 50: 367-372
- Sastroasmoro, S & Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis*, Edisi ke-4. Jakarta: Sagung Seto
- Souka, A.R., Kholeif, A., Zaki, S., Rocca, M., Ghanem, I. (1993). Human Leukocyte Antigen in Hydatidiform Mole. *Int J Gynecol Obstet*, 41; 257-260
- Small, C.M., Manatunga, A.K., Klein, M., Feigelson, H.S., Dominquez, C.E., McChesney, R., Marcus, M. (2006). Menstrual Cycle Characteristics Association With Fertility and Spontaneous Abortion. *Epidemiology*, Volume 17, No 1
- Steigrad, S.J. (2003). Epidemiology of Gestational Trophoblastic Disease. *Best Practice & Research Clinical Obstetrics and Gynecology*, Vol 17, No 6; 837-847
- Slim & Mehio. (2007). The Genetics of Hydatidiform Moles: New Lights on an Ancient Disease. *Clin Genet*, 71: 25-34
- Tse, K.Y., Chan, K.K., Tam, K.F., Ngan, H.Y. (2008). Gestational Trophoblastic Disease. *Obstetrics, Gynaecology and Reproductive Medicine*
- Williams, D., Hodgetts, V., Gupta, J. (2010). Recurrent Hydatidiform Moles. *European Journal of Obstetrics & Gynaecology and Reproductive Biology*. 150: 3-7