UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DaftarPustaka

Aaberg, M.L., Burch, D.M., Hud, Z.R., Zacharias, M.P., 2008. Gender differences in the onset of diabetic neuropathy. *J Diabetes Complications* 22(2):83-87.

Abbot, C.A., Carrington, A.L., Ashe, H., Bath, S., Every, L.C., Griffith, J., 2002. The north-west diabetes foot care study: Incidence of and risk factors for new diabetic foot ulceration in a community based patient cohort. *Diabet Med* 19:377-384.

Abbott, C.A., Malik, R.A., van Ross, E.R., Kulkarni, J., Boulton, A.J., 2011. Prevalence and Characteristics of Painful Diabetic Neuropathy in A Large Community-Based Diabetic Population in The U.K. *Diabetes Care* 34(10):2220-2224.

Adriaensen, H., Plaghki, L., Mathieu, C., Joffroy, A., Vissers, K., 2005. Critical review of oral drug treatments for diabetic neuropathic pain-clinical outcomes based on efficacy and safety data from placebo-controlled and direct comparative studies. *Diabetes Metab Res Rev* 21:231-240.

Alistair, Q.G., Krishnan, S., Finucane, F.M., Rayman, G., 2010. Altered C-Fiber Function as an Indicator of Early Peripheral Neuropathy in Individuals With Impaired Glucose Tolerance. *Diabetes Care* 33(1):174-176.

American Medical Association, 2001. Executive Summary of the Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evalution, and Treatment of High blood Cholesterol in Adult (Adult Treatment Panel III). *JAMA* 285(19):2486-2497.

Ametov, A.S., Barinov, A., Dyck, P.J., Hermann, R., Kozlova, N., Litchy, W.J., Low, P.A., Nehrdich, D., Novosadova, M., O'Brien, P.C., Reljanovic, M., Samigullin, R., Schuette, K., Strokov, I., Tritschler, H.J., Wessel, K., Yakhno, N., Ziegler, D., 2003. SYDNEY Trial Study Group: The sensory symptoms of diabetic polyneuropathy are improved with α-lipoic acid: the SYDNEY trial. *Diabetes Care* 26*:*770-776.

Apfel, S.C., 2000. Neurotropic factors and pain. *Clin J Pain* 16(2 Suppl):S7-11.

Argoff, C.E., Cole, B.E., Fishbain, D.A., Irving, G.A., 2006. Diabetic peripheral neuropathic pain: clinical and quality-of-life issues. *Mayo Clin Proc* 81(4 Suppl):S3-S11.

Aring, A.N., Jones, D.E., Falko, J.M., 2005. Evaluation and Prevention of Diabetic Neuropathy. *Am Fam Physician J* 71:2123-2130.

Aymard C., Katz R., Lafitte C., Lo E., Peuricand A., 2000. A Comparison between lower and upper limbs in normal human subjects and patients with hemiplegia. *Brain* 123: 1688-1702

Bahou Y.G., 2007. A Clinical and diagnostic study of diabetic neuropathy at Jordan University Hospital. *Neurosciences* 12(3): 215-20.

Backonja, M.M., 2003. Defining Neuropathic Pain. *Anesth Analg* 97:785-790

Bandiara R., 2008. An Update Management Concept in Hypertension. Paper disampaikan pada acara Pendidikan Kedokteran Berkelanjutan di Tasikmalaya tanggal 2 Agustus 2008. http://pustaka.unpad.ac.id/

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Bansal, V., Kalita, J., Misra, U.K., 2006. Diabetic neuropathy. *Postgrad Med J*. 82(964): 95-100.

Baron, R., 2006. Mechanisms of Disease: neuropathic pain - a clinical perspective. *Nat Clin Pract Neurol* 2(2):92-106.

Bennett, M. 2001. The *LANSS* Pain Scale: The Leeds assessment of neuropathic symptoms and sign. *Pain* 92:147-157.

Bennett, M.I., Attal, N., Backonja, M.M., Baron, R., Bouhassira, D., Rainer, F., Scholz, J., Tolle T.R., Wittchen, H.U., Jensen, T.S., 2007. Topical review. Using screening tools to identify neuropathic pain. *Pain* 199-203.

Bhadada, S.K., Sahay, R.K., Jyotsna, V.P., Agrawal J.K., 2001. Diabetic Neuropathy: Current Concepts. *J Ind Acad Clin Med* 2(4):305-318.

Bridges D., Thompson S.W.N., Rice A.S.C., 2001 Clinical correlates of painful diabetic neuropathy and relationship of neuropathic pain with sensorimotor and autonomic nerve function**.** *Eur J Pain* 15(2):153-60.

Blyth, F.M., 2010. *The demography of chronic pain: an overview in: Chronic Pain Epidemiology, From Aetiology to Public Health.* England, Oxford University Press.

Bosi, E., Conti, M., Vermigli, C., Cazzetta, G., Peretti, E., Cordoni, C., Galimberti, G., Scionti, L., 2005. Effectiveness of frequency-modulated electromagnetic neural stimulation in the treatment of painful diabetic neuropathy. *Diabetologia* 48:817-823.

Boulton, A.J.M., Arthur, I.V., Joseph, C.A., Vera, B., Eva, L.F., Roy, F., Rayaz, A.M., Raelene, E.M., Sosenko, J.M., Ziegler, D., 2005. Diabetic neuropathies a statement by the American Diabetes Association. *Diabetes Care* 28(4):956-962.

Boulton, A.J.M., Rayaz, A.M., Joseph, C.A., Jay, M.S., 2004. Diabetic Somatic Neuropathies. *Diabetes Care* 27(6):1458-1486.

Bowsher, D., 1995. The management of central post-stroke pain. *Postgrad Med J* 71(840):598-604.

Boyle, J.P., Thompson, T.J., Gregg, E.W., Barker, L.E., Williamson, D.F., 2010 Projection of the year 2050 burden of diabetes in the US adult population: dynamic modeling of incidence, mortality, and prediabetes prevalence. *Population Health Metrics* 8:29

Bradley K.T., 2001. Pathophysiologic Mechanisms of Neuropathic Pain *Curr Pain and Headache Rep* 5:151–161.

Burns, T.M. and Mauermann, M.L., 2011. The Evaluation of Polyneuropathies. *Neurology* 76 (7 Suppl 2):S6-13.

Buschbacher, R.M., Nathan, D.P., 2006. H-Reflex To The Calf . *Manual of Nerve Conduction Studies* Second Edition Indiana University School of Medicine Indianapolis Demos Medical Publishing, LLC, 386 Park Avenue South, New York, New York 10016

Calcutt, N.A. and Backonja, M.M., 2007. Pathogenesis of Pain in Peripheral Diabetic Neuropathy. *Curr Diab Rep* 7:429-434.

Campbell, J.N. and Meyer, R.A., 2006. Mechanisms of Neuropathic Pain. *Neuron* 52:77-92.

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Carrington, A.L., Shaw, J.E., Van-Schie, C.H.M., Abbott, C.A., Vileikyte, L., Boulton, A.J.M., 2002. Can Motor Nerve Conduction Velocity Predict Foot Problems in Diabetic Subjects Over a 6-Year Outcome Period? *Diabetes Care* 25:2010-2015.

Chu C.C., Chun C., De Wang S., Chiang J.S., Ho S.T., 2012. Generalized depletion of free nerve endings and decrease of cutaneous nervous innervation in streptozotocin-induced painful and painless diabetic rats. *JCMA* 75: 314-321.

Clifford, J. W., Mannion, R.J., 1999. Neuropathic pain: etiology, symptoms, mechanisms and management. *Lancet* 353:1959-1964.

Cohen, T.E., Kaplan, S.W., Kandel, E.R., Hawkins, R.D., 1997. A Simplified Preparation for Relating Cellular Events to Behavior: Mechanisms Contributing to Habituation, Dishabituation, and Sensitization of the *Aplysia* Gill-Withdrawal Reflex. *J Neurosci* 17(8):2886-2899.

Corbett, C.F., 2005. Practical Management of Patients with Painful Diabetic Neuropathy. *The Diabetes Educator* 31:523.

Constantino, L., Rastelli, G., Vianello, P., Cignarella, G., Barlocco, D., 1999. Diabetes Complications and Their Potential prevention: Aldose Reductase Inhibition and Other Approaches. *Med Res Rev* 19(1):3-23.

Coppey, L.J., Davidson, E.P., Dunlap, J.A., Lund, D.D., Yorek, M.A., 2000. Slowing of motor nerve conduction velocity in streptozotocin-induced diabetic rats is preceded by impaired vasodilation in arterioles that overlie the sciatic nerve. *Int J Exp Diabetes Res* 1(2):131-143.

Cruccu, G., Anand, P., Attal, N., Garcia-Larrea, L., Haanpa, M., Jørum, E., Serra, J., Jensen, T. S., 2004. EFNS guidelines on neuropathic pain assessment. *Euro J Neurol* 11:153-162.

Cruccu, G. and Truini, A., 2009. Tools for assessing neuropathic pain. *PLOS Med* 6(4): e1000045.

Currie, C. J., Poole, C. D., Woehl, A., Morgan C. L., Cawley, S., Rousculp, M. D., Covington, M. T., Peters, J. R., 2006. The health-related utility and health-related quality of life of hospital-treated subjects with type 1 or type 2 diabetes with particular reference to differing severity of peripheral neuropathy. *Diabetologia* 49:2272-2280.

Daousi, C., MacFarlane, I.A., Woodward, A., Nurmikko, T.J., Bundred, P.E., Benbow, S.J., 2004. Chronic painful peripheral neuropathy in an urban community: a controlled comparison of people with and without diabetes. *Diabet Med* 21(9):976-982.

Davies, M., Brophy, S., Williams, R., Taylor, A., 2006. The prevalence, severity, and impact of painful diabetic peripheral neuropathy in type 2 diabetes. *Diabetes Care* 29(7):1518-1522.

Deng, Y.S., Zhong, J.N., Zhou, X.F., 2000. BDNF is Involved in Sympathetic Sprouting in the Dorsal Root Ganglia Following Peripheral Nerve Injury in Rats. *Neurotox Res* 1:311-322.

Devor, M., 2001. Neuropathic pain: what do we do with all these theories? *Acta Anaesthesiol Scand* 45:1121–1127

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Devor, M. and Wall, P.D., 1990. Cross-excitation in dorsal root ganglia of nerve-injured and intact rats. *J Neurophysiol* 64(6):1733-1746.

Dieleman, J.P., Kerklaan, J., Huygen, F.J.P.M., Bouma P.A.D., Sturkenboom M.,C.,J.,M., 2008. Incidence rates and treatment of neuropathic pain conditions in the general population. *Pain* 137:681–688.

Dickenson, A.H., 2002. Gate control theory of pain stands the test of time. Editorial I. *British J Anesthesia* (88) 6: 755-7

Dobretsov, M., Romanovsky, D., Stimers, R.J., 2007. Early diabetic neuropathy: Triggers and mechanisms. *World J Gastroenterol* 13(2):175-191.

Doupis, J., Lyons, T.E., Wu, S., Gnardellis, C., Dinh, T., Veves, A., 2009. Microvascular Reactivity and Inflammatory Cytokines in Painful and Painless Peripheral Diabetic Neuropathy. *J Clin Endocrinol Metab* 94:2157-2163.

Dworkin, R.H., 2002., An Overview of Neuropathic Pain: Syndromes, Symptoms, Signs, and Several Mechanisms. *Clin J Pain* 18:343-349.

Dyck, P.J., 1988. Detection, characterization, and staging of polyneuropathy: assessed in diabetics. *Muscle Nerve* 11(1):21-32.

Dyck, P.J., Davies, J.L., Wilson, D.M., Service, F.J., Melton, L.J., O'Brien, P.C., 1999. Risk factors for severity of diabetic polyneuropathy: intensive longitudinal assessment of the Rochester Diabetic Neuropathy Study cohort. *Diabetes Care* 22:1479-1486.

Dyck, P.J., Bushek, W., Spring, E.M., Karnes, J.L., Litchy, W.J., O'Brien, P.C., 1987. Vibratory and cooling detection thresholds compared with other tests in diagnosing and staging diabetic neuropathy. *Diabetes Care* 10:432-440.

Dyck P.J., Davies J.L., Clark V.M., Litchy W.J., Dyck P.J., Klein C.J., Rizza R.A., Pach J.M., Klein R., Larson T.S., Melton L.J., O'Brien P.C., 2006. Modeling chronic glycemic exposure variables as correlates and predictors of microvascular complications of diabetes. *Diabetes Care* 29:2282– 2288

Eastman, R.C., 1995. *Neuropathy in Diabetes*. *Diabetes in America*.2nd ed. Maryland, National Institutes of Health.

Edwards, J.L., Vincent, A.M., Cheng, H.T., Feldman, E.L., 2008. Diabetic neuropathy: Mechanisms to management. *Pharmacol.& Therap* 120:1-34.

Eisen, A., Burton, K., Larsen, A., Hoirch, M., Calne, D., 1984. A new indirect method for measuring spinal conduction velocity in man. *Electroencephalogr Clin Neurophysiol* 59:204-213.

Falco F.J., Hennessey W.J., Goldberg G., Braddom R.L., 1994. H reflex latency in the healthy elderly. *Muscle Nerve* 17(2):161-7.

Fink,E.,Oaklander,A.L., 2005. DiabeticNeuropathy. *www.painmanagementro-unds.org*.

Galluzzi K. E., 2007. Managing Neuropathic Pain. *JAOA* Supplement 6 (107) 11:ES41-48

Gore, M., Brandenburg, N., Dukes, E., 2005. Pain severity in diabetic peripheral neuropathy is associated with patient functioning, symptom levels of anxiety and depression, and sleep. *J Pain Symptom Manage* 30:374-385.

UNIVERSITAS
GADJAH MADA

ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Green, A.Q., Krishnan, S., Finucane, F.M., Rayman, G., 2010. Altered C-Fiber Function as an Indicator of Early Peripheral Neuropathy in Individuals with Impaired Glucose Tolerance. *Diabetes Care* 33:174-176.

Greene D., 1988. The Pathogenesis and Prevention of Diabetic Neuropathy and Nephropathy *Metabolism*. 2: Suppl 1: 25-29

Hall, G.C, Carroll, D., Parry, D., McQuay, H.J., 2008. Epidemiology and treatment of neuropathic pain: The UK primary care perspective. *Pain*137:681-688.

Halter, J.A., Carp, J.S., Wolpaw, J.R., 1995. Operantly conditioned motoneuron plasticity: possible role of sodium channels. *J Neurophysiol* 73(2):867-71.

Hami, A.S., 2008. Measure of Disease Frequency, paper presented in: *Reproductive health research methodology training at the Ministry of Public Health, Kabul, Afghanistan 3-12 January 2008.*

Hartemann, A., Attal, N., Bouhassira, D., Dumont, I., Gin, H., Jeanne, S., Said, G., Richard, J.L., 2011. Working Group on the Diabetic Foot from the French-speaking Society of Diabetology. Painful diabetic neuropathy: diagnosis and management. *Diabetes Metab* 37(5):377-388.

Harvey, R.J., Depner, U.B., Wässle, H., Ahmadi, S., Heindl, C., Reinold, H., Smart, T.G., Harvey, K., Schütz, B., Abo-Salem, O.M., Zimmer, A., Poisbeau, P., Welzl, H., Wolfer, D.P., Betz, H., Zeilhofer, H.U., Müller, U., 2004. GlyRα3: An essential target for spinal PGE_2-mediated inflammatory pain sensitization. *Science* 304:884-887.

Hasegawa, H., Abbott, S., Han, B., Qi, Y., Fan, W., 2007. Analyzing Somatosensory Axon Projections with the Sensory Neuron-Specific *Advillin* Gene. *Neuroscience* 27(52):14404-14414.

Haslbeck, M., Luft, D., Neundörfer, B., Stracke, H., Ziegler, D., 2004., *Diagnosis, Therapy and Follow-up of Sensorimotor Diabetic Neuropathy: Diagnosis, Therapy and Follow-up of Diabetic Neuropathy.* 2nd ed. Germany.

Hernández, T. B., Trujillo H.M., Vásquez X. C., Vargas P.D., Guerrero M.R.O., 2005. F-wave and H-reflex alterations in recently diagnosed diabetic patients. *J Clin Neurosci* 12(7):763-6. Abstract.

Herrero, J.F., Laird, J.M., López-García, J.A., 2000. Wind-up of spinal cord neurones and pain sensation: much ado about something? *Prog Neurobiol* 61(2):169-203.

Hoitsma, E., Reulen, J.P.H., de Baets, M., Drent, M., Spaans, F., Faber, C.G., 2004. Small fiber neuropathy: a common and important clinical disorder. *J Neurol Sci* 227:119-130.

Holland, N.R., Prodan, C.I., 2004. Peripheral Neuropathy and "Borderline" Diabetes. *JABFP* 17(2):127-130.

Hong,S., Morrow,T.J., Paulson,P.E., Isom,L.L., Wiley, J.W., 2004. Early Painful Diabetic Neuropathy Is Associated with DifferentialChanges in Tetrodotoxin-sensitive and -resistant Sodium Channelsin Dorsal Root Ganglion Neurons in the Rat. *Biol Chem* 279(28):29341-29350.

Hökfelt, T., Zhang, X., Xu, X., Wiesenfeld-Hallin, Z., 2005. Central consequences of peripheral nerve damage. Chapter 60 Section 7: Neuropathic pain. *www.lira.dist.unige.it/IIT*

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, M., Huang, T., Xiang, Y., Xie, Z., Ying, C., Yan, R., Xu, J., Cheng, L., 2008. Ptf1a, Lbx1 and Pax2 coordinate glycinergic and peptidergic transmitter phenotypes in dorsal spinal inhibitory neurons. *Developmental Biology* 322:394-405.

Huang C.R., Chang W.N., Chang H.W., Tsai N.W, Lu C.H., 2009. Effects of age, gender, height, and weight on late responses and nerve conduction study parameters. *Acta Neurol Taiwan* 18(4):242-9

Hudspith, M. J., Siddall, P.J., Munglani, R., 2006. *Physiology of pain. In: Foundations of Anesthesia.* 2nd ed.London, Mosby, pp:267-285.

Huizinga, M.M., Peltier, A., 2007. Painful Diabetic Neuropathy: A Management-Centered Review. *Clin Diab* 25(1):6-15.

Hwang, I.S. 2006. A Convenient Approach to Feature Mechanical And Neural Components Of Spastic Hypertonia. *J Electromyogr Kinesiol* 16(4):384-391.

Im, S., Kim, S.R., Park, J.H., Y.S. Park, G.Y., 2012. Assesment of medical dorsal cutaneous, dorsal sural, and medial plantar nerves in impaired glucose tolerance and diabetic patients with normal sural and superficial peroneal nerve responses. *Diabetes Care* 35:834-839.

Jablecki, C.K., Andary, M.T., Cherington, M., Fisher, M.A., Tulloch, J.W., Williams, F.H., Ysla, R.G., 1999. The Electrodiagnostic Medicine Consultation American Association of Electrodiagnostic Medicine. *Muscle Nerve* 22(Suppl 8):S73-S90.

Jagodic, M.M., Pathirathna, S., Nelson, M.T., Mancuso, S., Joksovic, P.M., Rosenberg, E.R., Bayliss, D.A., Jevtovic-Todorovic, V., Todorovic, S.M., 2007. Cell-Specific Alterations of T-Type Calcium Current in Painful Diabetic Neuropathy Enhance Excitability of Sensory Neurons. *J Neurosci* 27(12):3305-3316.

Jambart, S., Ammache, Z., Haddad, F., Younes, A., Hassoun, A., Abdalla, K., Selwan, C.A., Sunna, N., Wajsbrot, D., Youseif, E., 2011. Prevalence of Painful Diabetic Peripheral Neuropathy among Patients with Diabetes Mellitus in the Middle East Region. *J Int Med Res* 39(2):366-377.

Jensen, T.S., Backonja, M.M., Jimenez, S.H., Tesfaye, S., Valensi, P., Ziegler, D., 2006. New perspectives on the management of diabetic peripheral neuropathic pain. *Diab Vasc Dis Res* 3(2):108-119.

Kasthuri, A.S., Sofat, S., Kumar, N., 2000. Somatic Neuropathy in Diabetes Mellitus. *MJAFI* 56:33-36.

Kestenbaum, B., 2009. *Measures of Disease Frequency, Epidemiology and Biostatistics: An Introduction to Clinical Research*. New York, Springer Science+Business Media.

Kim, S.S., Won J.C., Kwon H.S., Kim C.H., Lee J.H., Park T.S., Ko K.S., Cha B.Y., 2014 Prevalence and clinical implications of painful diabetic peripheral neuropathy in type 2 diabetes: results from a nationwide hospital-based study of diabetic neuropathy in Korea. *Diabetes Res Clin Pract* 103(3):522-9.

Kimura, J., 1984 Principles and pitfalls of nerve conduction studies. *Ann Neurol* 16:415-429.

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Kirby, M., 2003. Painful diabetic neuropathy – current understanding and management for the primary care team. *BJDVD* 3:138-144.

Knabl, J.,Witschi, R.,Hösl, K., Reinold, H., Zeilhofer, U.B., Ahmadi, S., 2008. Reversal of pathological pain through specific spinal $GABA_A$ receptor subtypes. *Nature* 451:330-334.

Knikou, M., 2008. The H-reflex as a probe: Pathways and pitfalls. *J Neurosci Methods* 171:1-12.

Ko, S.H., Cha, B.Y., 2012. Diabetic Peripheral Neuropathy in Type 2 Diabetes Mellitus in Korea. *Diabetes Metab J* 36(1):6-12.

Kochar, D.K., Rawat, N., Agrawal, R.P., Vyas, A., Beniwal, R., Kochar, S.K., Garg, P.Q., 2004. Sodium valproate for painful diabetic neuropathy: a randomized double-blind placebo-controlled study. *J Med* 97:33-38.

Koopman, R.J., Mainous, A.G., Liszka, H.A., Colwell, J.A., Slate, E.H., Carnemolla M.A., Everett C.J., 2006. Evidence of Nephropathy and Peripheral Neuropathy in US Adults With Undiagnosed Diabetes. *Ann Fam Med* 4:427-432.

Kristensen, B., Malm, J., Nilsson, T.K., Hultdin, J., Carlberg, B., Dahlen, G., Olsson, T., 1999. Hyperchomocysteinemia and Hypofibrinoysis in Young Adult With Ischemic Stroke. *Stroke* 30: 974-980.

Lachman, T., Shahani, B.T., Young, R.R., 1980. Late responses as aids to diagnosis inperipheral neuropathy. *J Neurol Neurosurg Psych* 43:156-162.

Lamotte, H., Lundberg, L.E.R., Torebjork, H.E., 1991. Pain, Hyperalgesia And Activity In Nociceptive C Units In Humans After Intradermal Injection Of Capsaicin. *J Physiol* 448:749-764.

Lawrence, A.L., Armstrong D.G., Boulton A., 2004. Screening for Diabetic Peripheral Neuropathy Screening patients thoroughly can help identify nerve injury early. *Diab Microvasc Complicat* 17- 19

LeFloch, J.P., Doucet J., Bauduceau B., Verny C., 2014. Retinopathy, nephropathy, peripheral neuropathy and geriatric scale scores in elderly people with Type 2 diabetes. *Diabet Med* 31(1):107-11.

Leung, L., and Cahill, C.M., 2010. TNF alpha & neuropathic pain - a review. *J Neuroinflammation* 7(27):1-11.

Li, J.Q., Chen, S.R., Hong, C., You-Q C., Pan, H.L., 2010. Regulation of increased glutamatergic input to spinal dorsal horn neurons by mGluR5 in diabetic neuropathic pain. *J Neurochem* 112(1):162-172(11).

Lin, C.S., Kuwabara S., Cappelen C., Burke D., 2002. Responses of human sensory and motor axons to the release of ischaemia and to hyperpolarizing currents. *J Physiol* 541(Pt 3):1025–39.

Lor, T. L., Boon, K.Y., Cheo, F.F., Lau, S.C., Lee, G.W., Ng, B.H., Goh, K.J., 2009. The Frequency of Symptomatic Sensory Polyneuropathy in The Elderly in an Urban Malaysian Community. *Neurol Asia* 14(2):109-113.

Lubeck, D.P., Litwin, M.S., Henning, J.M., Stoddard, M.L., Flanders, S.C., Carroll, P.R., 1999. Changes in health-related quality of life in the first year after treatment for prostate cancer: results from CaPSURE. *Urology* 53:180-186.

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Luft, D.,1999 Neuropathic pain in diabetic nephropathy- update on analgesic strategies. *Nephrol Dial Transplants* 14: 2285-88.

Makovec, M., Benedičič, M., Bošnjak, R., 2006. H Wave and Spinal Root Potentials in Neuromonitoring of S1 Root Function during Evacuation of Herniated Disc: Preliminary Results. *Croat Med J* 47:298-304.

Malik, R.A., Veves, A., Tesfaye, S., 2006. Ameliorating human diabetic neuropathy: Lessons from implanting hematopoietic mononuclear cells. *Exp Neurol* 201(1):7-14.

Malik, R.A., Veves, A., Walker, D.,Siddique, I., Lye, R.H., Schady, W., Boulton, A.J., 2001. Sural nerve fibre pathology in diabetic patients with mild neuropathy: Relationship to pain, quantitative sensory testing and peripheral nerve electrophysiology. *Acta Neuropathol (Berl)* 101:367-374.

Maltoni, M., Caraceni, A., Brunelli, C., Bert, B., Christakis, N., Eychmueller, S., Glare, P., Nabal, M., Vigano, A., Larkin, P., DeConno, F., 2005. Prognostic Factors in Advanced Cancer Patients: Evidence-Based Clinical Recommendations - A Study by the Steering Committee of the European Association for Palliative Care. *Clin Oncol* 23:6240-6248.

Mardastuti, Y., Asmedi, A., Gofir, A., 2013. Uji reliabilitas dan validitas DNS dan DNE sebagai skor diagnostik neuropati diabetik. *Laporan Penelitian* PPDS Neurologi FK UGM Yogyakarta.

Martin, C.L., Albers, J., Herman, W.H., Cleary, P., Waberski, B., Greene, D.A., Stevens, M.J., Feldman, E.L., 2006. Neuropathy Among the Diabetes Control and Complications Trial Cohort 8 Years After Trial Completion. *Diabetes Care* 29:340-344.

Martyn, C.N., Hughes, R.A.C., 1997. Epidemiology of peripheral neuropathy. *J Neurol Neurosurg Psych* 62:310-318.

Mazzocchio, R., Battista, G.S., Aldo, M., Muzii, V.F., Lucio, P., 2001. Recruitment curve of the soleus H-reflex in chronic back pain and lumbosacral radiculopathy. *BMC Musc Dis* 2(4):1-8.

Mendel, J.R., Sahenk, Z., 2003. Painful Sensory Neuropathy. *N Engl J Med* 348:1243-1255.

Meijer, J.W.G., Sonderen, E.V., Biaauwwiekel, E.E., Smit, A.J., Groothofe, J.W., Eisma, W.H., Links, T.P., 2000. Diabetic Neuropathy Examination-A hierarchical scoring system to diagnose distal polyneuropathy in diabetes. *Diabetes Care* 23(6):750-753.

Mersky, H., Bogduk, N., 1994. *Classification of Chronic Pain*. 2nd ed. Seattle, IASP.

Misawa, S., Sakurai, K., Shibuya, K., Isose, S., Kanai, K., Ogino, J., Ishikawa, K., Kuwabara, S., 2009. Neuropathic pain is associated with increased nodal persistent Na^+ currents in human diabetic neuropathy. *J Peripher Nerv Syst* 14:279-284.

Misiazek, J.E., 2003. The H-Reflex As A Tool In Neurophysiology: Its Limitations And Uses In Understanding Nervous System Function. *Muscle Nerve* 28:144–160, 2003

Mitchell, B.D., Hawthorne, V.M., Vinik, A.I., 1990. Cigarette Smoking and Neuropathy in Diabetic Patients. *Diabetes Care* 13(4):434-437.

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Mohmad, A.H., Hassan A., Sidig A., Gadour M.O.H., Hamad A, Alda M.M., 2011 Correlation between Retinopathy, Nephropathy and Peripheral Neuropathy among Adult Sudanese Diabetic Patients. *Sudan J.M.S* 9(4): 27-32

Morgado, C., Terra, P.P., Tavares, I., 2009. Neuronal hyperactivity at the spinal cord and periaqueductal grey during painful diabetic neuropathy: Effects of gabapentin. *Eur J Pain* 14(7):693-699.

Mynark, R.G., Koceja, D.M., 2002. Down training of the elderly soleus H reflex with the use of a spinally induced balance perturbation. *J Appl Physiol* 93:127-133.

Nakamura, J., Kato, K., Hamada, Y., Nakayama, M., Chaya, S., Nakashima, E., Naruse, K., Kasuya, Y., Mizubayashi, R., Miwa, K., Yasuda, Y., Hideki, K., Ienaga, K., Sakakibara, F., Koh, N., Hotta, N., 1999. A Protein Kinase C-b–Selective Inhibitor Ameliorates Neural Dysfunction in Streptozotocin-Induced Diabetic Rats. *Diabetes* 48:2090-2095.

Nicas, E.G., Jennifer, M.A.L., Cervero, F., 2006. $GABA_A$-receptor blockade reverses the sensitization of injury-induced Nociceptor Specific (NS) neurons in the spinal dorsal horn of the rat. *J Neurophysiol* 96(2):661-670.

Nigel A.,C., Backonja M.,M., 2007. Pathogenesis of Pain in Peripheral Diabetic. *Neurop Curr Diab Reports* 7:429–434

Nishikawa, T., Edelstein, D., Du, X.L., Yamagishi, S., Matsumura, T., Kaneda, Y., Yorek, M.A., Beebe, D., Oates, P.J., Hammes, H.P., Giardino, I., Brownlee, M., 2000. Normalizing mitochondrial superoxide production blocks three pathways of hyperglycemic damage. *Nature* 404:787-790.

Obrosova, I.G., 2009. Diabetic Painful and Insensate Neuropathy: Pathogenesis and Potential Treatments. *Neurotherapeutics* 6(4):638-647.

Orstavik, K., Weidner, C.T.R., Schmelz, M., Hilliges, M., Jùrum, E., 2003. Pathological C-fibres in patients with a chronic painful condition. *Brain* 126:567-578.

Orstavik, K., Namer, B., Schmidt, R., Schmelz, M., Hilliges, M., Weidner, C., Carr, R.W., Handwerker, H., Jorum, E., Torebjork, E., 2006. Abnormal Function of C-Fibers in Patients with Diabetic Neuropathy. *J Neurosci* 26(44):11287-11294.

Palmieri, R.M., Ingersoll, C.D., Hoffman, M.A., 2004. The Hoffmann Reflex: Methodologic Considerations and Applications for Use in Sports Medicine and Athletic Training Research. *J Athl Train* 39(3):268-277.

Park, T.S., Park, J.H., Baek, H.S. 2004. Can diabetic neuropathy be prevented? *Diab Res Clin Pract* 66S:S53-S56.

Partanen, J., Niskanen, L., Lehtinen, J., Mervaala, E., Siitonen, O., Uusitupa, M., 1995. Natural history of peripheral neuropathy in patients with non-insulin dependent diabetes. *New Engl J Med* 333:39-84.

Pauvert, V.M., Nicolas G., Burke D., Deseilligny E.P., 2002. Suppression of the H reflex in humans by disynaptic autogenetic inhibitory pathways activated by the test volley. *J Physio* 542.3, :963–976.

Pérez L.A., Ascaso J.F., Chapa M.A., Hernández A., Catalá M., Carmena R., 1990. Course of peripheral diabetic neuropathy depending on the

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

metabolic control after 6 months of follow-up. *Med Clin (Barc).* 12;94(18):693-6

PERKENI, 2011, Revisi final KONSENSUS DM Tipe 2 Indonesia 2011, www: //academia.edu/4053787/revisi_final_KONSENSUS_DM_Tipe_2_Indonesia_2011

Phurrough, S., Cano, C., Cas, R.D., Ballantine, L., Carino, T., 2003. Decision Memorandum for Reconsideration of National Coverage Determination: Sensory Nerve Conduction Threshold Testing. *Reconsideration of Coverage Issues Manual* Section:50-57.1.

Pittenger, G.L., Ray, M., Burcus, N., McNulty, P., Basta, B., Vinik, A.I., 2004. Intraepidermal Nerve Fibers Are Indicators of Small-Fiber Neuropathy in Both Diabetic and Nondiabetic Patients. *Diabetes Care* 27:1974-1979.

Portenoy, R., 2006. Development and testing of a neuropathic pain screening questionnaire: ID Pain. *Curr Med Res Opin* 22(8):1555-65.

Powers A.C., 2005. Diabetes Mellitus. In: Gibson RJ. (editor) *Harrison's Principle of Internal Medicine.* 16th ed. New York: McGraw-Hill;2152–71.

Preston, D.C., Shapiro, B.E. 1997. *Electromyography and Neuromuscular Disorders: Clinical-Electrophysiologic Correlations*. Boston, Butterworth-Heinemann.

Purnomo H., Mudjiani B., Widjaya D., 2003. *Petunjuk Praktis Elektrodiagnostik*. Airlangga University Press. Surabaya.

Quattrini, C., Harris, N.D., Malik, R.A., Tesfaye, S., 2007. Impaired skin microvascular reactivity in painful diabetic neuropathy. *Diabetes Care* 30(3):655-659.

Rahimdel, A., Ardekani, M.A., Souzani, A., Modaresi, M., Mashahiri, M.R., 2009. Prevalence of Sensory Neuropathy in Type 2 Diabetic Patients in Iranian Population (Yazd Province). *IJDO* 1(1):30-35.

Raminsky, M., 1980. Ephaptic Transmission Between Single Nerve Fibres In The Spinal Nerve Roots Of Dystrophic Mice. *J Physiol* 305:151-169.

Richeimer, S., 2010. Understanding Neuropathic Pain. *www.spineuniverse.com*

Richter, R.W., Portenoy, R., Sharma, U., 2005. Relief of painful diabetic peripheral neuropathy with pregabalin: a randomized, placebo-controlled trial. *J Pain* 6:253-260.

Rico, R.E., Jonkman E.J., 1982. Measurement of the Achilles tendon reflex for the diagnosis of lumbosacral root compression syndromes. *J Neurol Neurosurg Psychiatry* 45:791-795

Root, H.F., Pote Jr., W.H., Frehner, H., 1954. Triopathy Of Diabetes,Sequence of Neuropathy, Retinopathy, and Nephropathy In One Hundred Fifty-Five Patients. *AMA Arch Intern Med* 94(6):931-941.

Rueff, A., Lorne L.M., 1996 .*Nerve Growth Factor and Inflammatory Pain*. Seattle, International Association for the Study of Pain.

Sabbahi, M., De Luca C.J., 1981. Topical Anesthesia: H-Reflex Recovery Changes By Desensitization Of The Skin. *Electroencephalogr Clin Neurophysiol* 52: 328-335

Sachs, G.M., Logigian, E.L., 1996. Proximally evoked soleus H reflexes in the evaluation of axonal neuropathy. *J Neurol Sci* 138(1-2):88-92.

UNIVERSITAS
GADJAH MADA

ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Said, G., 2007. Diabetic Neuropathy -A Review. *Nat Clin Pract Neurol* 3(6):331-340.

Sandoval, J.A.B., Gómez, A.C., López, U.G., 2008. Painful diabetic polyneuropathy: generating processes and future therapeutic considerations. *Rev Mex Anestesiol* 31(1):27-35.

Sandkühler J., 2007. Understanding LTP in pain pathways. *Molecular Pain*, 3:9

Saxena, K.A. and Azad, R., 2006. Advances In The Mechanisms, Diagnosis And Management Of Neuropathic Pain: Current Opinions And Future Perspectives. *Indian J Anaesth* 50(4):249-257.

Scadding, J.W., Thomas, P.K., 1983. Retrograde Growth of Myelinated Fibres in Experimental Neuromas. *J Anat* 136(4)793-799.

Schmeichel, A.M., Schmelzer, J.D., Low, P.A., 2003. Oxidative injury and apoptosis of dorsal root ganglion neurons in chronic experimental diabetic neuropathy. *Diabetes* 52:165-171.

Scholz, J., Broom, D.C., Youn, D.H., Mills, C.D., Kohno, T.,Suter, M.R., Moore, K.A.,Isabelle, D., Coggeshall, R.E., Woolf, C.J., 2005. Blocking Caspase Activity Prevents Transsynaptic Neuronal Apoptosis and the Loss of Inhibition in Lamina II of the Dorsal Horn after Peripheral Nerve Injury. *J Neurosci* 25(32):7317-7323.

Selvarajah, D., Wilkinson D., Emery C.J., Harris N. D., Shaw P.J., Witte D.R., Griffiths P. D., Tesfaye S., 2006. Early Involvement of the Spinal Cord in Diabetic Peripheral Neuropathy. *Diabetes Care* 29:2664 –2669

Senoz, S., Kutukcu, Y., Aydin, A., Yildiz, O., 1999. Acetyl salicylic acid improves somatosensory evoked potentials in streptozotocin-diabetic rats. *Diab Res Clin Pract* 46(3):191-196.

Shaibani, A., Biton, V., Rauck, R., Koch, B., Simpson, J., 2009. Long-term oral lacosamide in painful diabetic neuropathy: A two-year open-label extension trial. *Eur J Pain* 13:458-463.

Simmons, Z. and Feldman, E.L., 2002. Update on Diabetic Neuropathy. *Curr Opin Neurol* 15:595-603.

Singleton, J.R., Smith, A.G., Bromberg, M.B., 2001. Increased Prevalence of Impaired Glucose Tolerance in Patients With Painful Sensory Neuropathy. *Diabetes Care* 24:1448-1453.

Smith, A.G., Ramachandran, P., Tripp, S., Singleton, J.R., 2001. Epidermal nerve innervation in impaired glucose tolerance and diabetes-associated neuropathy. *Neurology* 13*:*1701-1704.

Smith, B.H. and Torrance N., 2012. Epidemiology of Neuropathic Pain and Its Impact on Quality of Life. *Curr Pain Headache Rep* 16(3):191-198.

Soewondo P., Pramono L.A., 2011. Prevalence, characteristics, and predictors of pre-diabetes in Indonesia. *Med J Indones* 20:283-94

Song J.W., dan Chung K.C., 2010 Observational Studies: Cohort and Case-Control Studies. *Plast Reconstr Surg* 126(6): 2234–2242.

Spallone, V., Morganti, R., D'Amato, C., Cacciotti, L., Fedele, T., Maiello, M.R., Marfia, G., 2011. Clinical correlates of painful diabetic neuropathy and relationship of neuropathic pain with sensorimotor and autonomic nerve function. *Eur J Pain* 15(2):153-160.

UNIVERSITAS
GADJAH MADA

ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Stenberg, T.L., 2005. Diabetic Peripheral Neuropathy: Current Concept and Treatment. *www.DCMSonline.org.*

Stalberg, E. and Erdem, H., 2000. Nerve conductive studies. *J Neurol Sci* 17(2):#18.

Suljic, E., Kulasin I., Alibegovic V., 2013. Assessment of Diabetic Polyneuropathy in Inpatient Care: Fasting Blood Glucose, HbA1c, Electroneuromyography and Diabetes Risk Factors. *Acta Inform Med* 21(2): 123–126.

Sumner, C.J., Sheth, S., Griffin, J.W., Cornblath, D.R., Polydefkis, M., 2003. The spectrum of neuropathy in diabetes and impaired glucose tolerance. *Neurology* 60:108-111.

Sundkvist, G., Dahlin, L.B., Nilsson, H., Eriksson, K.F., Lindgarde, F., Rosen, I., Lattimer, S.A., Sima, A.A., Sullivan, K., Greene, D.A., 2000. Sorbitol and myo-inositol levels and morphology of sural nerve in relation to peripheral nerve function and clinical neuropathy in men with diabetic, impaired, and normal glucose tolerance. *Diabet Med* 17:259-268.

Stats Direct Limited 2000-2009. Sample size for Pearson's correlation. *http://www.statsdirect.com/help/sample_size/sscorr.htm.*

Tack, C.J., van Gurp, P.J., Holmes, C., Goldstein, D.S., 2002. Local sympathetic Denervation in Painful Diabetic Neuropathy. *Diabetes* 51(12):3545-3553.

Tavakoli, M. and Rayaz, A.M., 2008. Management of painful diabetic neuropathy. *Informa Health Care* 9(17):2969-2978.

Tavee, J. and Zhou, L., 2009. Small fiber neuropathy: A burning problem *Cleve Clin J Med* 76(5): 297-305.

Taylor, B.K., 2001. Pathophysiologic Mechanisms of Neuropathic Pain. *Current Pain and Headache Reports* 5:151-161.

Tesfaye, S., Nish, C., Simon, E.M.E., Ward, J.D., Christos, M., Constantin, I.T., Daniel, R.W., Fuller, J.H., 2005. Vascular Risk Factors and Diabetic Neuropathy. *N Engl J Med* 352(4):341-350.

Tesfaye, S., Tandan, R., Bastyr, E.J., Keri, A.K., Vladimir, S., Karen, L., 2007. Factors That Impact Symptomatic Diabetic Peripheral Neuropathy In Placebo-Administered Patients From Two 1-Year Clinical Trials. *Diabetes Care* 30:2626-2632.

Thomas, F.P., 2010. The Spectrum of Diabetic Neuropathy. *www.neuropathy.org/site/DocServer/Diabetic_Neuropathies*.

Tolle, T., Xu, X., Sadosky, A.B., 2006. Painful Diabetic Neuropathy: a cross sectional survey of health state impairment and treatment patterns. *J Diabetes Complic* 20(1):26-33.

Tomasulo R.A., 1982. Aberrant conduction in human peripheral nerve: ephaptic transmission? *Neurology* 32(7):712-9.

Tomic, M., Pojicanin, T.,Pavlic, R.I., Metelca, Z., 2003. Obesity- a Risk factor for microvascular and neuropathyc complication in Diabetes? *Diab Croat* 32(2):73-78.

Torebjörk, H.E., Lundberg, L.E., LaMotte, R.H., 1992. Central changes in processing of mechanoreceptive input in capsaicin-induced secondary hyperalgesia in humans. *J Physiol* 448:765-780.

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Toth, P., Simko, R.J., Palli, S.R., Koselleck, D., Quimbo, R.A., Cziraky, M.J., 2012. The impact of serum lipids on risk for microangiopathy in patients with type 2 diabetes mellitus. *Cardiovasc Diabetol* 11(109):1-10.

Treede, R.D., Jensen, T.S., Campbell, J.N., Cruccu, G., Dostrovsky, J.O., Griffin, J.W., Hansson, P., Hughes, R., Nurmikko, T., Serra, J., 2008. Neuropathic pain, Redefinition and a grading system for clinical and research purposes. *Neurology* 70:1630-1635.

Tres, G.S., Hugo, R., Lisbôa, K., Syllos, R., Canani, L.H., Gross, J.L., 2007. Prevalence And Characteristics of Diabetic Polyneuropathy in Passo Fundo, South of Brazil. *Arq Bras Endocrinol Metab* 51(6):987-992.

Trippe, B., 2009. Diabetic Peripheral Neuropathy: The Forgotten Complication And New Therapeutic Approaches. *Rev Endocrinol (suppl)* p.1-12.

Tsigos, C., Reed, P., Weinkove, C., White, A., Young, R.J., 1993. Plasma norepinephrine in sensory diabetic polyneuropathy. *Diabetes Care* 16(5):722-727.

Tsuchimochi, H, McCord, J.L., Leal, A.K., Kaufman, M.P., 2011. Dorsal root tetrodotoxin-resistant sodium channels do not contribute to the augmented exercise pressor reflex in rats with chronic femoral artery occlusion. *AJP – Heart* 300(2):H652-H663.

Tsuji, M., Yasuda, T., Kaneto, H., Matsuoka, T., Hirose, T., Kawamori, R., Iseki, M., Shimomura, I., Shibata, M., 2013. Painful Diabetic Neuropathy in Japanese Diabetic Patients Is Common but Underrecognized. *Pain Res Treat* 318352:1-3.

Ugoya, S.O., Echejoh, G.O., Ugoya, T.A., Agaba, E.I., Puepet, F.H., Ogunniyi, A., 2006. Clinically Diagnosed Diabetic Neuropathy: Frequency, Types and Severity. *J Natl Med Assoc* 98(11):1763-1766.

Uttara S., Sadhana S., Anita K., 2012 Therapeutic potential of antidiabetic nutraceuticals. *Phytopharmacology*, 2(1):144-169.

Van Acker, K., Bouhassira, D., De Bacquer, D., Weiss, S., Matthys, K., Raemen, H., Mathieu, C., Colin, I.M., 2009. Prevalence and impact on quality of life of peripheral neuropathy with or without neuropathic pain in type 1 and type 2 diabetic patients attending hospital outpatients clinics. *Diabetes Metab* 35(3):206-213.

Velzquez, P.L., Sanchez-Cruz, G., Perez-Gonzalez, R.M., 2002. Neurophysiological diagnosis of lumbosacral radicular compression syndrome from late responses. *Rev Neurol* 34(9):819-823.

Veves, A., King, G.L., 2001. Can VEGF reverse diabetic neuropathy in human subjects? *J Clin Invest* 107(10):1215-1218.

Veves, A., Backonja, M., Malik, R.A., 2008. Painful diabetic neuropathy: epidemiology, natural history, early diagnosis, and treatment options. *Pain Med* 9(6):660-674.

Vinik, A.I., Pittenger, G.L., Barlow, P., Mehrabyan, A., 2004.*Diabetic Neuropathies: An Overview of Clinical Aspects, Pathogenesis, and Treatment in Diabetes Mellitus: A Fundamental and Clinical Text.* 3rded. Philadelphia, Lippincott Williams & Wilkins, pp:1332-1363.

UNIVERSITAS
GADJAH MADA
ABNORMALITAS H REFLEX SEBAGAI PREDIKTOR PAINFUL DIABETIC NEUROPATHY (PDN)
AHMAD ASMEDI, Prof.Dr.dr. Samekto Wibowo PFar.K, SpFK(K), SpS(K).; Prof.dr. KRT. Lukas Meliala, SpKJ,SpS(K
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Visser, S.L., Zonneveldt, A., De Rijke, W., Don, J.A., Martens, E.I., Stam, D., 1983. Normal hoffmann reflex latencies (H-M interval) in relation to age and body length. *Clin Neurol & Neurosurg* 2:85–91

Wells, M., 2002. Detection of Lumbosacral Nerve Root Compression with a Novel Composite Nerve Conduction Measurement. *Spin*e 27(24):2811-2819.

Willem, J.G.M., Bosma, E., Lefrandt, J.D., Links, T., Smit, A.J., Stewart, R., Van DerHoeven J., Hoogenberg, K., 2003. Clinical Diagnosis of Diabetic Polyneuropathy with the Diabetic Neuropathy Symptom and Diabetic Neuropathy Examination Scores. *Diabetes Care* 26:697-701.

World Health Organization, 2000. *World Health Organization: Obesity. Preventing and Managing the Global Endemic*. WHO Technical Report Series no.894. WHO, Geneva.

Wood, S., 2008. Anatomy and Physiology of Pain. *www.nursingtimes.net/sharon-wood/112.contributor.*

Woolf, C.J., Mannion, R.J., 1999. Neuropathic pain: aetiology, symptoms, mechanisms, and management. *Lancet* 353(9168):1959-1964.

Yasuda,H., Terada, M., Maeda, K., Kogawa, S.,Sanada, M., Haneda, M., Kashiwagi, A., Kikkawa, R., 2003. Diabetic Neuropathy and Nerve Regeneration. *Prog Neurobiol* 69(4):229-285.

Yi N., H.,Zhi-Rong, J., Xin, S., Xiang-Ru, S., 2004. Value of sympathetic skin response test in the early diagnosis of diabetic neuropathy. *Chin Med J* 117(9):1317-1320.

Yikuan, X., 2000. Mechanism for chronic pain generation. *Chinese Science Bulletin* 45(9):775-783.

Zakutansky, D.W., Kitano, K., Wallace, J.P., Koceja., D.M., 2005. H-Reflex and Motor Responses to Acute Ischemia in Apparently Healthy Individuals. *J Clin Neurophysiol* 22(3):210-215.

Zhu, Y., Starr, A., Haldeman, S., Chu, J.K., Sugerman, R.A., 1998. Soleus H-reflex to S1 nerve root stimulation. *Electroencephalogr Clin Neurophysiol* 109(1):10-14.

Zhuo, M., 2007.Neuronal Mechanism for Neuropathic Pain. *Mol Pain* 3(14):1-9.

Ziegler, D., 2009. Painful Diabetic Neuropathy: Advantage of novel drugs over old drugs? *Diabetes Care* 32(Suppl 2):S414-419.

Ziegler, D., Hanefeld, M., Ruhnau, K.J., Hasche, H., Lobisch, M., Schutte, K., Kerum, G., Malessa, R., 1999. Treatment of symptomatic diabetic polyneuropathy with the antioxidant alpha-lipoic acid. a 7-month multicentre randomized controlled trial (ALADIN III Study). ALADIN III Study Group. *Diabetes Care* 22:1296-1301.