

## DAFTAR PUSTAKA

- Abolfazli, H., Nazari-Shirkouhi, S., Asadzadeh, S. M., Asadzadeh, S. M., & Rezaie, K. (2014). Forecasting Rail Transport Petroleum Consumption Using an Integrated Model of Autocorrelation Functions-Artificial Neural Network. *Acta Polytechnica Hungarica*, *11*(2), 203–214.
- Ahn, I., Kim, H. Y., Jung, S., Lee, J. H., & Son, H. S. (2014). SimFlu: A simulation tool for predicting the variation pattern of influenza A virus. *Computers in Biology and Medicine*, *52*, 35–40. doi:10.1016/j.compbiomed.2014.06.003
- Alfarozi, S. A. I. (2014). *Analytical Forward Learning (AFL) pada Jaringan Syaraf Tiruan (JST)*. Universitas Gadjah Mada.
- Alsultanny, Y. (2012). Successful Forecasting for Knowledge Discovery by Statistical Methods. *Information Technology: New Generations (ITNG), 2012 Ninth International Conference on Information Technology*, 584,588. doi:10.1109/ITNG.2012.160
- Barrera, C. A. de la, & Reyes-Terán, G. (2005). Influenza: Forecast for a pandemic. *Archives of Medical Research*, *36*(6), 628–636. doi:10.1016/j.arcmed.2005.05.002
- Bos, M. E. H., Van Boven, M., Nielen, M., Bouma, A., Elders, A. R. W., Nodelijk, G., ... De Jong, M. C. M. (2007). Estimating the day of highly pathogenic avian influenza (H7N7) virus introduction into a poultry flock based on mortality data. *Veterinary Research*, *38*(3), 493–504. doi:10.1051/vetres:2007008
- Bowerman, B. L., & O'Connell, R. T. (1993). *Forecasting and Time Series* (3rd ed.). Ohio: Duxbury.
- Bustamante-Sa, C., & Nobre, F. F. (1996). Forecasting Epidemiological Time Series with Backpropagation Neural Networks. *IEEE*, 1365–1368.
- Chao, D. L., Halloran, M. E., Obenchain, V. J., & Longini, I. M. (2010). FluTE, a publicly available stochastic influenza epidemic simulation model. *PLoS Computational Biology*, *6*(1). doi:10.1371/journal.pcbi.1000656
- Department of Treasury, A. G. (2008). FORECASTING ACCURACY OF THE ACT BUDGET ESTIMATES. Retrieved from [www.treasury.act.gov.au/documents/Forecasting Accuracy - ACT Budget.pdf](http://www.treasury.act.gov.au/documents/Forecasting_Accuracy_-_ACT_Budget.pdf)

- Dinas Kesehatan Yogyakarta. (2008). Pencanaan Desa Siaga Tanggap Flu Burung di Provinsi Daerah Istimewa Yogyakarta. Retrieved April 17, 2015, from [http://dinkes.jogjaprov.go.id/berita/detil\\_berita/100-pencanangan-desa-siaga-tanggap-flu-burung-br-di-provinsi-daerah-istimewa-yogyakarta](http://dinkes.jogjaprov.go.id/berita/detil_berita/100-pencanangan-desa-siaga-tanggap-flu-burung-br-di-provinsi-daerah-istimewa-yogyakarta)
- Direktorat Jendral Peternakan Kementerian Pertanian. (2012). *Manual Penyakit Unggas*. Jakarta: Dirjennak.
- Dongxiao, N. I. U., Hui, S. H. I., Jianqing, L. I., & Yanan, W. E. I. (2010). Research on Short-term Power Load Time Series Forecasting model Based on BP Neural Network. *IEEE*, 509–512.
- Fakultas Peternakan UGM. (2007). Gejala dan Cara Pencegahan Flu Burung (Avian Influenza). Retrieved April 17, 2015, from <http://fapet.ugm.ac.id/home/berita-3-gejala--cara-pencegahan-flu-burung-avian-influenza.html>
- Fariza, A., Buliali, J. L., & Purwananto, Y. (2003). Hybrid Algoritme Genetika Simulated Annealing untuk Peramalan Data Time Series Bertipe Stasioner, Non Stasioner, Random dan Musiman. *Politeknik Elektronika Negeri Surabaya - ITS*, 77 – 82.
- Fausett, L. (1994). *Fundamental of Neural Network (Architecture, Algorithms, and Applications)*. New Jersey: Prentice-Hall.
- Gilbert, M., Xiao, X., Pfeiffer, D. U., Epprecht, M., Boles, S., Czarnecki, C., ... Slingenbergh, J. (2008). Mapping H5N1 highly pathogenic avian influenza risk in Southeast Asia. *Proceedings of the National Academy of Sciences of the United States of America*, 105(12), 4769–4774. doi:10.1073/pnas.0710581105
- Hary, Y. (2015). Ribuan Puyuh Mati Positif Flu Burung. Retrieved from <http://www.tribunnews.com/regional/2015/01/09/ribuan-puyuh-mati-positif-flu-burung>
- Haykin, S. (1999). *Neural Networks: A Comprehensive Foundation*. New York: Macmillan Publishing Company.
- Hendri, A. (2010). *Penerapan Backpropagation Neural Network untuk Peramalan Penjualan Produk Susu*. Institut Pertanian Bogor.
- Herrick, K. A., Huettmann, F., & Lindgren, M. A. (2013). A global model of avian influenza prediction in wild birds: the importance of northern regions. *Veterinary Research*, 44(1), 42. doi:10.1186/1297-9716-44-42

- Hidayat, E. W. (2013). *ANALISIS MODEL SI-SIIRS PADA PENYEBARAN VIRUS AVIAN INFLUENZA DAN MUTASINYA*. Universitas Gadjah Mada.
- Hutapea, T. A. (2010). *Penyebaran virus avian influenza dengan model SI-IIRS*. Universitas Gadjah Mada.
- Hutasuhut, A. H., Anggraeni, W., & Tyasnurita, R. (2014). Pembuatan Aplikasi Pendukung Keputusan Untuk Peramalan Persediaan Bahan Baku Produksi Plastik Blowing dan Inject. *JURNAL TEKNIK POMITS*, 3(2), A169,A174.
- Hyndman, R. J., & Athanasopoulos, G. (2014). *Forecasting: Principles and Practice*. Otexts.
- Ispriyanti, D. (2004). Pemodelan Statistika dengan Transformasi Box Cox. *JURNAL MATEMATIKA DAN KOMPUTER*, 7(3), 8–17.
- Jang, J.-S. R., Sun, C.-T., & Mizutani, E. (1997). *Neuro-Fuzzy and Soft Computing*. London: Prentice-Hall.
- Jeconiah, M. (2014). Prediksi Pola Mutasi Virus Flu Burung Menggunakan Hidden Markov Model. *Inovasi*, 22(1), 30–34. Retrieved from <http://io.ppijepang.org/j/files/Inovasi-Vol22-1-Mei2014.pdf>
- Jewell, C. P., Kypraios, T., Christley, R. M., & Roberts, G. O. (2009). A novel approach to real-time risk prediction for emerging infectious diseases: a case study in Avian Influenza H5N1. *Preventive Veterinary Medicine*, 91(1), 19–28. doi:10.1016/j.prevetmed.2009.05.019
- Kane, M. J., Price, N., Scotch, M., & Rabinowitz, P. (2014). Comparison of ARIMA and Random Forest time series models for prediction of avian influenza H5N1 outbreaks. *BMC Bioinformatics*, 15(1), 276. doi:10.1186/1471-2105-15-276
- Katchova, A. (2013). Time Series ARIMA Models. Retrieved March 1, 2015, from <https://sites.google.com/site/econometricsacademy/econometrics-models/time-series-arima-models>
- Kilpatrick, a M., Chmura, A. a, Gibbons, D. W., Fleischer, R. C., Marra, P. P., & Daszak, P. (2006). Predicting the global spread of H5N1 avian influenza. *Proceedings of the National Academy of Sciences of the United States of America*, 103(51), 19368–19373. doi:10.1073/pnas.0609227103
- Kumala, W. (2005). Avian influenza : profil dan penularannya pada manusia. *Universa Medicina*, 24(4). Retrieved from [http://www.univmed.org/wp-content/uploads/2011/02/widyasari\(1\).pdf](http://www.univmed.org/wp-content/uploads/2011/02/widyasari(1).pdf)

- Kusuma, I. W. (2011). Aplikasi Model Backpropagation Neural Network Untuk Perkiraan Produksi Tebu Pada PT. Perkebunan Nusantara IX. In *Seminar Nasional Matematika dan Pendidikan Matematika* (pp. 97–108). Yogyakarta.
- Kusumadewi, F. (2014). *Peramalan Harga Emas menggunakan Feedforward Neural Network dengan Algoritme Backpropagation*. Universitas Negeri Yogyakarta.
- Kusumadewi, S., & Hartati, S. (2010). *Neuro-Fuzzy (Integrasi Sistem Fuzzy dan Jaringan Syaraf)* (2nd ed.). Yogyakarta: Graha Ilmu.
- Li, F., & Luan, P. (2011). ARMA model for predicting the number of new outbreaks of newcastle disease during the month. In *2011 IEEE International Conference on Computer Science and Automation Engineering* (Vol. 4, pp. 660–663). IEEE. doi:10.1109/CSAE.2011.5952933
- Li, J., Hu, C., Xu, D., Xiao, J., & Wang, H. (2010). Application of time-series autoregressive integrated moving average model in predicting the epidemic situation of Newcastle disease. In *2010 World Automation Congress, WAC 2010* (pp. 141–144). Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-78651452629&partnerID=tZOtx3y1>
- Liao, K. P., & Fildes, R. (2005). The Accuracy of a Procedural Approach to Specifying Feedforward Neural Networks for Forecasting. *Computers and Operations Research*, 32(8), 2151–2169. doi:10.1016/j.cor.2004.02.006
- M.A.Yulianto. (2012). Analisa Time Series. Retrieved from <https://digensia.wordpress.com/2012/08/24/analisa-time-series/>
- Machmudin, A., & Ulama, B. S. S. (2012). Peramalan Temperatur Udara di Kota Surabaya dengan Menggunakan ARIMA dan Artificial Neural Network. *Jurnal Sains Dan Seni ITS*, 1(1).
- Matlab. (2001). learnngdm. Retrieved May 17, 2015, from <http://www.mathworks.com/help/nnet/ref/learnngdm.html>
- McLeod, A., Morgan, N., Prakash, A., & Hinrichs, J. (2005). *Economic and Social Impacts of Avian Influenza*. Retrieved from <http://www.fao.org/docs/eims/upload/211939/economic-and-social-impacts-of-avian-influenza-geneva.pdf>
- Minitab. (2014). Least Squares Estimation Method and Maximum Likelihood Estimation Method. Retrieved May 10, 2015, from <http://support.minitab.com/en-us/minitab/17/topic-library/modeling->

statistics/reliability/parameter-estimates/least-squares-and-maximum-likelihood-estimation-methods/

- Mujiyanto. (2012). *Pemodelan Spasial Avian Influenza Menggunakan Data Penginderaan Jauh dan Sistem Informasi Geografis Berbasis Mobile (Mobile-GIS)*. Universitas Gadjah Mada.
- Napitupulu, T. A., & Wijaya, Y. B. (2013). Prediction of Stock Price using Artificial Neural Network : A Case of Indonesia. *Journal of Theoretical and Applied Information Technology*, 54(1), 104–109.
- Permanasari, A. E., Hidayah, I., & Bustoni, I. A. (2013). SARIMA (Seasonal ARIMA) Implementation on Time Series to Forecast The Number of Malaria Incidence. *IEEE*, (2), 2–6.
- Pfeiffer, D. U., Minh, P. Q., Martin, V., Epprecht, M., & Otte, M. J. (2007). An analysis of the spatial and temporal patterns of highly pathogenic avian influenza occurrence in Vietnam using national surveillance data. *The Veterinary Journal*, 174(2), 302–309. doi:10.1016/j.tvjl.2007.05.010
- Priyatno, D. (2013). *Analisis Korelasi, Regresi, dan Multivariate dengan SPSS*. Penerbit Gava Media.
- Quadratullah, M. F. (2013). *Analisis Regresi Terapan*. Yogyakarta: Penerbit Andi.
- Quénel, P., & Dab, W. (1998). Influenza A and B Epidemic Criteria based on Time-Series Analysis of Health Services Surveillance Data. *European Journal of Epidemiology*, 14, 275–285.
- Setiani, F., Chotim, M., & Kharis, M. (2013). Model Matematika Wabah Flu Burung Pada Populasi Unggas dengan Pengaruh Vaksinasi. *UNNES Journal of Mathematics*, 2(2).
- Siang, J. J. (2009). *Jaringan Syaraf Tiruan dan Pemrogramannya Menggunakan MATLAB*. Yogyakarta: Andi Offset.
- Situngkir, H. (2004). *Epidemiology Through Cellular Automata*. Bandung. Retrieved from <http://econpapers.repec.org/RePEc:bfe:wpsbfi:wpe2004>
- Skapura, D. M. (1996). *Building Neural Network*. New York: ACM Press.
- Sparling, D. (2004). Forecasting. Retrieved from <http://www.uoguelph.ca/~dsparlin/forecast.htm>
- Suhartono. (2007). *Feedforward Neural Networks untuk Pemodelan Runtun Waktu*. Universitas Gadjah Mada.

- Suyanto. (2014). *Artificial Intelligence, Searching - Reasoning - Planning - Learning. Informatika*. Bandung: Informatika Bandung.
- Suzuki, K. (2011). *Artificial Neural Networks – Methodological Advances and Biomedical Applications*. Rijeka: InTech.
- Ture, M., & Kurt, I. (2006). Comparison of Four Different Time Series Methods to Forecast Hepatitis A Virus Infection. *Expert System with Application*, 31, 41–46. doi:10.1016/j.eswa.2005.09.002
- Widodo, P. P., Handayanto, R. T., & Herlawati. (2013). *Penerapan Data Mining dengan Matlab*. Bandung: Rekayasa Sains.
- Widyaningrum, V. T. (2013). Artificial Neural Network Backpropagation Dengan Momentum Untuk Prediksi Surface Roughness Pada CNC Milling, (November), 14–15.
- Wijaya, A. (2012). *Peramalan Produksi Padi dengan ARIMA, Fungsi Transfer dan Adaptive Neuro Fuzzy Inference System (ANFIS)*. ITS.
- World Health Organization. (2015). Cumulative Number of Confirmed Human Cases of Avian Influenza A(H5N1) Reported to WHO. Retrieved April 17, 2015, from [http://www.who.int/influenza/human\\_animal\\_interface/H5N1\\_cumulative\\_table\\_archives/en/](http://www.who.int/influenza/human_animal_interface/H5N1_cumulative_table_archives/en/)
- Yuliansyah, R. A. (2015, April). Korban Suspect Flu Burung Tangerang Diduga Tertular di Bogor. Retrieved from <http://tangerangnews.com/kota-tangerang/read/14343/Korban-Suspect-Flu-Burung-Tangerang-Diduga-Tertular-di-Bogor>
- Zhang, G. P., & Qi, M. (2005). Neural Network Forecasting for Seasonal and Trend Time Series. *European Journal of Operational Research*, 160(2), 501–514. doi:10.1016/j.ejor.2003.08.037
- Zhang, J., Lu, J., & Zhang, G. (2011). a Seasonal Auto-Regressive Model Based Support Vector Regression Prediction Method for H5N1 Avian Influenza Animal Events. *International Journal of Computational Intelligence and Applications*, 10(02), 199–230. doi:10.1142/S1469026811003069
- Zou, H. F., Xia, G. P., Yang, F. T., & Wang, H. Y. (2007). An Investigation and Comparison of Artificial Neural Network and Time Series Models for Chinese Food Grain Price Forecasting. *Neurocomputing*, 70, 2913–2923. doi:10.1016/j.neucom.2007.01.009