

DAFTAR PUSTAKA

- Abu-Amer Y, Darwech I, Clohisy JC. 2007. Aseptic loosening of total joint replacements: mechanisms underlying osteolysis and potential therapies. *Arthritis Research and Therapy*. 9(1).
- Adal A, Wiener SW, Louden M, VanDeVoort JT, Benitez JG, Halamka JD, Tarabar A, Soghoian. 2015. *Heavy Metal Toxicity*. State University of New York Downstate Medical Center.
- Afolaranmi GA, Tettey JNA, Murray HM, Meek RMD, Grant MH. 2010. The Effect of Anticoagulants on the Distribution of Chromium VI in Blood Fractions. *J Arthroplasty*. 25(1): 118-120.
- An S, Choi ES, Ahn W. 2011. Suction conditions for minimizing the production of free hemoglobin during blood salvage using an autotransfusion apparatus. *Korean J Anesthesiol*. 60(4): 266-71.
- Anusavice KJ, Shen CH, Rawls R. 2013. *Phillips' Science of Dental Materials*. St. Louis: Elsevier Saunders
- Balk EM, Tatsioni A, Lichenstein AH, Lau J, Pittas AG. 2007. Effect of chromium supplementation on glucose metabolism and lipids: a systematic review of randomized controlled trials. *Diabetes Care*. 30(8): 2154-63
- Behl B, Papageorgiou I, Brown C, Hall R, Tipper JL, Fisher J, Ingham E. 2013. Biological effects of cobalt-chromium nanoparticles and ions on dural fibroblasts and dural epithelial cells. *Biomaterials*. 34: 3547-58.
- Bellefontaine G. 2010. *The Corrosion Of CoCrMo Alloys for Biomedical Applications. Thesis*. School of Metallurgy and Materials. University of Birmingham.
- Bergsma JE, Rozema FR, Bos RRM, Rozendaal AWM, Jong WH, Teppema JS, Joziase CAP. 1995. Biocompatibility and degradation mechanisms of predegraded and non-predegraded poly(lactide) implants: an animal study. *Journal of Materials Science Materials in Medicine*. 6(12): 715-24.
- Black J. 2006. *Biological Performances of Materials. Fundamentals of Biocompatibility 4th Ed*. Boca Raton: Taylor & Francis Group.
- Brooker C. 2009. *Churchill Livingstone's Mini Encyclopedia of Nursing 1st Ed*. Singapore: Elsevier.
- Chandrasoma P, Taylor CR. 2013 *Concise Pathology 3*. Connecticut: Appleton and Lange Medical Book.

- Cobb AG, Schmalzreid TP. 2006. The clinical significance of metal ion release from cobalt-chromium metal-on-metal hip joint arthroplasty. *Proc Inst Mech Eng H*. 220(2): 385-98.
- Costanzo LS. 2007. *Physiology*. Hagerstwon, MD: Lippincott Williams & Wilkins.
- Denizoglu S, Duymus ZY, Akyalcin. 2004. Evaluation of Ion Release from Two Base-metal Alloys at Various pH Levels. *J Int Med Res*. 32(1): 33-38.
- Dentaurum. 2014. *Dentaurum Quality Worldwide Unique*. DENTAURUM GmbH & Co. KG. dentaurum.de/files/989-982-20.pdf
- Department of Laboratory Animal Resources. 2011. *Guidelines for Blood Collection: Rodents and Rabbits*. The University of Toledo: Ohio.
- Fasching A, Norwich D, Geiser T, and Paul GW. 2011. An Evaluation of a NiTiCo Alloy and its Suitability for Medical Device Applications. *JMEPEG* 20: 641-5
- Frazier ME, Andrews TK. 1979. *In vitro Clonal Growth Assay for Evaluating Toxicity of Metal Salts*. Dalam *Trace Metals in Health and Disease* (ed. N. Karash). Raven Press. New York.
- Hansen E, Kling J, Roth G. 2006. The myth of suction pressure limitation in blood salvage. *Anasth Intensivmed*. 4: 118-22.
- Hendershot MD, Corvo MF, Vistoft-Nielsen SL, Cadaret MA, Petterle SL, McCalla EN, Stevenson CM, Pohl DR. 2007. *American Standard for Testing Materials (ASTM)-F075 Hemolysis*. Washington: NAMS.
- Hillman RS, Ault KA, Rinder HM. 2005. *Hematology in Clinical Practice: A Guide to Diagnosis and Management* 4th ed.). McGraw-Hill Professional.
- Hjalmarsson L. 2009. *On cobalt-chrome frameworks in implant dentistry*. Goeteborg University: Goeteborg.
- ISO 10993-4. 2009. *Biological evaluation of medical Device*. European Committee for Standardization: Dublin.
- Jacob V, Vellapally S, Smejkalova J. 2007. The influenced of cigarette smoking on various aspect of periodontal health. *Acta Medica (Hradec Kralove)*. 50(1): 3-5.
- Keegan GM, Learmonth ID, Case CP. 2007. Orthopaedic metals and their potential toxicity in the arthroplasty patient. *The Journal of Bone and Joint Surgery*. 89(2): 567-73.
- Koudi MS, Patil SB. 2007. *Prep Manual for Undergraduates. Dental Materials*. New Delhi: Elsevier.

- Kumar V, Abbas AK, Fausto N, Aster J. 2006. *Robbins and Cotran. Pathologic Basis of Disease. 8th Ed.* Philadelphia: W.B. Saunders Company.
- Kusumawati D. 2004. *Bersahabat dengan Hewan Coba.* Yogyakarta: Gadjah Mada Press.
- Manivasagam G, Dhinasekaran D, Rajamanickam A. 2010. Biomedical Implants: Corrosion and its Prevention - A Review. *Recent Patents on Corrosion Science.* 2: 40-54.
- Misch CE. 2007. *Contemporary Implant Dentistry.* St. Louis, Missouri: Mosby Elsevier.
- Narayan R. 2009. *Biomedical Materials.* Chapel Hill: Departement of Biomedical Engineering. University of North Carolina.
- Nicholson JW. 2002. *The Chemistry of Medical and Dental Materials.* Cambridge: Royal Society of Chemistry.
- Nouri A, Hodson PD, Wen C. 2010. Biomimetic Porous Titanium Scaffolds for Orthopaedics and Dental Application. *Intech China.* ISBN 978-953-307-025-4.
- Okazakia Y, Gotoh E. 2008. Metal release from stainless steel, Co–Cr–Mo–Ni–Fe and Ni–Ti alloys in vascular implants. *J Cor Sci.* 50(12): 3429-38.
- Pacific BioLabs. 2009. *Assesing Biocompatibility. A Guide for Medical Device Manufacturers.*
- Papaspyridakos P, Mokti M, Chen CJ, Benic GI, Gallucci GO, Chronopoulos V. 2013. Implant and Prosthodontic Survival Rates with Implant Fixed Complete Dental Protheses in the Edentulous Mandible after at Least 5 Years: A Systematic Review. *Clinical Implant Dentistry and Related Research.* DOI: 10.1111/cid.12036.
- Pfau EA, Campos MJA. 2005. *Prevotella intermedia* and *Porphyromonas gingivalis* Isolated from Osseointegrated Dental Implants: Colonization and Antimicrobial Susceptibility. *Braz J Microbiol.* 36: 281-5.
- Powers JM, Wataha JG. 2007. *Dental Materials. Properties and Materials. 9th Ed.* Missouri: Mosby Elsevier.
- Prasetyo A. 2010. *Pengaruh Variasi Kandungan Silikon terhadap Korosi Paduan Kobalt (ASTM F 75) Hasil Metalurgi Serbuk dalam Larutan Artificial Blood Plasma dengan Teknik Polarisasi Potensiodinamik dan Teknik Exposure.* Tesis. Universitas Indonesia. Jakarta.
- Rae T. 1978. The haemolytic action of particulate metals (Cd, Cr, Co, Fe, Mo, Ni, Ta, Ti, Zn, Co-Cr alloy). *J Pathol.* 125 (2): 81-9.

- Ratner BD. 1996. *Biomaterial Science, An Introduction to Materials in Medicine*. Academic Press: 1-8.
- Ridlwani M, Tontowi AE, Santoso H. 2005. Proses Pembuatan Serbuk Logam dengan Metoda Atomisasi Las Oksi-Etilen. *TEKNOIN*. 10(4): 315-24.
- Sakaguchi RL, Powers JM. 2012. *Craig's Restorative and Dental Materials*. 13th Ed. Missouri: Mosby Elsevier.
- Samuelson DA. 2007. *Textbook of Veterinary Histology*. St. Louis: Saunders Elsevier.
- Schmalz G, Arenholt-Bindslev D. 2009. *Biocompatibility of Dental Materials*. Springer-Verlag Berlin Heidelberg: Berlin.
- Schwartz MW. 2005. *Clinical Handbook of Pediatrics*. Maryland: Williams & Wilkins.
- Singh I. 2006. *Textbook of human histology*. New Delhi: Jaypee Brothers Publishers.
- Shi D. 2006. *Introduction of Biomaterials*. Singapore: World Scientific Publishing Corporation Pte. Ltd.
- Stanley HR. 2000. *Toxicity Testing of of Dental Materials*. Florida: CRC Press Incorporation.
- Strum JM, Gartner LP, Hiatt JL. 2007. *Cell biology and histology*. Hagerstown: Lippincott Williams & Wilkins.
- Susanto EPN, Indriani A, Himawati U, Aminatun. 2013. Sintesis Paduan Kobalt Melalui Teknik Peleburan dan Karakterisasinya Sebagai Implan Tulang Prosthesis. *Jurnal PKM-P Dikti*. <http://artikel.dikti.go.id/index.php/PKM-P/article/view/29>
- Vazquez D, Takagi S, Frukhtbeyn S, Chow LC. 2010. Effects of Addition of Mannitol Crystals on the Porosity and Dissolution Rates of a Calcium Phosphate Cement. *J Res Natl Inst Stand Technol*. 115(4): 225-32.
- Williams D. 1990. *Concise Encyclopedia of Medical and Dental Materials*. Massachusetts: Pergamon Press.
- Yamada K. 2013. Cobalt: Its Role in Health and Diseases. *Dalam Astrid S, Helmut S, Roland KOS. Interrelations between Essential Metal Ions and Human Diseases. Metal Ions in Life Sciences*. Berlin: Springer.
- Yu D. 2011. *Agency for Toxic Substances and Disease Registry. Case Studies in Environmental Medicine (CSEM): Chromium Toxicity*. U.S. Department of Health and Human Services.