

DAFTAR PUSTAKA

- Abdelgaleil, S.A.M., Doe, M., and Nakatani, M. 2013. Rings B,D- Seco Limonoid Antifeedants From *Swietenia mahagoni*. *Phytochemistry* 96 (2013) 312-317.
- Abu-Romman, S., Abu-Darwish, M., & Ghabeish, I. 2012. Impact of Flavonoids against Wolly Apple Aphid, *Eriosoma lanigerum* (Hausmann) and Its Sole Parasitoid, *Aphelinus mali* (Hald.). *Journal of Agricultural Science*. Vol 4 (2). doi: 10.5539/jas.v4n2p227.
- Adhikari, U. & Chandra, G. 2014. Larvicidal, Smoke Toxicity and Adult Emergence Inhibition Effects of Leaf Extracts of *Swietenia mahagoni* Linnaeus against *Anopheles stephensi* Liston (Diptera: Culicidae). *Asian Pacific Journal of Tropical Disease*. S279 – S283. doi: 10.1016/S2222-1808(14)60456-4.
- Adhikari, U., Singha, S., & Chandra, G. 2012. In Vitro Repellent and Larvicidal Efficacy of *Swietenia mahagoni* against the larval forms of *Culex quinquefasciatus* Say. *Asian Pacific Journal of Tropical Disease*. S260-S264.
- Adhikari, U., & Chandra, G. 2012. Laboratory Evaluation of Ethyl Acetate and Chloroform: methanol (1:1 v/v) Extract of *Swietenia mahagoni* leaf against Japanese Encephalitis vector *Culex vishuni* Group. *Asian Pacific Journal of Tropical Disease* (2012)451-455.
- Andrew, J. & Bar, A. 2013. Morphology and Morphometry of *Aedes aegypti* Adult Mosquito. *Annual Review & Research in Biology* 3 (1): 52 – 69.
- Anonim. 2005. *Guidelines for Laboratory and Field Testing of Mosquito Larvicides*. WHO/CDS/WHOPES/GCDPP/2005.13. World Health Organization, Geneva, Switzerland. pp. 5-14.
- Anonim. 2007. *Aedes (Stegomyia) aegypti (Linnaeus), Yellow fever Mosquito*. New Zealand Biosecure. Version 2. Pp. 1-4.
- Anonim. 2009. *Guidelines for Efficacy Testing of Household Insecticide Products*. World Health Organization, Geneva, Switzerland. pp. 14-15
- Anonim. 2013. *Profil Kesehatan Daerah Istimewa Yogyakarta*. Dinas Kesehatan Daerah Istimewa Yogyakarta. pp. 234-245. (<http://dinkes.jogjaprov.go.id/files/64370-Profil-Kes-DIY-2012.pdf>). Diakses April 2014.

- Arifin, A., Ibrahim, E., & La ane, R. 2013. *Hubungan faktor lingkungan fisik dengan keberadaan larva aedes aegypti di wilayah endemis dbd di kelurahan kassi-kassi kota makasar 2013*. Fakultas kesehatan masyarakat Universitas Hasanudin, Makassar
- Arnaldo, M. 2009. Effects of Larval Crowding on Development Time, Survival and Weight at Metamorphosis in *Aedes aegypti* (Diptera: Culicidae)
- Barliyani, R.D. 2014. Pengaruh Ekstrak Etanolik Daun Jeruk Nipis (*Citrus aurantifolia* (Cristm.) dalam Skripsi. Universitas Gadjah Mada : Yogyakarta. pp. 56-70.
- Boesri, H. 2011. Biologi dan Peranan *Aedes albopictus* (Skuse) 1894 Sebagai Penular Penyakit. *Aspirator*. vol 3 No 2 Tahun 2011: 117-125.
- Biradar, S.R. and Rachetti, B.D. 2013. Extraction of Some Secondary Metabolites & Thin Layer Chromatography from Different Parts of *Centella asiatica* L. (URB). *American Journal of Life Sciences*. 1 (6) : 243-247.
- Brown, S.H. 2012. Mahogany : *Swietenia mahagoni*. Holticulture Agent Bronwyn Mason. *Florida*. (239) 533 – 7513.
- Campbell, N.A. & Reece, J.B. 2008. *Biologi*. Edisi kedelapan. Erlangga: Jakarta. pp 55-89
- Chaieb, I. 2010. Saponin as Insecticides: a review. *Tunisian Journal of Plant Protection*. 5: 39-50.
- Cheng, T.C. 1974. *General parasitology*. Academic Press. New York and London. Pp. 821-881.
- Coloma, A.G., Guadano, A., and Tonn, C.E. 2005. Antifeedant/Insecticidal Terpenes from Asteraceae and Labiatae Species Native to Argentinean Semi-arid Lands. *Naturforsch*. 60 c. 855-861
- Copping, L. G. 2004. *The Manual of Biocontrol Agents. Third edition of the Biopesticide Manual*. BCPC Publication. UK. 250-252
- Couret, J. & Benecict, M.Q. 2014. A Meta-Analysis of the Factors Influencing Development Rate Variation in *Aedes aegypti* (Diptera: Culicidae). *BMC Ecology*. 1472 – 6785.
- Couret, J., Dotson, E. & Benedict, M.Q. 2014. Temperature, Larval Diet, and Density Effects on Development Rate and Survival of *Aedes aegypti* (Diptera : Culicidae). *Plos one*. Vol. 9 (2) e8746.
- Christophers, S.S. 1960. *Aedes Aegypti* (L.) *The Yellow Fever Mosquito*. Cambrige University Press : New york. pp. 20 – 189.

- David, J-P., Ismail, H.M., Chandor-Proust, A., and Paine, M.J. 2013. Role of Cytochrome P450s in Insecticide Resistance: Impact on the Control of Mosquito-Borne Diseases and Use of Insecticides. *Phylosophical Transactions of The Royal Society*. Vol 368. 1612.
- Deore, S.L. & Khadabadi S.S. 2009. Larvacidal Activity of The Saponin Fractions of *Chlorophytum borivilianum santapau* and *Fernandes*. *Journal of Entomology and Nematology*. vol. 1 (5), pp 064 – 066.
- Divya, K., Pradeep, H.R., Kumar K.K., Venkatesh, H., & Jyothi. 2012. Herbal Drug *Swietenia mahagoni* Jacq. *Global J Res. Med. Plants & Indigen. Med*. Vol. 1 Issue 10. 557 – 567.
- Elumalai, K., Dhanasekaran, S., and Krishnappa, K. 2012. Toxicity of Saponin Isolated from *Gymnema sylvestre* R. BR. (Asclepiadaceae) Against *Culex tritaeniorhynchus* Giles (Diptera: Culicidae) Japanese Encephalitis Vector Mosquito in India. *Rev. Inst. Med. Trop.* 54 (6): 337-344.
- Felsot, A.S. and Racke, K.D. 2007. *Chemical Pest Control Technology : Benefits, Disadvantages, and Continuing Roles in Crop Production System*. American Chemical Society : Washington DC. pp. 4 – 6.
- Finney, D.J. 1952. *Probit Analysis. 3rd Edition*. Cambridge University Press. London. pp. 21-99.
- Gonzalez-Coloma, A., Guadano, A., Tonn, C.E., & Sosa, M.E. 2005. Antifeedant/Insecticidal Terpenes from Asteraceae and Labiatae Species Native to Argentinean Semi-arid Lands. *Naturforsch.* 60, 855-861.
- Harborne, J.B. 2006. *Metode Fitokimia*, Penuntun Cara Modern Menganalisis Tumbuhan, cetakan kedua. Diterjemahkan oleh K. Padmawati & I. Sudiro, Terbitan Kedua. Penerbit ITB. Bandung. pp. 47-158.
- Harrison, B.A. & Rattanarithikul, R. 1973. Comparative Morphology of The early larval Instar of *Ae. aegypti* and *Ae. Seatioi* in Thailand. *Mosquito Systematic.* 5 (4): 73-79.
- Hayes, W.J.(Ed). 2011. *Hayes' Handbook of Pesticide Toxicology*. Third edition. Vol 1 & 2. Elsevier Inc. Pp 53-88.
- Hossain, E., Rawani, A., Chandra, G., Mandal, S.C., & Gupta, J.K. 2011. Larvacidal Activity of *Dregea volubilis* and *Bombax malabaricum* Leaf Extracts againts the Filarial Vector *Culex quinquefasciatus*. *Asian Pasific Journal of The Medicine.* 436-441.
- Imam, H., Zarnigar, Sofi, G., and Aziz, S. 2014. The Basic Rules and Methods of Mosquito Rearing (*Aedes aegypti*). *Dispatches.* 4 (1) 53-55.
- Jansen, C.C. & Beebe, N.W. 2010. The Dengue Vector *Aedes aegypti* : What Comes Next. *Microbes and Infection.* 12 (2010) 272 – 279.

- Kamaraj C., A. Bagavan, G. Elango, A.A. Zahir, G. Rajakumar, S. Marimuthu, T. Santhoshkumar & A.A. Rahuman. 2011. Larvicidal Activity of Medicinal Plant Extracts Against *Anopheles subpictus* & *Culex tritaeniorhynchus*. *Indian J Med Res* 134, pp 101-106
- Keeley, L. *Insecticidal Soaps-Modes of Action*. ([Http://www.google.co.id/search?q=insecticidalsoapmodeofaction](http://www.google.co.id/search?q=insecticidalsoapmodeofaction)). Diakses tanggal 05-05-2015.
- Khanna, V.G. & Kannabiran, K. 2006. Larvicidal Effect of *Hemidesmus indicus*, *Gymnema sylvestre*, and *Eclipta prostrata* against *Culex quinquefasciatus* Mosquito larvae. *African Journal of Biotechnology*. Vol. 6 (3), pp 307 – 311.
- Kirk, T. K. 2009. *Tropical Trees of Florida and the Virgin Island, A Guide to Identification, Characteristic and Uses*. Pineapple Press, Inc. : Sarasota, Florida. pp. 144-145.
- Krisnawati, H., Kallio, M., & Kanninen, M. 2011. *Ecology Silviculture and Productivity Swietenia macrophylla King*. Cifor: Bogor. pp. 2-16.
- Lailatul, K.L., Kadarohman, A., and Eko,R. 2010. Efektivitas Biolarvasida Ekstrak Etanol Limbah Penyulingan Minyak Akar Wangi (*Vetiveria zizanoides*) terhadap Larva Nyamuk *Aedes aegypti*, *Culex* sp., dan *Anopheles sunndaicus*. *Jurnal Sains dan Teknologi Kimia*. Vol 1 (1). 59-63
- Lardo, S. 2013. *Penatalaksanaan Demam Berdarah Dengue dengan Penyulit*. CDK-208/ vol. 40 no. 9. (<http://www.kalbemed.com>) Diakses April 2014.
- Leeja, L. and Thoppil, J.E. 2007. Antimicrobial Activity of Methanol extract of *Origanum majorana* L. (Sweet marjoram). *Journal of Environmental Biology*. 28 (1) 145-146.
- Mahajan, N., Shruti, R., Monika, V., Mayur, P. And Shashi, A. 2012. A phytopharmacological overview on *Ocimum* species with special emphasis on *Ocimum sanctum*. *Biomedicine & Preventive Nutrition*. 106:8.
- Mann, R. S. and Kaufman, P.E. 2012. Natural Product Pesticides: Their Development, Delivery and Use Against Insect Vectors. Mini-Reviews in *Organic Chemistry*. Vol. 6, pp 185-202.
- Marquez, A. J. 2005. *Lotus Japonicus Hand Book*. Springer, Netherlands. pp 36 – 54.

- Matin, S.A., Haque, N. & Hossain, H. 2013. Phytochemical Investigation and Standardization of Mahogany Tea Powder from *Swietenia mahagoni* Leaves. *International Journal of Pharmaceutical and Phytopharmacological Research*. 2 (4) : 295 – 301.
- Minami *et al.* 2013. Larvacidal activity of the ethyl acetate leaf extract of *Murraya paniculata* (L.) Jack againsts *Aedes aegypti* mosquito larvae. *African Journal of Biotechnolog.* Vol. 12 (3), pp 216 – 345.
- Mohammed, A., & Chadee, D.D. 2011. Effects of Different Temperature Regimens on The Development of *Aedes Aegypti* (L) (Diptera: Culicidae) mosquitoes. *Acta Tropica*. 119 (2011) 38 – 43.
- Mordue, A.J. & Nisbet, A.J. 2010. Azadirachtin from the Neem Tree *Azadirachta indica*: its Action Against Insects. *An Soc. Entomol.* Brasil 29 (4): 615-632.
- Mosses, M. & Selvaraj, M. 2011. Efficacy of *Melia azedarach* on the Larvae of Three Species: *Anopheles stephensi*, *Culex quinquefasciatus* and *Aedes aegypti* (Diptera: Culicidae). *European Mosquito Control Association*. 29, 116-121.
- Nagappan, R. 2012. Evaluation of Aqueous and Ethanol Extract of Bioactive Medicinal Plant, *Cassia didymobotrya* (Fresenius) Irwin & Barneby Against Immature Stages of Filarial Vector, *Culex quinquefasciatus* Say (Diptera: Culicidae). *Asian Pacific Journal of Tropical Biomedicine*; 2(9): 707-71. doi:10.1016/S2221-1691(12)60214-7
- Nathaniel, O.O., Benjamin, I.I. & Manuele, T. 2010. Insecticidal Properties of an Alkaloid from *Alstonia boonei* De Wild. *Journal of Biopesticides*. 3 (1) 265 – 270.
- Ncube, N.S., Afolayan, A.J., & Okoh, A.I. 2008. Assessment Techniques of Antimicrobial Properties of Natural Compounds of Plant Origin: Current Methods and Future Trends. *African Journal of Biotechnology*. 7 (12): 1797-1806.
- Nikhil, S.B., Dambe, P.A., Ghongade, D.B. and Goupale, D.C. 2010. Hydroalcoholic Extraction of *Mangifera indica* (leaves) by soxletion. *international journal of pharmaceutical science*. 2(1): 30-32.
- Nugroho, A.D. 2011. Kematian Larva *Aedes aegypti* setelah Pemberian Abate Dibandingkan dengan Pemberian Serbuk Serai. *Jurnal Kesehatan Masyarakat*. 7(1): 91-96.
- Ocampo, C.B., Salazar-Terreros, M.J., Mina, N.J. 2011. Insecticide resistance status of *Aedes aegypti* in 10 localities in Colombia. *Acta Tropica*. 118 (2011) 37-44.

- Oktaviani, N. 2010. Faktor-faktor yang Berperangaruh terhadap Densitas Larva Nyamuk *Aedes aegypti* di Kota Pekalongan.
[Http: medent.usyd.edu.au/faktor-faktor/aedesaegypti.htm](http://medent.usyd.edu.au/faktor-faktor/aedesaegypti.htm). Diakses Januari 2015.
- Palumbo, J.C. 2010. *Wheather can have major impact on insect*. Yuma agricultural center. Yuma AZ. pp 27-38
- Pujiyanti, A. And Boesri, H. 2008. Efek Insektisida Sipermetrin 25 EC dengan Aplikasi Thermal Fogging terhadap Nyamuk *Aedes aegypti* dan *Culex quinquefasciatus*. *Bulletin Human Media*. Volume 03 Nomor 01
- Rahmah, T. 2013. Efektivitas Ekstrak Etanol Daun *Tagetes erecta* L. Terhadap Mortalitas Larva dan Imago Serangga Vektor Demam Berdarah *Aedes aegypti* L. dalam *Thesis*. Universitas Gadjah Mada : Yogyakarta. pp. 23-41.
- Raini, M. 2007. Toksikologi Pestisida dan Penanganan Akibat Keracunan Pestisida. *Media Litbang Kesehatan*. Volume XVII (3) : 10-18
- Reigart, J.R. & Roberts, J.R. 1999. *Recognition and Management of Pesticide Poisonings* (5th). Washington, DC. pp 63-73
- Rey, J. 2007. *What is Dengue?* Entomology and Nematology Department, Florida Cooperative Extension Service. Institute of Food and Agricultural Sciences. University of Florida. (<http://edis.ifas.ufl.edu/IN699>). Diakses April 2014.
- Russel, R.C. 1990. Arbovirus/ Vektor Monitoring in N.S.W Australia.
[Http: medent.usyd.edu.au/arbovirus/mosquit.freshwet.htm](http://medent.usyd.edu.au/arbovirus/mosquit.freshwet.htm). Diakses April 2014.
- Salnuke, B.K., Kotkar, H.M., Mendki, P.S., Upasani, S.M., & Maheswari, V.L. 2005. Efficacy of Flavonoids in controlling *Callosobruchus chinensis* (L.) (Coleoptera : Bruchidae), a Post- Harvest Pest of Grain Legumes. *Crop Protection*. 24 (2005) 888 – 893.
- Santi, L.Y. 2011. *Efektivitas Ekstrak Kulit Durian (*Durio Zibethinus* Murr) sebagai Pengendali Nyamuk *Aedes spp* Tahun 2010*. Skripsi. Universitas Sumatera Utara
- Samsudin. 2011. Biosintesa dan Cara Kerja Azadirachtin sebagai Bahan Aktif Insektisida Nabati. Balai Penelitian Tanaman Rempah dan Aneka Tanaman Industri (BALITRI). ([http:// balitri.jogjaprovo.go.id/files/64370-Azadirachtin-bahan aktif-2011.pdf](http://balitri.jogjaprovo.go.id/files/64370-Azadirachtin-bahan%20aktif-2011.pdf)). Diakses Maret 2015
- Saranya, M., Mohanraj, R.S., and Dhanakkodi, B. 2013. Larvacidal, pupicidal activities and morphological deformities of *Spathodea campanulata*

- aqueous leaf extract against the dengue vector *Aedes aegypti*. *Pelagia Research Library*. 3 (2) : 205-213.
- Sarker, S.D., Latif, Z., and Gray, A.I. 2006. *Natural Products Isolation*. Humana Press Inc. Totowa, New Jersey. Pp 1-26
- Selvaraj, M. & Mosses, M. 2011. Efficacy of *Melia azedarach* on the Larvae of Three Mosquito species *Anopheles stephensi*, *Culex quinquefasciatus*, and *Aedes aegypti* (Diptera: Culicidae). *Journal of the European Mosquito Control Association*. 29, 116-121.
- Stone, A. 1993. *Culicidae*. pp. 341-350. In Curran, C.H. *Manual of Nearctic Diptera*. Canada Communication Group : Canada.
- Striegel, M.F. & J. Hill. 1996. *Thin-Layer Chromatography for Binding Media Analysis*. The J. Paul Getty Trust. USA
- Sudjana. 1982. *Metoda Statistika*. Tarsito Bandung. pp 281-284
- Suman, D.S., Shrivastava, A.R., and Pant, S.C. 2011. Differentiation of *Aedes aegypti* and *Aedes albopictus* (Diptera: Culicidae) with Egg Surface Morphology and Morphometrics using Scanning Electron Microscopy. *Arthropod Structure & Development*. 40 (2011) 479-483.
- Tjitrosoepomo, G. 2000. *Taksonomi Tumbuhan Spermatophyte*, cetakan kesepuluh. UGM Press. Yogyakarta. pp. 294
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., & Kaur, H. 2011. Phytochemical Screening and Extraction: A review. *International Pharmaceutica Scientia*. Vol 1. Issue 1.
- Turalely, R., R. Hadanu dan F. Mahulete. 2012. *Uji Aktivitas Sitotoksik dan Analisis Fitokimia Ekstrak Daun Kapur (Harmsiopanax aculeatus Hamrs)*. FKIP Universitas Pattimura. Ambon. hal. 99-100
- Ubulom, P. M. E., Imandeh, G. N., Etebong, E. O. & Udobi, C. E. 2012. Potential larvicidal properties of *Blighia sapida* leaf extracts against larvae of *An. gambiae*, *Cu. quinquefasciatus* and *Ae. aegypti*. *British Journal of Pharmaceutical Research* 2 (4): 259-268
- Vezzani, D., Rubio, A., Velazquez, S.M., Schweigmann, N., & Wiegand, T. 2005. Detailed assessment of microhabitat suitability for *Aedes aegypti* (Diptera: Culicidae) in Buenos Aires, Argentina. *Acta Tropica* 95 (2005) 123-131.
- Wagner, H. & Bladt, S. 1996. *Plant drug analysis a thin layer chromatography Atlas*, 2nd ed. Springer Verlag. Berlin. pp 89-115

- Walker, K. 2002. *A Review Of Control Methods for African Malaria Vectors*. Environmental Health Project. Washington DC : US. pp. 5-7.
- Wibawa, R.R. 2012. *Potensi Ekstrak Biji Mahkota Dewa (Phaleria macrocarpa) sebagai Insektisida terhadap Nyamuk Aedes aegypti dengan Metode Semprot*. Skripsi. Universitas Jember.
- Widawati, M & H. Prasetyowati. 2013. Efektivitas ekstrak buah *Beta vulgaris* L. (buah bit) dengan berbagai fraksi pelarut terhadap mortalitas larva *Aedes aegypti*. *Aspirator*.5(1): 23-29.
- Yunita, E.A., Suprapti, N.H., & Hidayat, J.W. 2009. Pengaruh Ekstrak Daun Teklan (*Eupatorium riparium*) terhadap Mortalitas dan Perkembangan Larva *Ae. aegypti*. *Bioma*. 11(1): 11-17
- Zairi, J. & Lee, Y.W. 2005. *Laboratory and Field Evaluation of Household Insecticide Products and Public Health Insecticides Againsts Vector Mosquitoes and House Flies (Diptera: Culicidae, Muscidae)*. Perniagaan Ph'ng @ P& Y Design Network : Malaysia.
- Zettel C. & Kaufman, P. 2013. Yellow Fever Mosquito *Aedes aegypti* (Linnaeus) (Insecta: Diptera: Culicidae). *Ifas Extension*. University of Florida. pp 1-6.