# DAFTAR PUSTAKA

Anonim. 2013. Fluitest Uric Acid. Analyticon® Biotechnologies AG. Lichtenfels

Abarghuei, M.J., Y. Rouzbehan, and D. Alipour. 2011. Effect of oak (*quercus libani* oliv.) Leave tannin on ruminal fermentation of sheep. J. Agr. Sci. Tech. 13: 1021-1032.

Abdelatif, A.M., Salwa, A. Elsayed, and Y.M. Hassan. 2010. Effect of state of hydration on body weight, blood constituents and urine excretion in nubian goats (Capra hircus). World J. Agric. Sci. 6: 178-188.

Abubakar, M., T. A. Adegbola, M.M. Abubakar, Y. Shehu, M.B. Ngele, and D.J.U. Kalla. 2010. Nutritional evaluation of different sources of nitrogen on digestible nutrient intake, nitrogen balance and production of rumen metabolites in growing Yankasa sheep. Emir. J. Food Agric. 22 (4): 298-307.

Andrade-Montemayor, H., T.G. Gasca, and J. Kawas. 2009. Ruminal fermentation modification of protein and carbohydrate by means of roasted and estimation of microbial protein synthesis. R. Bras. Zootec. 38: 277-291.

Astuti, D.A. and E. Wina. 2002. Protein balance and excretion of purine derivatives in urine of lactating Etawah crossbred goats fed with tempe waste. Seminar Nasional Teknologi Peternakan dan Veteriner.

Astuti, M. 1980. Statistik. Bagian Pemuliaan Ternak Fakultas Peternakan UGM. Yogyakarta.

Astuti, M., A. Agus, I.G.S. Budisatria, B. Aryadi, L.M. Yusiati, dan M.A.U. Muzayyanah. 2007. Peta Potensi Plasma Nutfah Ternak Nasional. Ardana Media. Yogyakarta.

Barbosa, A. M., R.F.D. Valdares, S.C.V. Filho, D.S. Pina, E. Detmann, and M. I. Leao. 2010. Endogenous fraction and urinary recovery of purine derivatives obtained by different methods in Nellore Cattle. J. Anim. Sci. 89: 510-519.

Basheir, R.A., S.A. Omer, and O.S.A Mohamed. 2009. Effect of lactation on some urine indices of renal functionin nubian goats. J. Sci. Tech. 10(1).

Belenguer, A., D. Yanez, J. Balcells, N.H.O. Baber, and M. Gonza´lez-Ronquillo. 2002. Urinary excretion of purine derivatives and prediction of rumen microbial outflow in goats. Livest. Prod. Sci. 77:127–135.

Borja, M.S., R.L. Oliveira, A.R. Bagaldo, M.L.A. Pereira, R.W. Portela, A.M. Barbosa, C.V.D.M. Ribeiro, and G.G.P. Carvalho. 2014. Microbial protein and blood parameters of goats fed with licury cake. Semina. Ciências. Agrárias. Londrina. 35 (1): 519-530.

Braga, J.M.D.S., R.F.D. Valadares, S.G. Pellizzoni, S.C.V. Filho, L.L. Prates, and L.F.C. Silva. 2012. Estimation of endogenous contribution and urinary excretion of purine derivatives from the total digestible nutrient intake in Nellore heifers. R. Bras. Zootec. 41: 1899-1906.

Bueno, I.C.D.S., S.L.S.C. Filho, and A.L. Abdalla. 2010. Rumen microbial growth in sheep fed three distinct quality hays. Tropical and Subtropical Agroecosystems. 12: 239-246.

Chen, X.B. and E.R. Ørskov. 2003. Research on urinary excretion of purine derivatives in ruminant: past present and future. International Feed Resources Unit. MaCaulay Land Use Research Institute. Craigiebuckler. Aberdeen.

Chen, X.B. and M.J. Gomes. 1995. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives. An overview of the technical details. Rowett Research Institute, Bucksburn. Aberdeen.

Chen, X.B., A.T. Meija, D.J. Kyle, and E.R. Ørskov. 1995. Evaluation of the use of the purine derivative:*creatinine* ratio in spot urine and plasma *sampling*s as an index of microbial protein supply in ruminants: Studies in sheep. J. Agric. Sci. Camb.125: 137-143.

Chen, X.B., G. Grubic, E.R. Ørskov, and P. Osuji. 1992. Effect of feeding frequency on diurnal variation in plasma and urinary purine derivatives in steers. Anim. Prod. 55: 185-191.

Chizzotti, M.L., S.C.V. Filho, R.F.D. Valadares, F.H.M. Chizzotti, and L.O. Tedeschi. 2008. Determination of creatinine excretion and evaluation of spot urine sampling in Holstein cattle. Livest. Sci. 77: 127-135.

Csapo, Z.C.J., J. Schmidt, and T.G. Martin. 2001. Quantitative determination of protein of bacterial origin. Trends in Analytical Chemistry. 20: 42-48.

Dipu, M.T., S.K. George, P. Singh, A.K. Verma, and U.R. Mehra. 2006. Measurment of microbial protein supply in murrah buffaloes using urinary purine derivatives excretion and PDC index. Asian-Aust. J. Anim. Sci. 19:347-355.

El-Nouty, F.D., A.A. Al-Haidary, and S.M. Basmeil. 1990. Physiological responses, feed intake, urine volume and serum osmolarity of Aardi goats deprived of water during spring and summer. Asian-Aust. J. Anim. Sci. 3: 331-336.

Gehman, M. and P. J. Kononoff. 2010. Nitrogen utilization, nutrient digestibility, and excretion of purine derivatives in dairy cattle consuming rations containing corn milling co-products. J. Dairy Sci. 93 (8): 3166-3175.

George, S.K., M.T. Dipu, U.R. Mehra, A.K. Verma, and P. Singh. 2006. Influence of level feed intake on concentration of purine derivatives in urinary spot samplings and microbial nitrogen supply in crossbred bulls. Asian-Aust. J. Anim. Sci. 19: 1291-1297.

Givens, D.I., E. Owen, R.F.E. Axford, and H.M. Omed. 2000. Forage Evaluation in Ruminant Nutrition. CABI Publishing.

González-Ronquillo, M., Balcells, J., Belenguer, A., Castrillo, C., Mota, M., 2004. A comparison of purine derivatives excretion with conventional methods as indices of microbial yield in dairy cows. J. Dairy Sci. 87: 2211–2221.

Kazemi-Bonchenari, M., K. Rezayasdi, H.A. Ghasemi, A.H. Farahani, M. Deghan-Banadaky, and A. Mahdavi. 2011. Effect of rumen degradable protein suplementation on purine derivatives excreted through urine and milk in lactating Holstein cows. J. Anim. Vet. Adv. 10: 2389-2393.

Kertz, A.F., L.R. Prewitt, A.G. Lane, and J.R. Campbell. 1970. Effect of dietary intake on creatinine excretion and the creatinine-nitrogen ratio in bovine urine. J Anim. Sci. 30: 278-282.

Ma, T., K. Deng, Y. Tu, C. Jiang, N. Zhang, Y. Li, B. Si, C. Lou, and Q. Diao. 2014. Effect of Dietary Concentrate:forage Ratios and Undegraded Dietary Protein on Nitrogen Balance and Urinary Excretion of Purine Derivatives in Dorper thin-tailed Han Crossbred Lambs. Asian Australas. J. Anim. Sci. 27 (2): 161-168.

Marapana, R.A.U.J. and T. Seresinhe. 2007. Effect of feeding regime on growth, digestibility and excretion of purine derivatives in goats. Proceedings of the fourth academic. P: 23-26.

Matthews, J.G. 2009. Diseases of The Goat. 3rd ed. Wiley-Blackwell Pub. Oxford.

Mbewe, M.R., V.R. Hamandishe, V.E. Imbayarwo-Chikosi, And B. Masunda. 2014. Nitrogen balance and rumen microbial protein synthesis in goats fed diets containing soaked and roasted Mucuna bean (*Mucuna pruriens).* Online J. Anim. Feed Res. 4(1): 06-09.

Mota, M., J. Balcells, N.H.O. Baber, S. Boluktepe, and A. Belenguer. 2008. Modelling purine derivative wxcretion in dairy goats: endogenous excretion and the relationship between deudenal input and urinary output. J. Anim. 2: 44-51.

Murray, R. K., D. A. Bender, K. M. Botham, P. J. Kennelly, V. W. Rodwell, and P. A. Weil. 2009. Harper's Illustrated Biochemistry. 28th ed.The Mc Graw Hill Co. USA.

Muryanto, D. Pramono, dan T. Prasetyo. 2008. Identifikasi potensi sumberdaya hayati Kambing Kejobong. Balai Pengkajian Teknologi Pertanian Jawa Tengah. Proseding Inovasi dan Alih Teknologi Pertanian Untuk Pengembangan Agribisnis Industrial Pedesaan di Wilayah Marjinal. P: 413-419.

Nelson, D.L. and M.M. Cox. 2008. Principles of Biochemistry. 5th ed. Freeman Publishers. Wisconsins.

Noor, A. R. 2008. Pertambahan Bobot Badan Kambing Bligon Jantan Fase Penggemukan dengan Pakan Tambahan Dedak Halus, Tepung Gaplek, da Ampas Tahu. Skripsi Sarjana Peternakan. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Nugroho, R. A. 2011. Neraca Nitrogen pada Kambing Bligon dan Kejobong Jantan yang Diberi Pakan Rumput Raja dan Jerami Kacang Tanah. Skripsi Sarjana Peternakan. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Nurazmil, A. 2008. Pertambahan Bobot Badan kambing Bligon Jantan yang Diberi Pakan Dasar Hijauan Ditambah Konsentrat. Skripsi Sarjana Peternakan. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Orellana-Boero, P., A.R Seradj, M. Fondevila, J. Nolan, and J. Balcells. 2012. Modelling urinary purine derivatives excretion as a tool to estimate microbial rumen outflow in alpacas (Vicugna pacos). J. Small Rum. Res. 107: 101-104.

Ørskov, E. R. 2002. Trails and Trials in Livestock Research. Halcon Printing.

Paengkoum, P. and M. Wanapat. 2009. Utilization of Concentrate Supplements Containing Varying Levels of Sunflower Seed Meal by Growing Goats Fed a Basal Diet of Corn Silages. Pak. J. Nutr. 8 (8): 1229-1234.

Prawirodigdo, S., T. Herawati dan B. Utomo. 2008. Penampilan Peternakan Kambing dan Potensi Bahan Pakan Lokal sebagai Komponen Pendukungnya di Wilayah Propinsi Jawa Tengah. Balai Pengkajian Teknologi Pertanian Jawa Tengah. Lokakarya Nasional Kambing Potong. P: 157-163.

Purwati, C.S., L.M. Yusiati, dan S.P.S. Budhi. 2013. Kontribusi ekskresi basal purin terhadap total ekskresi derivat purin dalam urin kambing Bligon dan Kejobong. Buletin Peternakan. 37(1): 6-11.

Putra, D. 2013. Nitrogen Balance pada Kambing Bligon dan Kejobong Jantan yang Diberi Pakan Tunggal Jerami Kacang Tanah. Skripsi Sarjana Peternakan. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Ramos S., Tejido M.L., Martín ez M.E., Ran illa M.J., Saro C., Carro M.D . 2011. Comparison of direct and indirect methods for estimating microbial protein synthesis in sheep. In: Ranilla, M.J. (ed.), Carro M.D. (ed.), Ben Salem H. (ed.), Moran d-Fehr, P. (ed.). Challenging strategies to promote the sheep and goat sector in the current global context. Zaragoza : CIHEAM / CSIC / Universidad de León / FAO. p. 157-162.

Ruiz, D.R.Y., A.I.M. Garcia, A. Moumen, and E.M. Alcaide. 2004a. Ruminal fermentation and degradation patterns, protozoa population, and urinary purine derivatives excretion in goats and wethers fed diets based on olive leaves. J. Anim. Sci. 82: 3006-3014.

Ruiz, D.R.Y., A. Moumen, A.I.M. Garcia, and E.M. Alcaide. 2004b. Ruminal fermentation and degradation patterns, protozoa population, and urinary purine derivatives excretion in goats and wethers fed diets based on two-stage olive cake: Effect of PEG supply. J. Anim. Sci. 82: 2023-2032.

Salman, M., N. Cetinkaya, Z. Selcuk, and B. Genc. 2013. The Effects of Seasonal Variation on the Microbial-N Flow to the Small Intestine and Prediction of Feed Intake in Grazing Karayaka Sheep. Kafkas Univ Vet Fak Derg. 19 (4): 561-568.

Sebata, A., N.T. Ngongoni, J.F. Mupangwa, I.W. Nyakudya, V.E. Imbaryarwo-Chikosi, J.S. Dube. 2005. Effects of supplementing native pasture hay with Puncture vine (*tribulus terrestris)* on the intake, weight change, Nitrogen balance and excretion of purine derivatives of Sheep. Tropical and Subtropical Agroecosystems. 5: 123–128.

Singh, M., K. Sharma, N. Dutta, P. Singh, A. K. Verma, and U.R. Mehra. 2007. Estimation of rumen microbial supply using urinary purine derivatives excretion in crossbred calves fed at different levels of feed intake. Asian-Aust. J. Anim. Sci. 20: 1567-1574.

Solikhin, W. I. 2010. Perbandingan Konsumsi Pakan dan Pertambahan Bobot Badan Kambing Bligon dan Kambing Kejobong Jantan. Skripsi Sarjana Peternakan. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Utomo, B., T. Herawati dan S. Prawirodigdo. 2005. Productivity of Goat Farming on Rural Condition. Seminar Nasional Teknologi Peternakan dan Veteriner. P: 660-665.

Vlassa, M., M. Fillip, V. Pascalau, V. Coman, C. Dragomir. 2009. Determination of purine derivatives in bovine urine using rapid chromatographic techniques. Archiva Zootechnica 12(4): 59-70.

Widiyatmoko, B. 2010. Pertambahan Bobot Badan Kambing Bligon Jantan yang Diberi Pakan Kulit Kedelai dan Onggok sebagai Pengganti Konsentrat. Pertambahan Bobot Badan Kambing Bligon dan Kambing Kejobong Jantan. Skripsi Sarjana Peternakan. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Williams, W. L., L. O. Tedeschi , P. J. Kononoff , T. R. Callaway, S. E. Dowd, K. Karges, and M. L. Gibson. 2010. Evaluation of in vitro gas production and rumen bacterial populations fermenting corn milling (co)products. J. Dairy. Sci. 93: 4735-4743.

Wisloff, H., A. Flåøyen, N. Ottesen, and T. Hovig. 2003. Narthecium ossifragum (L.) Huds. Causes Kidney Damage in Goats: Morphologic and Functional Effects. Vet Pathol. 40: 317-327.

Yusiati, L.M. 2005. Pengembangan metode estimasi sintesis protein mikrobia rumen menggunakan ekskresi derivat purin dalam urin berbagai ternak ruminansia Indonesia. Desertasi. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Yusiati, L. M. and Hanim C. 2013. Estimation of rumen microbial nitrogen supply based on purine derivatives excreted in the urine of kejobong and bligon goat fed by king grass and peanut straw. Prisma. Lppm. P: 1-7.