

DAFTAR PUSTAKA

- Arakaki, L.N.H., Espinola, J.G.P., De Oliveiera, S.F., De Freitas, J.P.M., Gouviera, A.G., and Airoldi, C., 2002, Chemisorption of Cu(II) Chloride and Nitrate in Aqueous and Non-Aqueous Solution on Matrix Containing Ethylenimine Anchored on Thiol Modified Silica Gel Surface., *J. Colloid Sur.*, 203, 129-136.
- Beigi, H. M., Yaghmaei, S., Roostaazad, R., Bardania, H., and Arpanaei, A, 2013, Comparasion of Different Strategies for The Assembly of Gold Colloids onto Fe₃O₄@SiO₂ Nanocomposite Particles, *Physica E.*, 49, 30-38.
- Bruce, I.J., Taylor, J., Todd, M., Davies, M.J., Borioni, E., Sangregorio, C., and Sen, T., 2004, Synthesis, Characterization and application of silica-magnetite Nanocomposites, *J. Magn. Magn. Mater.*, 284, 145-160.
- Budiman, H., Sri, F. H.K and Setiawan, A H., 2009, Preparation of Silica Modified with 2-Mercaptoimidazole and its Sorption Properties of Chromium(III), *J. Chem.*, 6(1), 141-150.
- Dang, F., Enomoto, N., Hojo, J., and Enpuku, K., 2009, Sonochemical Synthesis of Monodispersed Magnetite Nanoparticles by Usin an Ethanol-Water Mixed Solvent, *J. Ultrason. Sonochem.*, 16, 649-654.
- da Silva, A.L., Trindade, T., Goodfellow, B.J., Costa, B.F.O., Correia, R.N., and Gil, A.M., 2007, In situ synthesis of magnetite nanoparticles in carrageenan gels. *Biomacromolecules.*, 8, 2350–2357.
- Deng, J., Ding, X., Zhang, W., Peng, Y., Wang, J., Long, X., Li, P., and Chan, A. S. C., 2002, Preparation and adsorption properties of monodisperse chitosan-bound Fe₃O₄ magnetic nanoparticles for removal of Cu(II) ions, *Polymer*, 43, 2179-2188
- Duan, H. W., Kuang, M., Wang, X. X., Wang, Y. A., Mao, H., and Nie, S. M., 2007 , Effect of alumina on photocatalytic activity of iron oxides for bisphenol a degradation. *J. Phys. Chem. C*, 112, 8127-8140.
- Edésio, A.F.C., Faria, E.A., Rodrigues, D.E., Evangelista, S.M., De Oliveira, E., Zara, L.F., Rabelo, D., and Prado, A.G.S., 2007, Modification of silica gel by attachment of 2-mercaptobenzimidazole for use in removing Hg(II) from aqueous media: A thermodynamic approach, *Journal of Colloid and Interface Science.*, 311, 1–7.
- Fan, Hong-T., Fan, X., Li, 1., Guo, M., Zhang, D., Yan, F., and Sun, T., 2012, Selective Removal of Arsenic(V) fi'om Aqueous Solution Using SurfaceIon- Imprinted Amine-Functionalized Silica Gel Sorbent. *Ind. Eng Chem. Res.*, 51, 5216-5223.



- Faraji, M., Yamini, Y., and Rezaee, M., 2010, Magnetic Nanoparticles: Synthesis, Stabilization, Functionalization, Characterization, and Applications, *J. Iran. Chern. Soc.*, 7, 1-37.
- Gao, S. Y., Shi, Y. G., Zhang, S. X., Jiang, K., Yang, S. X., Li, Z. D., and Takayama-Muromachi, E., 2008, Silane covered magnetite particles, preparation and characterization, *J. Phys. Chem. C*, 112, 10398-10402.
- Goswani, A.K., 2002, Modification on Silica Surface with Dithizon as Adsorbent Pb(II), *Singh, Anal. Chim. Acta*, 454, 229–240.
- Hiramatsu, H., and Osterloh, F.E., 2003, pH-controlled assembly and disassembly of electrostatically linked CdSe-SiO₂ and Au-SiO₂ nanoparticle clusters, *Langmuir*, 19, 7003-7011.
- Hong, R., Li, J., Zhang, S., Li, H., Zheng, Y., Ding, J., and Wei, D., 2009, Preparation and Characterization of Silica Coated Fe₃O₄ nanoparticles Used as Precursor of Ferrofluids, *Appl. Sur. Sci.*, 255, 3485-3492.
- Hong, R.Y., Feng, B., Chen L.L., Liu G.H., Li H.Z., Zheng Y., and Wei D.G., 2008, Synthesis, characterization and MRI application of dextran-coated Fe₃O₄ magnetic nanoparticles. *Biochem Eng. J.*, 42, 290–300.
- Hu, C., Gao, Z., and Yang, X., 2006, Fabrication and Magnetic Properties of Fe₃O₄ Octahedral, *Chem. Phys. Lett.*, 429, 513-517.
- Huang, C., and Hu, B., 2008, Silica coated magnetic nanoparticles modified with γ -mercaptopropyltrimethoxysilane for fast and selective solid phase extraction of trace amounts of Cd, Cu, Hg, and Pb in environmental and biological samples prior to their determination by inductively coupled plasma mass spectrometry, *Spectrochimica Acta.*, 63B, 437-444.
- Iida, H., Takayanagi, K., Nakanishi, T., and Osaka, T., 2007, Synthesis of Fe₃O₄ Nanoparticles with various size and Magnetic Properties by Controlled Hydrolysis, *J. Colloid Interface Sci.*, 314, 274-280.
- Jacinto, Guilherme V. M., Brolo, A. G., Corio, P., Suarez, Paulo A. Z., and Rubim, Joel C., 2009, Structural Investigation of MFe₂O₄ (M Fe, Co) Magnetic Fluids, *J Phys. Chem. C*, 113, 7684-7691.
- Jal, P.K., Patel, S., and Mishra, B.K., 2004, Chemical modification of silica surface by immobilization of functional groups for extractive concentration of metal ions, *Talanta.*, 62, 1005-1028.
- Kalapathy, U., Proctor A, and Shultz, J., 2002, an improved method for production of silica from rice hull ash, *J. Bio. Tech.*, 85, 285-289.
- Kazemi, A., Helmi, R., Farimani, R., Shahtahmasebi, N., Roknabadi, M.R., and Ghows, N., 2013, Study of structural and magnetic properties of superparamagnetic Fe₃O₄/SiO₂

- core-shell nanocomposites synthesized with hydrophilic citrate-modified Fe₃O₄ seeds via a sol-gel approach, *Physica E*, 53, 207–216.
- Kumar, C. S. S. R., 2009, *Magnetic Nanomaterials: Nano 711, Materials for the Life Sciences*, Weinheim, Willey-VCH.
- Laatikainen, M., and Paatero, E., 2005, Gold Recovery from Chloride Solutions with XAD-7: Competitive Adsorption of Fe(III) and Te(IV)., *Hydrometallurgy.*, 79, 154-171.
- Lam, K.F., Fong, C.M., Young, K.L., and McKay, G., 2008, Selective Adsorption of Gold from Complex Mixtures Using Mesoporous Adsorbent, *J. Chem. Eng.*, 145, 185-196.
- Li, F.B., Li, X.Z., Liu, C.S., and Liu, T.X., 2007, Effect of alumina on photocatalytic activity of iron oxides for bisphenol a degradation, *J Hazard Mater*, 149, 199–207.
- Lim, C.W., and Lee, I.S., 2010, Review : Magnetically Recyclable Nanocatalyst Systems for the Organic Reactions, *NanoToday*, 5, 412-434.
- Limatahu, N.A., 2007, Kajian Adsorpsi Multilogam Ag(I), Ni(II), Cu(II), Pb(II), dan Cr(III) pada hibrida Amino Silika dari Abu Sekam Padi, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Lin Y, Chen H, Lin K, Chen B, and Chiou C., 2011, Application of magnetic particles modified with amino groups to adsorb copper ions in aqueous solution., *J Environ Sci*, 23, 44–50.
- Liu, X., Ma, Z., Xing, J., and Liu, H., 2004, Preparation and Characterization of Amino-Silane Modified Superparamagnetic Silica Nanospheres, *J. Magn. Magn. Mater.*, 270, 1-6.
- Losev, V.N., El'suf'ev, E.V., Buiki, E.V., Trofimchuk, A.K., and Andrianove, E.V., 2004, Interaction Between Gold(III) and Mercapto and Disulfide Groups Covalently Bond to a Silica Gel Surface., *Mendeleev Commun.*, 14(1), 24-25.
- Lu, Y., Yin, Y., Mayers, B. T., and Xia, Y., 2002, Magnetic Nanoparticles: Synthesis, Protection, Functionalization, and Application, *Nano Lett.*, 2, 183-190.
- Mahmoudi, M., Sant, S., Wang, B., Laurent, S., and Sen, T., 2011, Superparamagnetic iron oxide nanoparticles (SPIONs): development, surface modification and applications in chemotherapy, *Adv. Drug. Delivery. Rev.*, 63, 24–46.
- Maity, D., and Agrawal, D.C., 2007, Synthesis of Iron Oxide nanoparticles under oxidizing environment and their stabilization in aqueous and non-aqueous media, *J. Magn. Mater.*, 308, 46-55.
- Margolese, D., Melero, J.A., Christiansen, S.C., Chmelka, B.F., and Stucky, G.D., 2000, Determination of very low levels of gold and palladium in wastewater and soil samples by atomic absorption after preconcentration on modified MCM-48 and MCM-41 silica, *Talanta*, 81, 1183-1188.



- Mata, Y.N., Torres, E., Blazquez, M.L., Ballester, A., Gonzalez, F., and Munoz, J.A., 2009. Gold (III) biosorption and bioreduction with the brown algae *Fucus vesiculosus*, *J. Hazard. Mater.*, 166, 612-618.
- Milea, C.A., Bogatu, C., and Duta, A., 2011, The Influence of Parameter in Silica Sol Gel Process, *Eng. Sci.*, 4, 59-66.
- Mori, Y., and Pinnavaia, T.J., 2001, Synthesis of gold functionalized poly-bisvinylethyleneurea/silica hybrid materials, *Chem. Mater.*, 13, 2173–2178.
- Mulyati, E., 2014, Pelapisan Magnetit dengan Hibrida Merkupto-Silika untuk Adsorpsi Selektif Au(III) dari Sistem Multilogam Au(III)/Cu(II)/Ni(II), *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Nuryono., Hamiani, S., Rusdiarso, B., dan Sakti, S.C.W., 2010, Termodinamika Adsorpsi Multilogam Au-Cu, Au-Ni, dan Au-Cu-Ni Pada Hibrida Merkupto-Silika, *Seminar Nasional Himpunan Kimia Indonesia (SNHKI)*, Makassar, 2 Agustus 2010.
- Nuryono., Rosiati, N.M., Rusdiarso, B., Wibawa S.C., Sakti., and and Tanaka, S., 2014, Coating of magnetite with mercapto modified rice hull ash silica in a one-pot process., *Springer Plus*, 3, 515.
- Paclawski, K. and Fitzner, K., 2004, Kinetics of Gold(III) Chloride Complex Reduction Using Sulfur(IV). *Metall. and Mater. Transactions B*, 35, 1071- 1085.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.R., 2001, *Introduction to Spectroscopy*, 4th ed., Books/Cole, New York.
- Peng, L. Feng, L.G., Lin, C.D., Yi, C.S., and Ning, T., 2009, Adsorption Properties of Ag(I), Au(III), Pd(II), and Pt(IV) Ions on Commercial 717 Anion-Exchange Resin, *Trans. Nonferrous. Met. Soc. China*, 19, 1509-1513.
- Petcharoen, K., and Sirivat, A., 2012, Synthesis and Characterization of Magnetite Nanoparticles Via The Chemical Co-Presipitation Method, *Mater. Sci. Eng. B.*, 177, 421-427.
- Prado, A.G.S., and Airoidi, C., 2000, Adsorption of Au, Ag, Cu, Ni on Silica Modification, *Pest. Manage. Sci.*, 56, 419–424.
- Punkhurst, Q.A., Nagarnaik, P.B., and Gajbhiye, A.R., 2012, Utilization of Soil Waste for Soil Stabilization : A Review, *Elect. J. Geotech. Eng.*, 17. 2443-2461.
- Rebolledo, A.F., Fuertes, A.B., Gonzalez-Carreno, T., Sevilla, M., Valdes-Solis, T., and Tartaj P., 2008, Signatures of clustering in superparamagnetic colloidal nanocomposites of an inorganic and hybrid nature, *Small*, 4, 254–261.
- Ren, Y., Wei, X., and Zhang, M., 2008, Adsorption character for removal Cu(II) by magnetic Cu(II) ion imprinted composite adsorbent. *J. Hazard. Mater.*, 158, 14–22.



Ryanto, C.A., 2014, Prekonsentrasi Au(III) dengan Merkapto-Silika Terlapis pada Magnetit, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.

Sales, J.A.A., Prado, A.G.S., and Airoidi, C., 2002, Cleaved disulfide cross-linking functionalized silica nanoparticles for enrichment of Cd(II), *Polyhedron.*, 21, 2647–2651.

Saman, N., K, and Mat, H., 2013, Adsorption Characteristics of Sulfur Functionalized Silica Microspheres with Respect to the Removal of Hg(II) from Aqueous Solutions, *Ind. Eng. Chem. Res.*, 53,1225-1233.

Sandra, L., 2013, Studi Biosorpsi Au(III) menggunakan Biomassa Bacillus Subtilis, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.

Shchipunov, Y. A. J.,2003, Synthesis And Characterization Of Fe₃O₄ Magnetic Nanofluid *Colloid Interface Sci.*, 268, 68-73.

Shishehbore MR, Afkhami A, and Bagheri H., 2011, Salicylic acid functionalized silica-coated magnetite nanoparticles for solid phase extraction and preconcentration of some heavy metal ions from various real samples., *Chem Cent J* , 5, 41–51.

Shultz, M. D., Reveles, J. U., Khanna, S. N., and Carpenter, E. E., 2007, Metal-ion adsorption on carboxyl-bearing self-assembled monolayers covalently bound to magnetic nanoparticles. *J. Am. Chem. Soc.*, 129, 2482-2490.

Stum, W., and Morgan, J.J., 1996, *Aquatic Chemistry : Chemical Equilibria in Natural Water*, 3rd ed., John Willey and Sons. Inc., New York.

Syukur, M., 2014, Sintesis Fe₃O₄/SiO₂ Termodifikasi (N-(2-Aminoetil)-3-Aminipropil) Untuk Adsorpsi-Desorpsi Anionik [AuCl₄]⁻ , *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.

Tanabe, K., and Hoelderich, W.F., 1999, Determination of Pb²⁺ in natural waters with 2-mercaptobenzimidazole-5-sulfonate (MBIS) chemically modified gold electrode *Appl. Catal. A.*, 181, 399–434.

Tasdelen,C., Aktas, S., Acma, E., Guvenilir, Y., 2009, Gold Recovery from Dilute Gold Solution Using DEAE-Cellulose, *Hydrometallurgy*, 96, 253-257.

Tsurata, T., 2004, Biosorption and recycling of gold using various microorganisms, *J. Gen. Appl. Microbiol.*, 50, 221-228.

Umali, L.J., Duncan, J.R., and Burgess, J.E., 2006, Performance of dead Azola filiculoides biomass in biosorption of Au from wastewater, *Biotechnology. Lett.*, 28, 45-49.

Wang, H., Nakamura, H., Yao, Y., Maeda, H., and Abe, E., 2001, Magnetic Iron Oxide Nanoparticles: Synthesis and Surface Functionalization Strategies, *Chem. Lett.*, 11, 1168-1176.



- Westcott, S.L., Oldenburg, S.J., Lee, T.R., and Halas, N.J., 1998, Formation and adsorption of clusters of gold nanoparticles onto functionalized silica nanoparticle surfaces, *Langmuir*, 14,5396-5401.
- Wogo, H.E., Nuryono, and Narsito, 2007, *Simultaneous Adsorption of Mg(II), Zn(II), Ni(II), and Cd(II) on Silica Gel Immobilized with Ethylenediamine Group*, Proceeding of International Conference on Chemistry Sciences in Yogyakarta, 24-26 May 2007.
- Wu, W., He, Q., and Jiang, C., 2008, Magnetic Iron Oxide Nanoparticles : Synthesis and Surface Functionalization Strategies, *Nanoscale Res. Lett.*, 3, 397-415.
- Xu, X., Friedman, G., Humfeld, K., Majetich, S., and Asher, S., 2001, Effects of magnetite nanoparticles on the thermorheological properties of carrageenan hydrogels. *Adv. Mater.*, 13, 1681-1690.
- Yang, D., Hu, J., and Fu, S., 2009, Controlled Synthesis of Magnetite-Silica Nanocomposites via a Seeded Sol-Gel Approach, *J. Phys. Chem. C*, 113, 7646–7651.
- Yantasee, W., Warner, C.L., and Sangvanich, T., 2007, Removal of heavy metals from aqueous systems with thiol functionalized superparamagnetic nanoparticles, *Environ. Sci. Technol.*, 41, 5114–5119.
- Zhang, L., Rong He., Hong-Chen Gu, 2006, Oleic acid coating on the monodisperse magnetite nanoparticles, *App. Swi Sci.*, 253, 2611-2617.
- Zhang, Y., Xu, Q., Zhang, S., Liu, J., Zhou, 1., Xu, Hui., Xiao, H., and Li, J., 2013, Preparation of thiol-modified Fe₃O₄@SiO₂ nanoparticles and their application for gold recovery from dilute solution, *Separation and Purification Technology*, 116, 391-397.
- Zhao, X., Shi, Y., Wang, T., Cai, Y., and Jiang, G., 2008, Preparation of Silica-Magnetite Nanoparticle Mixed Hemimicelle Sorbent for Extraction of Several Typical Phenolic Compound from environmental Water Samples, *J. Chrom. A.*, 1188, 140-147.