

DAFTAR PUSTAKA

- Afzali, A., Weiss, N.S., Boyko, E.J., Ioannou, G.N., 2010. Association Between Serum Uric Acid Level and Chronic Liver Disease in the United States. *Hepatology*. 52(2): 578-589.
- Aldaba-Muruato, L.R., Moreno, M.G., Shibayama, M., Tsutsumi, V., Muriel, P., 2013. Allopurinol Reverses Liver Damage Induced by Chronic Carbon Tetrachloride Treatment by Decreasing Oxidative Stress, TGF- β Production and NF-kB nuclear translocation. *Pharmacology*. 2013;92: 138-149. DOI:10.1159/000339078.
- Angulo, P., Keach, J.C., Batts, K.P., Lindor, K.D., 1999. Independent Predictors of Liver Fibrosis in Patients With Nonalcoholic Steatohepatitis. *Hepatology*.1999;30(6):1356-1362.
- Arkeman, H., David., 2006. Efek Vitamin C dan E terhadap Sel Goblet Saluran nafas pada tikus akibat pejanan asap rokok. *Universa Medicina*. 25(2):61-66.
- Bataller, R.& Brenner, D.A., 2005. Liver Fibrosis. *Journal of Clinical Investigation*. 2005;115(2):209-218.
- Beighs, V. & Trautwein, C., 2013. The Innate Immune Response During Liver Inflammation and Metabolic Disease. *Trends in Immunology*. 2013;34(9):446-452.
- Benerji, G.V., Babu, M.F., Kuari R., Saha, A., 2013. Comparative Study of ALT, AST, GGT & Uric Acid Levels in Liver Diseases. *Journal of Clinical Investigation*. 2013;7(5):72-75.
- Carotti, S., Morini, S., Corradini, S.G., Burza, M.A., Molinaro, A., Carpino, G., Merli, M., De Santis, A., Muda, A.O., Rossi, M., Attili, A.F., Gaudio, E., 2008. Glial Fibrillary Acidic Protein as an Early Marker of Hepatic Stellate Cell Activation in Chronic and Posttransplant Recurrent Hepatitis C. *Liver Transplantation*. 14:806-814.
- Choi, H.K., Mount, D.B., Reginato, A.M., 2005. Pathogenesis of Gout. *Annals of Internal Medicine*.143:499-516.
- Crews, K.R., Zhou, Y., Pauley, J.L., Howard, S.C., Jeha, S., Relling, M.V., Pui, C., 2010. Effect of Allopurinol Versus Urate Oxidase on Methotrexate Pharmacokinetics in Children With Newly Diagnosed Acute Lymphoblastic Leukemia. *Cancer* I:227-32. DOI: 10.1002/cncr.24681.

- Dunning, S., Ur Rehman, A., Tiebosch, M.H., Hannivoort, R.A., Haijer, F.R., Woudenberg, J., Van den Hauvel, F., Buist-Homan, M., Faber, K.N., Moshage, H., 2013. Glutathione and antioxidant enzymes serve complementary roles in protecting activated hepatic stellate cells against hydrogen peroxide-induced cell death. *Biochimica et Biophysica Acta* 1832 (2013):2027–2034.
- Friedman, S.L., 1993. The Cellular Basis of Hepatic Fibrosis - Mechanisms And Treatment Strategies. *New England Journal of Medicine*. 1993;328:1828-1835.
- Friedman, S.L., 2008. Hepatic Stellate Cells: Protean, Multifunctional, and Enigmatic Cells of the Liver. *Physiology Reviews* 88: 125–172 DOI:10.1152/physrev.00013.2007.
- Friedman, S.L., Roll, F.J., Boyles, J., Bissell, M., 1985. Hepatic Lipocytes: The Principal Collagen-Producing Cells of Normal Rat Liver. *Proceeding of the National Academy of Sciences of the United State of America*. 1985;82:8681-8685.
- Fujii, T., Fuch, B.C., Yamada, S., Lauwers, G.Y., Kulu, Y., Goodwin, J.M., Lanuti, M., Tanabe, K.K., 2010. Mouse Model Of Carbon Tetrachloride Induced Liver Fibrosis: Histopathological Changes And Expression of CD133 and Epidermal Growth Factor. *BioMedCentral of Gastroenterology*. 2010;10:79. <http://www.biomedcentral.com/1471-230x/10/79>.
- Gasse, P., Riteau, N., Charron, S., Girre, S., Fick, L., Petrilli, V., Tschopp, J., Lagente, V., Quesniaux, V.F.J., Ryffel, B., Coullin, I., 2009. Uric Acid Is A Danger Signal Activating NALP3 Inflammasome In Lung Injury Inflammation And Fibrosis. *American Journal of Respiratory and Critical Care Medicine*. 2009;179:903-913. DOI:10.1164/rccm.200808-12740C.
- George, J., Carr, E., Davies, J., Belch, J.J.F., Struthers, A., 2006. High-Dose Allopurinol Improves Endothelial Function by Profoundly Reducing Vascular Oxidative Stress and Not by Lowering Uric Acid. *Circulation*. DOI:10.1161/CIRCULATIONAHA.106.651117. <http://circ.ahajournals.org>.
- Ghweil, A.B., Meguid, M.M.A., Bazeed, S.E.S., Ahmed, S.S., Arafa, U., 2011. Serum Leptin, Ferritin and Uric Acid as Predictors of Fibrosis and Sustained Virological Response in Chronic Hepatitis C Patients. *Life Science Journal*. 2014;11(5): 129-139.
- Gressner, O.A., Rizk, M.S., Kovalenko, E., Weiskirchen, R., Gressner, A.M., 2008. Changing the Pathogenetic Roadmap of Liver Fibrosis? Where Did It Start; Where Will It Go?. *Journal of Gastroenterology and Hepatology*. 2008;23(7):1024-1035.

- Guido, M., Rugge, M., Leandro, G., Fiel, I.M., Thung, S.N., 1997. Hepatic Stellate Cell Immunodetection And Cirrhotic Evolution of Viral Hepatitis in Liver Allografts. *Hepatology*. 1997;26:310-314.
- Hee Kang, D. & Kyu Ha, S., 2014. Uric Acid Puzzle: Dual Role as Anti-oxidant and Pro-oxidant. *Electrolyte Blood Press.* 12:1-6, 2014. [Http://Dx.Doi.Org/10.5049/Ebp.2014.12.1.1](http://Dx.Doi.Org/10.5049/Ebp.2014.12.1.1).
- Henderson, N.C., Iredale, J.P., 2007. Liver Fibrosis: Cellular Mechanisms of Progression and Resolution. *Clinical Science*. 2007;112:265-280. DOI:10.1042/cs20060242.
- Hwang, I.C., Suh, S.Y., Suh, A.R., Ahn, H.Y., 2011. The Relationship Between Nomal Serum Uric Acid and Nonalcoholic Fatty Liver Disease. *Journal of Korean Medicine Science*. 2011;26:386-391. DOI: 10.3346/jkms.2011.26.3.386.
- Ji, L., Xue, R., Tang, W., Wu, W., Hu, T., Liu, X., Peng, X., Gu, J., Chen, S., Zhang, S., 2014. Toll Like Receptor 2 Knock out attenuates Carbon Terachloride (CCL4)-induced liver fibrosis by downregulating MAPK and NF-kB Signaling Pathway. *Federation of European Biochemical Societies*. 2014;588:2095-2100.
- Jin, M., Yang, F., Yang, I., Yin, Y., Luo, J.J., Wang, H., Yang, X.F., 2012. Uric Acid, Hyperuricemia and Vascular Diseases. *Frontiers in Bioscience*. 2012 ; 17: 656-669.
- Kannangara, D.R.W., Robert, D.R., Furlong, T.J., Graham, G.G., Williams, K.M., Day, R.O., 2011. Oxypurinol, allopurinol and allopurinol-1-riboside in plasma following an acute overdose of allopurinol in a patient with advanced chronic kidney disease. *Brithis Journal of Clinical Pharmacology*. DOI:10.1111/j.1365-2125.2011.04147.x
- Karimba, A., Kaligis, S., Purwanto, D., 2013. Gambaran Kadar Asam Urat Pada Mahasiswa Angkatan 2011 Fakultas Kedokteran Universitas Sam Ratulangi Dengan Indeks Massa Tubuh $\geq 23 \text{ kg/m}^2$. *Jurnal e-biomedik*. 1(1):122-128.
- Karlmark, K.R., Weiskirchen, R., Zimmermann, H.W., Gassler, N., Ginhoux, F., Weber, C., Merad, M., Luedde, T., Trautwein, C., Tacke, F., 2009. Hepatic Recruitment of the Inflammatory Gr1+ Monocyte Subset Upon Liver Injury Promotes Hepatic Fibrosis. *Hepatology*. 2009;50(2):261-74.

- Kono, H., Chun, J.C., Ontiveros, F., Rock, K.L., 2010. Uric acid promotes an acute inflammatory response to sterile cell death in mice. *Journal of Clinical Investigation*. 2010; 120(6):1939-1949. <http://dx.doi.org/10.1172/JCI40124>.
- Kono, H., Jen Chen, C., Ontiveros, F., Rock, K.L., 2010. Uric acid promotes an acute inflammatory response to sterile cell death in mice. *Journal of Clinical Investigation*. 120(6):1939-49.
- Kono, H., Rusyn, I., Bradford, B.U., Connor, H.D., Mason, R.P., *et al.*, 2000. Allopurinol Prevents Early Alcohol-Induced Liver Injury in Rats. *Journal of Pharmacology Experimental and Therapeutics*. 293(1):296-303. DOI 0022-3565/00/2931-0296403.00/0.
- Kosugi, T., Nakayama, T., Heinig, M., Zhang, L., 2009. Effect of Lowering Uric Acid on Renal Disease in the Type 2 Diabetic *db/db* Mice. *American Journal of Physiology*. 2009;297:F481-F488.
- Kurniari, P.K., Kambayana, G., Putra, T.R., 2011. Hubungan Hiperurisemia Dan Fraction Uric Acid Clearance Di Desa Tenganan Pegriingsingan Karangasem Bali. *Jurnal Penyakit Dalam*. 12(2):77-80.
- Lanaspa, M.A., Sanchez Lozada, L.G., Jin Choi, Y., Cicerchi, C., Kanbay, M., 2012. Uric Acid Induces Hepatic Steatosis by Generation of Mitochondrial Oxidative Stress: Potential Role In Fructose-Dependent And -Independent Fatty Liver. *Journal of Biology Chemistry*. 287(48):40732-44.
- Li, Y., Wang, J., Asahina, K., 2013. Mesothelial cells give rise to hepatic stellate cells and myofibroblasts via mesothelial–mesenchymal transition in liver injury. *Proceedings of the National Academy of Sciences*. 10(6):2324-2329.
- Lim, M.C.C., Maubach, G., Zhuo, L., 2007. Glial Fibillary Acidic Protein Splice Variants In Hepatic Stellate Cells – Expression and Regulation. *Molecules and Cells*. 2007;25(3):376-384.
- Liu, Y., Liu, H., Meyer, C., 2013. Transforming Growth Factor-beta(TGF-beta)-mediated Connective Tissue Growth Factor (CTGF) Expression in Hepatic Stellate Cells Requires Stat3 Signaling Activation. *Journal of Biology Chemistry*. 288(42):30708-19.
- Martinon, F., Tschopp, J., 2006. Inflammatory Caspases And Inflammasomes: Master Switches of Inflammation. *Cell Death and Differentiation*. 2007;14:10-22. DOI:10.1038/sj.sdd.4402038.

- Niki, T., De Bleser, P.J., Xu, G., Van Den Berg, K., Wisse, E., Geerts, A., Comparison of Glial Fibrillary Acidic Protein And Desmin Staining In Normal and CCL4 - Induced Fibrotic Rat Livers. 1996. *Hepatology*. 1996;23:1538-1545.
- Oskouie, F.G., Shi, Y., 2011. The Role of Uric Acid as an Endogenous Danger Signal in Immunity and Inflammation. *Current Rheumatology Reports*. 13(2):160-166. doi:10.1007/s11926-011-0162-1.
- Pacher, P., Nivorozhkin, A., Szabo, C., 2006. Therapeutic Effects of Xanthine Oxidase Inhibitors: Renaissance Half a Century after the Discovery of Allopurinol. *Pharmacological Reviews*. 58(1):87-114.
- Palacios, R.S., Roderfeld, M., Hemmann, S., Rath, T., Atanasova, S., Tschuschner, A., Gressner, O.A., Weiskirchen, R., Graf, J., Roeb, E., 2008. Activation of hepatic stellate cells is associated with cytokine expression in thioacetamide-induced hepatic fibrosis in mice. *Laboratory of Investigation*. 88:1192-1203.
- Peglow, S. Toledo, A.H., Prado, R.A., Neblina, F.L., Pereyra, L.H.T., 2011. Allopurinol and xanthine oxidase inhibition in liver ischemia reperfusion. *Journal of Hepatobiliary Pancreatic Science*. 18:137-146.
- Perepelyuk, M., Terajima, M., Wang, A.Y., George, P.C., Janmey, P.A., Yamauchi, M., Wells, R.G., 2013. Hepatic stellate cells and portal fibroblasts are the major cellular sources of collagens and lysyl oxidases in normal liver and early after injury. *American Journal of Physiology: Gastrointestine and Liver Physiology*. 304:G605–G614.
- Perez-Mazliah, D., Albareda, M.C., Alvarez, M.G., Lococo, B., 2012. Allopurinol Reduces Antigen-Specific and Polyclonal Activation of Human T Cells. *Frontiers in Immunology*. 2012;3:295. DOI: 10.3389/fimmu.2012.00295.
- Petta, S., Camma, C., Cabibi, D., Di Marco, V., Craxi, A., 2011. Hyperuricemia is associated with histological liver damage in patients with non-alcoholic fatty liver disease. *Alimentary Pharmacology Therapeutics*. 34:757-766.
- Pradere, J.P., Khuwe, J., Minicis, S.D., Jiao, J.J., Gwak, G.Y., Dapito, D.H., Jang, M.K., Guenther, N.D., Mederacke, I., Friedman, R., Dragomir, A.C., Aloman, C., Schwabe, R.F., 2013. Hepatic Macrophages But Not Dendritic Cells Contribute to Liver Fibrosis by Promoting the Survival of Activated Hepatic Stellate Cells in Mice. *HEPATOLOGY*. 58(4):1461-1473.

- Prado de Oliveira, E., and Burini, R.C., 2012. High plasma uric acid concentration: causes and Consequences. *Diabetology and Metabolic Syndrome Journal*. 4(1):1-7. DOI:10.1186/1758-5996-4-12.
- Preitner, F., Bonny, O., Lleverriere, A., Rotman, S., Firsov, D., Da costa, A., Metref, S., Thorens, B., 2009. Glut9 is a major regulator of urate homeostasis and its genetic inactivation induces hyperuricosuria and urate nephropathy. *Proceedings of the National Academy of Sciences*. 106(36):15501-15506. www.pnas.org/cgi/doi/10.1073/pnas.0904411106.
- Puddu, P., Puddu, G.M., Cravero, E., Vizioli, L., Muscari, A., 2012. The Relationships Among Hyperuricemia, Endothelial Dysfunction, And Cardiovascular Disease: Molecular Mechanisms And Clinical Implications. *Journal of Cardiology*. 2012 ; 59 : 235-242. Doi:10.1016/j.jcc.2012.01.013.
- Ramadori, G., Saile, B., 2004. Portal Tract Fibrogenesis In The Liver. *Laboratory of Investigation*. 2004;84:153-159.
- Rothenbacher, D., Kleiner, A., Koenig, W., Primatesta, P., Breitling, L.P., Brenner, H., 2012. Relationship between Inflammatory Cytokines and Uric Acid Levels with Adverse Cardiovascular Outcomes in Patients with Stable Coronary Heart Disease. *Public Library of Science One*. 7(9):1-8.
- Ruggiero, C., Cherubini, A., Ble, A., Bos, A.J.G., Maggio, M., Dixit, V.D., Lauretani, F., Bandinelli, S., Senin, U., Ferrucci, L., 2006. Uric acid and inflammatory markers. *European Heart journal*. 27(1):1174-1181.
- Russo, M.W., Firpi, R.J., Nelson, D.R., Shoonhoven, R., Shrestha, R., Fried., 2005. Early Hepatic Stellate Cell Activation is Associated With Advanced Fibrosis After Liver Transplantation in Recipients With Hepatitis C. *Liver Transplantation*. 2005;11(10):1235-1241.
- Saiman, Y., Agarwal, R., Hickman, D.A., Fausther, M., El Shamy, A., Dranoff, J.A., Friedman, S.L., Bansal, M.B., 2013. CXCL12 induces hepatic stellate cell contraction through a calcium-independent pathway. *American Journal of Physiology: Gastrointestine and Liver Physiology*. 305:G375-G382. Doi. 0.1152/ajpgi.00185.2012.
- Settle, T., Carro, M.D., Falkenstein, E., Radke, W., Klandorf, H., 2012. The Effect Of Allopurinol, Uric Acid, And Inosine Administration on Xanthine Oxidoreductase Activity And Uric Acid Concentrations In Broilers. *Poultry Science*. 2012;91:2895-2903. <http://dx.doi.org/10.3382/ps.2012-02321>.
- Seyer, J.M., Hutcheson, E.T, Kang, A.H., 1977. Collagen Polymorphism in Normal and Cirrhotic Human Liver. *The Journal of Clinical Investigation*. 1977;59:241-248.

- Shi, Y. & Oskouie, F.G., 2011. The Role of Uric Acid as an Endogenous Danger Signal in Immunity and Inflammation. *Current Rheumatology Reports*, 2011;12(6): 160-6. Doi:10.1007/s11926-011-0162-1.
- Shimizu, I., Shimamoto, N., Saiki, K., Furujo, M., Osawa, K., 2012. Lipid Peroxidation in Hepatic Fibrosis. *Intech*. 2012. <http://dx.doi.org/10.5772/46180>.
- So, A. & Thorens, B., 2010. Uric Acid Transport and Disease. *Journal of Clinical Investigation*. 2010;120(6): p. 1791-1798. <http://dx.doi.org/10.1172/JCI42344>.
- Sobey, C.G., Dalipran, R.A., Woodman, O.L., 1993. Allopurinol and amlodipine improve coronary vasodilatation after myocardial ischaemia and reperfusion in anaesthetized Dogs. *British Journal of Pharmacology*.108(1):342-347.
- Strack, I., Schulte, S., Varnholt, H., Schievenbusch, S., Tox, U., Wandland, K., Steffen, H.M., Drebber, U., Dienes, H.P., Odenthal, M., 2011. beta-Adrenoceptor blockade in sclerosing cholangitis of Mdr2 knockout mice: antifibrotic effects in a model of nonsinusoidal fibrosis. *Laboratory of Investigation*. 91:252-261.
- Tennakoon, A.H., Izawa, T., Wijesundera, K.K., Golbar, H.M., Tannaka, M., Ichikawa, C., Kuwamura, M., Yamate, J., 2013. Characterization of Glial Fibrillary Acidic Protein (GFAP)-Expressing Hepatic Stellate Cells and Myofibroblast in Thioacetamide (TAA)-Induced Rat Liver Injury. *Experimental and Toxicologic pathology*. 2013;65(7):1159-1171. DOI:10.1016/j.etp.2013.05.008.
- Tsushima, Y., Nishizawa, H., Tochino, Y., Nakatsuji, H., Sekimoto, R., Nagao, H., Shirakura, T., Kato, K., Imaizumi, K., Takahashi, H., Tamura, M., Maeda, N., Funahashi, T., Shimomura, I., 2013. Uric Acid Secretion from Adipose Tissue and Its Increase in Obesity. *Journal of Biology Chemistry*. 288(38):27138-49.
- Wang, F., Liu, S., Du, T., Chen, H., Zhiyong, L., Yan, J., 2014. NF- κ B inhibition alleviates carbon tetrachloride-induced liver fibrosis via suppression of activated hepatic stellate cells. *Experimental and Therapeutic Medicine*. 8:95-99.
- Wang, W., Wang C., Xiao Q.D., Pan, Y., Gu, T.T, Wang, M.X., Liu, Y.L., Wang, F.M., Wang, S.J., Kong, L.D., 2013. Quercetin and allopurinol reduce liver thioredoxininteracting protein to alleviate inflammation and lipid accumulation in diabetic mice. *British Journal of Pharmacology*. DOI:10.1111/bph.12226 www.bripharmacol.org.

- Watanabe, A., Sohail, M.A., Gautam, S., Gomes, D.A., Mahel, W.Z., 2012. Adenine Induces Differentiation of Rat Hepatic Stellate Cells. *Digestive diseases and sciences*. 2012;57(9):2371-2378.
- Watanabe, S., Kang, D.K., Feng, L., Nakagawa, T., Kanellis, J., Lan, H., Mazzali, M., Johnson, R. J., 2002. Uric acid, Hominoid Evolution, and the Pathogenesis of Salt-Sensitivity. *Hypertension*. 2002;40:355-360.
- Wells, R.G., 2008. Cellular Sources of Extracellular Matrix in Hepatic Fibrosis. *Clinics in Liver Disease*. 2008;12(4):759-768. DOI:10.1016/j.cld.2008.07.008.
- Wilson, C.L., Mann, J., Walsh, M., Perrugoria, M.J., Oakley, F., Wright, M.C., Brignole, C., Di Paolo, D., Perri, P., Ponzoni, M., Karin, M., Mann, D.A., 2014. Quiescent Hepatic Stellate Cells Functionally Contribute to the Hepatic Innate Immune Response via TLR3. *Public Library of Science ONE* 9(1):1-9.
- Yin, C., Evason, K.J., Asahina, K., Stainier, D.Y.R., 2013. Hepatic stellate cells in liver development, regeneration, and cancer. *Journal of Clinical Investigation*. 2013;123(5):1902-1910.
- Zakaria, S., Youssef, M., Mousa, M., Akl, M., El-Ahwany, E., El-Raziky, M., Mostafa, O., Helmy, A.H., El-Hidawi, A., 2009. Value of α -Smooth Muscle Actin and Glial Fibrillary Acidic Protein in Predicting Early Hepatic Fibrosis in Chronic Hepatitis C Virus Infection. *Archives of Medical Science*. 2010;6,3:356-365.
- Zhou, Y., Fang, L., Jiang, L., Wen, P., Cao, H., He, W., Dai, C., Yang, J., Uric Acid Induces Renal Inflammation via Activating Tubular NF- κ B Signaling Pathway. *Public Library of Science ONE*. 2012;7(6):e39738. DOI:10.1371/journal.pone.0039738.