

## DAFTAR PUSTAKA

- American Diabetic Association. 2013. Diagnosis and classification of Diabetes Mellitus. *Diabetes Care*. 36(Suppl 1).
- Bailey, K. R., Rahim, S., Etherington, K., Rokoss, M. L., Natarajan, M. K., Velianou, J. L., *et al.* 2015. Effects of withdrawing vs continuing renin-angiotensin blockers on incidence of acute kidney injury in patients with renal insufficiency undergoing cardiac catheterization: Results from the Angiotensin Converting Enzyme Inhibitor/Angiotensin Receptor Blocker and Contrast Induced Nephropathy in Patients Receiving Cardiac Catheterization (CAPTAIN) trial. *Am Heart J*. 0:1-7.
- Barbieri, L., Verdoia, M., Schaffer, A., Marino, P., De Luca, G. 2015. Contrast volume to creatinin clearance ratio in the prediction of contrast induced nephropathy in patients undergoing coronary angiography or percutaneous intervention. Paper presented at 64th Annual Scientific Session and Expo of American College of Cardiology; 2015 March 17; San Diego, USA.
- Barış, E., Özpelit, E., Doğan, N. B., Kangül, H., Gül, S., Akdeniz, B., *et al.* 2013. The effects of chronic usage of enzyme inhibitor and angiotensin receptor blockers on contrast induced nephropathy in low risk patients. *Anadolu Kardiyol Derg.* 13: 245-50.
- Biondi-Zoccai, G., Lotrionte, M., Thomsen, H. S., Romagnoli, E., D'Ascenzo, F., Giordano, A., *et al.* 2014. Nephropathy after administration of iso-osmolar and low-osmolar contrast media: Evidence from a network meta-analysis. *Int J Cardiol.* 172: 375–380.
- Brewster, U. C., dan Perazella, M. A. 2004. The renin angiotensin aldosterone system and the kidney: effects on kidney disease. *Am J Med.* 116: 263 – 272.
- Chang, C. F., Lin, C. C. 2013. Current concepts of contrast induced nephropathy: A brief review. *J Chin Med Assoc.* 76: 673-681
- Chen, J., Liu, Y. 2012. Contrast volume to creatinin clearance ratio predicts outcomes after percutaneous coronary intervention. Paper presented at: 61st Annual Scientific Session and Expo of American College of Cardiology; 2012 March 27; Chicago, USA
- Chicaiza-Becerra, L. A., Garcia-Molina, M., Gamboa, O. 2012. Cost-effectiveness of iso- versus low-osmolality contrast media in outpatients with high risk of contrast medium-induced nephropathy. *Biomedica.* 32(2): 182–188.
- Chong, E., Poh, K. K., Liang, S., Tan, H. C. 2010. Risk Factors and Clinical Outcomes for Contrast-induced Nephropathy After Percutaneous Coronary Intervention in Patients with Normal Serum Creatinine. *Ann Acad Med Singap.* 39:374-380.

- Chong, E., Shen, L., Poh, K. K., Tan, H. C. 2012. Risk scoring system for prediction of contrast induced nephropathy in patients with pre existing renal impairment undergoing percutaneous coronary intervention. *Singapore Med J.* 53(3): 164.
- Cirit, M., Toprak, O., Yesil, M., Bayata, S., Postaci, N., Pupim, L., *et al.* 2006. Angiotensin converting enzyme inhibitor as a risk factor for contrast induced nephropathy. *Nephron Clin Pract.* 104:c20–c27.
- Cohan, R. H., Davenport, M. S., Dillman, J. R., Ellis, J. H., Hartman, R. P., Herts, B. R., *et al.* 2013. ACR manual on contrast media. ACR manual on drugs and contrast media. Version 9. American College of Radiology.
- Dangas, G., Iakovou, I., Nikolsky, E., Aymong, E. D., Mintz, G. S., Kipshidze, N. N., *et al.* 2005. Contrast induced nephropathy after percutaneous coronary intervention in relation to chronic kidney disease and hemodynamic variables. *Am J Cardiol.* 95(1): 13-19.
- Dixon, J.B., Lambert, G.W., 2013. The obesity paradox — a reality that requires explanation and clinical interpretation. *Atherosclerosis.* 226 (1): 47–48.
- Gupta R. K., Kapoor. A., Tewari. S., Sinha. N., Sharma. R. K. 1999. Captopril for prevention of contrast induced nephropathy in diabetic patients; a randomized study. *Indian Heart J.* 51: 521 – 526.
- Gupta, R. K., Bang, T. J. 2010. Prevention of Contrast-Induced Nephropathy (CIN) in Interventional Radiology Practice. *Semin Intervent Rad.* 27(4).
- Gurm, H. S., Brennan, D. M., Booth, J., Tchong, J. E, Lincoff, A. M., Topol, E. J. 2002. Impact of body mass index on outcome after percutaneous coronary intervention (the obesity paradox). *Am J Cardiol.* 90:42–45.
- Heras, M. M., Rodriguez, N. dC., Gonzalez, J. F. N. 2012. The renin angiotensin aldosterone system in renal and cardiovascular disease and the effects of it pharmacological blockade. *Diabetes Metab J.* 3(1).
- Heyman, S. N., Rosenberger, C., Rosen, S., Khamaisi, M. 2013. Why is diabetes mellitus a risk factor for contrast induced nephropathy? *BioMed Research International.* vol. 2013, Article ID 123589, 8 pages., doi:10.1155/2013/123589.
- Hölscher, B., Heitmeyer, C., Fobker, M., Breithardt, G., Schaefer, R. M., Reinecke, H. 2008. Predictors for contrast media induced nephropathy and long-term survival: Prospectively assessed data from the randomized controlled Dialysis-versus Diuresis (DVD) trial. *Can J Cardiol.* 24(11): 845–850.
- Hung, Y. M., Lin, S. L., Hung, S. Y., Huang, W. C., Wang, P. Y. P. 2012. Preventing radiocontrast-induced nephropathy in chronic kidney disease

- patients undergoing coronary angiography. *World J Cardiol.* 4(5): 157-172.
- James, M. T., Ghali, W. A., Knudtson, M. L., Ravani, P., Tonelli, M., Faris, P., et al. 2011. Association between acute kidney injury and cardiovascular and renal outcomes after coronary angiography. *Circulation.* 123: 409 – 416.
- Jorgensen, A. L. 2013. Contrast-Induced Nephropathy: Pathophysiology and Preventive Strategies. *Crit Care Nurse.* 33(1).
- Kalyesubula, R., Bagasha, P., Perazella, M. A. 2014. ACE-I/ARB therapy prior to contrast exposure: What should the clinician do? *Biomed Research International.* vol. 2014, Article ID 423848, 7 pages, doi:10.1155/2014/423848
- Kellum, J. A., Lameire, N., Aspin, P., Barsoum, R. S., Burdman, E. A., Goldstein, S. L., et al. 2012. KDIGO Clinical Practice Guideline for Acute Kidney Injury. *Kidney Int Suppl* [cited 2014 Jul 18]; 2(1). Available online on: <http://www.kidney-international.org>.
- Khan, E., Batuman, V., Lertora, J. J. 2010. Emergence of biomarkers in nephropharmacology. *Biomark Med.* 4: 805-814.
- Lakhal, K., Ehrmann, S., Chaari, A., Laissy, J. P., Regnier, B., Wolff, M., et al. 2011. Acute kidney injury network definition of contrast induced nephropathy in the critically ill: Incidence and outcome. *J Crit care.* 26: 593-599.
- Laskey, W., Aspin, P., Davidson, C., Rudnick, M., Aubry, P., Kumar, S., et al., 2009. Nephrotoxicity of iodixanol versus iopamidol in patients with chronic kidney disease and diabetes mellitus undergoing coronary angiographic procedures. *Am Heart J.* 158:822-828.
- Levine, G. N., Bates, E. R., Blankenship, J. C., Bailey, S. R., Bittl, J. A., Cercek, B., et al. 2011. 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. *J Am Coll Cardiol.* 58(24).
- Lucreziotti, S., Centola, M., Salerno-Uriarte, D., Ponticelli, G., Battezzati, P. M., Castini, D., et al. 2014. Female gender and contrast-induced nephropathy in primary percutaneous intervention for ST-segment elevation myocardial infarction. *Int J Cardiol.* 174: 37–42.
- Maeder, M., Klein, M., Fehr, T. Rickli, H. 2004. Contrast nephropathy: review focusing on prevention. *J Am Coll Cardiol.* 44: 1763-1771.
- Makani, H., Bangalore, S., Desouza, K. A., Shah, A., Messerli, F. H. 2013. Efficacy and safety of dual blockade of renin-angiotensin system: meta-analysis of randomised trials. *BMJ.* 346:f360.

- Marenzi, G., Lauri, G., Assanelli, E., Campodonico, J., De Metrio, M., Marana, I., *et al.* 2004. Contrast-Induced Nephropathy in Patients Undergoing Primary Angioplasty for Acute Myocardial Infarction. *J Am Coll Cardiol.* 44(9):1780–5
- McAuley, P.A., Blair, S.N., 2011. Obesity paradoxes. *J. Sports Sci.* 29 (8), 773–782
- McCullough, P. A., Stacul, F., Becker, C. R., Adam, A., Lamiere, N., Tumlin, J. A., *et al.* 2006. Contrast Induced Nephropathy: Consensus Working Panel. *Rev Cardiovasc Med.* 7(4): 177 - 197
- McCullough, P. A. 2008. Contrast induced acute kidney injury. *J Am Coll Cardiol.* 51(15): 1419-1428.
- Mehran, R., Aymong, E. D., Nikolsky, E., Lasic, Z., Iokovou, I., Fahy, M., *et al.* 2004. A simple risk score for prediction of contrast induced nephropathy after percutaneous coronary intervention. *J Am Coll Cardiol.* 44:1393–1399.
- Mehran, R. Nikolsky, E. 2006. Contrast induced nephropathy: Definition, epidemiology, and patients at risk. *Kidney Int.* 69: 11-15.
- Mehta, R. L., Kellum, J. A., Shah, S. V., Molitoris, B. A., Ronco, C., Warnock, D. G., *et al.* 2007. Acute Kidney Injury Network: report of an initiative to improve outcomes in acute kidney injury. *Crit Care.* 11(2): 1 – 8.
- Mentz, R. J., Bakris, G. L., Waeber, B., McMurray, J. J. V., Gheorghiade, M., Ruilope, L. M., *et al.* 2013. The past, present and future of renin–angiotensin aldosterone system inhibition. *Int J Cardiol.* 167:1677–1687.
- Murakami, R., Kumita, S., Hayashi, H., Sugizaki, K., Okazaki, E., Kiriya, T., *et al.* 2013. Anemia and the risk of contrast-induced nephropathy in patients with renal insufficiency undergoing contrast-enhanced MDCT. *Eur J Radiol.* 82: 521–524.
- Myers, S. I. Wang, L., Liu, F., Bartula, L. L. 2006. Iodinated contrast induced renal vasoconstriction is due in part to the downregulation of renal cortical and medullary nitric oxide synthesis. *J Vasc Surg.* 44: 383–391.
- Nash, K., Hafeez, A., Hou, S. 2002. Hospital-acquired renal insufficiency. *Am J Kidney Dis.* 39: 930–936.
- New, J. P., Aung, T., Baker, P. G., Yonsheng, G., Pylypczuk, R., Houghton, J., *et al.* 2008. The high prevalence of unrecognized anaemia in patients with diabetes and chronic kidney disease: a population-based study. *Diabetic Med.* 25(5): 564 – 569.

- Ningrum. N. R., Yuniadi. Y. 2009. Contrast induced nephropathy. *J Kardiologi Indones.* 30(2).
- Onuigbo. M. A. C., Onuigbo. N. T. C. 2008. Does Renin-Angiotensin Aldosterone System Blockade Exacerbate Contrast-Induced Nephropathy in Patients with Chronic Kidney Disease? A Prospective 50-month Mayo Clinic Study. *Ren Fail.* 30: 67–72.
- Patel, K., King, C. A., Jovin, I. S. 2011. Angiotensin converting enzyme inhibitors and their effects on contrast induced nephropathy after cardiac catheterization or percutaneous coronary intervention. *Cardiovasc Revasc Med.* 12: 90 – 93.
- Persson, P. B., Hansell, P., Liss, P. 2005. Pathophysiology of contrast medium induced nephropathy. *Kidney Int.* 68: 14-22.
- Priestley, J. R. C., Buelow, M. W., McEwen, S. T., Weinberg, B. D., Delaney, M., Balus, S. F., *et al.* 2013. Reduced angiotensin II levels cause generalized vascular dysfunction via oxidant stress in hamster cheek pouch arteriole. *Microvasc Res.* 89: 134-145
- Rifqi, S. 2012. Primary percutaneous coronary intervention (primary PCI), senjata baru melawan serangan jantung akut. *Medica Hospitalia.* 1(2): 139-142.
- Rihal, C. S., Textor, S. C., Grill, D. E., Ting, H. H., Best, P. J., Singh, M., *et al.* 2002. Incidence and prognostic importance of acute renal failure after percutaneous coronary intervention. *Circulation.* 105(19): 2259 – 2264.
- Robbins. J. B., Pozniak. M. A. 2010. Contrast Media Tutorial. [Online] [cited 2014 Jul 7] Available at: <https://www.radiology.wisc.edu/fileShelf/contrastCorner/files/ContrastAgentsTutorial.pdf>.
- Robert, A. M., Brown, J. R., Sidhu, M. S., Ramanath, V. S., DeVries, J. T., Jayne, J. E., *et al.* 2012. The evaluation of creatinin clearance, estimated glomerular filtration rate and serum creatinine in predicting contrast induced acute kidney injury among patients undergoing percutaneous coronary intervention. *Cardiovasc Revasc Med.* 13: 3–10.
- Romero-Corral, A., Montori, V. M., Somers, V. K. 2006. Association of bodyweight with total mortality and with cardiovascular events in coronary artery disease: a systematic review of cohort studies. *Lancet.* 368:666–678.
- Rosenstock, J. L., Bruno, R., Kim, J. K., Lubarsky, L., Schaller, R., Panagopoulou, G., *et al.* 2008. The effect of withdrawal of ACE inhibitor or angiotensin receptor blockers prior to coronary angiography on the incidence of contrast induced nephropathy. *Int Urol Nephrol.* 40:749–755.

- Rudnick, M. R., Goldfarb, S., Wexler, L. 1995. Nephrotoxicity of ionic and nonionic contrast media in 1196 patients: A randomized trial. The iohexol cooperative study. *Kidney International*. 47: 254 – 261.
- Rudnick, M. R., Goldfarb, S., Tumlin, J. 2008. Contrast-induced nephropathy: is the picture any clearer? *Clin J Am Soc Nephrol*. 3: 261-262.
- Rundback, J. H., Nahl, D., Yoo, V. 2011. Contrast induced nephropathy. *J Vasc Surg* . 54(2).
- Russo, D., Minutolo, R., Cianciaruso, B., Memoli, B., Conte, G., De Nicola L. 1995. Early effects of contrast media on renal hemodynamics and tubular function in chronic renal failure. *J Am Soc Nephrol*. 6:1451–1458.
- Shacham, Y., Gal-Oz, A., Leshem-Rubinow, E., Arbel, Y., Flint, N., Keren, G. 2015. Association of Admission Hemoglobin Levels and Acute Kidney Injury Among Myocardial Infarction Patients Treated With Primary Percutaneous Intervention. *Can J Cardiol*. 31: 50 – 55.
- Shoukat, S., Gowani, S. A., Jafferani, A., Dhakam, S. H. Contrast-Induced Nephropathy in Patients Undergoing Percutaneous Coronary Intervention. *Cardiol Res Pract*. doi:10.4061/2010/649164.
- Siddiqi, N. H. 2014. Contrast Medium Reaction[Online] [cited 2014 Aug 12]. Available at: <http://emedicine.medscape.com/article/422855-overview#aw2aab6b3>.
- Slocum, N. K., Grossman, M., Moscucci, M., Smith, D. E., Aronov, H. D., Dixon, S. R., *et al.* 2012. The changing definition of contrast induced nephropathy and its clinical implication: Insight from the blue cross shield of Michigan Cardiovascular Consortium (BMC2). *Am Heart J*. 163(5): 829-834.
- Soewondo, P., Ferrario, F., Tahapary, D. L. 2012. Challenges in diabetes management in Indonesia: a literature review. *Globalization and Health*. 9:63.
- Solomon. R. 2005. The role of osmolality in the incidence of contrast-induced nephropathy: A systematic review of angiographic contrast media in high risk patients. *Kidney Int*. 68: 2256–2263.
- Solomon, R., Deray, G. 2006. How to prevent contrast induced nephropathy and manage risk potentials: practical recommendations. *Kidney Int*. 69: S51-S53
- Solomon, R. J., Mehran, R., Natarajan, M. K., 2009. Contrast-induced nephropathy and long-term adverse events: Cause and effect? *Clin J Am Soc Nephrol*. 4: 1162–1169.
- Spatz. C., Saadulla. L. , Lapsiwala. A, Parhizgar. A., Ghahramani. N. 2012. Effect of Renin-Angiotensin-Aldosterone System Blockade Therapy on



Incidence of Contrast-induced Nephropathy in Patients with Chronic Kidney Disease. *Iran J Kidney Dis.* 6(6): 432-436.

Stacul, F., van der Molen, A. J., Reimer, P., Webb, J. A. W., Thomsen, H. K., Morcos, S. K., *et al.* 2011. Contrast induced nephropathy: updated ESUR contrast media safety committee guidelines. *Eur Radiol.* 21:2527–2541.

Steg, G., James, S. K., Atar, D., Badano, L. P., Blomstrom-Lundqvist, C., Borger, M. A., *et al.* 2012. ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. The Task Force on the management of ST-segment elevation acute myocardial infarction of the European Society of Cardiology (ESC). *Eur Heart J.* 33: 2569–2619.

Tehrani, S., Laing, C., Yellon, D. M., Hausenloy, D. J. 2013. Contrast-induced acute kidney injury following PCI. *Eur J Clin Invest.* 43(5): 483-490.

Tepel, M., Aspelin, P., Lameire, N. 2006. Contrast induced nephropathy: a clinical and evidence based approach. *Circulation.* 113: 1799-1806

Teruel, J. L. G., Catalan, S. B. 2011. Assessment of renal function, iatrogenic hyperkalemia and acute renal dysfunction in cardiology. Contrast induced nephropathy. *Rev Esp Cardiol.* 64 (12): 1182-1192.

Tomlinson, L. A., Abel, G. A., Chaudhry, A. N., Tomson, C. R., Wilkinson, I. B., Roland, M. O., *et al.* 2013. ACE Inhibitor and Angiotensin Receptor-II Antagonist Prescribing and Hospital Admissions with Acute Kidney Injury: A Longitudinal Ecological Study. *Plos One* [cited 2014 Sept 10]; 8(11). Available online at [www.plosone.org](http://www.plosone.org).

Toprak, O., Cirit, M. 2006. Risk factors for contrast-induced nephropathy. *Kidney Blood Press Res.* 29: 84–93.

Tsai, T. T., Patel, U. D., Chang, T. I., Kennedy, K. F., Masoudi, F. A., Matheny, M. E., *et al.* 2014. Contemporary incidence, predictors, and outcomes of acute kidney injury in patients undergoing percutaneous coronary intervention. Insight from the NCDR Cath – PCI registry. *J Am Coll Cardiol Interv.* 7: 1-9.

Ugur, M., Uluganyan, M., Ekmekci, A., Bozbay, M., Karaca, G., Cicek, G., *et al.* 2014. Combination of hemoglobin and left ventricular ejection fraction as a new predictor of contrast induced nephropathy in patients with no ST elevation myocardial infarction. *Med Sci Monit.* 20: 967-973.

Umrudin, Z., Moe, K., Superdock, K. 2012. ACE inhibitor or angiotensin II receptor blocker use is a risk factor for contrast induced nephropathy. *J Nephrol.* 25(5): 776–781.

- Wacholder, S., 2013. Precursors in cancer epidemiology: aligning definition and function. *Cancer Epidemiol Biomark Prev.* 22 (4), 521–527
- Werf, F. V. 2014. The history of coronary reperfusion. *Eur Heart J* [online][cited on 2014 Jul 14]. Available at: <http://eurheartj.oxfordjournals.org/>.
- Wheeler, D. C., Becker, G. J. 2013. Summary of KDIGO guideline. What do we really know about management of blood pressure in patients with chronic kidney disease? *Kidney Int.* 83: 377–383
- Wi, J., Ko, Y. G., Shin, D. H., Kim, J. S., Kim, B. K., Choi, D., *et al.* 2013. Prediction of Contrast-Induced Nephropathy With Persistent Renal Dysfunction and Adverse Long-term Outcomes in Patients With Acute Myocardial Infarction Using the Mehran Risk Score. *Clin Cardiol.* 36(1): 46–53.
- Wolak. T., Aliev, E., Rogachev., Baumfeld, Y., Cafri, C., Abu-Sakhra, M., *et al.* 2013. Renal Safety and Angiotensin II Blockade Medications in Patients undergoing non-emergent coronary angiography: a randomized controlled study. *Israel Med Assoc J.* 15(11): 682-687.
- Wong, P. C. Y, Li, Z., Guo, J., Zhang, A. 2012. Patophysiology of contrast induced nephropathy. *Int J Cardiol.* 158: 186–192.
- Xiong, X., Jia, R., Yang, D., Ding, G. 2006. Irbesartan attenuates contrast media induced NRK-52E cells apoptosis. *Pharmacol Res.* 54:253–60.
- Yacoub, R., Patel, N., Lohr, J. W., Rajagopalan, S., Nader, N., Arora, P. 2013. Acute Kidney Injury and Death Associated With Renin Angiotensin System Blockade in Cardiothoracic Surgery, A Meta-analysis of Observational Studies. *Am J Kidney Dis.* 62(6): 1077-1086.
- Yuniadi. Y., Ningrum. N. R. 2008. Risk factors and incidence of contrast induced nephropathy following coronary intervention. *Med J Indones.* 17(2): 131-137.
- Zhou, L., Duan, S. 2013. Effects of angiotensin converting enzyme inhibitors and angiotensin receptor blockers in contrast induced nephropathy. *Kidney Blood Press Res.* 38: 165-171.