

DAFTAR PUSTAKA

- Adams, S. P., Tsang, M., & Wright, J. M., 2012. Lipid lowering efficacy of atorvastatin (Review). *Cochrane Database Syst Rev.* 12:1-458.
- Ahjel, S. W., & Lupuleasa, D., 2009. Enhancement of solubility and dissolution rate of different forms of atorvastatin calcium in direct compression tablet formula. *Farmacia.* 57(3):290-300.
- Aksoy, B., Atakan, N., Aksoy, H. M., Tezel, G. G., Renda, N., Ozkara, A. H., & Onder, E., 2010. Effectiveness of topical zinc oxide application on hypertrophic scar development in rabbits. *Burn.* 36 : 1027-1035.
- Alegret, M., & Silvestre, J.S., 2007. Pleiotropic effects of statins and related pharmacological experimental. *Timely Top Med Cardiovasc Dis.* 11:E10.
- Alfars, A. A., 2009. Histological Study Of Early Events During Wound Healing In Rabbits. *Bas.J.Vet.Res.* 8(1)
- An, Z., Yang, G, He. YQ., , Dong, N. G. L. L., Li, S. M.,& Zhang, W. Q. 2013. Atorvastatin reduces myocardial fibrosis in a rat model with post-myocardial infarction heart failure by increasing the matrix metalloproteinase-2/tissue matrix metalloproteinase inhibitor-2 ratio. *Chin Med J (Engl).* 126(11):2149-56.
- Araújo, F. A., Rocha, M. A., Mendes, J. B., Andrade, S. P., 2010. Atorvastatin inhibits inflammatory angiogenesis in mice through down regulation of VEGF, TNF-alpha and TGF-beta1. *Biomed Pharmacother.* 64(1):29-34.
- Baharara, J., Zafar-Balanezhad, S., Nejad-Shahrokhadi, K., & Hesami, Z., 2012. The effects of different doses of atorvastatin on angiogenesis of chorioallantoic membrane of chick embryo. *J Sharekord Univ Med Sci.*14(2): 12-19.
- Bao-qiang, S., Yang, Z., Wei, Z., *et al.*, 2008. The influence of antiangiogenesis by gene transfection on expression of VEGF in hypertrophic scar. *Chin. J. Aesthetic Plast Surg.* www.cnki.com.cn
- Beausang, E., Floyd, H.; Dunn, K. W.; Orton, C. I.,&Ferguson, M. W. 1998. A New Quantitative Scale for Clinical Scar Assessment. *Plastic & Reconstructive Surgery.*
- Berman, B., 2012. Keloid and hypertrophic scar treatment and management. <http://emedicine.medscape.com/article/1057599>

- Bielefeld, K. A., Amini-Nik, S., & Alman, B. A., 2013. Cutaneous wound healing: recruiting developmental pathways for regeneration. *Cell Mol Life Sci.* 70(12):2059-81.
- Bosel, J. and Endres, M., 2006. Direct neuronal effects of statins. Article in German. *Nervenarzt*, 77: 289-290, 292-283.
- Brookes, Z. L. S., McGown, C. C. & Reilly, C. S. 2009. Statins for all: the new premed? *Br J Anaesth.* 103 (1): 99–107.
- Broughton, G& Rohrich, R. J. 2005. Wounds And Scars. *SRPS.* 10(7) : 1-54
- Brown, J.J., & Bayat A., 2009. Genetic susceptibility to raised dermal scarring. *Br J Dermatol.* 161(1):8-18.
- Caulfield, R. H., Tyler, M. P., Austyn, J. M., Dziewulski, P., & McGrouther, D. A., 2008. The relationship between protease/anti-protease profile, angiogenesis and re-epithelialisation in acute burn wounds. *Burns.* 34(4):474-86.
- Chao, P-F., Xu, Y-B., Tang, J-M., Yang, R-H.,&Liu, X-S. 2014. HOAX9 regulates angiogenesis in human hypertrophic scar: induction of VEGF secretion by epidermal stem cells. *Int J Clin Exp Pathol.* 7(6):2998-3007
- Chatterjee, S., Wang, Y., Duncan, M. K., & Naik, U. P., 2013. Junctional adhesion molecule-a regulates vascular endothelial growth factor receptor-2 signaling-dependent mouse corneal wound healing. *PLoS ONE* 8(5): e63674
- Chen, X., Peng, L., & Gao, J., 2012. Novel topical drug delivery systems and their potential use in scars treatment. *Asian J. Pharm Sci.* 7(3): 155-167.
- Choi, Y-H., Kim, K-M., Kim, H-Y., Jang, Y-C,& Kwak, I-S. 2013. Clinical and Histological Correlation in Post-Burn Hypertrophic Scar for Pain and Itching Sensation. *Ann Dermatol.* 25(4):428-433
- Chun, Q., ZhiYong, W., Fei, S., & XiQiao, W. 2014. Dynamic biological changes in fibroblasts during hypertrophic scar formation and regression. *Int Wound J.* DOI: 10.1111/iwj.12283
- Dahlan, S. 2012. *Statistik untuk kedokteran dan kesehatan.* Jakarta : Penerbit Salemba Medika.
- Deng, C., Zheng, J., Wan, W., Zhang, S., Ding, Z., Mao, G., & Yang, S., 2013. Suppression of cell proliferation and collagen production in cultured human hypertrophic scar fibroblasts by Sp1 decoy oligodeoxynucleotide. *Mol Med Rep.* 7(3) : 785-790.

- Dulak, J., & Józkwicz, A., 2005. Anti-angiogenic and anti-inflammatory effects of statins:relevance to anti-cancer therapy. *Curr Cancer Drug Targets*. 5(8): 579–594.
- Dulak, J., Loboda, A., Jazwa, A., Zagorska, A., Dörler, J., Alber, H., Dichtl, W., Weidinger, F., Jozkwicz, A., & Frick, M., 2005. Atorvastatin affects several angiogenic mediators in human endothelial cells. *Endothelium*. 12(5-6): 233–241.
- Elewa, H. F., El-Remessy, A. B., SSomanath, P R., Fagan, S. C., 2010. Diverse effect of statins on angiogenesis : new therapeutic avenues. *Pharmacotherapy*. 30(2):169-176
- Eming, S. A., Krieg, T., Davidson, J. M., 2007. Inflammation in wound repair:molecular and cellular mechanisms. *J Invest Dermatol*. 127:514-525.
- Enoch, S., & Leaper D. J., 2007. Basic science of wound healing. *Surgery* 26(2): 31-37.
- Farsaei, S., Khalili, H., & Farboud, E. S., 2011. Potential role of statins on wound healing: review of the literature. *Int Wound J*. 1-10.
- Federer , W. T., 1967. *Experimental Design: Theory and Application*. Oxford & IBH: Publishing Company. New Delhi, India.
- Garjani, A., Rezazadeh, H., Andalib, S., Ziaee, M., Doustar, Y., Soraya, H., Garjani, M., Khorrami, A., Asadpoor, M., & Maleki-Dizaji, N., 2012. Ambivalent effect of atorvastatin on angiogenesis, epidermal cell proliferation and tumorigenesis in animal models. *Iran. Biomed. J*. 16(2) : 59-67.
- Gauglitz, G. G., Korting H. C., Pavicic T., Ruzicka T., & Jeschke M. G., 2011. Hypertrophic scarring and keloids : pathomechanisms and current and emerging treatment strategies. *Mol Med*. ; 17(1-2): 113–125.
- Gauglitz, G. G., 2013. Management of keloids and hypertrophic scars: current and emerging options. *Clin Cosmet Investig Dermatol*. 6:103–114
- Gazzerro, P., Proto, M. C., Gangemi, G., Malfitano, A. M., Ciaglia, E., Pisanti, S., Santoro, A., Laezza, C., & Bifulco, M., 2012. Pharmacological actions of statins: a critical appraisal in the management of cancer. *Pharmacol Rev*. 64(1):102-46.
- Greaves, N. S., Ashcroft, K. J., Baguneid, M., & Bayat, A., 2013. Current understanding of molecular and cellular mechanisms in fibroplasia and angiogenesis during acute wound healing. Review article. *J Dermatol Sci*. 72(3):206-17.

- Gregory, J., & Holly, H-A. 2009. Management of keloids and hypertrophic scars. *Am Fam Physician*. 80(3):253-60.
- Grieb, G., Steffens, G., Pallua, N., Bernhagen, J., Bucala, R., 2011. Circulating fibrocytes—biology and mechanisms in wound healing and scar formation. *Int Rev Cell Mol Biol*. 291: 1–19.
- Guichard, A., Humbert, P., Tissot, M., Muret, P., Courderot-Masuyer, C., & Viennet, C. 2014. Effects of topical corticosteroids on cell proliferation, cell cycle progression and apoptosis: in vitro comparison on HaCaT. *Int J Pharm*. 479(2):422-9.
- Gurtner GC., 2007. *Wound healing: normal and abnormal*. In: Thorne CH editors. Grabb and Smith's plastic surgery. 6th ed. Philadelphia: Lippincott Williams and Wilkins;p. 15–22
- Gurtner, G. C., Werner, S., Barrandon, Y., & Longaker, M. T., 2008. Wound repair and regeneration. *Nature*. 453:314-321.
- Huang, Chenyu., Murphy, G. F., Akaishi, S., & Ogawa, R. 2013. Keloids and Hypertrophic Scars: Update and Future Directions. *Plastic and Reconstructive Surgery Global*. Open 1 (4): e25.
- Ii, M., & Losordo, D. W., 2007. Statins and the endothelium. *Vascul Pharmacol*. 46:1-9.
- Jalali, M, & Bayat, A. 2007. Steroids are used therapeutically in the management of abnormal scars; however, this is associated with a variety of adverse effects. *Surgeon*. 5(3):175-80.
- Kloeters, O., Tandara, A., & Mustoe TA., 2007. Hypertrophic scar model in the rabbit ear: a reproducible model for studying scar tissue behavior with new observations on silicone gel sheeting for scar reduction. *Wound Repair Regen*. 16(4):582
- Ko, J. H., Kim, P. S., Zhao, Y., Hong, S. J., & Mustoe, T. A., 2012. HMG-CoA reductase inhibitors (statins) reduce hypertrophic scar formation in a rabbit ear wounding model. *Plast Reconstr Surg*. 129 (2):252e-261e.
- Komatsu, T., Tachibana, H., Sato, Y., Ozawa, M., Kunugita, F., & Nakamura, M., 2011. Long-term efficacy of upstream therapy with lipophilic or hydrophilic statins on antiarrhythmic drugs in patients with paroxysmal atrial fibrillation. Comparison between atorvastatin and pravastatin. *Int Heart J*. 52:359-365.
- Kwok, T., & Rao, J. 2011. A Practical Approach to Classification and Treatment of Scars. <http://www.skintherapyletter.com/fp/2011/7.6/3.html>

- Leivonen, S-K, Hakkinen, L., Liu, D., & Kahari, V-M., 2005. Smad3 and extracellular signal-regulated kinase $\frac{1}{2}$ coordinately mediate transforming growth factor- β -induced expression of connective tissue growth factor in human fibroblast. *J Invest Dermatol.* 124:1162-1169.
- Li, J., Chen, J., & Kirsner, R., 2007. Pathophysiology of acute wound healing. *Clin Dermatol.* 25 : 9-18.
- Lipson, K. E., Wong, C., Teng, Y., & Spong, S., 2012. CTGF is a central mediator of tissue remodeling and fibrosis and its inhibition can reverse the process of fibrosis. *Fibrogenesis Tissue Repair.* 5(Suppl 1):S24.
- Liu, Y-L., Sun, J., Hou, T-J., Li, S-R., Deng, F-M, Liu, H-R., Liu, Y-M., Liu, X-L., & Li, J., 2012. Effect of tumstatin on hypertrophic scar in the rabbit model. *Life Sci. J.* 9(2):25-29
- Maxson, S., Lopez, E. A., Yoo, D., &ilkovitch-Miagkova, A., & LeRoux, M. A., 2012. Concise Review: Role of Mesenchymal Stem Cells in Wound Repair. *Stem Cells Trans Med.* 1:142-149.
- McCarty, S. M., Farhatullah, S., & Ardeshir, B., 2010. Influence of the human leukocyte antigen complex on the development of cutaneous fibrosis: an immunogenetic perspective. *Acta Derm Venereol.* 90: 563–574.
- Meenakshi, J., Jayaraman, V., Ramakrishnan, K. M., & Babu, M., 2005. Keloids and hypertrophic scars: a review. *Indian J Plast Surg.* 38(2): 175
- Meyer-Ter-Vehn, T., Katzenberger, B., Han, H., Grehn, F. & Schlunck, G., 2008. Lovastatin inhibits TGF-beta-induced myofibroblast transdifferentiation in human tenon fibroblasts. *Invest Ophthalmol Vis Sci.* 49: 3955-3960.
- Mohammadi, A. A., Panah, M. M., Pakyari, M. R., Tavakol, R., Ahrary, I., Jafari, S. M. S., & Sharifian, M., 2013. Surgical excision followed by low dose rate radiotherapy in the management of resistant keloids. *World J Plast Surg.* 2(2):81-86.
- Morris, D. E., Wu, L., Zhao, L. L., Bolton, L., Roth, S.I., Ladin, D. A., & Mustoe, T. A., 1997. Acute and chronic animal models for excessive dermal scarring: quantitative studies. *Plast Reconstr Surg.* 100(3):674-81.
- Moshref, S. S., & Mufti, S. T., 2010. Keloid and hypertrophic scars: comparative histopathological and immunohistochemical study. *JKAU Med. Sci.* 17(3): 3-22
- Occleston, N. L., Metcalfe, A. D., Boanas, A., Burgoyne, N. J., Nield, K., O’Kane, S., & Ferguson, M. W. J., 2010. Therapeutic improvement of scarring: mechanisms of scarless and scar-forming healing and approaches

- to the discovery of new treatments. Review article. *Dermatol Res Pract.* 2010:1-10.
- Ogawa, R., 2010. The most current algorithms for the treatment and prevention of hypertrophic scars and keloids. *Plast. Reconstr. Surg.* 125: 557-568.
- Penn, J. W., Adriaan O. G., & Kerstin J. R., 2012. The role of the tgf- β family in wound healing, burns and Scarring: a review article. *Int J Burn Trauma.* 2(1):18-28.
- Poli, A., 2007. Atorvastatin: pharmacological characteristics and lipid-lowering effects. *Drugs.* 67(1 1):3-15.
- Prasetyono, T. O. H., 2009. General concept of wound healing, revisited. *Med J Indones.* 18(3) : 206-14.
- Prud'homme, G. J., 2007. Pathobiology of transforming growth factor b in cancer, fibrosis and immunologic disease, and therapeutic considerations. Mini Review. *Lab Invest.* 87:1077-1091.
- Pushp, P., Patnaik, L., Sharma, N., Lee, H. T., & Gupta, M. K., 2013. Emerging role of statins in tissue engineering and therapeutics - A review. *J. Animal Research.* 3(1):1-15.
- Rahmani, N., Hashemi, S. A., & Ehteshami, S., 2013. Vitamin E and its clinical challenges in cosmetic and reconstructive medicine with focus on scars; a review. Review Article. *J Pak Med Assoc.* 63(3):380-2.
- Ramakrishnan, M. K., Babu, M., Mathivanan, T., & Jayaraman, V. 2014. Scar biology: Fibroblast the key modulator. *Indian J Burns.* 22(1):3-9
- Reinke, J. M., & Sorg, H., 2012. Wound repair and regeneration. *Eur Surg Res.* 49:35-43.
- Reish, R. G., & Eriksson, E. 2008. Scar Treatments: Preclinical and Clinical Studies. *J Am Coll Surg.* 206(4):719-730
- Ren, H-T., Hu, H., Li, Y., Jiang, H-F., Hu, X-I., & Han, C-M., 2013. Endostatin inhibits scarring in rabbit ear model. *J Zhejiang Univ Sci B.* 14(3) : 224-230
- Rikitake, Y., & Liao, J. K., 2005. Rho GTPases, statins, and nitric oxide. *Circ Res.* 97:1232-1235
- Sai, Y., 2010. The Therapeutic effect of VEGF receptor tyrosine kinases inhibitors in hypertrophic scar in rabbit ear. master's thesis. <http://www.dissertstiontopic.net/doc/345201>.

- Saulis, A. S., Chao, J. D., Telser, A., Mogford, J. E., & Mustoe, T. A., 2002. Silicone occlusive treatment of hypertrophic scar in the rabbit model. *Aesthetic Surg J.* 22(2):147-153.
- Scrachter, M., 2004. Chemical, pharmacokinetic and pharmacodynamic properties of statins : an update. *Fundam Clin Pharmacol.* 19:117-125.
- Shaw, T. J., Kazuo, K., & Ryoichi, M., 2013. Wound-associated skin fibrosis: mechanisms and treatments based on modulating the inflammatory response. *Endocr Metab Immune Disord Drug Targets.* 10(4):320-330.
- Shi, H-X., Lin, C., Lin, B-B., Wang, Z-G., Zhang, H-Y., *et al.*, 2013. The anti-scar effects of basic fibroblast growth factor on the wound repair *in vitro* and *in vivo*. *PLoS ONE.* 8(4): e59966.
- Shridharani, S. M., Michael M., Paul N. M., Navin K. S., Basak B., & Gedge D. R., 2010. The emerging role of antineoplastic agents in the treatment of keloids and hypertrophic scars. A review. *Ann Plast Surg.* 64(3):355–361.
- Sorg, H., Krueger, C., Vollmar, B., 2007. Intravital insights in skin wound healing using the mouse dorsal skin fold chamber. *J. Anat.* 211:810-818
- Stojadinovic O., Lebrun E., Pastar I., Kirsner R., Davis S. C dan Canic M. T. 2010. Statins as Potential Therapeutic Agents for Healing Disorders. *Expert Rev Dermatol.* 2010;5(6):689-698
- Tanaka, S-I., Fukumoto, Y., Nochioka, K., Minami, T., Kudo, S., Shiba N., Takai, Y., Williams, C. L., Liao, J. K., & Shimokawa H., 2013. Statins exert the pleiotropic effects through small gtp-binding protein dissociation stimulator upregulation with a resultant racl degradation. *ATVB.* 33(7):1591-1600
- Toker, S., Gulcan, E., Cayc, M. K., Olgun, E. G., Erbilien, E., & Ozay, Y., 2009. Topical atorvastatin in the treatment of diabetic wounds. *Am J Med Sci.* 338(3):201-4.
- Tollefson, T. T., Kamangar, F., Aminpour, S., Lee, A., Durbin-Johnson, B., Tinling, S., 2012. Comparison of effectiveness of silicone gel sheeting with microporous paper tape in the prevention of hypertrophic scarring in a rabbit model. *Arch Facial Plast Surg.* 14(1):45-51.
- Ulrich, R. H., Ruzicka, T., Schwartz, R. A., & Cork, M. J. 2006. Continuing Medical Education. Adverse effects topical glucocorticosteroids. *Am Acad Dermatol.* 54:1-15.
- Van Den-Broek, L. J., Niessen, F. B., Scheper, R. J., & Gibbs, S., 2012. Development, validation, and testing of a human tissue engineered hypertrophic scar model. *Altex.* 29(4/12):389-402.

- Van der veer, W. M., Bloemen, M. C. T., Ulrich, M. M. W., Molema, G., Van Zuijlen, P. P., Middlekoop, E., & Niessen, F. B., 2009. Potential cellular and molecular causes of hypertrophic scar formation. *Burn*. 35:15-29.
- Wang, Q., Cui, W., Zhang, H. L., Hu, H. J., Zhang, Y. N., Liu, D. M., & Liu, J. 2013. Atorvastatin suppresses aldosterone-induced neonatal rat cardiac fibroblast proliferation by inhibiting ERK1/2 in the genomic pathway. *J Cardiovasc Pharmacol*. 61(6):520-7
- Wang, X. Q., Lu, S. L., Mao, Z. G., & Liu, Y. K., 2007. Study on the biological function of vascular endothelial cells in the hypertrophic scar. Article in Chinese. *Zhonghua Shao Shang Za Zhi*. 23(3):219-21.
- Wilgus, T. A., Ferreira, A. M., Oberyszyn, T. M., Bergda, V. K., & DiPietro, L. A., 2008. Regulation of scar formation by vascular endothelial growth factor. *Lab Invest*. 88(6): 579–590.
- Wolfram, D., Tzankov, A., PuLzl, P., & Piza-Katzer, H., 2009. Hypertrophic scars and keloids - review of their pathophysiology, risk factors, and therapeutic management. Review article. *Dermatol Surg*. 35:171–181.
- Xi-Qiao, W., Liu, Y. K., Wang, Z. Y., Wei, J., Jiang, Y. Z., Qing, C., & Lu, S. L., 2008. Antimitotic drug injections and radiotherapy: a review of the effectiveness of treatment for hypertrophic scars and keloids. *Int J Low Extrem Wounds*. 7(3):151-159.
- Xi-Qiao, W., Ying-Kai, L., Chun, Q., & Shu-Liang, L., 2009. Hyperactivity of fibroblasts and functional regression of endothelial cells contribute to microvessel occlusion in hypertrophic scarring. *Microvasc Res*. 77:204–211.
- Zhang H., Ran X., Hu C-L., Qin L-P., Lu, Y., & Peng C., 2012. Therapeutic effects of liposome-enveloped ligusticum chuanxiong essential oil on hypertrophic scars in the rabbit ear model. *PLoS ONE* 7(2): e31157.
- Zhu, G. Y., Xu, B., & Cai, J. L., 2008. Experimental research of correlation between anatomy structure of rabbit ear and creating hypertrophic scar animal model. Article in Chinese. *Zhonghua Zheng Xing Wai Ke Za Zhi*. 24(3) : 216-9.
- Zurada, J. M., Kriegel, D., & Davis, I. C., 2006. Topical treatment for hypertrophic scars. *J Am Acad Dermatol*. 55(6):1024-31